

1R - 427-97

APPROVALS

YEAR(S):

2013

Hansen, Edward J., EMNRD

From: Hansen, Edward J., EMNRD
Sent: Tuesday, April 02, 2013 2:32 PM
To: Hack Conder (hconder@riceswd.com)
Cc: Leking, Geoffrey R, EMNRD; Laura Pena (lpena@riceswd.com); Katie Jones <kjones@riceswd.com> (kjones@riceswd.com); Scott Curtis (scurtis@riceswd.com)
Subject: Remediation Plan (1R427-97) Termination - ROC EME N-16-1 Site

**RE: Termination Request
for the Rice Operating Company's
EME N-16-1 Site
Unit Letter N, Section 16, T20S, R37E, NMPM, Lea County, New Mexico
Remediation Plan (1R427-97) Termination**

Dear Mr. Conder:

The New Mexico Oil Conservation Division (OCD) has received Rice Operating Company's report and request to close the above-referenced site, dated March 21, 2013 (received March 27, 2013). The reports are acceptable to the OCD.

The above-referenced report, submitted in accordance with 19.15.29 NMAC (Rule 29; formally, Rule 116), indicates that Rice Operating Company has met the requirements of 19.15.29 NMAC; therefore, the OCD approves the report and hereby notifies you that the remediation plan (1R427-97) is terminated in accordance with 19.15.29 NMAC.

Please be advised that OCD approval of this report does not relieve the owner/operator of responsibility should operations pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the owner/operator of responsibility for compliance with any OCD, federal, state, or local laws and/or regulations.

If you have any questions regarding this matter, please contact me at 505-476-3489.

Edward J. Hansen
Hydrologist
Environmental Bureau

RICE *Operating Company*

112 West Taylor • Hobbs, New Mexico 88240

Phone: (575) 393-9174 • Fax: (575) 397-1471

CERTIFIED MAIL

RETURN RECEIPT NO. 7007 2560 0000 4569 9309

March 21, 2013

Mr. Edward Hansen
New Mexico Energy, Minerals, & Natural Resources
Oil Conservation Division, Environmental Bureau
1220 S. St. Francis Drive
Santa Fe, New Mexico 87505

RECEIVED

MAR 21 2013

Oil Conservation Division
1220 S. St. Francis Drive
Santa Fe, NM 87505

RE: Termination Request
EME N-16-1 (1R427-97): UL/N, Sec. 16, T20S, R37E
RICE Operating Company – Eunice Monument Eumont SWD System

Mr. Hansen:

Rice Operating Company (ROC) is the service provider (agent) for the EME Saltwater Disposal (SWD) System and has no ownership of any portion of the pipeline, well, or facility. The System is owned by a consortium of oil producers, System Parties, who provide all operating capital on a percentage ownership/usage basis.

Background

In 2001, ROC initiated work on the former N-16-1 junction box. The site is located in UL/N, Sec. 16, T20S, R37E. NM OSE records indicate that groundwater would likely be encountered at a depth of approximately 32 +/- feet. The site was delineated using a backhoe to collect soil samples at regular intervals, creating a 30x30x7 ft deep excavation. Each sample was field titrated for chlorides, resulting in slightly elevated chloride concentrations. Representative samples were collected from the excavation walls and excavation bottom and sent to a commercial laboratory for analysis. The sidewall sample resulted in a chloride concentration of 224 mg/kg, a gasoline range organics (GRO) concentration below detectable limits and a diesel range organics (DRO) concentration of 323 mg/kg. The bottom composite sample resulted in a chloride concentration of 560 mg/kg, a GRO concentration below detectable limits and a DRO concentration of 264 mg/kg. Both samples were also analyzed for BTEX, resulting in concentrations below detectable limits throughout.

To further investigate the depth of chloride presence, a soil bore was installed December 20, 2001 to a total depth of 30 ft below ground surface (bgs), with samples collected at regular intervals. Each sample was field titrated for chlorides, resulting in low chloride

concentrations. The 28 ft sample was sent to a commercial laboratory for analysis of chloride and TPH, resulting in a chloride concentration of 208 mg/kg and gasoline range organics (GRO), diesel range organics (DRO) and BTEX concentrations below detectable limits.

A total of 24 cubic yards of excavated soil was properly disposed of at an NMOCD approved facility. A compacted clay liner was installed and the excavation was backfilled with the excavated soil blended with new soil to ground surface and contoured to the surrounding area. A new, watertight junction was installed at the site.


The junction box site location map, final report, laboratory analysis, soil bore log and laboratory analysis, disposal manifests and current photodocumentation are attached.

Recommendations

Site investigation demonstrates that residual chloride and hydrocarbons in the vadose zone will not with reasonable probability contaminate groundwater in excess of NMOCD standards. This site meets the requirements of the NMOCD-approved Revised Junction Box Upgrade Work Plan (July 16, 2003). As such, ROC request termination of the regulatory file, or similar closure status.

Please contact me at (575)393-9174 if you have any questions or wish to discuss this site. Thank you for your time and consideration.

Sincerely,
RICE Operating Company



Hack Conder
Environmental Manager

enclosures

RECEIVED OGD
2013 MAR 27 P 2:17




Site Location Map

RICE *Operating Company* (ROC)
112 West Taylor Hobbs, NM 88240
Phone: (575) 393-9174 Fax: (575) 397-1471



EME N-16-1 (1R427-97)

Unit Letter N, Section 16,
T20S, R37E
Lea County, NM



Drawing date: 3/5/13

Junction Box Report

RICE *Operating Company* (ROC)
112 West Taylor Hobbs, NM 88240
Phone: (575) 393-9174 Fax: (575) 397-1471

**RICE OPERATING COMPANY
JUNCTION BOX FINAL REPORT**

BOX LOCATION

SWD SYSTEM	JUNCTION	UNIT	SECTION	TOWNSHIP	RANGE	COUNTY	BOX DIMENSIONS - FEET		
EME	N-16-1	N	16	20S	37E	LEA	Length 10	Width 10	Depth 5

LAND TYPE: BLM _____ STATE X FEE LANDOWNER _____ OTHER _____

Depth to Groundwater 32 feet NMOCD SITE ASSESSMENT RANKING SCORE: 20

Date Started 12/17/2001 Date Completed 01/15/2002 OCD Witness NO

Soil Excavated 210 cubic yards Excavation Length 30 Width 30 Depth 7 feet

Soil Disposed 24 cubic yards Offsite Facility SUNDANCE Location EUNICE, NM

FINAL ANALYTICAL RESULTS: Sample Date 01/04/2002 Sample Depth 7'

Procure 5-point composite sample of bottom and 4-point composite sample of sidewalls. TPH, BTEX and Chloride laboratory test results completed by using an approved lab and testing procedures pursuant to NMOCD guidelines.

Sample Location	Benzene mg/kg	Toluene mg/kg	Ethyl Benzene mg/kg	Total Xylenes mg/kg	GRO mg/kg	DRO mg/kg	Chlorides mg/kg
SIDEWALLS	<0.005	<0.005	<0.005	<0.015	<50	323	224
BOTTOM	<0.005	<0.005	<0.005	<0.015	<50	264	560
Boring @ 28'	<0.005	<0.005	<0.005	<0.015	<50	<50	208

General Description of Remedial Action: The site was delineated vertically and laterally.

The vertical delineation found chlorides at 500 ppm, above NMOCD guidelines.

A soil boring was completed 12/20/01, and field tests indicated impact stopped before reaching groundwater. A boring sample from 28' was sent to the lab for confirmation. The high impact soil was hauled to a permitted disposal facility and the remaining soil was blended with fresh soil and used as backfill. A compacted clay liner was installed as a barrier to vertical transmissivity. Installed a water tight junction box and backfilled. Natural attenuation will remediate the remaining hydrocarbons.

CHLORIDE FIELD TESTS

LOCATION	DEPTH	mg/kg
SIDEWALLS	5'	250
BOTTOM	7'	500
Vertical Trench	15'	500
Soil Boring	6'	100
	10'	75
	16'	225
	22'	325
	26'	175
	28'	75

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

DATE January 16, 2002 PRINTED NAME D. E. Anderson
SIGNATURE  TITLE Project Leader - Environmental



ARDINAL LABORATORIES

PHONE (916) 873-7001 • 2111 BEECHWOOD • ABILENE, TX 79603

PHONE (505) 393-2328 • 101 E. MARLAND • HOBBS, NM 88240

ANALYTICAL RESULTS FOR
RICE OPERATING CO.
ATTN: CHRIS RODRIGUEZ
122 W. TAYLOR
HOBBS, NM 88240
FAX TO: (505) 397-1471


Receiving Date: 01/08/02
Reporting Date: 01/09/02
Project Number: JCT. N-16-1
Project Name: WALL & BOTTOM COMPOSITE
Project Location: EME

Sampling Date: 01/03/02
Sample Type: SOIL
Sample Condition: COOL & INTACT
Sample Received By: BC
Analyzed By: BC/AH

LAB NUMBER SAMPLE ID	GRO (C ₆ -C ₁₀) (mg/Kg)	DRO (>C ₁₀ -C ₂₈) (mg/Kg)	CI* (mg/Kg)
ANALYSIS DATE	01/08/02	01/08/02	01/09/02
H6397-1 WALL COMPOSITE	<50	323	224
H6397-2 BOTTOM COMPOSITE	<50	264	560
Quality Control	817	737	1040
True Value QC	800	800	1000
% Recovery	102	92.1	104
Relative Percent Difference	7.0	3.3	1.0

METHODS: TPH GRO & DRO: EPA SW-846 8015 M; CI: Std. Methods 4500-CIB

*Analyses performed on 1:4 w:v aqueous extracts.


Chemist


Date

H6397A.XLS
PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise.


CARDINAL
LABORATORIES

PHONE (915) 873-7001 • 2111 BEECHWOOD • ABILENE, TX 79803

PHONE (505) 393-2328 • 101 E. MARLAND • HOBBS, NM 88240

ANALYTICAL RESULTS FOR
 RICE OPERATING CO.
 ATTN: CHRIS RODRIGUEZ
 122 W. TAYLOR
 HOBBS, NM 88240
 FAX TO: (505) 397-1471

Receiving Date: 01/08/02
 Reporting Date: 01/09/02
 Project Number: JCT. N-16-1
 Project Name: WALL & BOTTOM COMPOSITE
 Project Location: EME

Sampling Date: 01/03/02
 Sample Type: SOIL
 Sample Condition: COOL & INTACT
 Sample Received By: BC
 Analyzed By: BC

LAB NUMBER	SAMPLE ID	BENZENE (mg/Kg)	TOLUENE (mg/Kg)	ETHYL BENZENE (mg/Kg)	TOTAL XYLENES (mg/Kg)
ANALYSIS DATE		01/08/02	01/08/02	01/08/02	01/08/02
H6397-1	WALL COMPOSITE	<0.005	<0.005	<0.005	<0.015
H6397-2	BOTTOM COMPOSITE	<0.005	<0.005	<0.005	<0.015
Quality Control		0.102	0.102	0.105	0.309
True Value QC		0.100	0.100	0.100	0.300
% Recovery		102	102	105	103
Relative Percent Difference		0.6	0.3	1.4	2.7

METHOD: EPA SW-846 8260

Burton J. Cooke
 Chemist

1/9/02
 Date

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise.

H6397B.XLS



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: <i>Rice Operating</i>	BILL TO		PO #:
Project Manager: <i>Chris Rodriguez</i>			
Address: <i>122 W. Taylor</i>	Company:		
City: <i>Hobbs</i> State: <i>NM</i> Zip: <i>88240</i>	Attn:		
Phone #: <i>393-9124</i>	Address:		
Fax #: <i>397-1471</i>	City:		
Project #: <i>Jct N-16-1</i> Project Owner:	State: Zip:		
Project Name: <i>Wall & Bottom Composite</i>	Phone #:		
Project Location: <i>EME</i>	Fax #:		

[illegible]

XX TPA 5015u, 1787, 0

Terms and Conditions: Interest will be charged on all accounts more than 30 days past due at the rate of 24% per annum from the original date of invoice, and all costs of collections, including attorney's fees.

Sampler Relinquished:	Date: 1/8/02	Received By:	Phone Result <input type="checkbox"/> Yes <input type="checkbox"/> No Additional Fax #:
<i>Chris Rodriguez</i>	Time: 8:22		Fax Result: <input type="checkbox"/> Yes <input type="checkbox"/> No
Relinquished By:	Date:	Received By: (Lab Staff)	REMARKS:
	Time:	<i>Burgett</i>	
Delivered By: (Circle One)		Sample Condition	CHECKED BY:
- Sampler - UPS - Bus - Other:		Cool Intact	(Initials)
		<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> Yes	
		<input type="checkbox"/> No <input type="checkbox"/> No	

Atkins Engineering
Associates, Inc.

2904 W. 2nd St., Roswell, NM 88202-3156

LOG OF BORING Rice N-16-1 TH1

(Page 1 of 1)

Rice Operating Company
122 West Taylor
Hobbs, New Mexico 88240

Contact: Donnie Anderson

Job #Riceoil.air.01

Date : 12-20-01

Drill Start : 0955

Drill End : 1045

Site Location : 4.25 mi. South of Monument, NM

Auger Type : Hollow Stem

Logged By : Mort Bates

Boring Location : South edge of pit

Depth in feet	GRAPHIC	USCS	CL - Samples	DESCRIPTION	Lab
0				Poorly graded sand, tan, loose, dry	
5		SP	180 75		
10			75	Poorly graded sand, redish, tan, loose, damp	
15			50		
			50		
20		SP	225 275		
			150		
			325		
			380		
25				Sand, tan, loose, moist	
		SP	175		
			75		
30			50		
35					

Backfill cuttings

Bentonite seal


ARDINAL
LABORATORIES

PHONE (815) 678-7001 • 2111 BEECHWOOD • ABILENE, TX 79603

PHONE (505) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

 ANALYTICAL RESULTS FOR
 RICE OPERATING CO.
 ATTN: CHRIS RODRIGUEZ
 122 W. TAYLOR
 HOBBS, NM 88240
 FAX TO: (505) 397-1471

 Receiving Date: 01/15/02
 Reporting Date: 01/15/02
 Project Number: N-16-1
 Project Name: SOIL BORE @ 28' BGS
 Project Location: EME

 Sampling Date: 12/20/01
 Sample Type: SOIL
 Sample Condition: COOL & INTACT
 Sample Received By: BC
 Analyzed By: BC/HM

LAB NUMBER SAMPLE ID	GRO (C ₆ -C ₁₀) (mg/Kg)	DRO (C ₁₀ -C ₂₈) (mg/Kg)	CI* (mg/Kg)
	01/15/02	01/15/02	01/15/02
H6435-1 SOIL BORE @ 28' BGS	<50	<50	208
Quality Control	801	742	1040
True Value QC	800	800	1000
% Recovery	100	92.8	104
Relative Percent Difference	1.8	7.7	1.0

METHODS: TPH GRO & DRO: EPA SW-846 8015 M; CI: Std. Methods 4500-CI'B

*Analysis performed on a 1:4 w:v aqueous extract.

Chemist

Date

H6435A.XLS

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise.


CARDINAL
LABORATORIES

PHONE (915) 673-7001 • 2111 BEECHWOOD • ABILENE, TX 79603

PHONE (505) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240


 ANALYTICAL RESULTS FOR
 RICE OPERATING CO.
 ATTN: CHRIS RODRIGUEZ
 122 W. TAYLOR
 HOBBS, NM 88240
 FAX TO: (505) 397-1471

 Receiving Date: 01/15/02
 Reporting Date: 01/16/02
 Project Number: N-16-1
 Project Name: SOIL BORE @ 28' BGS
 Project Location: EME

 Sampling Date: 12/20/01
 Sample Type: SOIL
 Sample Condition: COOL & INTACT
 Sample Received By: BC
 Analyzed By: BC

LAB NUMBER	SAMPLE ID	BENZENE (mg/Kg)	TOLUENE (mg/Kg)	ETHYL BENZENE (mg/Kg)	TOTAL XYLENES (mg/Kg)
ANALYSIS DATE		01/15/02	01/15/02	01/15/02	01/15/02
H6435-1	SOIL BORE @ 28' BGS	<0.005	<0.005	<0.005	<0.015
Quality Control		0.099	0.102	0.106	0.307
True Value QC		0.100	0.100	0.100	0.300
% Recovery		99.3	102	106	102
Relative Percent Difference		5.5	9.1	7.5	5.3

METHOD: EPA SW-846 8260


 Chemist

 1/16/02
 Date

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable services. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise.

H6435B.XLS

Sundance Services, Inc.P.O. Box 1737 ★ Eunice, NM 88231
(505) 394-2511

NE 48704

LEASE OPERATOR/SHIPPER/COMPANY: _____

LEASE NAME: _____

TRANSPORTER COMPANY: _____

TIME: _____

AM/PM

DATE: _____

VEHICLE NO.: _____

DRIVER NO.: _____

CHARGE TO: _____

TYPE OF MATERIAL☐ Production Water☐ Drilling Fluids☐ Completion Fluids☐ Tank Bottoms☐ Contaminated soil☐ C-117 No.: _____☐ Other Material:☐ BS&W Content: _____

Description: _____

VOLUME OF MATERIAL ☐ BBLs. _____☐ YARD _____

12

☐

AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF. CODE § 361.001, et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY.

ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL.

THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident.

DRIVER: _____

(SIGNATURE)

FACILITY REPRESENTATIVE: _____

(SIGNATURE)

White-Sundance Canary-Sundance Acct#1 Pink-Sundance Acct#2 Gold-Transporter
Revised 12/27/95**Sundance Services, Inc.**P.O. Box 1737 ★ Eunice, NM 88231
(505) 394-2511

NE 48704

LEASE OPERATOR/SHIPPER/COMPANY: _____

LEASE NAME: _____

TRANSPORTER COMPANY: _____

TIME: _____

AM/PM

DATE: _____

VEHICLE NO.: _____

DRIVER NO.: _____

CHARGE TO: _____

TYPE OF MATERIAL☐ Production Water☐ Drilling Fluids☐ Completion Fluids☐ Tank Bottoms☐ Contaminated soil☐ C-117 No.: _____☐ Other Material:☐ BS&W Content: _____

Description: _____

VOLUME OF MATERIAL ☐ BBLs. _____☐ YARD _____

12

☐

AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF. CODE § 361.001, et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY.

ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL.

THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident.

DRIVER: _____

(SIGNATURE)

FACILITY REPRESENTATIVE: _____

(SIGNATURE)

White-Sundance Canary-Sundance Acct#1 Pink-Sundance Acct#2 Gold-Transporter
Revised 12/27/95



Current Photodocumentation

RICE *Operating Company* (ROC)
112 West Taylor Hobbs, NM 88240
Phone: (575) 393-9174 Fax: (575) 397-1471

EME N-16-1

UL/N, Section 16, T20S, R37E



Facing north

2/18/2013



Facing west

2/18/2013