

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 3, 2011
Submit 1 Copy to appropriate District Office in
accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

OPERATOR

Initial Report ☐ Final Report ☒

Name of Company	John C. Cooney DBA JCC Inc	Contact	Robert R. Cooney Environmental Inc
Address	P.O. Box 4147 Pecos TX	Telephone No.	575-882-6067
Facility Name	Bradley Fed #10	Facility Type	SWD
Surface Owner	State	Mineral Owner	Federal
API No.			

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
I	11	24S	26E	1650	FSL	990	FEL	Eddy
Latitude				Longitude				

NATURE OF RELEASE

Type of Release	Produced water	Volume of Release	4Kb	Volume Recovered	4Kb
Source of Release		Date and Hour of Occurrence	4Kb	Date and Hour of Discovery	4Kb
Was this release from a well?	☐ Yes ☐ No ☒ Not specified	If Yes, To What?			
Was this release from a pipeline?	☐ Yes ☐ No ☒ Not specified	If Yes, To What?			
If a Motor Vehicle was Impacted, Describe Fully *					


Describe Cause of Problem and Remedial Action Taken.*




Cleaned up site From Previous Operator/owner
Per Mike Bratcher


Excavated contaminated soil As per OCD Standards


I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCED rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCED marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCED acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: Joe Fugua		OIL CONSERVATION DIVISION	
Printed Name: Joe FUGUA		Approved by Environmental Specialist: [Signature]	
Title: Super Visor		Approval Date: 5/2/14	Expiration Date: NA
Signature: [Signature]		Conditions of Approval: Final	
Date: 3-25-14	Phone: 575-882-2783	[Signature]	











PHONE (575) 393-2325 • 101 E. MARLAND • HOBBS, NM 88240

January 10, 2014

ROYCE MCNEIL

O'NEILL PROPERTIES LTD

P O BOX 7840



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

January 10, 2014

ROYCE MCNEIL

O'NEILL PROPERTIES LTD

P. O. BOX 2840

MIDLAND, TX 79702

RE: BOYD #6

Enclosed are the results of analyses for samples received by the laboratory on 01/06/14 15:14.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-13-S. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads 'Celey D. Keene'.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

O'NEILL PROPERTIES LTD
 ROYCE MCNEIL
 P. O. BOX 2840
 MIDLAND TX, 79702
 Fax To: (432) 685-4008

Received: 01/06/2014
 Reported: 01/10/2014
 Project Name: BOYD #6
 Project Number: NONE GIVEN
 Project Location: EDDY COUNTY, NM

Sampling Date: 01/06/2014
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Caley D. Keene

Sample ID: 1 (H400035-01)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	12300	16.0	01/09/2014	ND	416	104	400	0.00	

Sample ID: 2 (H400035-02)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	7860	16.0	01/09/2014	ND	416	104	400	0.00	

Sample ID: 3 (H400035-03)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	14000	16.0	01/09/2014	ND	416	104	400	0.00	

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether listed in contract or not, shall be limited to the amount paid by client for analysis. All claims, including those for negligence and any other third party damages shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, revenue loss, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated remedies or otherwise. Results relate only to the samples identified herein. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Caley D. Keene, Lab Director/Quality Manager



CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Mariand, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

[illegible]

PLEASE NOTE: Liberty and Occipet, Coordinate publicly and privately and shall not use any data arising whether based in public or not, shall be limited to the amount paid by the client for the analyses. All claims, including those for compensation and any other cause whatsoever, shall be deemed waived inasmuch as in making said statement by Client with full knowledge and complete of the applicable statute. In no event shall Client be liable for third-party or non-requested damages, including third-party business transactions, loss of time, or loss of profits incurred by client, its subsidiaries, affiliates or employees or others and is related to the performance of services rendered by Client, regardless of whether such facts or losses occur as the above stated reasons or otherwise.

Relinquished By:		Date:	Received By:	Phone Result:	☐ Yes	☐ No	Add'l Phone #:
<i>[Signature]</i>		Time:	<i>[Signature]</i>	Fax Result:	☐ Yes	☐ No	Add'l Fax #:
Relinquished By:		Date:	Received By:	REMARKS:			
		Time:		send Fax to Roadrunner Attn Joe → email force 575-887-2057			
Delivered By: (Circle One)			Sample Condition	CHECKED BY:			
Sampler - UPS - Bus - Other:			Cool Intact	(Initials)			
20.2°C			☒ Yes ☐ No	cdh			

† Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2326



PHONE (575) 393-2326 • 101 E. MARLAND • MORGAN, NM 86240

January 15, 2014

ROYCE MCNEIL

O'NEILL PROPERTIES LTD

P. O. BOX 2840

MIDLAND, TX 79702

RE: BRADLEY #6

Enclosed are the results of analyses for samples received by the laboratory on 01/14/14 14:20.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-13-5. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Halocacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script, appearing to read "Celey D. Keene", written in dark ink.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

O'NEILL PROPERTIES LTD
 ROYCE MCNEIL
 P. O. BOX 2840
 MIDLAND TX, 79702
 Fax To: (432) 685-4008

Received: 01/14/2014
 Reported: 01/15/2014
 Project Name: BRADLEY #6
 Project Number: NONE GIVEN
 Project Location: NOT GIVEN

Sampling Date: 01/14/2014
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Jodi Henson

Sample ID: 3' (H400115-01)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	5680	16.0	01/15/2014	ND	400	100	400	3.92	

Sample ID: 5' (H400115-02)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	8930	16.0	01/15/2014	ND	400	100	400	3.92	

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and damage exclusion remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analysis. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profit incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated remedies or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and remedy exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of data, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services rendered by Cardinal, regardless of whether such claim is based upon any of the above stated remedies or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Caley D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Page 4 of 4

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2478

Company Name: O'Neil Properties		BILL TO		ANALYSIS REQUEST																		
Project Manager:		P.O. #:																				
Address:		Company:																				
City: State: Zip:		Attn:																				
Phone #: Fax #:		Address:																				
Project #: Project Owner:		City:																				
Project Name: Bradley #6		State: Zip:																				
Project Location:		Phone #:																				
Sampler Name:		Fax #:																				
FOR LAB USE ONLY				MATRIX		PRESERV		SAMPLING														
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER	ACID/BASE	ICE / COOL	OTHER	DATE	TIME								
H400115		5	1			X							11/14/14	12:20								
1	3'																					
2	5'					X																
PLEASE NOTE: Liability and Damages. Cardinal Liability and direct evidence remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims including those for negligence and any other claims whatsoever shall be disallowed unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business income loss, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or employees arising out of or related to the performance of services rendered by Cardinal, regardless of whether the claim is based upon any of the above stated reasons or otherwise.																						
Relinquished By: <i>[Signature]</i>		Date: 11/14/14		Received By: <i>[Signature]</i>		Phone Result: ☐ Yes ☐ No		Add'l Phone #:		887-2057 email Royce RUSH!!												
Time: 2:20		Time:		Fax Result: ☐ Yes ☐ No		Add'l Fax #:																
Relinquished By:		Date:		Received By:																		
Time:																						
Delivered By: (Circle One)				Sample Condition		CHECKED BY:																
Sampler - UPS - Bus - Other:				Cool Induct Yes [X] No		[Signature]																
24.82																						

† Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2326



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

January 24, 2014

ROYCE MCNEIL

O'NEILL PROPERTIES LTD

P. O. BOX 2840

MIDLAND, TX 79702

RE: BRADLEY #6

Enclosed are the results of analyses for samples received by the laboratory on 01/21/14 12:50.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-13-5. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager

Analytical Results For:

O'NEILL PROPERTIES LTD
ROYCE MCNEIL
P. O. BOX 2840
MIDLAND TX, 79702
Fax To: (432) 685-4008

Received: 01/21/2014
Reported: 01/24/2014
Project Name: BRADLEY #6
Project Number: NONE GIVEN
Project Location: NOT GIVEN

Sampling Date: 01/21/2014
Sampling Type: Soil
Sampling Condition: ** (See Notes)
Sample Received By: Jodi Henson

Sample ID: 6 FT (H400185-01)

Chloride, SM4500C-B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1040	16.0	01/23/2014	ND	416	104	400	0.00		


Sample ID: 8 FT (H400185-02)

Chloride, SM4500C-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1180	16.0	01/23/2014	ND	416	104	400	0.00	

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager


Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Page 4 of 4

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: D'Neil Properties LTD		BILL TO		ANALYSIS REQUEST																		
Project Manager: Royce McNeil		P.O. #:																				
Address: P.O. Box 2840		Company:																				
City: Midland State: TX Zip: 79702		Attn:																				
Phone #: 432-683-2771 Fax #: 432-685-4008		Address:																				
Project #: _____ Project Owner: _____		City:																				
Project Name: Bradley #6		State: _____ Zip: _____																				
Project Location: _____		Phone #:																				
Sampler Name: Joe Fugua		Fax #:																				
FOR LAB USE ONLY																						
Lab I.D.	Sample I.D.	(GRAB OR COMPOUND)	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER	ACID/BASE	ICE / COOL	OTHER	DATE	TIME								
H400184																						
1	6 ft	6	1										11/21/13	9:30								
2	8 ft	6	1																			

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profit incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: Joe Fugua	Date: 11/21/13	Received By: Rodi Henson	Phone Result: ☐ Yes ☐ No	Add'l Phone #:
	Time: 12:50		Fax Result: ☐ Yes ☐ No	Add'l Fax #:
Relinquished By: _____	Date: _____	Received By: _____	REMARKS:	
	Time: _____		roadrunner@office@yahoo.com royce@oneillpr.com	
Delivered By: (Circle One)				
Sampler - UPS - Bus - Other:	23.40	Sample Condition Cool Intact Yes ☒ No ☐	CHECKED BY: [Signature]	

† Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2326



PHONE (575) 392-2520 • 101 E. MARLAND • NOBBS, NM 88240

February 03, 2014

ROYCE MCNEIL
O'NEILL PROPERTIES LTD
P. O. BOX 2940
MIDLAND, TX 79702

RE: BRADLEY #6

Enclosed are the results of analyses for samples received by the laboratory on 01/28/14 14:20.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TL04704398-13-5. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analyses are denoted by an asterisk (*). For a complete list of accredited analyses and matrices visit the TCEQ website at www.tceq.texas.gov/fieldinfo/tex_accrcred_detail.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 822.1	Halocacetic Acids (HAA-5)
Method EPA 824.2	Total Trihalomethanes (TTHM)
Method EPA 824.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Caley D. Keane
Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: O'Neil Properties				BILL TO				ANALYSIS REQUEST																					
Project Manager:				P.O. #:																									
Address:				Company:																									
City:		State:		Zip:		Attn:																							
Phone #:		Fax #:		Address:																									
Project #:		Project Owner:		City:																									
Project Name: Bradley #6				State:																Zip:									
Project Location:				Phone #:																									
Sampler Name: Joe Fuqua				Fax #:																									
PORTABLE USE ONLY				MATRIX				PRESERV.				SAMPLING																	
Lab I.D.		Sample I.D.		GRAB OR (C)OMP.		# CONTAINERS		GROUNDWATER		WASTEWATER		SOIL		OIL		BLUDGE		OTHER:		ACID/BASE		ICE / COOL		OTHER:		DATE		TIME	
H4DD267		9 spot										✓														1/28/14			
1		10 foot																											
2																													

PLEASE NOTE: Liability and coverage. Cardinal Laboratories and its clients are not responsible for any data arising whether from incorrect or false data, which is included in the request sent by the client for the analysis. All data, including those for samples and any other data which may be deemed valid, shall be deemed valid and accepted by Cardinal within 30 days after completion of the applicable analysis. In the event of all Cardinal Laboratories for negligent or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or associates arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon a claim of negligence or otherwise.

Relinquished By:	Date: 1/28/14 Time: 12:20	Received By: Jodi Henderson	Phone Result: ☐ Yes ☐ No	Add'l Phone #:
Relinquished By:	Date:	Received By:	Fax Result: ☐ Yes ☐ No	Add'l Fax #:
Delivered By: (Circle One) Sampler - UPS - Bus - Other: 24.60			CHECKED BY:	
Sample Condition Cool Intact ☐ Yes ☒ No			REMARKS:	

† Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2326



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

February 12, 2014

ROYCE MCNEIL

O'NEILL PROPERTIES LTD

P. O. BOX 2840

MIDLAND, TX 79702

RE: BRADLEY #6

Enclosed are the results of analyses for samples received by the laboratory on 02/11/14 10:55.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-13-5. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/ca/lab/accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is fluid and cursive, with the first name "Celey" and last name "Keene" clearly distinguishable.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

O'NEILL PROPERTIES LTD
 ROYCE MCNEIL
 P. O. BOX 2840
 MIDLAND TX, 79702
 Fax To: (432) 685-4008

Received: 02/11/2014
 Reported: 02/12/2014
 Project Name: BRADLEY #6
 Project Number: NONE GIVEN
 Project Location: NOT GIVEN

Sampling Date: 02/11/2014
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Jodi Henson

Sample ID: SAMPLE #1 (H400413-01)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1220	16.0	02/12/2014	ND	416	104	400	3.92	

Sample ID: SAMPLE #2 (H400413-02)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	5120	16.0	02/12/2014	ND	416	104	400	3.92	

Cardinal Laboratories

* = Accredited Analyte

DISCLAIMER: Liability and Damages. Cardinal's liability and damages exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless claim is arising and received by Cardinal within thirty (30) days after completion of the applicable analysis. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated causes or otherwise. Results apply only to the samples identified above. This report shall not be reproduced without the written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 5°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 5°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether known or not, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the analytical service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client. No subsidiaries, affiliates or successors arising out of or related to the performance of the service rendered by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise, shall be liable solely on the liability identified above. This report shall not be reproduced or used in any way without approval of Cardinal Laboratories.

Caley D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

[illegible]

† Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2326



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

March 20, 2014

ROYCE MCNEIL

O'NEILL PROPERTIES LTD

P. O. BOX 2840

MIDLAND, TX 79702

RE: BRADLEY #6

Enclosed are the results of analyses for samples received by the laboratory on 03/19/14 11:45.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-13-5. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Caley D. Keene". The signature is written in a cursive style with a large, stylized 'C' and 'K'.

Caley D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

O'NEILL PROPERTIES LTD
 ROYCE MCNEIL
 P. O. BOX 2840
 MIDLAND TX, 79702
 Fax To: (432) 585-4008

Received: 03/19/2014
 Reported: 03/20/2014
 Project Name: BRADLEY #6
 Project Number: NONE GIVEN
 Project Location: NOT GIVEN

Sampling Date: 03/19/2014
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Jodi Henson

Sample ID: #1 (H400832-01)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	896	16.0	03/20/2014	ND	432	108	400	0.00	

Sample ID: #2 (H400832-02)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1070	16.0	03/20/2014	ND	432	108	400	0.00	

Sample ID: #3 (H400832-03)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	03/20/2014	ND	432	108	400	0.00	

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal Laboratories and its agents warrant only for any errors resulting from the use of the services provided by Cardinal Laboratories. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or relating to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated causes or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Notes and Definitions

- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 5°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500C-B does not require samples be received at or below 5°C
- Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability And Damages: Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analysis. All claims, including those for negligence and any other civil wrongdoer shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated theories or otherwise. Results relate only to the sample identified below. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in cursive script, appearing to read 'Caley D. Keene'.

Caley D. Keene, Lab Director/Quality Manager



CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST


101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

[illegible]

† Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2326.



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

O'NEILL PROPERTIES LTD
 ROYCE MCNEIL
 P. O. BOX 2840
 MIDLAND TX, 79702
 Fax To: (432) 685-4008

Received: 03/19/2014
 Reported: 03/20/2014
 Project Name: BRADLEY #6
 Project Number: NONE GIVEN
 Project Location: NOT GIVEN

Sampling Date: 03/19/2014
 Sampling Type: Soil
 Sampling Condition: *** (See Notes)
 Sample Received By: Jodi Henson

Sample ID: #1 (H400832-01)

Chloride, SM4500Cl-B		mg/kg	Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	896	16.0	03/20/2014	ND	432	108	400	0.00	

Sample ID: #2 (H400832-02)

Chloride, SM4500Cl-B		mg/kg	Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1070	16.0	03/20/2014	ND	432	108	400	0.00	

Sample ID: #3 (H400832-03)

Chloride, SM4500Cl-B		mg/kg	Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	03/20/2014	ND	432	108	400	0.00	

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's purchase property for any claim arising, whether limited in contract or tort, shall be limited to the amount paid by client for analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or relating to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated means or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Notes and Definitions

- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- Samples not received at proper temperature of 5°C or below.
- Insufficient time to reach temperature.
- Chloride by SM4500Cl-3 does not require samples be received at or below 5°C
- Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analysis. All claims, including those for negligence and any claim upon which recovery shall be deemed valued unless made in writing and received by Cardinal within (90) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services furnished by Cardinal, regardless of whether such claim is based upon any of the various stated reasons or otherwise. Results reflect only the samples identified above. This report shall not be reproduced, copied or used without approval of Cardinal Laboratories.

A handwritten signature in cursive script, appearing to read 'Celey D. Keane'.

Celey D. Keane, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 89240
(575) 393-2326 FAX (575) 393-2476

Company Name: <i>O Neil</i>				BILL TO				ANALYSIS REQUEST																							
Project Manager:				P.O. #:																											
Address:				Company:																											
City:		State:		Zip:		Attn:																									
Phone #:		Fax #:		Address:																											
Project #:		Project Owner:		City:																											
Project Name:				State: Zip:																											
Project Location: <i>Bradley #6</i>				Phone #:																											
Sampler Name:				Fax #:																											
FOR LAB USE ONLY																															
Lab I.D.		Sample I.D.		(GPAB OR (COMP. # CONTAINERS		MATRIX														PRESERV		SAMPLING									
H400832		#1				GROUNDWATER						DATE		TIME																	
1		#2				WASTEWATER						3/19/14		9:00																	
2		#3				SOIL						I		I																	
3						OIL																									
						SLUDGE																									
						OTHER:																									
						ACID/BASE:																									
						ICE / COOL																									
						OTHER:																									

PLEASE NOTE: Liability and Damages. Cardinal is not liable and does not accept liability for any claims arising whether based on contract or tort, shall be limited to the amount paid by the client for the analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors as a result of or related to the performance of services furnished by Cardinal, regardless of whether such claim is based upon any of the above stated responses or otherwise.

Relinquished By: <i>[Signature]</i>	Date: 3/19/14 Time: 11:45	Received By: <i>[Signature]</i>	Phone Result: ☐ Yes ☐ No	Add'l Phone #:
Relinquished By:	Date:	Received By:	Fax Result: ☐ Yes ☐ No	Add'l Fax #:
Delivered By: (Circle One) Sampler - UPS - Bus - Other:			REMARKS: <i>RUSH!!</i>	
Sample Condition Cool Intact ☐ Yes ☒ No			CHECKED BY: <i>[Signature]</i>	

† Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2326

#54

361-2793



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

March 20, 2014

ROYCE MCNEIL

O'NEILL PROPERTIES LTD

P. O. BOX 2840

MIDLAND, TX 79702

RE: BRADLEY #6

Enclosed are the results of analyses for samples received by the laboratory on 03/19/14 11:45.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-13-5. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/ga/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Caley D. Keene", written in a cursive style.

Caley D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

February 20, 2014

ROYCE MCNEIL

O'NEILL PROPERTIES LTD

P. O. BOX 2840

MIDLAND, TX 79702

RE: BRADLEY

Enclosed are the results of analyses for samples received by the laboratory on 02/20/14 10:34.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-13-5. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script, appearing to read "Celest D. Keene", written in black ink.

Celest D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

O'NEILL PROPERTIES LTD
 ROYCE MCNEIL
 P. O. BOX 2840
 MIDLAND TX, 79702
 Fax To: (432) 685-4008

Received: 02/20/2014
 Reported: 02/20/2014
 Project Name: BRADLEY
 Project Number: NONE GIVEN
 Project Location: NOT GIVEN

Sampling Date: 02/20/2014
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Celey D. Keene

Sample ID: SAMPLE #1 (H400508-01)

Chloride, SM4500Cl-B		mg/kg Analyzed By: AP							
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	128	16.0	02/20/2014	ND	400	100	400	0.00	

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analysis. All claims, including those for negligence and any other claim whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Notes and Definitions

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

** Samples not received at proper temperature of 6°C or below.

*** Insufficient time to reach temperature.

- Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analysis. All claims, including those for negligence and any other claims whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(675) 393-2326 FAX (675) 393-2476

Company Name: <u>Onca Prop</u>		BILL TO		ANALYSIS REQUEST																			
Project Manager:		P.O. #:																					
Address:		Company:																					
City:	State:	Zip:	Attn:																				
Phone #:	Fax #:	Address:																					
Project #:	Project Owner:		City:																				
Project Name: <u>Bradley #1</u>			State:											Zip:									
Project Location:			Phone #:																				
Sampler Name:			Fax #:																				
FOR LAB USE ONLY				MATRIX		PRESERV		SAMPLING															
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	SLUDGE	OTHER:	ACID/BASE:	ICE/COOL	OTHER:	DATE	TIME										
#400508	1		1			✓						2/20/14	9:20										

PLEASE NOTE: Liability and Damages. Cardinal's liability and the exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims involving those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors and by any of or related to the performance of services hereunder by Cardinal regardless of whether any claim is based upon any of the above stated reasons or otherwise.

Relinquished By: <u>[Signature]</u>	Date: <u>2/20/14</u>	Received By: <u>[Signature]</u>	Phone Result: ☐ Yes ☐ No	Add'l Phone #:
	Time: <u>10:34</u>		Fax Result: ☐ Yes ☐ No	Add'l Fax #:
Relinquished By:	Date:	Received By:	REMARKS: <u>roadrunner</u>	
	Time:			
Delivered By: (Circle One)	Sample Condition	CHECKED BY: (initials)		
Sampler - UPS - Bus - Other:	Cool Intact	<u>CSK</u>		
	☐ Yes ☒ No			

† Cardinal cannot accept verbal changes. Please fax written changes to (675) 393-2326



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: <u>ONCAL PROP</u>		BILL TO		ANALYSIS REQUEST																							
Project Manager:		P.O. #:																									
Address:		Company:																									
City: State: Zip:		Attn:																									
Phone #: Fax #:		Address:																									
Project #: Project Owner:		City:																									
Project Name: <u>Bradley #1</u>		State: Zip:																									
Project Location:		Phone #:																									
Sampler Name:		Fax #:																									
FOR LAB USE ONLY	Lab I.D.	Sample I.D.	(GRAB OR C/COMP)	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	SLUDGE	OTHER:	ACID/BASE:	ICE / COOL	OTHER:	DATE	TIME													
	<u>H400508</u>	<u>01</u>		<u>1</u>			<u>✓</u>						<u>2/20/14</u>	<u>9:20</u>	<u>✓</u>												

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: <u>[Signature]</u>	Date: <u>2/20/14</u>	Received By: <u>[Signature]</u>	Phone Result: ☐ Yes ☐ No	Add'l Phone #:
	Time: <u>10:34</u>		Fax Result: ☐ Yes ☐ No	Add'l Fax #:
Relinquished By:	Date:	Received By:	REMARKS:	
	Time:		<u>Madness</u>	
Delivered By: (Circle One)	Sample Condition	CHECKED BY:	<u>[Signature]</u>	
Sampler - UPS - Bus - Other:	Cool Intact ☐ Yes ☒ No	(Initials)		

† Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2326



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240


January 24, 2014

ROYCE MCNEIL

O'NEILL PROPERTIES LTD

P. O. BOX 2840

MIDLAND, TX 79702



RE: BRADLEY #6

Enclosed are the results of analyses for samples received by the laboratory on 01/21/14 12:50.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-13-5. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Halocacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager

Analytical Results For:

O'NEILL PROPERTIES LTD
ROYCE MCNEIL
P. O. BOX 2840
MIDLAND TX, 79702
Fax To: (432) 685-4008

Received: 01/21/2014
Reported: 01/24/2014
Project Name: BRADLEY #6
Project Number: NONE GIVEN
Project Location: NOT GIVEN

Sampling Date: 01/21/2014
Sampling Type: Soil
Sampling Condition: ** (See Notes)
Sample Received By: Jodi Henson

Sample ID: 6 FT (H400185-01)

Chloride, SM4500C-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1040	16.0	01/23/2014	ND	416	104	400	0.00	

Sample ID: 8 FT (H400185-02)

Chloride, SM4500C-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1180	16.0	01/23/2014	ND	416	104	400	0.00	

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager