

Closure Report

ARTESIA DISTRICT

JUL 22 2014

RECEIVED

| Site Description | |
|--------------------|-------------------------------|
| Site Name: | FNR 26 Federal #1 CTB |
| Company: | Oxy Permian Ltd. |
| Legal Description: | U/L M, Section 26, T23S, R30E |
| County: | Eddy County, NM |
| GPS Coordinates: | N 32.26431° W 103.81604° |

| Release Data | |
|--------------------|---|
| Date of Release: | 01/21/2014 |
| Type of Release: | Fresh water |
| Source of Release: | Flushing salt out of flow line with fresh water |
| Volume of Release: | 25 bbls |
| Volume Recovered: | 0 bbls |

| Remediation Specifications | |
|----------------------------|---|
| Remediation Parameters: | Excavate across the entire leak area to a depth of 2 feet and then backfill the excavation with clean soil. |
| Remediation Activities: | 06/24/2014 to 06/26/2014 |

| | | |
|-----------------------|------------|--|
| Plan Sent to OCD: | 03/04/2014 | Meeting between C. Brunson & M. Bratcher |
| OCD Approval of Plan: | 03/04/2014 | Meeting between C. Brunson & M. Bratcher |
| Plan Sent to BLM: | 03/08/2014 | Email from Cliff Brunson to J. Van Curen |
| BLM Approval of Plan: | 03/09/2014 | Email from J. Van Curen to Cliff Brunson |

| Supporting Documentation | |
|--------------------------|--|
| Initial C-141 | Signed 01/30/2014 |
| Final C-141 | Signed 07/10/2014 |
| Site Diagram | February 2014 |
| Groundwater Plot | 300' |
| TOPO Maps | February 2014 |
| Lab Summary | 02/14/2014 |
| Lab Analysis | 02/14/2014 |
| Correspondence | Request and approval of remediation plan via email |

| Request for Closure | |
|---|------------|
| Based on the completion of the remediation plan as agreed upon, BBC International requests closure approval from NMOCD. | |
| Cliff Brunson, President of BBC International Inc. | 07/15/2014 |

NM OIL CONSERVATION

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico ARTESIA DISTRICT
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 8, 2011

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

JUL 22 2014
RECEIVED

Release Notification and Corrective Action

OPERATOR

Initial Report Final Report

| | | | |
|-----------------|---------------------------------------|---------------|-----------------------------------|
| Name of Company | Oxy Permian Ltd. | Contact | Chancey Summers |
| Address | 1017 W. Stanolind Rd, Hobbs, NM 88240 | Telephone No. | (575) 397-8216 |
| Facility Name | FNR 26 Federal #1 CTB | Facility Type | Gathering |
| Surface Owner | BLM | Mineral Owner | API No.30-015-30412(nearest well) |

LOCATION OF RELEASE

| Unit Letter | Section | Township | Range | Feet from the | North/South Line | Feet from the | East/West Line | County |
|-------------|---------|----------|-------|---------------|------------------|---------------|----------------|-----------------|
| M | 26 | 23S | 30E | | | | | Eddy County, NM |

Latitude N 32.27025° Longitude W 103.85793°

NATURE OF RELEASE

| | | | | | |
|--|---|---|--|----------------------------|--------|
| Type of Release | Fresh water | Volume of Release | 25 bbls | Volume Recovered | 0 bbls |
| Source of Release | While trying to flush salt from a flow line, water was released | Date and Hour of Occurrence | 01/21/2014 | Date and Hour of Discovery | |
| Was Immediate Notice Given? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required | If YES, To Whom? | Mike Bratcher-NMOCD; Jennifer Van Curen- BLM | | |
| By Whom? | Kathy Purvis | Date and Hour | 01/23/14 | | |
| Was a Watercourse Reached? | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | If YES, Volume Impacting the Watercourse. | | | |
| If a Watercourse was Impacted, Describe Fully.* | | | | | |
| Describe Cause of Problem and Remedial Action Taken.* | | | | | |
| While trying to flush out salt from a flow line, 25 bbls of fresh water leaked onto the ground. No fluids were recovered. | | | | | |
| Describe Area Affected and Cleanup Action Taken.* | | | | | |
| The affected area is approximately 25' x 25' with part of the leak on location and part of the leak off location. Remediation will be completed in accordance with a remediation plan approved by NMOCD and the BLM. | | | | | |

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

| | | | |
|--|---------------------------------------|------------------|-----------------------------------|
| Signature: | <u>OIL CONSERVATION DIVISION</u> | | |
| Printed Name: Chancey Summers | Approved by Environmental Specialist: | | |
| Title: HES Specialist | Approval Date: | Expiration Date: | |
| E-mail Address: <u>Chancey.Summers@oxy.com</u> | Conditions of Approval: | | Attached <input type="checkbox"/> |
| Date: <u>1-30-14</u> Phone: (575) 397-8216 | | | |

* Attach Additional Sheets If Necessary

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 8, 2011

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

OPERATOR Initial Report Final Report

| | | | |
|-----------------|---------------------------------------|-------------------------------------|-----------------|
| Name of Company | Oxy Permian Ltd. | Contact | Chancey Summers |
| Address | 1017 W. Stanolind Rd, Hobbs, NM 88240 | Telephone No. | (575) 397-8216 |
| Facility Name | FNR 26 Federal #1 CTB | Facility Type | Gathering |
| Surface Owner | BLM | Mineral Owner | |
| | | API No. 30-015-30412 (nearest well) | |

LOCATION OF RELEASE

| Unit Letter | Section | Township | Range | Feet from the | North/South Line | Feet from the | East/West Line | County |
|-------------|---------|----------|-------|---------------|------------------|---------------|----------------|-----------------|
| M | 26 | 23S | 30E | | | | | Eddy County, NM |

Latitude N 32.27025° Longitude W 103.85793°

NATURE OF RELEASE

| | | | | | |
|-----------------------------|---|---|--|----------------------------|--------|
| Type of Release | Fresh water | Volume of Release | 25 bbls | Volume Recovered | 0 bbls |
| Source of Release | While trying to flush salt from a flow line, water was released | Date and Hour of Occurrence | 01/21/2014 | Date and Hour of Discovery | |
| Was Immediate Notice Given? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required | If YES, To Whom? | Mike Bratcher-NMOCD; Jennifer Van Curen- BLM | | |
| By Whom? | Kathy Purvis | Date and Hour | 01/23/14 | | |
| Was a Watercourse Reached? | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | If YES, Volume Impacting the Watercourse. | | | |

NM OIL CONSERVATION

ARTESIA DISTRICT

JUL 22 2014

Describe Cause of Problem and Remedial Action Taken.*

RECEIVED


While trying to flush out salt from a flow line, 25 bbls of fresh water leaked onto the ground. No fluids were recovered.

Describe Area Affected and Cleanup Action Taken.*

The affected area is approximately 25' x 25' with part of the leak on location and part of the leak off location. Remediation was completed in accordance with the remediation plan approved by Mike Bratcher of NMOCD on 03/04/2014 and approved by Jennifer Van Curen of the BLM via email on 03/09/2014.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.


OIL CONSERVATION DIVISION

| | | | |
|-----------------|---|---------------------------------------|-----------------------------------|
| Signature: |  | | |
| Printed Name: | Chancey Summers | Approved by Environmental Specialist: | |
| Title: | HES Specialist | Approval Date: | Expiration Date: |
| E-mail Address: | Chancey.Summers@oxy.com | Conditions of Approval: | |
| Date: | 7-10-14 | Phone: | (575) 397-8216 |
| | | | Attached <input type="checkbox"/> |

* Attach Additional Sheets If Necessary



Oxy
FNR 26 Federal #1 CTB



U/L M, Section 26m T23S, R30E at battery
U/L B, Section 31, T23S, R31E at leak site
Eddy County, NM
GPS at stake: N 32.26431° W 103.81604°

| | |
|--------------------------------|--------------------|
| BBC International, Inc. | |
| Oxy | |
| FNR 26 Federal #1 CTB | |
| Date: 02/04/2014 | DRWG by: K. Purvis |
| NOT TO SCALE | File: Oxy 2014 |




Groundwater Plot

Oxy FNR 26 Federal #1 CTB

County: Eddy Unit Letter: Section: 31 Township: 23S Range: 31E

Trend Map 300'



⊛ Location ○ OCD ○ USGS ○ SEO ● All Databases



Section Quarters

Oxy FNR 26 Federal #1 CTB

| | | | | |
|-----------------------|--------------------|----------------------|------------------------|---------------------|
| <i>County</i> Eddy | <i>Unit Letter</i> | <i>Section</i> 31 | <i>Township</i> 23S | <i>Range</i> 31E |
|-----------------------|--------------------|----------------------|------------------------|---------------------|

Trend Map 300'

1

2

| | | | |
|----------------------------|---------------|---------------|---------------|
| NW/NW None Found | NE/NW | NW/NE | NE/NE |
| Unit Letter D | Unit Letter C | Unit Letter B | Unit Letter A |
| SW/NW | SE/NW | SW/NE | SE/NE |
| Unit Letter E | Unit Letter F | Unit Letter G | Unit Letter H |
| NW/SW | NE/SW | NW/SE | NE/SE |
| Unit Letter L | Unit Letter K | Unit Letter J | Unit Letter I |
| SW/SW | SE/SW | SW/SE | SE/SE |
| Unit Letter M | Unit Letter N | Unit Letter O | Unit Letter P |

3


4

Oxy

FNR Federal #1 CTB

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOS MEDAÑOS QUADRANGLE
NEW MEXICO-EDDY CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)



Battery is in
this section

Leak is here

PRODUCED BY THE UNITED STATES GEOLOGICAL SURVEY
CONTROL BY THE UNITED STATES GEOLOGICAL SURVEY
CONTINUED FROM OTHER SHEETS OF THIS SERIES
FIELD CHECKED BY THE UNITED STATES GEOLOGICAL SURVEY
PRODUCTION BY THE UNITED STATES GEOLOGICAL SURVEY
THIS MAP IS A REPRODUCTION OF THE ORIGINAL DRAWING
AND IS NOT A COPY OF THE ORIGINAL DRAWING
THE ORIGINAL DRAWING IS THE PROPERTY OF THE UNITED STATES GEOLOGICAL SURVEY
AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS
ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION
STORAGE AND RETRIEVAL SYSTEM, WITHOUT PERMISSION IN WRITING FROM THE UNITED STATES
GEOLOGICAL SURVEY
To close in the printed North American Datum of 1983
means the projection lines as shown by dashed corner ticks
(3 meters each side of corner tick)
There may be private inclusions within the boundaries of one
Federal and State boundaries shown on this map.
All marginal data and bearing information and contained by
separate type placement procedure.

PROVISIONAL MAP
Produced from original
manuscript drawings. Infor-
mation shown as of date of
field check.



ROAD LEGEND

| | | | | | | | | | |
|---------------|-----------------|-------|-------------------|------------|-------------|---------------|---------------|---------------|---------------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| Improved Road | Unimproved Road | Trail | Intermittent Road | U.S. Route | State Route | Proposed Road | Proposed Road | Proposed Road | Proposed Road |

Improved Road
Unimproved Road
Trail
Intermittent Road
U.S. Route
State Route

LOS MEDAÑOS, NEW MEXICO
PROVISIONAL EDITION 1985
10257-2-1-85

THIS MAP COMPILED WITH NATIONAL MAP SECURITY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, 1225 NORTH COLUMBIA AVE.,
OR 2120N, VIRGINIA 22191

**Laboratory Analytical Results Summary
FNR 26 Federal #1 CTB**

| | | Sample | SP1 @ 1' | SP1 @ 3' | SP1 @ 5' |
|----------------------|------------|--------|--------------|-------------|----------|
| Analyte | Method | Date | 2/14/14 | 2/14/14 | 2/14/14 |
| | | | mg/Kg | mg/Kg | mg/Kg |
| Benzene | BTEX 8021B | | <1.00 | <0.050 | <0.050 |
| Toluene | BTEX 8021B | | 2.02 | <0.050 | <0.050 |
| Ethylbenzene | BTEX 8021B | | 6.73 | <0.050 | <0.050 |
| Total Xylenes | BTEX 8021B | | 18.9 | <0.150 | <0.150 |
| Total BTEX | BTEX 8021B | | 27.6 | <0.300 | <0.300 |
| Chloride | SM4500Cl-B | | 4240 | 272 | <16.0 |
| GRO | TPH 8015M | | 1280 | <10.0 | <10.0 |
| DRO | TPH 8015M | | 10100 | 62.6 | <10.0 |



February 25, 2014

Cliff Brunson
BBC International, Inc.
P.O. Box 805
Hobbs, NM 88241

RE: FNR 26 FED #1 CTB

Enclosed are the results of analyses for samples received by the laboratory on 02/17/14 16:15.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-13-5. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

| | |
|------------------|------------------------------|
| Method EPA 552.2 | Haloacetic Acids (HAA-5) |
| Method EPA 524.2 | Total Trihalomethanes (TTHM) |
| Method EPA 524.4 | Regulated VOCs (V1, V2, V3) |

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized initial 'C'.

Celey D. Keene
Lab Director/Quality Manager

Analytical Results For:

 BBC International, Inc.
 Cliff Brunson
 P.O. Box 805
 Hobbs NM, 88241
 Fax To: (575) 397-0397

 Received: 02/17/2014
 Reported: 02/25/2014
 Project Name: FNR 26 FED #1 CTB
 Project Number: NONE GIVEN
 Project Location: TWIN WELLS ROAD

 Sampling Date: 02/14/2014
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: SP 1 @ 1' (H400476-01)

| BTEX 8021B | | mg/kg | | Analyzed By: MS | | | | S-04 | | |
|-----------------------|-------------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Benzene* | <1.00 | 1.00 | 02/21/2014 | ND | 2.03 | 101 | 2.00 | 16.6 | | |
| Toluene* | 2.02 | 1.00 | 02/21/2014 | ND | 2.07 | 103 | 2.00 | 15.6 | | |
| Ethylbenzene* | 6.73 | 1.00 | 02/21/2014 | ND | 2.06 | 103 | 2.00 | 16.4 | | |
| Total Xylenes* | 18.9 | 3.00 | 02/21/2014 | ND | 6.02 | 100 | 6.00 | 14.5 | | |
| Total BTEX | 27.6 | 6.00 | 02/21/2014 | ND | | | | | | |

Surrogate: 4-Bromofluorobenzene (PIL) 150 % 89.4-126

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AP | | | | | | |
|----------------------|-------------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Chloride | 4240 | 16.0 | 02/19/2014 | ND | 416 | 104 | 400 | 0.00 | | |

| TPH 8015M | | mg/kg | | Analyzed By: ms | | | | S-06 | | |
|------------------------|--------------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| GRO C6-C10 | 1280 | 50.0 | 02/19/2014 | ND | 220 | 110 | 200 | 0.566 | | |
| DRO >C10-C28 | 10100 | 50.0 | 02/19/2014 | ND | 206 | 103 | 200 | 2.93 | | |

Surrogate: 1-Chlorooctane 171 % 65.2-140

Surrogate: 1-Chlorooctadecane 251 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 BBC International, Inc.
 Cliff Brunson
 P.O. Box 805
 Hobbs NM, 88241
 Fax To: (575) 397-0397

 Received: 02/17/2014
 Reported: 02/25/2014
 Project Name: FNR 26 FED #1 CTB
 Project Number: NONE GIVEN
 Project Location: TWIN WELLS ROAD

 Sampling Date: 02/14/2014
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: SP 1 @ 3' (H400476-02)

| BTEX 8021B | | mg/kg | | Analyzed By: MS | | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Benzene* | <0.050 | 0.050 | 02/21/2014 | ND | 2.03 | 101 | 2.00 | 16.6 | | |
| Toluene* | <0.050 | 0.050 | 02/21/2014 | ND | 2.07 | 103 | 2.00 | 15.6 | | |
| Ethylbenzene* | <0.050 | 0.050 | 02/21/2014 | ND | 2.06 | 103 | 2.00 | 16.4 | | |
| Total Xylenes* | <0.150 | 0.150 | 02/21/2014 | ND | 6.02 | 100 | 6.00 | 14.5 | | |
| Total BTEX | <0.300 | 0.300 | 02/21/2014 | ND | | | | | | |

Surrogate: 4-Bromofluorobenzene (PIE) 97.8 % 89.4-126

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AP | | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Chloride | 272 | 16.0 | 02/19/2014 | ND | 416 | 104 | 400 | 0.00 | | |

| TPH 8015M | | mg/kg | | Analyzed By: ms | | | | | | |
|--------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| GRO C6-C10 | <10.0 | 10.0 | 02/19/2014 | ND | 220 | 110 | 200 | 0.566 | | |
| DRO >C10-C28 | 62.6 | 10.0 | 02/19/2014 | ND | 206 | 103 | 200 | 2.93 | | |

Surrogate: 1-Chlorooctane 107 % 65.2-140

Surrogate: 1-Chlorooctadecane 110 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 BBC International, Inc.
 Cliff Brunson
 P.O. Box 805
 Hobbs NM, 88241
 Fax To: (575) 397-0397

| | | | |
|-------------------|-------------------|---------------------|---------------|
| Received: | 02/17/2014 | Sampling Date: | 02/14/2014 |
| Reported: | 02/25/2014 | Sampling Type: | Soil |
| Project Name: | FNR 26 FED #1 CTB | Sampling Condition: | Cool & Intact |
| Project Number: | NONE GIVEN | Sample Received By: | Jodi Henson |
| Project Location: | TWIN WELLS ROAD | | |

Sample ID: SP 1 @ 5' (H400476-03)

| BTEX 8021B | | mg/kg | | Analyzed By: MS | | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Benzene* | <0.050 | 0.050 | 02/21/2014 | ND | 2.03 | 101 | 2.00 | 16.6 | | |
| Toluene* | <0.050 | 0.050 | 02/21/2014 | ND | 2.07 | 103 | 2.00 | 15.6 | | |
| Ethylbenzene* | <0.050 | 0.050 | 02/21/2014 | ND | 2.06 | 103 | 2.00 | 16.4 | | |
| Total Xylenes* | <0.150 | 0.150 | 02/21/2014 | ND | 6.02 | 100 | 6.00 | 14.5 | | |
| Total BTEX | <0.300 | 0.300 | 02/21/2014 | ND | | | | | | |

Surrogate: 4-Bromofluorobenzene (PIE) 93.8 % 89.4-126

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AP | | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Chloride | <16.0 | 16.0 | 02/19/2014 | ND | 416 | 104 | 400 | 0.00 | | |

| TPH 8015M | | mg/kg | | Analyzed By: ms | | | | | | |
|--------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| GRO C6-C10 | <10.0 | 10.0 | 02/19/2014 | ND | 220 | 110 | 200 | 0.566 | | |
| DRO >C10-C28 | <10.0 | 10.0 | 02/19/2014 | ND | 206 | 103 | 200 | 2.93 | | |

Surrogate: 1-Chlorooctane 108 % 65.2-140

Surrogate: 1-Chlorooctadecane 110 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager


Notes and Definitions

- S-06 The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
- S-04 The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



CARDINAL LABORATORIES

101 East Marland, Hobbs, NM 88240

(505) 393-2326 FAX (505) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|----------------|--|-------------------------|-------------|------------|------|-----|--------|--------|------------|------------|--------|---------|--|-------|--|----------|-----|------|--|--|--|--|--|--|--|
| Company Name: BBC International, Inc. | | BILL TO | | ANALYSIS REQUEST | | | | | | | | | | | | | | | | | | | | | | | |
| Project Manager: Cliff Brunson | | P.O. #: | | | | | | | | | | | | | | | | | | | | | | | | | |
| Address: P.O. Box 805 | | Company: | | | | | | | | | | | | | | | | | | | | | | | | | |
| City: Hobbs State: NM Zip: 88241 | | Attn: | | | | | | | | | | | | | | | | | | | | | | | | | |
| Phone #: 575-397-6388 Fax #: 575-397-0397 | | Address: SAME | | | | | | | | | | | | | | | | | | | | | | | | | |
| Project #: Project Owner: OXY | | City: | | | | | | | | | | | | | | | | | | | | | | | | | |
| Project Name: FNR 26 FED # 1 CTR | | State: Zip: | | | | | | | | | | | | | | | | | | | | | | | | | |
| Project Location: Twin wells Rd. | | Phone #: | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sampler Name: ROGER Hernandez | | Fax #: | | | | | | | | | | | | | | | | | | | | | | | | | |
| FOR LAB USE ONLY | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lab I.D. | | Sample I.D. | | # CONTAINERS | GROUNDWATER | WASTEWATER | SOIL | OIL | SLUDGE | OTHER: | ACID/BASE: | ICE / COOL | OTHER: | DATE | | TIME | | CHLORIDE | TPH | BTEX | | | | | | | |
| H4DD0476 | | SP 1 @ 1' | | 1 | | | ✓ | | | | ✓ | | | 2-14-14 | | 10:20 | | ✓ | ✓ | ✓ | | | | | | | |
| | | 2 @ 3' | | 1 | | | ✓ | | | | ✓ | | | 2-14-14 | | 11:10 | | ✓ | ✓ | ✓ | | | | | | | |
| | | 3 @ 5' | | 1 | | | ✓ | | | | ✓ | | | 2-14-14 | | 11:52 | | ✓ | ✓ | ✓ | | | | | | | |

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

| | | | | | | | | | |
|-------------------------------------|--|---------------|--|--|--|--|--|----------------|--|
| Relinquished By: <i>[Signature]</i> | | Date: 2-17-14 | | Received By: <i>[Signature]</i> | | Phone Result: <input type="checkbox"/> Yes <input type="checkbox"/> No | | Add'l Phone #: | |
| | | Time: 4:15 | | | | Fax Result: <input type="checkbox"/> Yes <input type="checkbox"/> No | | Add'l Fax #: | |
| Relinquished By: | | Date: | | Received By: | | REMARKS: | | | |
| | | Time: | | | | | | | |
| Delivered By: (Circle One) | | | | Sample Condition | | CHECKED BY: <i>[Signature]</i> | | | |
| Sampler - UPS - Bus - Other: | | | | Cool Intact <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | | | | | |

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476

#54

Kathy Purvis

From: Cliff P. Brunson <cbrunson@bbcinternational.com>
Sent: Saturday, March 08, 2014 5:43 PM
To: Mike Bratcher
Cc: C J Summers; Ken Swinney; Jennifer Gilkey; Kathy Purvis
Subject: OXY-FNR 26 Federal #1 CTB-Remediation Plan
Attachments: Remediation Packet, FNR 26 Fed #1 CTB.pdf

Mike,

This e-mail is to confirm our conversation on March 4, 2014 about the remediation plan for the above referenced site. I have attached the materials that we used in our discussion. As discussed, Oxy will excavate to a depth of 2 feet across the spill area as depicted on the attached site diagram. The site will then be backfilled with clean soil.

If you would please e-mail your concurrence with this remediation plan, it would be greatly appreciated.

Thanks, Cliff

Cliff P. Brunson, CEI, CRS
President
BBC International, Inc.
World-Wide Environmental Specialists
Mailing Address:
P. O. Box 805
Hobbs, NM 88241-0805 USA
Shipping Address:
1324 W. Marland St.
Hobbs, NM 88240 USA
Phone: (575) 397-6388
Fax: (575) 397-0397
E-Mail: cbrunson@bbcinternational.com

Confidentiality Notice: This electronic transmission (and any attached documents) is intended only for the person(s) to whom it is addressed and may contain information that is privileged, confidential, or otherwise protected from disclosure. If you have received this transmission in error, please immediately notify the sender by e-mail or by telephone call to (575) 397-6388 for handling instructions. Any disclosure or distribution of the contents of this transmission by anyone other than the named recipient(s) is strictly prohibited.

Kathy Purvis

From: Van Curen, Jennifer <jvancure@blm.gov>
Sent: Sunday, March 09, 2014 4:03 PM
To: Cliff P. Brunson
Cc: C J Summers; Ken Swinney; Jennifer Gilkey; Kathy Purvis
Subject: Re: OXY-FNR 26 Federal #1 CTB-Remediation Plan

Approved

JENNIFER E VAN CUREN
ENVIRONMENTAL PROTECTION SPECIALIST
DOI-BLM-CARLSBAD FIELD OFFICE
320 E GREENE ST. CARLSBAD, NM 88220
OFFICE- 575-234-5905
CELL - 575-361-0042
FAX - 575-234-5927

On Sat, Mar 8, 2014 at 5:43 PM, Cliff P. Brunson <cbrunson@bbcinternational.com> wrote:
Jennifer,

This e-mail is to request the BLM's approval for the following remediation plan for the above referenced site. I have attached the materials that pertain to the site and the plan. This plan has already been approved by Mike Bratcher of the NMOCD. Oxy will excavate to a depth of 2 feet across the entire leak area as shown on the diagram. The area will then be backfilled with clean soil.

If you would please e-mail your concurrence with this remediation plan, it would be greatly appreciated. If you have any questions, please let us know.


Thanks, Cliff

Cliff P. Brunson, CEI, CRS
President
BBC International, Inc.
World-Wide Environmental Specialists
Mailing Address:
P. O. Box 805
Hobbs, NM 88241-0805 USA
Shipping Address:
1324 W. Marland St.
Hobbs, NM 88240 USA
Phone: (575) 397-6388
Fax: (575) 397-0397
E-Mail: cbrunson@bbcinternational.com

Confidentiality Notice: This electronic transmission (and any attached documents) is intended only for the person(s) to whom it is addressed and may contain information that is privileged, confidential, or otherwise protected from disclosure. If you have received this transmission in error, please immediately notify the sender by e-mail or by telephone call to (575) 397-6388 for handling instructions. Any disclosure or distribution of the contents of this transmission by anyone other than the named recipient(s) is strictly prohibited.



Oxy
FNR 26 Federal #1 CTB



*Remediation
Plan
Attachment*

U/L M, Section 26m T23S, R30E at battery
U/L B, Section 31, T23S, R31E at leak site
Eddy County, NM
GPS at stake: N 32.26431° W 103.81604°

| | |
|-------------------------|--------------------|
| BBC International, Inc. | |
| Oxy | |
| FNR 26 Federal #1 CTB | |
| Date: 02/04/2014 | DRWG by: K. Purvis |
| NOT TO SCALE | File: Oxy 2014 |



Groundwater Plot

Oxy FNR 26 Federal #1 CTB

County
Eddy


Unit Letter

Section
31

Township
23S

Range
31E

Trend Map 300'



⊛ Location

○ OCD

○ USGS

○ SEO

● All Databases



Section Quarters

Oxy FNR 26 Federal #1 CTB

| | | | | |
|-----------------------|--------------------|----------------------|------------------------|---------------------|
| <i>County</i> Eddy | <i>Unit Letter</i> | <i>Section</i> 31 | <i>Township</i> 23S | <i>Range</i> 31E |
|-----------------------|--------------------|----------------------|------------------------|---------------------|

Trend Map 300'

1

2

| | | | |
|----------------------------|---------------|---------------|---------------|
| NW/NW None Found | NE/NW | NW/NE | NE/NE |
| Unit Letter D | Unit Letter C | Unit Letter B | Unit Letter A |
| SW/NW | SE/NW | SW/NE | SE/NE |
| Unit Letter E | Unit Letter F | Unit Letter G | Unit Letter H |
| NW/SW | NE/SW | NW/SE | NE/SE |
| Unit Letter L | Unit Letter K | Unit Letter J | Unit Letter I |
| SW/SW | SE/SW | SW/SE | SE/SE |
| Unit Letter M | Unit Letter N | Unit Letter O | Unit Letter P |

3

4

Location
 OCD
 USGS
 SEO
 All Databases

**Laboratory Analytical Results Summary
FNR 26 Federal #1 CTB**

| | | Sample | SP1 @ 1' | SP1 @ 3' | SP1 @ 5' |
|----------------------|------------|--------|--------------|-------------|----------|
| Analyte | Method | Date | 2/14/14 | 2/14/14 | 2/14/14 |
| | | | mg/Kg | mg/Kg | mg/Kg |
| Benzene | BTEX 8021B | | <1.00 | <0.050 | <0.050 |
| Toluene | BTEX 8021B | | 2.02 | <0.050 | <0.050 |
| Ethylbenzene | BTEX 8021B | | 6.73 | <0.050 | <0.050 |
| Total Xylenes | BTEX 8021B | | 18.9 | <0.150 | <0.150 |
| Total BTEX | BTEX 8021B | | 27.6 | <0.300 | <0.300 |
| Chloride | SM4500Cl-B | | 4240 | 272 | <16.0 |
| GRO | TPH 8015M | | 1280 | <10.0 | <10.0 |
| DRO | TPH 8015M | | 10100 | 62.6 | <10.0 |

February 25, 2014

Cliff Brunson

BBC International, Inc.

P.O. Box 805

Hobbs, NM 88241

RE: FNR 26 FED #1 CTB

Enclosed are the results of analyses for samples received by the laboratory on 02/17/14 16:15.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-13-5. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

| | |
|------------------|------------------------------|
| Method EPA 552.2 | Haloacetic Acids (HAA-5) |
| Method EPA 524.2 | Total Trihalomethanes (TTHM) |
| Method EPA 524.4 | Regulated VOCs (V1, V2, V3) |

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Celey D. Keene

Lab Director/Quality Manager

Analytical Results For:

 BBC International, Inc.
 Cliff Brunson
 P.O. Box 805
 Hobbs NM, 88241
 Fax To: (575) 397-0397

 Received: 02/17/2014
 Reported: 02/25/2014
 Project Name: FNR 26 FED #1 CTB
 Project Number: NONE GIVEN
 Project Location: TWIN WELLS ROAD

 Sampling Date: 02/14/2014
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: SP 1 @ 1' (H400476-01)

| BTEX 8021B | | mg/kg | | Analyzed By: MS | | | | S-04 | | |
|-------------------|-------------|-----------------|-------------------|-----------------|------|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Benzene* | <1.00 | 1.00 | 02/21/2014 | ND | 2.03 | 101 | 2.00 | 16.6 | | |
| Toluene* | 2.02 | 1.00 | 02/21/2014 | ND | 2.07 | 103 | 2.00 | 15.6 | | |
| Ethylbenzene* | 6.73 | 1.00 | 02/21/2014 | ND | 2.06 | 103 | 2.00 | 16.4 | | |
| Total Xylenes* | 18.9 | 3.00 | 02/21/2014 | ND | 6.02 | 100 | 6.00 | 14.5 | | |
| Total BTEX | 27.6 | 6.00 | 02/21/2014 | ND | | | | | | |

Surrogate: 4-Bromofluorobenzene (PIC) 150 % 89.4-126

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AP | | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Chloride | 4240 | 16.0 | 02/19/2014 | ND | 416 | 104 | 400 | 0.00 | | |

| TPH 8015M | | mg/kg | | Analyzed By: ms | | | | S-06 | | |
|--------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| GRO C6-C10 | 1280 | 50.0 | 02/19/2014 | ND | 220 | 110 | 200 | 0.566 | | |
| DRO >C10-C28 | 10100 | 50.0 | 02/19/2014 | ND | 206 | 103 | 200 | 2.93 | | |

Surrogate: 1-Chlorooctane 171 % 65.2-140

Surrogate: 1-Chlorooctadecane 251 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 BBC International, Inc.
 Cliff Brunson
 P.O. Box 805
 Hobbs NM, 88241
 Fax To: (575) 397-0397

| | | | |
|-------------------|-------------------|---------------------|---------------|
| Received: | 02/17/2014 | Sampling Date: | 02/14/2014 |
| Reported: | 02/25/2014 | Sampling Type: | Soil |
| Project Name: | FNR 26 FED #1 CTB | Sampling Condition: | Cool & Intact |
| Project Number: | NONE GIVEN | Sample Received By: | Jodi Henson |
| Project Location: | TWIN WELLS ROAD | | |

Sample ID: SP 1 @ 3' (H400476-02)

| BTEX 8021B | | mg/kg | | Analyzed By: MS | | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Benzene* | <0.050 | 0.050 | 02/21/2014 | ND | 2.03 | 101 | 2.00 | 16.6 | | |
| Toluene* | <0.050 | 0.050 | 02/21/2014 | ND | 2.07 | 103 | 2.00 | 15.6 | | |
| Ethylbenzene* | <0.050 | 0.050 | 02/21/2014 | ND | 2.06 | 103 | 2.00 | 16.4 | | |
| Total Xylenes* | <0.150 | 0.150 | 02/21/2014 | ND | 6.02 | 100 | 6.00 | 14.5 | | |
| Total BTEX | <0.300 | 0.300 | 02/21/2014 | ND | | | | | | |

Surrogate: 4-Bromofluorobenzene (PIE) 97.8 % 89.4-126

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AP | | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Chloride | 272 | 16.0 | 02/19/2014 | ND | 416 | 104 | 400 | 0.00 | | |

| TPH 8015M | | mg/kg | | Analyzed By: ms | | | | | | |
|--------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| GRO C6-C10 | <10.0 | 10.0 | 02/19/2014 | ND | 220 | 110 | 200 | 0.566 | | |
| DRO >C10-C28 | 62.6 | 10.0 | 02/19/2014 | ND | 206 | 103 | 200 | 2.93 | | |


Surrogate: 1-Chlorooctane 107 % 65.2-140

Surrogate: 1-Chlorooctadecane 110 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 BBC International, Inc.
 Cliff Brunson
 P.O. Box 805
 Hobbs NM, 88241
 Fax To: (575) 397-0397

 Received: 02/17/2014
 Reported: 02/25/2014
 Project Name: FNR 26 FED #1 CTB
 Project Number: NONE GIVEN
 Project Location: TWIN WELLS ROAD

 Sampling Date: 02/14/2014
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: SP 1 @ 5' (H400476-03)

| BTEX 8021B | | mg/kg | | Analyzed By: MS | | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Benzene* | <0.050 | 0.050 | 02/21/2014 | ND | 2.03 | 101 | 2.00 | 16.6 | | |
| Toluene* | <0.050 | 0.050 | 02/21/2014 | ND | 2.07 | 103 | 2.00 | 15.6 | | |
| Ethylbenzene* | <0.050 | 0.050 | 02/21/2014 | ND | 2.06 | 103 | 2.00 | 16.4 | | |
| Total Xylenes* | <0.150 | 0.150 | 02/21/2014 | ND | 6.02 | 100 | 6.00 | 14.5 | | |
| Total BTEX | <0.300 | 0.300 | 02/21/2014 | ND | | | | | | |

Surrogate: 4-Bromofluorobenzene (PIC) 93.8 % 89.4-126

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AP | | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Chloride | <16.0 | 16.0 | 02/19/2014 | ND | 416 | 104 | 400 | 0.00 | | |

| TPH 8015M | | mg/kg | | Analyzed By: ms | | | | | | |
|--------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| GRO C6-C10 | <10.0 | 10.0 | 02/19/2014 | ND | 220 | 110 | 200 | 0.566 | | |
| DRO >C10-C28 | <10.0 | 10.0 | 02/19/2014 | ND | 206 | 103 | 200 | 2.93 | | |


Surrogate: 1-Chlorooctane 108 % 65.2-140

Surrogate: 1-Chlorooctadecane 110 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Notes and Definitions

- S-06 The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
- S-04 The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



CARDINAL LABORATORIES

101 East Marland, Hobbs, NM 88240
(505) 393-2326 FAX (505) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

1671

Page 6 of 6

| Company Name: BBC International, Inc. | | BILL TO | | ANALYSIS REQUEST | | | | | | | | | | | | | | | | | | | |
|---|-------------|-------------------|--------------|-------------------------|--|---|--|--|--|--|---|--|---------|-------------|------------|------|-----|--------|--------|------------|----------|--------|------|
| Project Manager: Cliff Brunson | | P.O. #: | | | | | | | | | | | | | | | | | | | | | |
| Address: P.O. Box 805 | | Company: | | | | | | | | | | | | | | | | | | | | | |
| City: Hobbs State: NM Zip: 88241 | | Attn: | | | | | | | | | | | | | | | | | | | | | |
| Phone #: 575-397-6388 Fax #: 575-397-0397 | | Address: SAME | | | | | | | | | | | | | | | | | | | | | |
| Project #: Project Owner: OXY | | City: | | | | | | | | | | | | | | | | | | | | | |
| Project Name: FNR 26 FED # 1 CTR | | State: Zip: | | | | | | | | | | | | | | | | | | | | | |
| Project Location: Twin wells Rd. | | Phone #: | | | | | | | | | | | | | | | | | | | | | |
| Sampler Name: ROGER Hernandez | | Fax #: | | | | | | | | | | | | | | | | | | | | | |
| FOR LAB USE ONLY | | | | | | | | | | | | | | | | | | | | | | | |
| Lab I.D. | Sample I.D. | (G)RAB OR (C)OMP. | # CONTAINERS | | | | | | | | | | | GROUNDWATER | WASTEWATER | SOIL | OIL | SLUDGE | OTHER: | ACID/BASE: | ICE/COOL | OTHER: | DATE |
| H4DD0476 | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | SP 1 @ 1' | GG | 1 | | | ✓ | | | | | ✓ | | 2.14.14 | 10:20 | ✓ | ✓ | ✓ | | | | | | |
| 2 | @ 3' | GG | 1 | | | ✓ | | | | | ✓ | | 2.14.14 | 11:0 | ✓ | ✓ | ✓ | | | | | | |
| 3 | @ 5' | GG | 1 | | | ✓ | | | | | ✓ | | 2.14.14 | 11:52 | ✓ | ✓ | ✓ | | | | | | |

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

| | | | | |
|--|---|---------------------------------|--|----------------|
| Relinquished By: <i>[Signature]</i> | Date: 2.17.14 Time: 4:15 | Received By: <i>Jodi Benson</i> | Phone Result: <input type="checkbox"/> Yes <input type="checkbox"/> No | Add'l Phone #: |
| Relinquished By: | Date: | Received By: | Fax Result: <input type="checkbox"/> Yes <input type="checkbox"/> No | Add'l Fax #: |
| Delivered By: (Circle One) Sampler - UPS - Bus - Other: | Sample Condition Cool <input type="checkbox"/> Intact <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> | CHECKED BY: <i>[Signature]</i> | REMARKS: | |

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476

#54