

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-141
Revised August 8, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit 1 Copy to appropriate District Office in
accordance with 19.15.29 NMAC.

FAB1503550945 **Release Notification and Corrective Action**
NAB1503551225 **OPERATOR** X Initial Report Final Report

Name of Company	Agave Energy Company	147831	Contact	Kerry Egan
Address	326 West Quay Artesia, NM 88210		Telephone No.	575 513-8988
Facility Name:	Comanche Compressor Station		Facility Type:	Pipeline Booster Station
Surface Owner:	G. Vance	Mineral Owner	API No.	

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
E	34	7S	26E					NM OIL CONSERVATION ARTESIA DISTRICT

Latitude _____ Longitude _____ **JAN 21 2015**

NATURE OF RELEASE

Type of Release	valve/line failure	Volume of Release: Approx 180 bbls	Volume Recovered: None
Source of Release	Frozen valve on drain line.	Date and Hour of Occurrence: Sometime during the four days prior to 1/6/15.	Date and Hour of Discovery: 10:00AM 1/6/15
Was Immediate Notice Given?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom?	
By Whom?		Date and Hour	
Was a Watercourse Reached?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.*

Describe Cause of Problem and Remedial Action Taken.*
A ball valve on the water drain line off of the condensate tank froze during the cold temperatures sometime during the four days prior to discovery on 1/6/15. The ice caused the valve housing to fail, allowing the condensate to leak from the tank. Upon discovery the broken valve was replaced and the line insulated to prevent further freezing.

Describe Area Affected and Cleanup Action Taken.*
The release occurred inside the earthen containment, contaminating the walls and floor. The liquid that didn't permeate the containment, flashed off. The area was approximately 15 ft - 50 ft. Agave plans to excavate the contaminated containment material and remediate on site. The remediated material will be used to repair/rebuild the containment.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 	OIL CONSERVATION DIVISION	
Printed Name: Kerry Egan	Accepted for record Approved by Environmental Specialist NMOCD	
Title: Eng Tech	Approval Date: 2/4/15	Expiration Date: N/A
E-mail Address: KEgan@yatespetroleum.com	Conditions of Approval: Remediation per O.C.D. Rules & Guidelines attached <input type="checkbox"/> SUBMIT REMEDIATION PROPOSAL NO	
Date: 1/21/15 Phone: 575 748-4555	LATER THAN: 3/4/15	

* Attach Additional Sheets If Necessary

2RP-2784

Sampling Summary for Comanche Compressor Station

Analytical Report H202790	Sample Date	Depth	BTEX	GRO	DRO	Cl-
CCS - NW Surface	1/6/2015	0-6"	168.3	9200	560	420
CCS - NW	1/6/2015	2'	609	20000	3800	ND
CCS - West	1/6/2015	2'	191	5300	1300	27
CCS - SW	1/6/2015	2'	259	10000	1200	ND
CCS - Central	1/6/2015	2'	222	8900	1000	ND
CCS - East	1/6/2015	2'	ND	ND	ND	20
CCS - NE	1/6/2015	2'	103.9	3400	1400	1100
CCS - NW Corner	1/6/2015	2'	652	21000	4100	ND
*All results are in ppm						

Site Ranking: 0 Depth to Ground Water >100' (Approx. 118' per NMOSE average)

Distance to Surface Water Body > 1000' (Approx. 0.875 miles)

Released approximately 180 bbls of condensate. Discovery Date 1/6/15



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

POD Number	POD Sub-Code	basin	County	Q Q Q				Rng	X	Y	Depth Well	Depth Water	Water Column	
				64	16	4	Sec							Tws
<u>RA 02410</u>			CH	4	4	2	20	07S	26E	563756	3728431*	123	70	53
<u>RA 02410 A</u>			CH	2	1	3	20	07S	26E	562545	3728223*	81	8	73
<u>RA 02410 CLW</u>	O		CH	4	4	2	20	07S	26E	563756	3728431*	123		
<u>RA 02410 POD3</u>			CH	4	3	2	20	07S	26E	563433	3728426	100	7	93
<u>RA 02410 S</u>	R		CH			2	20	07S	26E	563436	3728453	91	12	79
<u>RA 02410 SUP</u>	O		CH	4	3	2	20	07S	26E	563352	3728429*	91	12	79
<u>RA 02412 CLW</u>	O		CH	1	4	2	19	07S	26E	561938	3728627*	71	20	51
<u>RA 04775</u>			CH		4	2	20	07S	26E	563657	3728532*	100	61	39
<u>RA 09312</u>			CH		2	2	24	07S	26E	570131	3728949*	200		
<u>RA 09322</u>			CH	2	2	1	24	07S	26E	569419	3729048*	129	59	70
<u>RA 09357</u>			CH			2	24	07S	26E	569928	3728745*	200		

Average Depth to Water: **31 feet**
 Minimum Depth: **7 feet**
 Maximum Depth: **70 feet**

Record Count: 11

PLSS Search:

Section(s): 19-36

Township: 07S

Range: 26E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced,
 O=orphaned,
 C=the file is closed) (quarters are 1=NW 2=NE 3=SW 4=SE)
 (quarters are smallest to largest) (NAD83 UTM in meters) (In feet)

POD Number	POD Sub-Code	basin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Depth Well	Depth Water	Water Column
RA 04747			CH	2	3	06	08S	26E		561256	3723273*	105	12	93

Average Depth to Water: **12 feet**
 Minimum Depth: **12 feet**
 Maximum Depth: **12 feet**

Record Count: 1

PLSS Search:

Section(s): 1-19

Township: 08S

Range: 26E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.