

SITE INFORMATION

Report Type: Closure Report

General Site Information:

Site:	Biscuit Hill SWD	
Company:	COG Operating LLC	
Section, Township and Range	Section 29, T17S, R31E	Unit Letter - O
Lease Number:		
County:	Eddy County	
GPS:	32.800430° N, 103.889770° W	
Surface Owner:	Federal	
Mineral Owner:		
Directions:	At the intersection of Hwy 82 and Shugart Road go south on Shugart approximately 1 mile. Turn West on caliche lease road and go approximately 0.3 miles to the facility access road to the north.	

Release Data:

Date Released:	1/14/2011
Type Release:	Produced Water
Source of Contamination:	Partially open valve
Fluid Released:	15 bbls
Fluids Recovered:	0 bbls

Official Communication:


Name:	Pat Ellis		Aaron Hale
Company:	COG Operating, LLC		Tetra Tech
Address:	550 W. Texas Ave. Ste. 1300		1910 N. Big Spring
P.O. Box			
City:	Midland Texas, 79701		Midland, Texas
Phone number:	(432) 686-3023		(432) 682-4559
Fax:	(432) 684-7137		
Email:	pellis@conchoresources.com		ike.tavarez@tetrattech.com

Ranking Criteria:


Depth to Groundwater:	Ranking Score	Site Data
<50 ft	20	
50-99 ft	10	
>100 ft.	0	0
WellHead Protection:	Ranking Score	Site Data
Water Source <1,000 ft., Private <200 ft.	20	
Water Source >1,000 ft., Private >200 ft.	0	0
Surface Body of Water:	Ranking Score	Site Data
<200 ft.	20	
200 ft - 1,000 ft.	10	
>1,000 ft.	0	0
Total Ranking Score:	0	

Acceptable Soil RRAL (mg/kg)

Benzene	Total BTEX	TPH
10	50	5,000



TETRA TECH



December 13, 2011

Mr. Mike Bratcher
Environmental Engineer Specialist
Oil Conservation Division, District 2
1301 West Grand Avenue
Artesia, NM 88210

**Re: Closure Request for the COG Operating LLC.
Biscuit Hill SWD
Unit O, Section 29, Township 17 South, Range 31 East
Eddy County, New Mexico.**

Mr. Bratcher:

Tetra Tech, Inc. (Tetra Tech) was contacted by COG Operating LLC. (COG) to assess a spill from the Biscuit Hills SWD, Unit O, Section 29, Township 17 South, Range 31 East, Eddy County, New Mexico (Site). The spill site coordinates are N 32.800430°, W 103.889770°. The site location is shown on Figures 1 and 2.

Background

According to the State of New Mexico C-141 Initial Report, the leak was discovered on January 14, 2011, and released approximately fifteen (15) barrels of produced fluids due to partially opened load line valve. The valve was immediately closed. No fluid was recovered. The spill area adjacent to the load line was approximately 3' wide and 100' in length along the eastern side of the tank battery berm. The spill then migrated south in a path 2' wide and 200' in length to finally accumulate in an area approximately 20' x 20' in the adjacent pasture. The initial C-141 form is enclosed in Appendix A.

Groundwater

The United States Geological Survey (USGS) Well Reports and the New Mexico Office of the State Engineer (OSE) did not list any wells in Section 29. The closest well to Section 29 is located in Section 34. Water in this well is reported at 271 feet below ground surface (bgs). According to the NMOC D groundwater map, the average depth to groundwater in this

Tetra Tech

1210 North Big Spring, Midland, TX 79705

Tel 432.682.4559 Fax 432.682.3946 www.tetratech.com



area is greater than 380' below surface. The groundwater data is shown in Appendix B.

Regulatory

A risk-based evaluation was performed for the Site in accordance with the New Mexico Oil Conservation Division (NMOCD) Guidelines for Remediation of Leaks, Spills and Releases, dated August 13, 1993. The guidelines require a risk-based evaluation of the site to determine recommended remedial action levels (RRAL) for benzene, toluene, ethylbenzene and xylene (collectively referred to as BTEX) and total petroleum hydrocarbons (TPH) in soil. The proposed RRAL for benzene was determined to be 10 parts per million (ppm) or milligrams per kilogram (mg/kg) and 50 ppm for total BTEX (sum of benzene, toluene, ethylbenzene, and xylene). Based upon the depth to groundwater, the proposed RRAL for TPH is 5,000 mg/kg.

Soil Assessment and Analytical Results

On February 9, 2011, Tetra Tech personnel inspected and sampled the spill area. A total of six (6) auger holes (AH-1 through AH-6) were installed using a stainless steel hand auger to assess the impacted soils. Select samples were analyzed for TPH analysis by EPA method 8015 modified, BTEX by EPA Method 8021B and chloride by EPA method 300.0. Copies of laboratory analysis and chain-of-custody documentation are included in Appendix C. The results of the sampling are summarized in Table 1. The auger hole locations are shown on Figure 3.

Referring to Table 1, all of the submitted samples were below the RRAL for TPH and BTEX with the exception of samples collected from the surface to 1.5' bgs. Generally, chloride concentrations decreased with depth with some historic chloride concentrations observed in the bottom of AH-2. This chloride encountered at this depth appears to be historic based on the soil chloride profile and will be further addressed as part of the remediation effort. The chloride concentrations observed in AH-1 and 2 at a depth of 4.5' to 5.0' bgs will be further delineated with the use of the backhoe while excavating activities are conducted at the site.



TETRA TECH

Work Plan

Based on the approved work plan, Tetra Tech personnel supervised the excavation of the site. The final excavation depths of the soil remediation were met or exceeded, as stated in the approved work plan. A total of 1280 cubic yards of soil were excavated and hauled to proper disposal. The excavation depths are highlighted in Table 1 and shown on Figure 4. The excavations were backfilled with clean soil to grade.

Prior to backfilling, confirmation samples were collected from the excavation bottoms and sidewalls. In addition, trenches (backhoe) were also installed to define extents. The trenches and confirmation samples are shown in Table 1. Prior to backfilling, the BLM inspected the excavation and approved the excavation and field chlorides for backfilling site.

Based on the approved remedial activities performed, COG requests closure of the site. A copy of the C-141 (Final) is included in Appendix A. If you have any questions or comments concerning the remedial activities, please call me at (432) 682-4559.

Respectfully submitted,
TETRA TECH, INC.

Mike Tavaraz, PG
Senior Project Manager

cc: Pat Ellis – COG
cc: Jim Amos – BLM
cc: Terry Gregston – BLM

FIGURES







FIGURE NO. 1
EDDY COUNTY, NEW MEXICO
COG OPERATING LLC
TOPOGRAPHIC MAP


Data use subject to license.

© DeLorme, Topo USA® 8.

www.delorme.com







SPILL AREA
 AUGER HOLE LOCATIONS

NOT TO SCALE

DATE:
 10/7/10
 DRAWN BY:
 JJ
 FILE:
 H:\COG\6400818
 BISCUIT HILL SWD

FIGURE NO. 3

EDDY COUNTY, NEW MEXICO

COG OPERATING LLC

BISCUIT HILL SWD

TETRA TECH, INC.
 MIDLAND, TEXAS




FIGURE NO. 4

EDDY COUNTY, NEW MEXICO

COG OPERATING LLC

BISCUIT HILL SWD

TETRA TECH, INC.
MIDLAND, TEXAS

DATE:
10/7/10

DRAWN BY:
IM

FILE:
H:\COG\8400572
BISCUIT HILL SWD

NOT TO SCALE

TABLES

Eddy County, New Mexico

[illegible]

Eddy County, New Mexico

[illegible]

Eddy County, New Mexico

[illegible]

Table 1
COG Operating LLC.
Biscuit Hills
Eddy County, New Mexico

Sample ID	Sample Date	Sample Depth (ft)	Depth (BEB)	Soil Status		TPH (mg/kg)			Benzene (mg/kg)	Toluene (mg/kg)	Ethlybenzene (mg/kg)	Xylene (mg/kg)	Total BTEX (mg/kg)	Chloride (mg/kg)
				In-Situ	Removed	GRO	DRO	Total						
AH-6	2/9/2011	0-1'			X	<2.00	<50.0	--	<0.0200	<0.0200	<0.0200	<0.0200	--	2,120
	"	1-1.5'			X	--	--	--	--	--	--	--	--	1,940
	"	2-2.5'			X	--	--	--	--	--	--	--	--	873
	"	3-3.5'			X	--	--	--	--	--	--	--	--	797
	"	4-4.5'			X	--	--	--	--	--	--	--	--	<200
	"	5-5.5'		X		--	--	--	--	--	--	--	--	<200
	"	6-6.5'		X		--	--	--	--	--	--	--	--	227
	"	7-7.5'		X		--	--	--	--	--	--	--	--	<200
	"	7.5-8'		X		--	--	--	--	--	--	--	--	<200
CS-4	8/4/2011	Bottom Hole	4'	X		--	--	--	--	--	--	--	--	<200
	"	North Side Wall		X		--	--	--	--	--	--	--	--	386
	"	East Side Wall		X		--	--	--	--	--	--	--	--	277
	"	West Side Wall		X		--	--	--	--	--	--	--	--	1,010
Trench #4	8/4/2011	6'	4'	X		--	--	--	--	--	--	--	--	317
	"	8'		X		--	--	--	--	--	--	--	--	<200

(--) Not Analyzed

 Excavation Depths

APPENDIX A

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

OPERATOR

☒ Initial Report ☐ Final Report

Name of Company	COG OPERATING LLC	Contact	Pat Ellis
Address	550 W. Texas, Suite 100, Midland, TX 79701	Telephone No.	432-230-0077
Facility Name	Biscuit Hills	Facility Type	SWD
Surface Owner	Federal	Mineral Owner	
		Lease No. NMLC-029395B (API#) 30-015-28142	

LOCATION OF RELEASE

Unit Letter O	Section 29	Township 17S	Range 31E	Feet from the	North/South Line	Feet from the	East/West Line	County Eddy
------------------	---------------	-----------------	--------------	---------------	------------------	---------------	----------------	----------------

Latitude 32 47.249 Longitude 103 57.567

NATURE OF RELEASE

Type of Release	Oil	Volume of Release	15bbls	Volume Recovered	0bbls
Source of Release	Check valve on load line	Date and Hour of Occurrence	01/14/2011	Date and Hour of Discovery	01/14/2011 11:00 a.m.
Was Immediate Notice Given?	☐ Yes ☒ No ☒ Not Required	If YES, To Whom?			
By Whom?		Date and Hour			
Was a Watercourse Reached?	☐ Yes ☒ No	If YES, Volume Impacting the Watercourse.			

If a Watercourse was Impacted, Describe Fully.*

Describe Cause of Problem and Remedial Action Taken.*

4inch 300 threaded check valve on load line was left partially open. The valve has been closed.

Describe Area Affected and Cleanup Action Taken.*

Initially 15bbls was released from the valve at the load line and we were unable to recover any fluid from the release. The spill area measured 3' x 100' in front of the load line on the location; 2' x 200' ran off of the location into the pasture and accumulated into a 20' x 20' area. Tetra Tech will sample the spill site area to delineate any possible contamination from the release and we will present a remediation work plan to the NMOCD / BLM for approval prior to any significant remediation work.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

OIL CONSERVATION DIVISION

Signature:

Printed Name:

Josh Russo

Approved by District Supervisor:

Title:

HSE Coordinator

Approval Date:

Expiration Date:

E-mail Address:

jrusso@conchoresources.com

Conditions of Approval:

Attached ☐

Date: 01/28/2011

Phone: 432-212-2399

* Attach Additional Sheets If Necessary

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

OPERATOR

☐ Initial Report ☒ Final Report

Name of Company COG Operating LLC	Contact Pat Ellis
Address 550 W. Texas, Suite 1300 Midland, Texas 79701	Telephone No. (432) 230-0077
Facility Name Biscuit Hills	Facility Type SWD

Surface Owner: Federal	Mineral Owner	Lease No. 30-015-28142
-------------------------------	---------------	-------------------------------

LOCATION OF RELEASE

Unit Letter O	Section 29	Township 17S	Range 31E	Feet from the	North/South Line	Feet from the	East/West Line	County Eddy
-------------------------	----------------------	------------------------	---------------------	---------------	------------------	---------------	----------------	-----------------------

Latitude N 32 47.249 Longitude W 103 57.567

NATURE OF RELEASE

Type of Release: Oil	Volume of Release 15 bbls	Volume Recovered 0 bbls
Source of Release: Check valve on load line	Date and Hour of Occurrence 1/14/11	Date and Hour of Discovery 1/14/11 11:00 a.m.
Was Immediate Notice Given? ☐ Yes ☒ No ☐ Not Required	If YES, To Whom?	
By Whom?	Date and Hour 9/1/10 9:10 pm	
Was a Watercourse Reached? ☐ Yes ☒ No	If YES, Volume Impacting the Watercourse. N/A	

If a Watercourse was Impacted, Describe Fully.*

N/A

Describe Cause of Problem and Remedial Action Taken.*

4 inch 300 thread check valve on load line was left partially open. The valve has been closed.

Describe Area Affected and Cleanup Action Taken.*

Tetra Tech inspected and assessed the spill area for extents. A work plan was prepared and submitted to NMOCD and BLM for approval. Soils exceeding the TPH and BTEX RRAL and chloride impact were removed and transported to proper disposal. Once excavated to the appropriate depths, the excavation was backfilled with clean soil. Tetra Tech prepared closure report and submitted to NMOCD for review.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 	<u>OIL CONSERVATION DIVISION</u>		
Printed Name: Ike Tavarez (agent for COG)	Approved by District Supervisor:		
Title: Project Manager	Approval Date:	Expiration Date:	
E-mail Address: ike.tavarez@tetratech.com	Conditions of Approval:		Attached ☐
Date: 12-13-11 Phone: (432) 682-4559			

Attach Additional Sheets If Necessary

APPENDIX B

Water Well Data
Average Depth to Groundwater (ft)
COG - Biscuit Hills
Eddy County, New Mexico

16 South 30 East					
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

16 South 31 East					
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

16 South 32 East					
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

17 South 30 East					
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

17 South 31 East					
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

17 South 32 East					
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

18 South 30 East					
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

18 South 31 East					
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

18 South 32 East					
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

-  New Mexico State Engineers Well Reports
-  USGS Well Reports
-  Geology and Groundwater Conditions in Southern Eddy, County, NM
-  NMOCD - Groundwater Data
-  Tetra Tech temporary monitor well

APPENDIX C

Summary Report

Ike Tavaréz
Tetra Tech
1910 N. Big Spring Street
Midland, TX 79705

Report Date: February 22, 2011

Work Order: 11021116



Project Location: Eddy Co., NM
Project Name: COG/Biscuit Hills
Project Number: 114-6400816

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
257200	AH-1 0-1'	soil	2011-02-09	00:00	2011-02-11
257201	AH-1 1-1.5'	soil	2011-02-09	00:00	2011-02-11
257202	AH-1 2-2.5'	soil	2011-02-09	00:00	2011-02-11
257203	AH-1 3-3.5'	soil	2011-02-09	00:00	2011-02-11
257204	AH-1 4-4.5'	soil	2011-02-09	00:00	2011-02-11
257205	AH-1 4.5-5'	soil	2011-02-09	00:00	2011-02-11
257206	AH-2 0-1'	soil	2011-02-09	00:00	2011-02-11
257207	AH-2 1-1.5'	soil	2011-02-09	00:00	2011-02-11
257208	AH-2 2-2.5'	soil	2011-02-09	00:00	2011-02-11
257209	AH-2 3-3.5'	soil	2011-02-09	00:00	2011-02-11
257210	AH-2 4-4.5'	soil	2011-02-09	00:00	2011-02-11
257211	AH-2 4.5-5'	soil	2011-02-09	00:00	2011-02-11
257212	AH-3 0-1'	soil	2011-02-09	00:00	2011-02-11
257213	AH-3 1-1.5'	soil	2011-02-09	00:00	2011-02-11
257214	AH-3 2-2.5'	soil	2011-02-09	00:00	2011-02-11
257215	AH-3 3-3.5'	soil	2011-02-09	00:00	2011-02-11
257216	AH-3 4-4.5'	soil	2011-02-09	00:00	2011-02-11
257217	AH-3 5-5.5'	soil	2011-02-09	00:00	2011-02-11
257218	AH-3 6-6.5'	soil	2011-02-09	00:00	2011-02-11
257219	AH-3 7-7.5'	soil	2011-02-09	00:00	2011-02-11
257220	AH-3 8-8.5'	soil	2011-02-09	00:00	2011-02-11
257221	AH-3 9-9.5'	soil	2011-02-09	00:00	2011-02-11
257222	AH-4 0-1'	soil	2011-02-09	00:00	2011-02-11
257223	AH-4 1-1.5'	soil	2011-02-09	00:00	2011-02-11
257224	AH-4 2-2.5'	soil	2011-02-09	00:00	2011-02-11
257225	AH-4 3-3.5'	soil	2011-02-09	00:00	2011-02-11
257226	AH-4 4-4.5'	soil	2011-02-09	00:00	2011-02-11
257227	AH-4 5-5.5'	soil	2011-02-09	00:00	2011-02-11
257228	AH-4 6-6.5'	soil	2011-02-09	00:00	2011-02-11
257229	AH-4 6.5-7'	soil	2011-02-09	00:00	2011-02-11

TraceAnalysis, Inc. • 6701 Aberdeen Ave., Suite 9 • Lubbock, TX 79424-1515 • (806) 794-1296

This is only a summary. Please, refer to the complete report package for quality control data.

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
257230	AH-5 0-1'	soil	2011-02-09	00:00	2011-02-11
257231	AH-5 1-1.5'	soil	2011-02-09	00:00	2011-02-11
257232	AH-5 2-2.5'	soil	2011-02-09	00:00	2011-02-11
257233	AH-5 3-3.5'	soil	2011-02-09	00:00	2011-02-11
257234	AH-5 4-4.5'	soil	2011-02-09	00:00	2011-02-11
257235	AH-5 5-5.5'	soil	2011-02-09	00:00	2011-02-11
257236	AH-5 6-6.5'	soil	2011-02-09	00:00	2011-02-11
257237	AH-5 7-7.5'	soil	2011-02-09	00:00	2011-02-11
257238	AH-5 8-8.5'	soil	2011-02-09	00:00	2011-02-11
257239	AH-5 9-9.5'	soil	2011-02-09	00:00	2011-02-11
257240	AH-6 0-1'	soil	2011-02-09	00:00	2011-02-11
257241	AH-6 1-1.5'	soil	2011-02-09	00:00	2011-02-11
257242	AH-6 2-2.5'	soil	2011-02-09	00:00	2011-02-11
257243	AH-6 3-3.5'	soil	2011-02-09	00:00	2011-02-11
257244	AH-6 4-4.5'	soil	2011-02-09	00:00	2011-02-11
257245	AH-6 5-5.5'	soil	2011-02-09	00:00	2011-02-11
257246	AH-6 6-6.5'	soil	2011-02-09	00:00	2011-02-11
257247	AH-6 7-7.5'	soil	2011-02-09	00:00	2011-02-11
257248	AH-6 7.5-8'	soil	2011-02-09	00:00	2011-02-11

Sample - Field Code	BTEX				TPH DRO - NEW	TPH GRO
	Benzene (mg/Kg)	Toluene (mg/Kg)	Ethylbenzene (mg/Kg)	Xylene (mg/Kg)	DRO (mg/Kg)	GRO (mg/Kg)
257200 - AH-1 0-1'	202	720	397	406	21500	9540
257201 - AH-1 1-1.5'	90.2	380	188	199	9910	6460
257202 - AH-1 2-2.5'	0.165	5.51	8.60	9.96	94.9	116
257203 - AH-1 3-3.5'					<50.0	<2.00
257206 - AH-2 0-1'					<50.0	<2.00
257212 - AH-3 0-1'	<0.0200	<0.0200	<0.0200	0.386	<50.0	<2.00
257222 - AH-4 0-1'	<0.0200	<0.0200	<0.0200	0.383	87.7	31.5
257230 - AH-5 0-1'					<50.0	<2.00
257240 - AH-6 0-1'	<0.0200	<0.0200	<0.0200	<0.0200	<50.0	<2.00

Sample: 257200 - AH-1 0-1'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 257201 - AH-1 1-1.5'

Param	Flag	Result	Units	RL
Chloride		291	mg/Kg	4.00

Sample: 257202 - AH-1 2-2.5'

Param	Flag	Result	Units	RL
Chloride		1380	mg/Kg	4.00

Sample: 257203 - AH-1 3-3.5'

Param	Flag	Result	Units	RL
Chloride		798	mg/Kg	4.00

Sample: 257204 - AH-1 4-4.5'

Param	Flag	Result	Units	RL
Chloride		745	mg/Kg	4.00

Sample: 257205 - AH-1 4.5-5'

Param	Flag	Result	Units	RL
Chloride		1420	mg/Kg	4.00

Sample: 257206 - AH-2 0-1'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 257207 - AH-2 1-1.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 257208 - AH-2 2-2.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 257209 - AH-2 3-3.5'

Param	Flag	Result	Units	RL
Chloride		322	mg/Kg	4.00

Sample: 257210 - AH-2 4-4.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 257211 - AH-2 4.5-5'

Param	Flag	Result	Units	RL
Chloride		1530	mg/Kg	4.00

Sample: 257212 - AH-3 0-1'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 257213 - AH-3 1-1.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 257214 - AH-3 2-2.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 257215 - AH-3 3-3.5'

Param	Flag	Result	Units	RL
Chloride		279	mg/Kg	4.00

Sample: 257216 - AH-3 4-4.5'

Param	Flag	Result	Units	RL
Chloride		1100	mg/Kg	4.00

Sample: 257217 - AH-3 5-5.5'

Param	Flag	Result	Units	RL
Chloride		5980	mg/Kg	4.00

Sample: 257218 - AH-3 6-6.5'

Param	Flag	Result	Units	RL
Chloride		3290	mg/Kg	4.00

Sample: 257219 - AH-3 7-7.5'

Param	Flag	Result	Units	RL
Chloride		253	mg/Kg	4.00

Sample: 257220 - AH-3 8-8.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 257221 - AH-3 9-9.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 257222 - AH-4 0-1'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 257223 - AH-4 1-1.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 257224 - AH-4 2-2.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 257225 - AH-4 3-3.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 257226 - AH-4 4-4.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 257227 - AH-4 5-5.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 257228 - AH-4 6-6.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 257229 - AH-4 6.5-7'

Param	Flag	Result	Units	RL
Chloride		366	mg/Kg	4.00

Sample: 257230 - AH-5 0-1'

Param	Flag	Result	Units	RL
Chloride		1670	mg/Kg	4.00

Sample: 257231 - AH-5 1-1.5'

Param	Flag	Result	Units	RL
Chloride		1360	mg/Kg	4.00

Sample: 257232 - AH-5 2-2.5'

Param	Flag	Result	Units	RL
Chloride		663	mg/Kg	4.00

Sample: 257233 - AH-5 3-3.5'

Param	Flag	Result	Units	RL
Chloride		517	mg/Kg	4.00

Sample: 257234 - AH-5 4-4.5'

Param	Flag	Result	Units	RL
Chloride		746	mg/Kg	4.00

Sample: 257235 - AH-5 5-5.5'

Param	Flag	Result	Units	RL
Chloride		605	mg/Kg	4.00

Sample: 257236 - AH-5 6-6.5'

Param	Flag	Result	Units	RL
Chloride		605	mg/Kg	4.00

Sample: 257237 - AH-5 7-7.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 257238 - AH-5 8-8.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 257239 - AH-5 9-9.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 257240 - AH-6 0-1'

Param	Flag	Result	Units	RL
Chloride		2120	mg/Kg	4.00

Sample: 257241 - AH-6 1-1.5'

Param	Flag	Result	Units	RL
Chloride		1940	mg/Kg	4.00

Sample: 257242 - AH-6 2-2.5'

Param	Flag	Result	Units	RL
Chloride		873	mg/Kg	4.00

Sample: 257243 - AH-6 3-3.5'

Param	Flag	Result	Units	RL
Chloride		797	mg/Kg	4.00

Sample: 257244 - AH-6 4-4.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 257245 - AH-6 5-5.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 257246 - AH-6 6-6.5'

Param	Flag	Result	Units	RL
Chloride		227	mg/Kg	4.00

Sample: 257247 - AH-6 7-7.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 257248 - AH-6 7.5-8'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00



6701 Aberdeen Avenue, Suite 9 Lubbock, Texas 79424 800•378•1296 806•794•1296 FAX 806•794•1296
200 East Sunset Road, Suite E El Paso, Texas 79922 888•588•3443 915•585•3443 FAX 915•585•4944
5002 Basin Street, Suite A1 Midland, Texas 79703 432•689•6301 FAX 432•689•6313
6015 Harris Parkway, Suite 110 Ft. Worth, Texas 76132 817•201•5260
E-Mail: lab@traceanalysis.com

Certifications

WBENC: 237019

HUB: 1752439743100-86536
NCTRCA WFWB38444Y0909

DBE: VN 20657

NELAP Certifications

Lubbock: T104704219-08-TX
LELAP-02003
Kansas E-10317

El Paso: T104704221-08-TX
LELAP-02002

Midland: T104704392-08-TX

Analytical and Quality Control Report

Ike Tavaréz
Tetra Tech
1910 N. Big Spring Street
Midland, TX, 79705

Report Date: February 22, 2011

Work Order: 11021116



Project Location: Eddy Co., NM
Project Name: COG/Biscuit Hills
Project Number: 114-6400816

Enclosed are the Analytical Report and Quality Control Report for the following sample(s) submitted to TraceAnalysis, Inc.

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
257200	AH-1 0-1'	soil	2011-02-09	00:00	2011-02-11
257201	AH-1 1-1.5'	soil	2011-02-09	00:00	2011-02-11
257202	AH-1 2-2.5'	soil	2011-02-09	00:00	2011-02-11
257203	AH-1 3-3.5'	soil	2011-02-09	00:00	2011-02-11
257204	AH-1 4-4.5'	soil	2011-02-09	00:00	2011-02-11
257205	AH-1 4.5-5'	soil	2011-02-09	00:00	2011-02-11
257206	AH-2 0-1'	soil	2011-02-09	00:00	2011-02-11
257207	AH-2 1-1.5'	soil	2011-02-09	00:00	2011-02-11
257208	AH-2 2-2.5'	soil	2011-02-09	00:00	2011-02-11
257209	AH-2 3-3.5'	soil	2011-02-09	00:00	2011-02-11

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
257210	AH-2 4-4.5'	soil	2011-02-09	00:00	2011-02-11
257211	AH-2 4.5-5'	soil	2011-02-09	00:00	2011-02-11
257212	AH-3 0-1'	soil	2011-02-09	00:00	2011-02-11
257213	AH-3 1-1.5'	soil	2011-02-09	00:00	2011-02-11
257214	AH-3 2-2.5'	soil	2011-02-09	00:00	2011-02-11
257215	AH-3 3-3.5'	soil	2011-02-09	00:00	2011-02-11
257216	AH-3 4-4.5'	soil	2011-02-09	00:00	2011-02-11
257217	AH-3 5-5.5'	soil	2011-02-09	00:00	2011-02-11
257218	AH-3 6-6.5'	soil	2011-02-09	00:00	2011-02-11
257219	AH-3 7-7.5'	soil	2011-02-09	00:00	2011-02-11
257220	AH-3 8-8.5'	soil	2011-02-09	00:00	2011-02-11
257221	AH-3 9-9.5'	soil	2011-02-09	00:00	2011-02-11
257222	AH-4 0-1'	soil	2011-02-09	00:00	2011-02-11
257223	AH-4 1-1.5'	soil	2011-02-09	00:00	2011-02-11
257224	AH-4 2-2.5'	soil	2011-02-09	00:00	2011-02-11
257225	AH-4 3-3.5'	soil	2011-02-09	00:00	2011-02-11
257226	AH-4 4-4.5'	soil	2011-02-09	00:00	2011-02-11
257227	AH-4 5-5.5'	soil	2011-02-09	00:00	2011-02-11
257228	AH-4 6-6.5'	soil	2011-02-09	00:00	2011-02-11
257229	AH-4 6.5-7'	soil	2011-02-09	00:00	2011-02-11
257230	AH-5 0-1'	soil	2011-02-09	00:00	2011-02-11
257231	AH-5 1-1.5'	soil	2011-02-09	00:00	2011-02-11
257232	AH-5 2-2.5'	soil	2011-02-09	00:00	2011-02-11
257233	AH-5 3-3.5'	soil	2011-02-09	00:00	2011-02-11
257234	AH-5 4-4.5'	soil	2011-02-09	00:00	2011-02-11
257235	AH-5 5-5.5'	soil	2011-02-09	00:00	2011-02-11
257236	AH-5 6-6.5'	soil	2011-02-09	00:00	2011-02-11
257237	AH-5 7-7.5'	soil	2011-02-09	00:00	2011-02-11
257238	AH-5 8-8.5'	soil	2011-02-09	00:00	2011-02-11
257239	AH-5 9-9.5'	soil	2011-02-09	00:00	2011-02-11
257240	AH-6 0-1'	soil	2011-02-09	00:00	2011-02-11
257241	AH-6 1-1.5'	soil	2011-02-09	00:00	2011-02-11
257242	AH-6 2-2.5'	soil	2011-02-09	00:00	2011-02-11
257243	AH-6 3-3.5'	soil	2011-02-09	00:00	2011-02-11
257244	AH-6 4-4.5'	soil	2011-02-09	00:00	2011-02-11
257245	AH-6 5-5.5'	soil	2011-02-09	00:00	2011-02-11
257246	AH-6 6-6.5'	soil	2011-02-09	00:00	2011-02-11
257247	AH-6 7-7.5'	soil	2011-02-09	00:00	2011-02-11
257248	AH-6 7.5-8'	soil	2011-02-09	00:00	2011-02-11

These results represent only the samples received in the laboratory. The Quality Control Report is generated on a batch basis. All information contained in this report is for the analytical batch(es) in which your sample(s) were analyzed.

This report consists of a total of 46 pages and shall not be reproduced except in its entirety, without written approval of TraceAnalysis, Inc.



Dr. Blair Leftwich, Director
Dr. Michael Abel, Project Manager

Standard Flags

B - The sample contains less than ten times the concentration found in the method blank.

Samples for project COG/Biscuit Hills were received by TraceAnalysis, Inc. on 2011-02-11 and assigned to work order 11021116. Samples for work order 11021116 were received intact at a temperature of 10.4 C.

Samples were analyzed for the following tests using their respective methods.

Test	Method	Prep Batch	Prep Date	QC Batch	Analysis Date
BTEX	S 8021B	66561	2011-02-14 at 12:44	77767	2011-02-14 at 12:44
BTEX	S 8021B	66683	2011-02-17 at 14:21	77746	2011-02-18 at 14:34
Chloride (Titration)	SM 4500-Cl B	66550	2011-02-14 at 12:32	77617	2011-02-15 at 15:25
Chloride (Titration)	SM 4500-Cl B	66550	2011-02-14 at 12:32	77619	2011-02-15 at 15:26
Chloride (Titration)	SM 4500-Cl B	66550	2011-02-14 at 12:32	77620	2011-02-15 at 15:27
Chloride (Titration)	SM 4500-Cl B	66550	2011-02-14 at 12:32	77622	2011-02-15 at 15:28
Chloride (Titration)	SM 4500-Cl B	66550	2011-02-14 at 12:32	77623	2011-02-15 at 15:29
TPH DRO - NEW	S 8015 D	66583	2011-02-15 at 10:10	77633	2011-02-15 at 10:10
TPH DRO - NEW	S 8015 D	66584	2011-02-15 at 10:10	77634	2011-02-15 at 10:10
TPH DRO - NEW	S 8015 D	66651	2011-02-17 at 10:50	77705	2011-02-17 at 10:50
TPH GRO	S 8015 D	66561	2011-02-14 at 12:44	77597	2011-02-14 at 12:44
TPH GRO	S 8015 D	66683	2011-02-17 at 14:21	77748	2011-02-18 at 14:34

Results for these samples are reported on a wet weight basis unless data package indicates otherwise.

A matrix spike (MS) and matrix spike duplicate (MSD) sample is chosen at random from each preparation batch. The MS and MSD will indicate if a site specific matrix problem is occurring, however, it may not pertain to the samples for work order 11021116 since the sample was chosen at random. Therefore, the validity of the analytical data reported has been determined by the laboratory control sample (LCS) and the method blank (MB). These quality control measures are performed with each preparation batch to ensure data integrity.

All other exceptions associated with this report have been footnoted on the appropriate analytical page to assist in general data comprehension. Please contact the laboratory directly if there are any questions regarding this project.

Analytical Report

Sample: 257200 - AH-1 0-1'

Laboratory: Midland
Analysis: BTEX
QC Batch: 77767
Prep Batch: 66561

Analytical Method: S 8021B
Date Analyzed: 2011-02-14
Sample Preparation: 2011-02-14

Prep Method: S 5035
Analyzed By: ME
Prepared By: ME

Parameter	Flag	RL Result	Units	Dilution	RL
Benzene		202	mg/Kg	50	0.0200
Toluene		729	mg/Kg	50	0.0200
Ethylbenzene		397	mg/Kg	50	0.0200
Xylene		406	mg/Kg	50	0.0200

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		57.7	mg/Kg	50	50.0	115	51.6 - 149.2
4-Bromofluorobenzene (4-BFB)	¹	126	mg/Kg	50	50.0	252	35.7 - 159.6

Sample: 257200 - AH-1 0-1'

Laboratory: Midland
Analysis: Chloride (Titration)
QC Batch: 77617
Prep Batch: 66550

Analytical Method: SM 4500-Cl B
Date Analyzed: 2011-02-15
Sample Preparation: 2011-02-14

Prep Method: N/A
Analyzed By: AR
Prepared By: AR

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 257200 - AH-1 0-1'

Laboratory: Midland
Analysis: TPH DRO - NEW
QC Batch: 77633
Prep Batch: 66583

Analytical Method: S 8015 D
Date Analyzed: 2011-02-15
Sample Preparation: 2011-02-15

Prep Method: N/A
Analyzed By: kg
Prepared By: kg

Parameter	Flag	RL Result	Units	Dilution	RL
DRO		21500	mg/Kg	10	50.0

¹ High surrogate recovery due to peak interference.

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 6 of 46
Eddy Co., NM

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane	²	1350	mg/Kg	10	100	1350	70 - 130

Sample: 257200 - AH-1 0-1'

Laboratory: Midland
Analysis: TPH GRO Analytical Method: S 8015 D Prep Method: S 5035
QC Batch: 77597 Date Analyzed: 2011-02-14 Analyzed By: ME
Prep Batch: 66561 Sample Preparation: 2011-02-14 Prepared By: ME

Parameter	Flag	RL Result	Units	Dilution	RL
GRO		9540	mg/Kg	50	2.00

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		55.8	mg/Kg	50	50.0	112	36.3 - 158.9
4-Bromofluorobenzene (4-BFB)		76.6	mg/Kg	50	50.0	153	22.2 - 160.2

Sample: 257201 - AH-1 1-1.5'

Laboratory: Midland
Analysis: BTEX Analytical Method: S 8021B Prep Method: S 5035
QC Batch: 77746 Date Analyzed: 2011-02-18 Analyzed By: ME
Prep Batch: 66683 Sample Preparation: 2011-02-17 Prepared By: ME

Parameter	Flag	RL Result	Units	Dilution	RL
Benzene		90.2	mg/Kg	20	0.0200
Toluene	³	380	mg/Kg	20	0.0200
Ethylbenzene	⁴	188	mg/Kg	20	0.0200
Xylene		199	mg/Kg	20	0.0200

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		22.7	mg/Kg	20	20.0	114	51.6 - 149.2
4-Bromofluorobenzene (4-BFB)	⁵	59.1	mg/Kg	20	20.0	296	35.7 - 159.6

Sample: 257201 - AH-1 1-1.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 77617 Date Analyzed: 2011-02-15 Analyzed By: AR
Prep Batch: 66550 Sample Preparation: 2011-02-14 Prepared By: AR

²High surrogate recovery due to peak interference.

³Estimated concentration value greater than standard range.

⁴Estimated concentration value greater than standard range.

⁵High surrogate recovery due to peak interference.

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 7 of 46
Eddy Co., NM

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		291	mg/Kg	50	4.00

Sample: 257201 - AH-1 1-1.5'

Laboratory: Midland
Analysis: TPH DRO - NEW
QC Batch: 77634
Prep Batch: 66584

Analytical Method: S 8015 D
Date Analyzed: 2011-02-15
Sample Preparation: 2011-02-15

Prep Method: N/A
Analyzed By: kg
Prepared By: kg

Parameter	Flag	RL Result	Units	Dilution	RL
DRO		9910	mg/Kg	10	50.0

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane	⁶	1190	mg/Kg	10	100	1190	70 - 130

Sample: 257201 - AH-1 1-1.5'

Laboratory: Midland
Analysis: TPH GRO
QC Batch: 77748
Prep Batch: 66683

Analytical Method: S 8015 D
Date Analyzed: 2011-02-18
Sample Preparation: 2011-02-17

Prep Method: S 5035
Analyzed By: ME
Prepared By: ME

Parameter	Flag	RL Result	Units	Dilution	RL
GRO		6460	mg/Kg	20	2.00

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		22.2	mg/Kg	20	20.0	111	36.3 - 158.9
4-Bromofluorobenzene (4-BFB)	⁷	86.9	mg/Kg	20	20.0	434	22.2 - 160.2

Sample: 257202 - AH-1 2-2.5'

Laboratory: Midland
Analysis: BTEX
QC Batch: 77746
Prep Batch: 66683

Analytical Method: S 8021B
Date Analyzed: 2011-02-18
Sample Preparation: 2011-02-17

Prep Method: S 5035
Analyzed By: ME
Prepared By: ME

⁶High surrogate recovery due to peak interference.

⁷High surrogate recovery due to peak interference.

Parameter	Flag	RL Result	Units	Dilution	RL
Benzene		0.165	mg/Kg	1	0.0200
Toluene		5.51	mg/Kg	1	0.0200
Ethylbenzene		8.60	mg/Kg	1	0.0200
Xylene		9.96	mg/Kg	1	0.0200

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		2.52	mg/Kg	1	2.00	126	51.6 - 149.2
4-Bromofluorobenzene (4-BFB)	⁸	3.61	mg/Kg	1	2.00	180	35.7 - 159.6

Sample: 257202 - AH-1 2-2.5'

Laboratory: Midland
 Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
 QC Batch: 77617 Date Analyzed: 2011-02-15 Analyzed By: AR
 Prep Batch: 66550 Sample Preparation: 2011-02-14 Prepared By: AR

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		1380	mg/Kg	100	4.00

Sample: 257202 - AH-1 2-2.5'

Laboratory: Midland
 Analysis: TPH DRO - NEW Analytical Method: S 8015 D Prep Method: N/A
 QC Batch: 77705 Date Analyzed: 2011-02-17 Analyzed By: kg
 Prep Batch: 66651 Sample Preparation: 2011-02-17 Prepared By: kg

Parameter	Flag	RL Result	Units	Dilution	RL
DRO		94.9	mg/Kg	1	50.0

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane	⁹	137	mg/Kg	1	100	137	70 - 130

Sample: 257202 - AH-1 2-2.5'

Laboratory: Midland
 Analysis: TPH GRO Analytical Method: S 8015 D Prep Method: S 5035
 QC Batch: 77748 Date Analyzed: 2011-02-18 Analyzed By: ME
 Prep Batch: 66683 Sample Preparation: 2011-02-17 Prepared By: ME

⁸High surrogate recovery due to peak interference.

⁹High surrogate recovery due to peak interference.

Parameter	Flag	RL Result	Units	Dilution	RL
GRO		116	mg/Kg	1	2.00

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		2.49	mg/Kg	1	2.00	124	36.3 - 158.9
4-Bromofluorobenzene (4-BFB)	¹⁰	5.35	mg/Kg	1	2.00	268	22.2 - 160.2

Sample: 257203 - AH-1 3-3.5'

Laboratory: Midland
 Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
 QC Batch: 77617 Date Analyzed: 2011-02-15 Analyzed By: AR
 Prep Batch: 66550 Sample Preparation: 2011-02-14 Prepared By: AR

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		798	mg/Kg	50	4.00

Sample: 257203 - AH-1 3-3.5'

Laboratory: Midland
 Analysis: TPH DRO - NEW Analytical Method: S 8015 D Prep Method: N/A
 QC Batch: 77705 Date Analyzed: 2011-02-17 Analyzed By: kg
 Prep Batch: 66651 Sample Preparation: 2011-02-17 Prepared By: kg

Parameter	Flag	RL Result	Units	Dilution	RL
DRO		<50.0	mg/Kg	1	50.0

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane		93.0	mg/Kg	1	100	93	70 - 130

Sample: 257203 - AH-1 3-3.5'

Laboratory: Midland
 Analysis: TPH GRO Analytical Method: S 8015 D Prep Method: S 5035
 QC Batch: 77748 Date Analyzed: 2011-02-18 Analyzed By: ME
 Prep Batch: 66683 Sample Preparation: 2011-02-17 Prepared By: ME

continued ...

¹⁰High surrogate recovery due to peak interference.

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 10 of 46
Eddy Co., NM

sample 257203 continued ...

Parameter	Flag	RL Result	Units	Dilution	RL
Parameter	Flag	RL Result	Units	Dilution	RL
GRO		<2.00	mg/Kg	1	2.00

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		2.50	mg/Kg	1	2.00	125	36.3 - 158.9
4-Bromofluorobenzene (4-BFB)		2.11	mg/Kg	1	2.00	106	22.2 - 160.2

Sample: 257204 - AH-1 4-4.5'

Laboratory: Midland			
Analysis: Chloride (Titration)	Analytical Method: SM 4500-Cl B	Prep Method: N/A	
QC Batch: 77617	Date Analyzed: 2011-02-15	Analyzed By: AR	
Prep Batch: 66550	Sample Preparation: 2011-02-14	Prepared By: AR	

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		745	mg/Kg	50	4.00

Sample: 257205 - AH-1 4.5-5'

Laboratory: Midland			
Analysis: Chloride (Titration)	Analytical Method: SM 4500-Cl B	Prep Method: N/A	
QC Batch: 77617	Date Analyzed: 2011-02-15	Analyzed By: AR	
Prep Batch: 66550	Sample Preparation: 2011-02-14	Prepared By: AR	

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		1420	mg/Kg	100	4.00

Sample: 257206 - AH-2 0-1'

Laboratory: Midland			
Analysis: Chloride (Titration)	Analytical Method: SM 4500-Cl B	Prep Method: N/A	
QC Batch: 77617	Date Analyzed: 2011-02-15	Analyzed By: AR	
Prep Batch: 66550	Sample Preparation: 2011-02-14	Prepared By: AR	

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 11 of 46
Eddy Co., NM

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 257206 - AH-2 0-1'

Laboratory: Midland
Analysis: TPH DRO - NEW
QC Batch: 77633
Prep Batch: 66583

Analytical Method: S 8015 D
Date Analyzed: 2011-02-15
Sample Preparation: 2011-02-15

Prep Method: N/A
Analyzed By: kg
Prepared By: kg

Parameter	Flag	RL Result	Units	Dilution	RL
DRO		<50.0	mg/Kg	1	50.0

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane		84.7	mg/Kg	1	100	85	70 - 130

Sample: 257206 - AH-2 0-1'

Laboratory: Midland
Analysis: TPH GRO
QC Batch: 77597
Prep Batch: 66561

Analytical Method: S 8015 D
Date Analyzed: 2011-02-14
Sample Preparation: 2011-02-14

Prep Method: S 5035
Analyzed By: ME
Prepared By: ME

Parameter	Flag	RL Result	Units	Dilution	RL
GRO		<2.00	mg/Kg	1	2.00

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		2.46	mg/Kg	1	2.00	123	36.3 - 158.9
4-Bromofluorobenzene (4-BFB)		2.28	mg/Kg	1	2.00	114	22.2 - 160.2

Sample: 257207 - AH-2 1-1.5'

Laboratory: Midland
Analysis: Chloride (Titration)
QC Batch: 77617
Prep Batch: 66550

Analytical Method: SM 4500-Cl B
Date Analyzed: 2011-02-15
Sample Preparation: 2011-02-14

Prep Method: N/A
Analyzed By: AR
Prepared By: AR

continued ...

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 12 of 46
Eddy Co., NM

sample 257207 continued ...

Parameter	Flag	RL Result	Units	Dilution	RL
Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 257208 - AH-2 2-2.5'

Laboratory: Midland	Analytical Method: SM 4500-Cl B	Prep Method: N/A
Analysis: Chloride (Titration)	Date Analyzed: 2011-02-15	Analyzed By: AR
QC Batch: 77617	Sample Preparation: 2011-02-14	Prepared By: AR
Prep Batch: 66550		

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 257209 - AH-2 3-3.5'

Laboratory: Midland	Analytical Method: SM 4500-Cl B	Prep Method: N/A
Analysis: Chloride (Titration)	Date Analyzed: 2011-02-15	Analyzed By: AR
QC Batch: 77617	Sample Preparation: 2011-02-14	Prepared By: AR
Prep Batch: 66550		

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		322	mg/Kg	50	4.00

Sample: 257210 - AH-2 4-4.5'

Laboratory: Midland	Analytical Method: SM 4500-Cl B	Prep Method: N/A
Analysis: Chloride (Titration)	Date Analyzed: 2011-02-15	Analyzed By: AR
QC Batch: 77619	Sample Preparation: 2011-02-14	Prepared By: AR
Prep Batch: 66550		

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 13 of 46
Eddy Co., NM

Sample: 257211 - AH-2 4.5-5'

Laboratory: Midland
Analysis: Chloride (Titration)
QC Batch: 77619
Prep Batch: 66550

Analytical Method: SM 4500-Cl B
Date Analyzed: 2011-02-15
Sample Preparation: 2011-02-14

Prep Method: N/A
Analyzed By: AR
Prepared By: AR

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		1530	mg/Kg	100	4.00

Sample: 257212 - AH-3 0-1'

Laboratory: Midland
Analysis: BTEX
QC Batch: 77767
Prep Batch: 66561

Analytical Method: S 8021B
Date Analyzed: 2011-02-14
Sample Preparation: 2011-02-14

Prep Method: S 5035
Analyzed By: ME
Prepared By: ME

Parameter	Flag	RL Result	Units	Dilution	RL
Benzene		<0.0200	mg/Kg	1	0.0200
Toluene		<0.0200	mg/Kg	1	0.0200
Ethylbenzene		<0.0200	mg/Kg	1	0.0200
Xylene		0.386	mg/Kg	1	0.0200

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		2.68	mg/Kg	1	2.00	134	51.6 - 149.2
4-Bromofluorobenzene (4-BFB)		2.80	mg/Kg	1	2.00	140	35.7 - 159.6

Sample: 257212 - AH-3 0-1'

Laboratory: Midland
Analysis: Chloride (Titration)
QC Batch: 77619
Prep Batch: 66550

Analytical Method: SM 4500-Cl B
Date Analyzed: 2011-02-15
Sample Preparation: 2011-02-14

Prep Method: N/A
Analyzed By: AR
Prepared By: AR

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 14 of 46
Eddy Co., NM

Sample: 257212 - AH-3 0-1'

Laboratory:	Midland	Analytical Method:	S 8015 D	Prep Method:	N/A
Analysis:	TPH DRO - NEW	Date Analyzed:	2011-02-15	Analyzed By:	kg
QC Batch:	77633	Sample Preparation:	2011-02-15	Prepared By:	kg
Prep Batch:	66583				

Parameter	Flag	RL Result	Units	Dilution	RL
DRO		<50.0	mg/Kg	1	50.0

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane		85.3	mg/Kg	1	100	85	70 - 130

Sample: 257212 - AH-3 0-1'

Laboratory:	Midland	Analytical Method:	S 8015 D	Prep Method:	S 5035
Analysis:	TPH GRO	Date Analyzed:	2011-02-14	Analyzed By:	ME
QC Batch:	77597	Sample Preparation:	2011-02-14	Prepared By:	ME
Prep Batch:	66561				

Parameter	Flag	RL Result	Units	Dilution	RL
GRO		<2.00	mg/Kg	1	2.00

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		2.55	mg/Kg	1	2.00	128	36.3 - 158.9
4-Bromofluorobenzene (4-BFB)		2.42	mg/Kg	1	2.00	121	22.2 - 160.2

Sample: 257213 - AH-3 1-1.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2011-02-15	Analyzed By:	AR
QC Batch:	77619	Sample Preparation:	2011-02-14	Prepared By:	AR
Prep Batch:	66550				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 15 of 46
Eddy Co., NM

Sample: 257214 - AH-3 2-2.5'

Laboratory: Midland
Analysis: Chloride (Titration)
QC Batch: 77619
Prep Batch: 66550

Analytical Method: SM 4500-Cl B
Date Analyzed: 2011-02-15
Sample Preparation: 2011-02-14

Prep Method: N/A
Analyzed By: AR
Prepared By: AR

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 257215 - AH-3 3-3.5'

Laboratory: Midland
Analysis: Chloride (Titration)
QC Batch: 77619
Prep Batch: 66550

Analytical Method: SM 4500-Cl B
Date Analyzed: 2011-02-15
Sample Preparation: 2011-02-14

Prep Method: N/A
Analyzed By: AR
Prepared By: AR

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		279	mg/Kg	50	4.00

Sample: 257216 - AH-3 4-4.5'

Laboratory: Midland
Analysis: Chloride (Titration)
QC Batch: 77619
Prep Batch: 66550

Analytical Method: SM 4500-Cl B
Date Analyzed: 2011-02-15
Sample Preparation: 2011-02-14

Prep Method: N/A
Analyzed By: AR
Prepared By: AR

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		1100	mg/Kg	100	4.00

Sample: 257217 - AH-3 5-5.5'

Laboratory: Midland
Analysis: Chloride (Titration)
QC Batch: 77619
Prep Batch: 66550

Analytical Method: SM 4500-Cl B
Date Analyzed: 2011-02-15
Sample Preparation: 2011-02-14

Prep Method: N/A
Analyzed By: AR
Prepared By: AR

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		5980	mg/Kg	100	4.00

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 16 of 46
Eddy Co., NM

Sample: 257218 - AH-3 6-6.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2011-02-15	Analyzed By:	AR
QC Batch:	77619	Sample Preparation:	2011-02-14	Prepared By:	AR
Prep Batch:	66550				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		3290	mg/Kg	100	4.00

Sample: 257219 - AH-3 7-7.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2011-02-15	Analyzed By:	AR
QC Batch:	77619	Sample Preparation:	2011-02-14	Prepared By:	AR
Prep Batch:	66550				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		253	mg/Kg	50	4.00

Sample: 257220 - AH-3 8-8.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2011-02-15	Analyzed By:	AR
QC Batch:	77620	Sample Preparation:	2011-02-14	Prepared By:	AR
Prep Batch:	66550				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 257221 - AH-3 9-9.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2011-02-15	Analyzed By:	AR
QC Batch:	77620	Sample Preparation:	2011-02-14	Prepared By:	AR
Prep Batch:	66550				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 17 of 46
Eddy Co., NM

Sample: 257222 - AH-4 0-1'

Laboratory: Midland
Analysis: BTEX
QC Batch: 77767
Prep Batch: 66561

Analytical Method: S 8021B
Date Analyzed: 2011-02-14
Sample Preparation: 2011-02-14

Prep Method: S 5035
Analyzed By: ME
Prepared By: ME

Parameter	Flag	RL Result	Units	Dilution	RL
Benzene		<0.0200	mg/Kg	1	0.0200
Toluene		<0.0200	mg/Kg	1	0.0200
Ethylbenzene		<0.0200	mg/Kg	1	0.0200
Xylene		0.383	mg/Kg	1	0.0200

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		2.81	mg/Kg	1	2.00	140	51.6 - 149.2
4-Bromofluorobenzene (4-BFB)		3.01	mg/Kg	1	2.00	150	35.7 - 159.6

Sample: 257222 - AH-4 0-1'

Laboratory: Midland
Analysis: Chloride (Titration)
QC Batch: 77620
Prep Batch: 66550

Analytical Method: SM 4500-Cl B
Date Analyzed: 2011-02-15
Sample Preparation: 2011-02-14

Prep Method: N/A
Analyzed By: AR
Prepared By: AR

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 257222 - AH-4 0-1'

Laboratory: Midland
Analysis: TPH DRO - NEW
QC Batch: 77633
Prep Batch: 66583

Analytical Method: S 8015 D
Date Analyzed: 2011-02-15
Sample Preparation: 2011-02-15

Prep Method: N/A
Analyzed By: kg
Prepared By: kg

Parameter	Flag	RL Result	Units	Dilution	RL
DRO		87.7	mg/Kg	1	50.0

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane		89.1	mg/Kg	1	100	89	70 - 130

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 18 of 46
Eddy Co., NM

Sample: 257222 - AH-4 0-1'

Laboratory:	Midland	Analytical Method:	S 8015 D	Prep Method:	S 5035
Analysis:	TPH GRO	Date Analyzed:	2011-02-14	Analyzed By:	ME
QC Batch:	77597	Sample Preparation:	2011-02-14	Prepared By:	ME
Prep Batch:	66561				

Parameter	Flag	RL Result	Units	Dilution	RL
GRO		31.5	mg/Kg	1	2.00

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		2.67	mg/Kg	1	2.00	134	36.3 - 158.9
4-Bromofluorobenzene (4-BFB)		2.73	mg/Kg	1	2.00	136	22.2 - 160.2

Sample: 257223 - AH-4 1-1.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2011-02-15	Analyzed By:	AR
QC Batch:	77620	Sample Preparation:	2011-02-14	Prepared By:	AR
Prep Batch:	66550				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 257224 - AH-4 2-2.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2011-02-15	Analyzed By:	AR
QC Batch:	77620	Sample Preparation:	2011-02-14	Prepared By:	AR
Prep Batch:	66550				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 257225 - AH-4 3-3.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2011-02-15	Analyzed By:	AR
QC Batch:	77620	Sample Preparation:	2011-02-14	Prepared By:	AR
Prep Batch:	66550				

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 19 of 46
Eddy Co., NM

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 257226 - AH-4 4-4.5'

Laboratory: Midland	Analytical Method: SM 4500-Cl B	Prep Method: N/A
Analysis: Chloride (Titration)	Date Analyzed: 2011-02-15	Analyzed By: AR
QC Batch: 77620	Sample Preparation: 2011-02-14	Prepared By: AR
Prep Batch: 66550		

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 257227 - AH-4 5-5.5'

Laboratory: Midland	Analytical Method: SM 4500-Cl B	Prep Method: N/A
Analysis: Chloride (Titration)	Date Analyzed: 2011-02-15	Analyzed By: AR
QC Batch: 77620	Sample Preparation: 2011-02-14	Prepared By: AR
Prep Batch: 66550		

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 257228 - AH-4 6-6.5'

Laboratory: Midland	Analytical Method: SM 4500-Cl B	Prep Method: N/A
Analysis: Chloride (Titration)	Date Analyzed: 2011-02-15	Analyzed By: AR
QC Batch: 77620	Sample Preparation: 2011-02-14	Prepared By: AR
Prep Batch: 66550		

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 257229 - AH-4 6.5-7'

Laboratory: Midland	Analytical Method: SM 4500-Cl B	Prep Method: N/A
Analysis: Chloride (Titration)	Date Analyzed: 2011-02-15	Analyzed By: AR
QC Batch: 77620	Sample Preparation: 2011-02-14	Prepared By: AR
Prep Batch: 66550		

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 20 of 46
Eddy Co., NM

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		366	mg/Kg	50	4.00

Sample: 257230 - AH-5 0-1'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 77622 Date Analyzed: 2011-02-15 Analyzed By: AR
Prep Batch: 66550 Sample Preparation: 2011-02-14 Prepared By: AR

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		1670	mg/Kg	100	4.00

Sample: 257230 - AH-5 0-1'

Laboratory: Midland
Analysis: TPH DRO - NEW Analytical Method: S 8015 D Prep Method: N/A
QC Batch: 77633 Date Analyzed: 2011-02-15 Analyzed By: kg
Prep Batch: 66583 Sample Preparation: 2011-02-15 Prepared By: kg

Parameter	Flag	RL Result	Units	Dilution	RL
DRO		<50.0	mg/Kg	1	50.0

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane		82.8	mg/Kg	1	100	83	70 - 130

Sample: 257230 - AH-5 0-1'

Laboratory: Midland
Analysis: TPH GRO Analytical Method: S 8015 D Prep Method: S 5035
QC Batch: 77597 Date Analyzed: 2011-02-14 Analyzed By: ME
Prep Batch: 66561 Sample Preparation: 2011-02-14 Prepared By: ME

Parameter	Flag	RL Result	Units	Dilution	RL
GRO		<2.00	mg/Kg	1	2.00

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		2.65	mg/Kg	1	2.00	132	36.3 - 158.9

continued ...

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 21 of 46
Eddy Co., NM

sample continued . . .

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
4-Bromofluorobenzene (4-BFB)		2.56	mg/Kg	1	2.00	128	22.2 - 160.2

Sample: 257231 - AH-5 1-1.5'

Laboratory: Midland			
Analysis: Chloride (Titration)	Analytical Method: SM 4500-Cl B	Prep Method: N/A	
QC Batch: 77622	Date Analyzed: 2011-02-15	Analyzed By: AR	
Prep Batch: 66550	Sample Preparation: 2011-02-14	Prepared By: AR	

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		1360	mg/Kg	100	4.00

Sample: 257232 - AH-5 2-2.5'

Laboratory: Midland			
Analysis: Chloride (Titration)	Analytical Method: SM 4500-Cl B	Prep Method: N/A	
QC Batch: 77622	Date Analyzed: 2011-02-15	Analyzed By: AR	
Prep Batch: 66550	Sample Preparation: 2011-02-14	Prepared By: AR	

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		663	mg/Kg	50	4.00

Sample: 257233 - AH-5 3-3.5'

Laboratory: Midland			
Analysis: Chloride (Titration)	Analytical Method: SM 4500-Cl B	Prep Method: N/A	
QC Batch: 77622	Date Analyzed: 2011-02-15	Analyzed By: AR	
Prep Batch: 66550	Sample Preparation: 2011-02-14	Prepared By: AR	

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		517	mg/Kg	50	4.00

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 22 of 46
Eddy Co., NM

Sample: 257234 - AH-5 4-4.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2011-02-15	Analyzed By:	AR
QC Batch:	77622	Sample Preparation:	2011-02-14	Prepared By:	AR
Prep Batch:	66550				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		746	mg/Kg	50	4.00

Sample: 257235 - AH-5 5-5.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2011-02-15	Analyzed By:	AR
QC Batch:	77622	Sample Preparation:	2011-02-14	Prepared By:	AR
Prep Batch:	66550				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		605	mg/Kg	50	4.00

Sample: 257236 - AH-5 6-6.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2011-02-15	Analyzed By:	AR
QC Batch:	77622	Sample Preparation:	2011-02-14	Prepared By:	AR
Prep Batch:	66550				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		605	mg/Kg	50	4.00

Sample: 257237 - AH-5 7-7.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2011-02-15	Analyzed By:	AR
QC Batch:	77622	Sample Preparation:	2011-02-14	Prepared By:	AR
Prep Batch:	66550				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 23 of 46
Eddy Co., NM

Sample: 257238 - AH-5 8-8.5'

Laboratory: Midland
Analysis: Chloride (Titration)
QC Batch: 77622
Prep Batch: 66550

Analytical Method: SM 4500-Cl B
Date Analyzed: 2011-02-15
Sample Preparation: 2011-02-14

Prep Method: N/A
Analyzed By: AR
Prepared By: AR

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 257239 - AH-5 9-9.5'

Laboratory: Midland
Analysis: Chloride (Titration)
QC Batch: 77622
Prep Batch: 66550

Analytical Method: SM 4500-Cl B
Date Analyzed: 2011-02-15
Sample Preparation: 2011-02-14

Prep Method: N/A
Analyzed By: AR
Prepared By: AR

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 257240 - AH-6 0-1'

Laboratory: Midland
Analysis: BTEX
QC Batch: 77767
Prep Batch: 66561

Analytical Method: S 8021B
Date Analyzed: 2011-02-14
Sample Preparation: 2011-02-14

Prep Method: S 5035
Analyzed By: ME
Prepared By: ME

Parameter	Flag	RL Result	Units	Dilution	RL
Benzene		<0.0200	mg/Kg	1	0.0200
Toluene		<0.0200	mg/Kg	1	0.0200
Ethylbenzene		<0.0200	mg/Kg	1	0.0200
Xylene		<0.0200	mg/Kg	1	0.0200

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		2.59	mg/Kg	1	2.00	130	51.6 - 149.2
4-Bromofluorobenzene (4-BFB)		2.76	mg/Kg	1	2.00	138	35.7 - 159.6

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 24 of 46
Eddy Co., NM

Sample: 257240 - AH-6 0-1'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2011-02-15	Analyzed By:	AR
QC Batch:	77623	Sample Preparation:	2011-02-14	Prepared By:	AR
Prep Batch:	66550				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		2120	mg/Kg	100	4.00

Sample: 257240 - AH-6 0-1'

Laboratory:	Midland	Analytical Method:	S 8015 D	Prep Method:	N/A
Analysis:	TPH DRO - NEW	Date Analyzed:	2011-02-15	Analyzed By:	kg
QC Batch:	77633	Sample Preparation:	2011-02-15	Prepared By:	kg
Prep Batch:	66583				

Parameter	Flag	RL Result	Units	Dilution	RL
DRO		<50.0	mg/Kg	1	50.0

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane		82.0	mg/Kg	1	100	82	70 - 130

Sample: 257240 - AH-6 0-1'

Laboratory:	Midland	Analytical Method:	S 8015 D	Prep Method:	S 5035
Analysis:	TPH GRO	Date Analyzed:	2011-02-14	Analyzed By:	ME
QC Batch:	77597	Sample Preparation:	2011-02-14	Prepared By:	ME
Prep Batch:	66561				

Parameter	Flag	RL Result	Units	Dilution	RL
GRO		<2.00	mg/Kg	1	2.00

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		2.47	mg/Kg	1	2.00	124	36.3 - 158.9
4-Bromofluorobenzene (4-BFB)		2.37	mg/Kg	1	2.00	118	22.2 - 160.2

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 25 of 46
Eddy Co., NM

Sample: 257241 - AH-6 1-1.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2011-02-15	Analyzed By:	AR
QC Batch:	77623	Sample Preparation:	2011-02-14	Prepared By:	AR
Prep Batch:	66550				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		1940	mg/Kg	100	4.00

Sample: 257242 - AH-6 2-2.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2011-02-15	Analyzed By:	AR
QC Batch:	77623	Sample Preparation:	2011-02-14	Prepared By:	AR
Prep Batch:	66550				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		873	mg/Kg	50	4.00

Sample: 257243 - AH-6 3-3.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2011-02-15	Analyzed By:	AR
QC Batch:	77623	Sample Preparation:	2011-02-14	Prepared By:	AR
Prep Batch:	66550				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		797	mg/Kg	50	4.00

Sample: 257244 - AH-6 4-4.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2011-02-15	Analyzed By:	AR
QC Batch:	77623	Sample Preparation:	2011-02-14	Prepared By:	AR
Prep Batch:	66550				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 26 of 46
Eddy Co., NM

Sample: 257245 - AH-6 5-5.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2011-02-15	Analyzed By:	AR
QC Batch:	77623	Sample Preparation:	2011-02-14	Prepared By:	AR
Prep Batch:	66550				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 257246 - AH-6 6-6.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2011-02-15	Analyzed By:	AR
QC Batch:	77623	Sample Preparation:	2011-02-14	Prepared By:	AR
Prep Batch:	66550				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		227	mg/Kg	50	4.00

Sample: 257247 - AH-6 7-7.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2011-02-15	Analyzed By:	AR
QC Batch:	77623	Sample Preparation:	2011-02-14	Prepared By:	AR
Prep Batch:	66550				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 257248 - AH-6 7.5-8'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2011-02-15	Analyzed By:	AR
QC Batch:	77623	Sample Preparation:	2011-02-14	Prepared By:	AR
Prep Batch:	66550				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 27 of 46
Eddy Co., NM

Method Blank (1) QC Batch: 77597

QC Batch: 77597
Prep Batch: 66561

Date Analyzed: 2011-02-14
QC Preparation: 2011-02-14

Analyzed By: ME
Prepared By: ME

Parameter	Flag	MDL Result	Units	RL
GRO		<0.753	mg/Kg	2

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		2.08	mg/Kg	1	2.00	104	74.6 - 127.8
4-Bromofluorobenzene (4-BFB)		1.89	mg/Kg	1	2.00	94	32.9 - 129.8

Method Blank (1) QC Batch: 77617

QC Batch: 77617
Prep Batch: 66550

Date Analyzed: 2011-02-15
QC Preparation: 2011-02-14

Analyzed By: AR
Prepared By: AR

Parameter	Flag	MDL Result	Units	RL
Chloride		<2.18	mg/Kg	4

Method Blank (1) QC Batch: 77619

QC Batch: 77619
Prep Batch: 66550

Date Analyzed: 2011-02-15
QC Preparation: 2011-02-14

Analyzed By: AR
Prepared By: AR

Parameter	Flag	MDL Result	Units	RL
Chloride		<2.18	mg/Kg	4

Method Blank (1) QC Batch: 77620

QC Batch: 77620
Prep Batch: 66550

Date Analyzed: 2011-02-15
QC Preparation: 2011-02-14

Analyzed By: AR
Prepared By: AR

Parameter	Flag	MDL Result	Units	RL
Chloride		<2.18	mg/Kg	4

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 28 of 46
Eddy Co., NM

Method Blank (1) QC Batch: 77622

QC Batch: 77622
Prep Batch: 66550

Date Analyzed: 2011-02-15
QC Preparation: 2011-02-14

Analyzed By: AR
Prepared By: AR

Parameter	Flag	MDL Result	Units	RL
Chloride		<2.18	mg/Kg	4

Method Blank (1) QC Batch: 77623

QC Batch: 77623
Prep Batch: 66550

Date Analyzed: 2011-02-15
QC Preparation: 2011-02-14

Analyzed By: AR
Prepared By: AR

Parameter	Flag	MDL Result	Units	RL
Chloride		<2.18	mg/Kg	4

Method Blank (1) QC Batch: 77633

QC Batch: 77633
Prep Batch: 66583

Date Analyzed: 2011-02-15
QC Preparation: 2011-02-15

Analyzed By: kg
Prepared By: kg

Parameter	Flag	MDL Result	Units	RL
DRO		<15.7	mg/Kg	50

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane		86.4	mg/Kg	1	100	86	70 - 130

Method Blank (1) QC Batch: 77634

QC Batch: 77634
Prep Batch: 66584

Date Analyzed: 2011-02-15
QC Preparation: 2011-02-15

Analyzed By: kg
Prepared By: kg

Parameter	Flag	MDL Result	Units	RL
DRO		<15.7	mg/Kg	50

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane		84.0	mg/Kg	1	100	84	70 - 130

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 29 of 46
Eddy Co., NM

Method Blank (1) QC Batch: 77705

QC Batch: 77705
Prep Batch: 66651

Date Analyzed: 2011-02-17
QC Preparation: 2011-02-17

Analyzed By: kg
Prepared By: kg

Parameter	Flag	MDL Result	Units	RL
DRO		<15.7	mg/Kg	50

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane		85.8	mg/Kg	1	100	86	70 - 130

Method Blank (1) QC Batch: 77746

QC Batch: 77746
Prep Batch: 66683

Date Analyzed: 2011-02-18
QC Preparation: 2011-02-17

Analyzed By: ME
Prepared By: ME

Parameter	Flag	MDL Result	Units	RL
Benzene		<0.0118	mg/Kg	0.02
Toluene		<0.00600	mg/Kg	0.02
Ethylbenzene		<0.00850	mg/Kg	0.02
Xylene		<0.00613	mg/Kg	0.02

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		1.76	mg/Kg	1	2.00	88	70.8 - 123.5
4-Bromofluorobenzene (4-BFB)		1.56	mg/Kg	1	2.00	78	48.8 - 134

Method Blank (1) QC Batch: 77748

QC Batch: 77748
Prep Batch: 66683

Date Analyzed: 2011-02-18
QC Preparation: 2011-02-17

Analyzed By: ME
Prepared By: ME

Parameter	Flag	MDL Result	Units	RL
GRO		<0.753	mg/Kg	2

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		1.80	mg/Kg	1	2.00	90	74.6 - 127.8
4-Bromofluorobenzene (4-BFB)		1.45	mg/Kg	1	2.00	72	32.9 - 129.8

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 30 of 46
Eddy Co., NM

Method Blank (1) QC Batch: 77767

QC Batch: 77767
Prep Batch: 66561

Date Analyzed: 2011-02-14
QC Preparation: 2011-02-14

Analyzed By: ME
Prepared By: ME

Parameter	Flag	MDL Result	Units	RL
Benzene		<0.0118	mg/Kg	0.02
Toluene		<0.00600	mg/Kg	0.02
Ethylbenzene		<0.00850	mg/Kg	0.02
Xylene		<0.00613	mg/Kg	0.02

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		2.15	mg/Kg	1	2.00	108	70.8 - 123.5
4-Bromofluorobenzene (4-BFB)		2.18	mg/Kg	1	2.00	109	48.8 - 134

Laboratory Control Spike (LCS-1)

QC Batch: 77597
Prep Batch: 66561

Date Analyzed: 2011-02-14
QC Preparation: 2011-02-14

Analyzed By: ME
Prepared By: ME

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
GRO	16.7	mg/Kg	1	20.0	<0.753	84	61.8 - 97

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
GRO	16.4	mg/Kg	1	20.0	<0.753	82	61.8 - 97	2	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCSD Result	Units	Dil.	Spike Amount	LCS Rec.	LCSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	1.99	2.02	mg/Kg	1	2.00	100	101	74.6 - 124
4-Bromofluorobenzene (4-BFB)	1.94	1.97	mg/Kg	1	2.00	97	98	53.9 - 121.1

Laboratory Control Spike (LCS-1)

QC Batch: 77617
Prep Batch: 66550

Date Analyzed: 2011-02-15
QC Preparation: 2011-02-14

Analyzed By: AR
Prepared By: AR

continued ...

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 31 of 46
Eddy Co., NM

control spikes continued ...

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride	95.4	mg/Kg	1	100	<2.18	95	85 - 115

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride	106	mg/Kg	1	100	<2.18	106	85 - 115	10	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Laboratory Control Spike (LCS-1)

QC Batch: 77619
Prep Batch: 66550

Date Analyzed: 2011-02-15
QC Preparation: 2011-02-14

Analyzed By: AR
Prepared By: AR

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride	94.2	mg/Kg	1	100	<2.18	94	85 - 115

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride	106	mg/Kg	1	100	<2.18	106	85 - 115	12	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Laboratory Control Spike (LCS-1)

QC Batch: 77620
Prep Batch: 66550

Date Analyzed: 2011-02-15
QC Preparation: 2011-02-14

Analyzed By: AR
Prepared By: AR

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride	94.2	mg/Kg	1	100	<2.18	94	85 - 115

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride	106	mg/Kg	1	100	<2.18	106	85 - 115	12	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 32 of 46
Eddy Co., NM

Laboratory Control Spike (LCS-1)

QC Batch: 77622
Prep Batch: 66550

Date Analyzed: 2011-02-15
QC Preparation: 2011-02-14

Analyzed By: AR
Prepared By: AR

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride	94.2	mg/Kg	1	100	<2.18	94	85 - 115

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride	106	mg/Kg	1	100	<2.18	106	85 - 115	12	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Laboratory Control Spike (LCS-1)

QC Batch: 77623
Prep Batch: 66550

Date Analyzed: 2011-02-15
QC Preparation: 2011-02-14

Analyzed By: AR
Prepared By: AR

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride	96.1	mg/Kg	1	100	<2.18	96	85 - 115

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride	104	mg/Kg	1	100	<2.18	104	85 - 115	8	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Laboratory Control Spike (LCS-1)

QC Batch: 77633
Prep Batch: 66583

Date Analyzed: 2011-02-15
QC Preparation: 2011-02-15

Analyzed By: kg
Prepared By: kg

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
DRO	249	mg/Kg	1	250	<15.7	100	47.5 - 144.1

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
DRO	225	mg/Kg	1	250	<15.7	90	47.5 - 144.1	10	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 33 of 46
Eddy Co., NM

Surrogate	LCS Result	LCSD Result	Units	Dil.	Spike Amount	LCS Rec.	LCSD Rec.	Rec. Limit
n-Tricosane	112	109	mg/Kg	1	100	112	109	70 - 130

Laboratory Control Spike (LCS-1)

QC Batch: 77634
Prep Batch: 66584

Date Analyzed: 2011-02-15
QC Preparation: 2011-02-15

Analyzed By: kg
Prepared By: kg

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
DRO	234	mg/Kg	1	250	<15.7	94	47.5 - 144.1

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
DRO	263	mg/Kg	1	250	<15.7	105	47.5 - 144.1	12	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCSD Result	Units	Dil.	Spike Amount	LCS Rec.	LCSD Rec.	Rec. Limit
n-Tricosane	106	127	mg/Kg	1	100	106	127	70 - 130

Laboratory Control Spike (LCS-1)

QC Batch: 77705
Prep Batch: 66651

Date Analyzed: 2011-02-17
QC Preparation: 2011-02-17

Analyzed By: kg
Prepared By: kg

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
DRO	234	mg/Kg	1	250	<15.7	94	47.5 - 144.1

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
DRO	229	mg/Kg	1	250	<15.7	92	47.5 - 144.1	2	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCSD Result	Units	Dil.	Spike Amount	LCS Rec.	LCSD Rec.	Rec. Limit
n-Tricosane	113	110	mg/Kg	1	100	113	110	70 - 130

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 34 of 46
Eddy Co., NM

Laboratory Control Spike (LCS-1)

QC Batch: 77746
Prep Batch: 66683

Date Analyzed: 2011-02-18
QC Preparation: 2011-02-17

Analyzed By: ME
Prepared By: ME

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Benzene	1.86	mg/Kg	1	2.00	<0.0118	93	76.4 - 118.4
Toluene	1.85	mg/Kg	1	2.00	<0.00600	92	81.8 - 111.9
Ethylbenzene	1.83	mg/Kg	1	2.00	<0.00850	92	81.1 - 112.2
Xylene	5.44	mg/Kg	1	6.00	<0.00613	91	81.7 - 111.5

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Benzene	1.86	mg/Kg	1	2.00	<0.0118	93	76.4 - 118.4	0	20
Toluene	1.88	mg/Kg	1	2.00	<0.00600	94	81.8 - 111.9	2	20
Ethylbenzene	1.89	mg/Kg	1	2.00	<0.00850	94	81.1 - 112.2	3	20
Xylene	5.62	mg/Kg	1	6.00	<0.00613	94	81.7 - 111.5	3	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCSD Result	Units	Dil.	Spike Amount	LCS Rec.	LCSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	1.84	1.70	mg/Kg	1	2.00	92	85	69 - 123.3
4-Bromofluorobenzene (4-BFB)	2.20	2.07	mg/Kg	1	2.00	110	104	64.9 - 131.9

Laboratory Control Spike (LCS-1)

QC Batch: 77748
Prep Batch: 66683

Date Analyzed: 2011-02-18
QC Preparation: 2011-02-17

Analyzed By: ME
Prepared By: ME

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
GRO	14.1	mg/Kg	1	20.0	<0.753	70	61.8 - 97

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
GRO	13.9	mg/Kg	1	20.0	<0.753	70	61.8 - 97	1	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCSD Result	Units	Dil.	Spike Amount	LCS Rec.	LCSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	2.03	1.91	mg/Kg	1	2.00	102	96	74.6 - 124
4-Bromofluorobenzene (4-BFB)	1.74	1.64	mg/Kg	1	2.00	87	82	53.9 - 121.1

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 35 of 46
Eddy Co., NM

Laboratory Control Spike (LCS-1)

QC Batch: 77767
Prep Batch: 66561

Date Analyzed: 2011-02-14
QC Preparation: 2011-02-14

Analyzed By: ME
Prepared By: ME

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Benzene	2.05	mg/Kg	1	2.00	<0.0118	102	76.4 - 118.4
Toluene	2.05	mg/Kg	1	2.00	<0.00600	102	81.8 - 111.9
Ethylbenzene	2.06	mg/Kg	1	2.00	<0.00850	103	81.1 - 112.2
Xylene	6.19	mg/Kg	1	6.00	<0.00613	103	81.7 - 111.5

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Benzene	2.02	mg/Kg	1	2.00	<0.0118	101	76.4 - 118.4	2	20
Toluene	2.01	mg/Kg	1	2.00	<0.00600	100	81.8 - 111.9	2	20
Ethylbenzene	2.05	mg/Kg	1	2.00	<0.00850	102	81.1 - 112.2	0	20
Xylene	6.18	mg/Kg	1	6.00	<0.00613	103	81.7 - 111.5	0	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCS Result	Units	Dil.	Spike Amount	LCS Rec.	LCS Rec.	Rec. Limit
Trifluorotoluene (TFT)	2.20	2.12	mg/Kg	1	2.00	110	106	69 - 123.3
4-Bromofluorobenzene (4-BFB)	2.38	2.26	mg/Kg	1	2.00	119	113	64.9 - 131.9

Matrix Spike (MS-1) Spiked Sample: 257206

QC Batch: 77597
Prep Batch: 66561

Date Analyzed: 2011-02-14
QC Preparation: 2011-02-14

Analyzed By: ME
Prepared By: ME

Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
GRO	22.3	mg/Kg	1	20.0	1.8232	102	63 - 108.5

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
GRO	20.2	mg/Kg	1	20.0	1.8232	92	63 - 108.5	10	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	2.58	2.56	mg/Kg	1	2	129	128	54.1 - 154.3
4-Bromofluorobenzene (4-BFB)	2.56	2.59	mg/Kg	1	2	128	130	41.9 - 162.8

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 36 of 46
Eddy Co., NM

Matrix Spike (MS-1) Spiked Sample: 257209

QC Batch: 77617
Prep Batch: 66550

Date Analyzed: 2011-02-15
QC Preparation: 2011-02-14

Analyzed By: AR
Prepared By: AR

Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride	10500	mg/Kg	100	10000	322	102	85 - 115

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride	10900	mg/Kg	100	10000	322	106	85 - 115	4	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Matrix Spike (MS-1) Spiked Sample: 257219

QC Batch: 77619
Prep Batch: 66550

Date Analyzed: 2011-02-15
QC Preparation: 2011-02-14

Analyzed By: AR
Prepared By: AR

Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride	9990	mg/Kg	100	10000	253	97	85 - 115

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride	10600	mg/Kg	100	10000	253	103	85 - 115	6	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Matrix Spike (MS-1) Spiked Sample: 257229

QC Batch: 77620
Prep Batch: 66550

Date Analyzed: 2011-02-15
QC Preparation: 2011-02-14

Analyzed By: AR
Prepared By: AR

Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride	10400	mg/Kg	100	10000	366	100	85 - 115

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride	11000	mg/Kg	100	10000	366	106	85 - 115	6	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 37 of 46
Eddy Co., NM

Matrix Spike (MS-1) Spiked Sample: 257239

QC Batch: 77622
Prep Batch: 66550

Date Analyzed: 2011-02-15
QC Preparation: 2011-02-14

Analyzed By: AR
Prepared By: AR

Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride	9930	mg/Kg	100	10000	<218	99	85 - 115

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride	10400	mg/Kg	100	10000	<218	104	85 - 115	5	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Matrix Spike (MS-1) Spiked Sample: 257249

QC Batch: 77623
Prep Batch: 66550

Date Analyzed: 2011-02-15
QC Preparation: 2011-02-14

Analyzed By: AR
Prepared By: AR

Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride	24800	mg/Kg	100	10000	15400	94	85 - 115

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride	25900	mg/Kg	100	10000	15400	105	85 - 115	4	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Matrix Spike (MS-1) Spiked Sample: 257259

QC Batch: 77633
Prep Batch: 66583

Date Analyzed: 2011-02-15
QC Preparation: 2011-02-15

Analyzed By: kg
Prepared By: kg

Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
DRO	223	mg/Kg	1	250	<15.7	89	11.7 - 152.3

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
DRO	216	mg/Kg	1	250	<15.7	86	11.7 - 152.3	3	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 38 of 46
Eddy Co., NM

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
n-Tricosane	97.8	97.0	mg/Kg	1	100	98	97	70 - 130

Matrix Spike (MS-1) Spiked Sample: 257280

QC Batch: 77634
Prep Batch: 66584

Date Analyzed: 2011-02-15
QC Preparation: 2011-02-15

Analyzed By: kg
Prepared By: kg

Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
DRO	223	mg/Kg	1	250	<15.7	89	11.7 - 152.3

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
DRO	208	mg/Kg	1	250	<15.7	83	11.7 - 152.3	7	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
n-Tricosane	101	94.3	mg/Kg	1	100	101	94	70 - 130

Matrix Spike (MS-1) Spiked Sample: 257203

QC Batch: 77705
Prep Batch: 66651

Date Analyzed: 2011-02-17
QC Preparation: 2011-02-17

Analyzed By: kg
Prepared By: kg

Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
DRO	225	mg/Kg	1	250	20.8	82	11.7 - 152.3

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
DRO	223	mg/Kg	1	250	20.8	81	11.7 - 152.3	1	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
n-Tricosane	102	100	mg/Kg	1	100	102	100	70 - 130

Matrix Spike (MS-1) Spiked Sample: 257470

QC Batch: 77746
Prep Batch: 66683

Date Analyzed: 2011-02-18
QC Preparation: 2011-02-17

Analyzed By: ME
Prepared By: ME

Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Benzene	1.85	mg/Kg	1	2.00	<0.0118	92	65.5 - 139.8
Toluene	1.89	mg/Kg	1	2.00	<0.00600	94	70.5 - 137.3
Ethylbenzene	1.84	mg/Kg	1	2.00	<0.00850	92	66.7 - 151
Xylene	5.88	mg/Kg	1	6.00	0.6462	87	68.7 - 149.5

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Benzene	1.83	mg/Kg	1	2.00	<0.0118	92	65.5 - 139.8	1	20
Toluene	1.85	mg/Kg	1	2.00	<0.00600	92	70.5 - 137.3	2	20
Ethylbenzene	1.84	mg/Kg	1	2.00	<0.00850	92	66.7 - 151	0	20
Xylene	5.80	mg/Kg	1	6.00	0.6462	86	68.7 - 149.5	1	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	2.24	2.28	mg/Kg	1	2	112	114	50.9 - 152.9
4-Bromofluorobenzene (4-BFB)	2.02	2.12	mg/Kg	1	2	101	106	48.5 - 165.8

Matrix Spike (MS-1) Spiked Sample: 257294

QC Batch: 77748
Prep Batch: 66683

Date Analyzed: 2011-02-18
QC Preparation: 2011-02-17

Analyzed By: ME
Prepared By: ME

Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
GRO	¹¹ 417	mg/Kg	1	20.0	302.188	574	63 - 108.5

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
GRO	¹² 408	mg/Kg	1	20.0	302.188	529	63 - 108.5	2	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

¹¹ Matrix spike recovery out of control limits due to peak interference. Use LCS/LCSD to demonstrate analysis is under control.

¹² Matrix spike recovery out of control limits due to peak interference. Use LCS/LCSD to demonstrate analysis is under control.

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 40 of 46
Eddy Co., NM

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	2.48	2.47	mg/Kg	1	2	124	124	54.1 - 154.3
4-Bromofluorobenzene (4-BFB) ^{13 14}	5.20	5.20	mg/Kg	1	2	260	260	41.9 - 162.8

Standard (CCV-1)

QC Batch: 77597

Date Analyzed: 2011-02-14

Analyzed By: ME

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
GRO		mg/Kg	1.00	0.988	99	80 - 120	2011-02-14

Standard (CCV-2)

QC Batch: 77597

Date Analyzed: 2011-02-14

Analyzed By: ME

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
GRO		mg/Kg	1.00	0.912	91	80 - 120	2011-02-14

Standard (CCV-3)

QC Batch: 77597

Date Analyzed: 2011-02-14

Analyzed By: ME

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
GRO		mg/Kg	1.00	1.10	110	80 - 120	2011-02-14

Standard (ICV-1)

QC Batch: 77617

Date Analyzed: 2011-02-15

Analyzed By: AR

Param	Flag	Units	ICVs True Conc.	ICVs Found Conc.	ICVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		mg/Kg	100	102	102	85 - 115	2011-02-15

¹³High surrogate recovery due to peak interference.

¹⁴High surrogate recovery due to peak interference.

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 41 of 46
Eddy Co., NM

Standard (CCV-1)

QC Batch: 77617

Date Analyzed: 2011-02-15

Analyzed By: AR

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		mg/Kg	100	98.2	98	85 - 115	2011-02-15

Standard (ICV-1)

QC Batch: 77619

Date Analyzed: 2011-02-15

Analyzed By: AR

Param	Flag	Units	ICVs True Conc.	ICVs Found Conc.	ICVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		mg/Kg	100	96.1	96	85 - 115	2011-02-15

Standard (CCV-1)

QC Batch: 77619

Date Analyzed: 2011-02-15

Analyzed By: AR

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		mg/Kg	100	104	104	85 - 115	2011-02-15

Standard (ICV-1)

QC Batch: 77620

Date Analyzed: 2011-02-15

Analyzed By: AR

Param	Flag	Units	ICVs True Conc.	ICVs Found Conc.	ICVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		mg/Kg	100	104	104	85 - 115	2011-02-15

Standard (CCV-1)

QC Batch: 77620

Date Analyzed: 2011-02-15

Analyzed By: AR

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		mg/Kg	100	96.3	96	85 - 115	2011-02-15

Standard (ICV-1)

QC Batch: 77622

Date Analyzed: 2011-02-15

Analyzed By: AR

Param	Flag	Units	ICVs True Conc.	ICVs Found Conc.	ICVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		mg/Kg	100	97.5	98	85 - 115	2011-02-15

Standard (CCV-1)

QC Batch: 77622

Date Analyzed: 2011-02-15

Analyzed By: AR

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		mg/Kg	100	103	103	85 - 115	2011-02-15

Standard (ICV-1)

QC Batch: 77623

Date Analyzed: 2011-02-15

Analyzed By: AR

Param	Flag	Units	ICVs True Conc.	ICVs Found Conc.	ICVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		mg/Kg	100	99.1	99	85 - 115	2011-02-15

Standard (CCV-1)

QC Batch: 77623

Date Analyzed: 2011-02-15

Analyzed By: AR

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		mg/Kg	100	101	101	85 - 115	2011-02-15

Standard (CCV-1)

QC Batch: 77633

Date Analyzed: 2011-02-15

Analyzed By: kg

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
DRO		mg/Kg	250	222	89	80 - 120	2011-02-15

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 43 of 46
Eddy Co., NM

Standard (CCV-2)

QC Batch: 77633

Date Analyzed: 2011-02-15

Analyzed By: kg

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
DRO		mg/Kg	250	224	90	80 - 120	2011-02-15

Standard (CCV-3)

QC Batch: 77633

Date Analyzed: 2011-02-15

Analyzed By: kg

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
DRO		mg/Kg	250	228	91	80 - 120	2011-02-15

Standard (CCV-1)

QC Batch: 77634

Date Analyzed: 2011-02-15

Analyzed By: kg

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
DRO		mg/Kg	250	243	97	80 - 120	2011-02-15

Standard (CCV-2)

QC Batch: 77634

Date Analyzed: 2011-02-15

Analyzed By: kg

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
DRO		mg/Kg	250	240	96	80 - 120	2011-02-15

Standard (CCV-1)

QC Batch: 77705

Date Analyzed: 2011-02-17

Analyzed By: kg

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
DRO		mg/Kg	250	222	89	80 - 120	2011-02-17

Standard (CCV-2)

QC Batch: 77705

Date Analyzed: 2011-02-17

Analyzed By: kg

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
DRO		mg/Kg	250	232	93	80 - 120	2011-02-17

Standard (CCV-1)

QC Batch: 77746

Date Analyzed: 2011-02-18

Analyzed By: ME

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Benzene		mg/Kg	0.100	0.0918	92	80 - 120	2011-02-18
Toluene		mg/Kg	0.100	0.0926	93	80 - 120	2011-02-18
Ethylbenzene		mg/Kg	0.100	0.0908	91	80 - 120	2011-02-18
Xylene		mg/Kg	0.300	0.274	91	80 - 120	2011-02-18

Standard (CCV-2)

QC Batch: 77746

Date Analyzed: 2011-02-18

Analyzed By: ME

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Benzene		mg/Kg	0.100	0.0969	97	80 - 120	2011-02-18
Toluene		mg/Kg	0.100	0.0949	95	80 - 120	2011-02-18
Ethylbenzene		mg/Kg	0.100	0.0927	93	80 - 120	2011-02-18
Xylene		mg/Kg	0.300	0.278	93	80 - 120	2011-02-18

Standard (CCV-3)

QC Batch: 77746

Date Analyzed: 2011-02-18

Analyzed By: ME

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Benzene		mg/Kg	0.100	0.0911	91	80 - 120	2011-02-18
Toluene		mg/Kg	0.100	0.0913	91	80 - 120	2011-02-18
Ethylbenzene		mg/Kg	0.100	0.0876	88	80 - 120	2011-02-18
Xylene		mg/Kg	0.300	0.264	88	80 - 120	2011-02-18

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 45 of 46
Eddy Co., NM

Standard (CCV-1)

QC Batch: 77748

Date Analyzed: 2011-02-18

Analyzed By: ME

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
GRO		mg/Kg	1.00	0.846	85	80 - 120	2011-02-18

Standard (CCV-2)

QC Batch: 77748

Date Analyzed: 2011-02-18

Analyzed By: ME

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
GRO		mg/Kg	1.00	1.04	104	80 - 120	2011-02-18

Standard (CCV-3)

QC Batch: 77748

Date Analyzed: 2011-02-18

Analyzed By: ME

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
GRO		mg/Kg	1.00	0.998	100	80 - 120	2011-02-18

Standard (CCV-1)

QC Batch: 77767

Date Analyzed: 2011-02-14

Analyzed By: ME

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Benzene		mg/Kg	0.100	0.103	103	80 - 120	2011-02-14
Toluene		mg/Kg	0.100	0.0998	100	80 - 120	2011-02-14
Ethylbenzene		mg/Kg	0.100	0.0958	96	80 - 120	2011-02-14
Xylene		mg/Kg	0.300	0.291	97	80 - 120	2011-02-14

Standard (CCV-2)

QC Batch: 77767

Date Analyzed: 2011-02-14

Analyzed By: ME

Report Date: February 22, 2011
114-6400816

Work Order: 11021116
COG/Biscuit Hills

Page Number: 46 of 46
Eddy Co., NM

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Benzene		mg/Kg	0.100	0.101	101	80 - 120	2011-02-14
Toluene		mg/Kg	0.100	0.101	101	80 - 120	2011-02-14
Ethylbenzene		mg/Kg	0.100	0.101	101	80 - 120	2011-02-14
Xylene		mg/Kg	0.300	0.305	102	80 - 120	2011-02-14

Standard (CCV-3)

QC Batch: 77767

Date Analyzed: 2011-02-14

Analyzed By: ME

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Benzene		mg/Kg	0.100	0.100	100	80 - 120	2011-02-14
Toluene		mg/Kg	0.100	0.0993	99	80 - 120	2011-02-14
Ethylbenzene		mg/Kg	0.100	0.102	102	80 - 120	2011-02-14
Xylene		mg/Kg	0.300	0.330	110	80 - 120	2011-02-14

2 wo #: 11021116

Analysis Request of Chain of Custody Record



TETRA TECH

1910 N. Big Spring St.
Midland, Texas 79705
(432) 682-4559 • Fax (432) 682-3946

PAGE: 2 OF: 5

ANALYSIS REQUEST
(Circle or Specify Method No.)

CLIENT NAME:

COG

SITE MANAGER:

Ike Turner

PROJECT NO.:

114-6400816

PROJECT NAME:

COG / Biscuit Hills
Eddy Co. NM

LAB I.D.
NUMBER

DATE
2011

TIME

MATRIX
DATE

COMP

GRAB

SAMPLE IDENTIFICATION

NUMBER OF CONTAINERS
FILTERED (Y/N)

PRESERVATIVE
METHOD

HCL

HNO3

ICE

NONE

BTX 80218
TPH 8015 MOD TX 005 (Ext. to C36)

PAH 8270

PCRA Metals Ag As Ba Cd Cr Pb Hg Se

TCLP Metals Ag As Ba Cd Cr Pb Hg Se

TCLP Volatiles

TCLP Semi Volatiles

RCI

GC/MS Vol. 8240/8260/824

GC/MS Semi. Vol. 8270/825

PCB's 8080/808

Pest. 803/808

Chlorides

Gamma Spco.

Alpha Beta (Al)

PLM (Asbestos)

Major Anions/Cations, pH, TDS

RELINQUISHED BY: (Signature)

Date: 2/11/11

Time: 1410

RECEIVED BY: (Signature)

Date: 2/11/11

Time: 1413

SAMPLED BY: (Print & Initial)

ST/TC

Date: 2/11/11

RELINQUISHED BY: (Signature)

Date: _____

Time: _____

RECEIVED BY: (Signature)

Date: _____

Time: _____

SAMPLE SHIPPED BY: (Circle)

FEDX

BUS

AIRBILL #: _____

RELINQUISHED BY: (Signature)

Date: _____

Time: _____

RECEIVED BY: (Signature)

Date: _____

Time: _____

AND DELIVERED

UPS

OTHER: _____

TETRA TECH CONTACT PERSON:

Results by:

RECEIVING LABORATORY:

Tetra

RECEIVED BY: (Signature)

ADDRESS:

City: Midland

STATE: TX

ZIP: _____

CONTACT:

PHONE: _____

DATE: _____

TIME: _____

SAMPLE CONDITION WHEN RECEIVED:

10.4°C intact

REMARKS:

If total TPH exceeds 5,000 mg/kg run deeper samples

Run BTX on 4 highest TPH. If BTX exceeds 10 mg/kg or BTX exceeds 50 mg/kg run deeper samples

Please fill out all copies - Laboratory retains Yellow copy - Return Original copy to Tetra Tech - Project Manager retains Pink copy - Accounting receives Gold copy.

Xwo #: 11021116

Analysis Request of Chain of Custody Record

PAGE: 3 OF: 5

**TETRA TECH**1910 N. Big Spring St.
Midland, Texas 79705
(432) 682-4559 • Fax (432) 682-3946ANALYSIS REQUEST
(Circle or Specify Method No.)

CLIENT NAME:

COG

SITE MANAGER:

Ike Tavaraz

PROJECT NO.:

114-4400BIL

PROJECT NAME:

COG

Biscuit Hills

Edley Co, NM

SAMPLE IDENTIFICATION

LAB I.D.
NUMBER

DATE

TIME

MATRIX

COMF

GRAB

NUMBER OF CONTAINERS

FILTERED (Y/N)

HCL

HNO3

ICE

NONE

PRESERVATIVE
METHOD

TEX 80218

TEX 80218 MODS

PAH 8270

RCRA Metals Ag As Ba Cd Cr Pb Hg Se

TCLP Metals Ag As Ba Cd Cr Pb Hg Se

TCLP Volatiles

TCLP Semi Volatiles

RCI

GC/MS Vol. 8240/8260/824

GC/MS Semi. Vol. 8270/826

PCB's 8060/808

Pest. 809/808

Organic

Gamma Spec.

Alpha Beta (Air)

PLW (Asbestos)

Major Anions/Cations, pH, TDS

257220

7/9

S

X

AM-3

8'-2.5'

1

221

222

223

224

225

226

227

XWO #: 11021116

Analysis Request of Chain of Custody Record

**TETRA TECH**
 1910 N. Big Spring St.
 Midland, Texas 79705
 (432) 682-4559 • Fax (432) 682-3946

PAGE: 5 OF: 5

ANALYSIS REQUEST
(Circle or Specify Method No.)

CLIENT NAME:

COG

SITE MANAGER:

Ike Tovaraz

PROJECT NO.:

114-1400816

PROJECT NAME:

COG / Blount Hills

LAB I.D.
NUMBER

DATE

TIME

MATRIX

COMF

GRAB

Edy G. M.

SAMPLE IDENTIFICATION

NUMBER OF CONTAINERS
FILTERED (Y/N)PRESERVATIVE
METHOD

HCL

HNO3

ICE

NONE

 (CIRCLE OR SPECIFY METHOD NO.)
 BTEX 8018
 PAH 8270
 PCRA Metals Ag As Ba Cd Cr Pb Hg Se
 TCLP Metals Ag As Ba Cd Cr Pb Hg Se
 TCLP Volatiles
 TCLP Semi Volatiles
 PCB
 GC/MS Vol. 8240/8260/824
 GC/MS Semi. Vol. 8270/825
 PCB's 8080/608
 Pest. 808/608
 Gamma Spec.
 Alpha Beta (A/B)
 PLM (Asbestos)
 Major Anions/Cations, pH, TDS

257240

2/1

S

X

AN-L

0-1'

841

242

243

244

245

246

247

248

1-1.5'

2-2.5'

3-3.5'

4-4.5'

5-5.5'

6-6.5'

7-7.5'

7.5-8'

RELINQUISHED BY: (Signature)

Date: 2/11/11

Time: 1:10

RECEIVED BY: (Signature)

Date: 2/14/11

Time: 1:10

SAMPLED BY: (Print & Initial)

ST/TF

Date: 2/11/11

Time: 1:10

RELINQUISHED BY: (Signature)

Date: _____

Time: _____

RECEIVED BY: (Signature)

Date: _____

Time: _____

SAMPLE SHIPPED BY: (Circle)

FEDX BUS

HAND DELIVERED UPS

AIRBILL #:

OTHER:

RELINQUISHED BY: (Signature)

Date: _____

Time: _____

RECEIVED BY: (Signature)

Date: _____

Time: _____

TETRA TECH CONTACT PERSON:

Ike Tovaraz

Results by:

RUSH Charges

Authorized:

Yes No

RECEIVING LABORATORY:

ADDRESS:

CITY:

STATE:

ZIP:

CONTACT:

PHONE:

DATE:

TIME:

SAMPLE CONDITION WHEN RECEIVED:

REMARKS:

10.4% intact

10.4% TPA exceeds 500 mg/kg run deeper samples / 10 mg/kg or BTEX exceeds 50 mg/kg run deeper samples

Please fill out all copies - Laboratory retains Yellow copy - Return Original copy to Tetra Tech - Project Manager retains Pink copy - Accounting receives Gold copy.

Summary Report

Ike Tavaréz
Tetra Tech
1910 N. Big Spring Street
Midland, TX 79705

Report Date: August 22, 2011

Work Order: 11081030



Project Location: Eddy Co., NM
Project Name: COG/Biscuit Hill SWD
Project Number: 114-6400816

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
274243	CS #1 Bottom 4' (AH-1)	soil	2011-08-04	00:00	2011-08-10
274244	CS #1 North Side Wall (AH-1)	soil	2011-08-04	00:00	2011-08-10
274245	CS #1 East Side Wall (AH-1)	soil	2011-08-04	00:00	2011-08-10
274246	CS #1 West Side Wall (AH-1)	soil	2011-08-04	00:00	2011-08-10
274247	CS #1 South Side Wall (AH-1)	soil	2011-08-04	00:00	2011-08-10
274248	CS #2 Bottom Hole 9' (AH-3)	soil	2011-08-04	00:00	2011-08-10
274249	CS #2 North Side Wall (AH-3)	soil	2011-08-04	00:00	2011-08-10
274250	CS #2 East Side Wall (AH-3)	soil	2011-08-04	00:00	2011-08-10
274251	CS #2 West Side Wall (AH-3)	soil	2011-08-04	00:00	2011-08-10
274252	CS #2 South Side Wall (AH-3)	soil	2011-08-04	00:00	2011-08-10
274253	CS #3 Bottom Hole 4' (AH-5)	soil	2011-08-04	00:00	2011-08-10
274254	CS #3 East Side Wall (AH-5)	soil	2011-08-04	00:00	2011-08-10
274255	CS #3 West Side Wall (AH-5)	soil	2011-08-04	00:00	2011-08-10
274256	CS #3 South Side Wall (AH-5)	soil	2011-08-04	00:00	2011-08-10
274257	CS #4 Bottom Hole 4' (AH-6)	soil	2011-08-04	00:00	2011-08-10
274258	CS #4 North Side Wall (AH-6)	soil	2011-08-04	00:00	2011-08-10
274259	CS #4 East Side Wall (AH-6)	soil	2011-08-04	00:00	2011-08-10
274260	CS #4 West Side Wall (AH-6)	soil	2011-08-04	00:00	2011-08-10
274261	Trench #1 5' (AH-1)	soil	2011-08-04	00:00	2011-08-10
274262	Trench #2 1' (AH-2)	soil	2011-08-04	00:00	2011-08-10
274263	Trench #2 3' (AH-2)	soil	2011-08-04	00:00	2011-08-10
274264	Trench #2 5' (AH-2)	soil	2011-08-04	00:00	2011-08-10
274265	Trench #2 7' (AH-2)	soil	2011-08-04	00:00	2011-08-10
274266	Trench #2 9' (AH-2)	soil	2011-08-04	00:00	2011-08-10
274267	Trench #3 6' (AH-5)	soil	2011-08-04	00:00	2011-08-10
274268	Trench #3 8' (AH-5)	soil	2011-08-04	00:00	2011-08-10
274269	Trench #3 10' (AH-5)	soil	2011-08-04	00:00	2011-08-10
274270	Trench #4 6' (AH-6)	soil	2011-08-04	00:00	2011-08-10
274271	Trench #4 8' (AH-6)	soil	2011-08-04	00:00	2011-08-10
274272	Trench #5 11' (AH-3)	soil	2011-08-04	00:00	2011-08-10

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
274273	Trench #5 13' (AH-3)	soil	2011-08-04	00:00	2011-08-10

Sample: 274243 - CS #1 Bottom 4' (AH-1)

Param	Flag	Result	Units	RL
Chloride		250	mg/Kg	4

Sample: 274244 - CS #1 North Side Wall (AH-1)

Param	Flag	Result	Units	RL
Chloride		283	mg/Kg	4

Sample: 274245 - CS #1 East Side Wall (AH-1)

Param	Flag	Result	Units	RL
Chloride		274	mg/Kg	4

Sample: 274246 - CS #1 West Side Wall (AH-1)

Param	Flag	Result	Units	RL
Chloride		260	mg/Kg	4

Sample: 274247 - CS #1 South Side Wall (AH-1)

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4

Sample: 274248 - CS #2 Bottom Hole 9' (AH-3)

Param	Flag	Result	Units	RL
Chloride		2290	mg/Kg	4

Sample: 274249 - CS #2 North Side Wall (AH-3)

Param	Flag	Result	Units	RL
Chloride		212	mg/Kg	4

Sample: 274250 - CS #2 East Side Wall (AH-3)

Param	Flag	Result	Units	RL
Chloride		203	mg/Kg	4

Sample: 274251 - CS #2 West Side Wall (AH-3)

Param	Flag	Result	Units	RL
Chloride		373	mg/Kg	4

Sample: 274252 - CS #2 South Side Wall (AH-3)

Param	Flag	Result	Units	RL
Chloride		208	mg/Kg	4

Sample: 274253 - CS #3 Bottom Hole 4' (AH-5)

Param	Flag	Result	Units	RL
Chloride		249	mg/Kg	4

Sample: 274254 - CS #3 East Side Wall (AH-5)

Param	Flag	Result	Units	RL
Chloride		254	mg/Kg	4

Sample: 274255 - CS #3 West Side Wall (AH-5)

Param	Flag	Result	Units	RL
Chloride		898	mg/Kg	4

Sample: 274256 - CS #3 South Side Wall (AH-5)

Param	Flag	Result	Units	RL
Chloride		343	mg/Kg	4

Sample: 274257 - CS #4 Bottom Hole 4' (AH-6)

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4

Sample: 274258 - CS #4 North Side Wall (AH-6)

Param	Flag	Result	Units	RL
Chloride		386	mg/Kg	4

Sample: 274259 - CS #4 East Side Wall (AH-6)

Param	Flag	Result	Units	RL
Chloride		277	mg/Kg	4

Sample: 274260 - CS #4 West Side Wall (AH-6)

Param	Flag	Result	Units	RL
Chloride		1010	mg/Kg	4

Sample: 274261 - Trench #1 5' (AH-1)

Param	Flag	Result	Units	RL
Chloride		367	mg/Kg	4

Sample: 274262 - Trench #2 1' (AH-2)

Param	Flag	Result	Units	RL
Chloride		287	mg/Kg	4

Sample: 274263 - Trench #2 3' (AH-2)

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4

Sample: 274264 - Trench #2 5' (AH-2)

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4

Sample: 274265 - Trench #2 7' (AH-2)

Param	Flag	Result	Units	RL
Chloride		629	mg/Kg	4

Sample: 274266 - Trench #2 9' (AH-2)

Param	Flag	Result	Units	RL
Chloride		254	mg/Kg	4

Sample: 274267 - Trench #3 6' (AH-5)

Param	Flag	Result	Units	RL
Chloride		468	mg/Kg	4

Sample: 274268 - Trench #3 8' (AH-5)

Param	Flag	Result	Units	RL
Chloride		473	mg/Kg	4

Sample: 274269 - Trench #3 10' (AH-5)

Param	Flag	Result	Units	RL
Chloride		268	mg/Kg	4

Sample: 274270 - Trench #4 6' (AH-6)

Param	Flag	Result	Units	RL
Chloride		317	mg/Kg	4

Sample: 274271 - Trench #4 8' (AH-6)

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4

Sample: 274272 - Trench #5 11' (AH-3)

Param	Flag	Result	Units	RL
Chloride		561	mg/Kg	4

Sample: 274273 - Trench #5 13' (AH-3)

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4



6701 Aberdeen Avenue, Suite D Lubbock, Texas 79424 800•378•1296 806•794•1296 FAX 806•794•1296
200 East Sunset Road, Suite E El Paso, Texas 79922 886•586•3443 915•585•3443 FAX 915•585•4944
5002 Basin Street, Suite A1 Midland, Texas 79703 432•689•6301 FAX 432•689•6313
6015 Harris Parkway, Suite 110 Ft. Worth, Texas 76132 817•201•5260
E-Mail: lab@traceanalysis.com

Certifications

WBE HUB NCTRCA DBE NELAP DoD LELAP Kansas Oklahoma ISO 17025

Analytical and Quality Control Report

Ike Tavarez
Tetra Tech
1910 N. Big Spring Street
Midland, TX, 79705

Report Date: August 22, 2011

Work Order: 11081030



Project Location: Eddy Co., NM
Project Name: COG/Biscuit Hill SWD
Project Number: 114-6400816

Enclosed are the Analytical Report and Quality Control Report for the following sample(s) submitted to TraceAnalysis, Inc.

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
274243	CS #1 Bottom 4' (AH-1)	soil	2011-08-04	00:00	2011-08-10
274244	CS #1 North Side Wall (AH-1)	soil	2011-08-04	00:00	2011-08-10
274245	CS #1 East Side Wall (AH-1)	soil	2011-08-04	00:00	2011-08-10
274246	CS #1 West Side Wall (AH-1)	soil	2011-08-04	00:00	2011-08-10
274247	CS #1 South Side Wall (AH-1)	soil	2011-08-04	00:00	2011-08-10
274248	CS #2 Bottom Hole 9' (AH-3)	soil	2011-08-04	00:00	2011-08-10
274249	CS #2 North Side Wall (AH-3)	soil	2011-08-04	00:00	2011-08-10
274250	CS #2 East Side Wall (AH-3)	soil	2011-08-04	00:00	2011-08-10
274251	CS #2 West Side Wall (AH-3)	soil	2011-08-04	00:00	2011-08-10
274252	CS #2 South Side Wall (AH-3)	soil	2011-08-04	00:00	2011-08-10
274253	CS #3 Bottom Hole 4' (AH-5)	soil	2011-08-04	00:00	2011-08-10
274254	CS #3 East Side Wall (AH-5)	soil	2011-08-04	00:00	2011-08-10
274255	CS #3 West Side Wall (AH-5)	soil	2011-08-04	00:00	2011-08-10
274256	CS #3 South Side Wall (AH-5)	soil	2011-08-04	00:00	2011-08-10
274257	CS #4 Bottom Hole 4' (AH-6)	soil	2011-08-04	00:00	2011-08-10
274258	CS #4 North Side Wall (AH-6)	soil	2011-08-04	00:00	2011-08-10
274259	CS #4 East Side Wall (AH-6)	soil	2011-08-04	00:00	2011-08-10
274260	CS #4 West Side Wall (AH-6)	soil	2011-08-04	00:00	2011-08-10

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
274261	Trench #1 5' (AH-1)	soil	2011-08-04	00:00	2011-08-10
274262	Trench #2 1' (AH-2)	soil	2011-08-04	00:00	2011-08-10
274263	Trench #2 3' (AH-2)	soil	2011-08-04	00:00	2011-08-10
274264	Trench #2 5' (AH-2)	soil	2011-08-04	00:00	2011-08-10
274265	Trench #2 7' (AH-2)	soil	2011-08-04	00:00	2011-08-10
274266	Trench #2 9' (AH-2)	soil	2011-08-04	00:00	2011-08-10
274267	Trench #3 6' (AH-5)	soil	2011-08-04	00:00	2011-08-10
274268	Trench #3 8' (AH-5)	soil	2011-08-04	00:00	2011-08-10
274269	Trench #3 10' (AH-5)	soil	2011-08-04	00:00	2011-08-10
274270	Trench #4 6' (AH-6)	soil	2011-08-04	00:00	2011-08-10
274271	Trench #4 8' (AH-6)	soil	2011-08-04	00:00	2011-08-10
274272	Trench #5 11' (AH-3)	soil	2011-08-04	00:00	2011-08-10
274273	Trench #5 13' (AH-3)	soil	2011-08-04	00:00	2011-08-10

These results represent only the samples received in the laboratory. The Quality Control Report is generated on a batch basis. All information contained in this report is for the analytical batch(es) in which your sample(s) were analyzed.

This report consists of a total of 23 pages and shall not be reproduced except in its entirety, without written approval of TraceAnalysis, Inc.



Dr. Blair Leftwich, Director
Dr. Michael Abel, Project Manager

Report Contents

Case Narrative	5
Analytical Report	6
Sample 274243 (CS #1 Bottom 4' (AH-1))	6
Sample 274244 (CS #1 North Side Wall (AH-1))	6
Sample 274245 (CS #1 East Side Wall (AH-1))	6
Sample 274246 (CS #1 West Side Wall (AH-1))	6
Sample 274247 (CS #1 South Side Wall (AH-1))	7
Sample 274248 (CS #2 Bottom Hole 9' (AH-3))	7
Sample 274249 (CS #2 North Side Wall (AH-3))	7
Sample 274250 (CS #2 East Side Wall (AH-3))	8
Sample 274251 (CS #2 West Side Wall (AH-3))	8
Sample 274252 (CS #2 South Side Wall (AH-3))	8
Sample 274253 (CS #3 Bottom Hole 4' (AH-5))	8
Sample 274254 (CS #3 East Side Wall (AH-5))	9
Sample 274255 (CS #3 West Side Wall (AH-5))	9
Sample 274256 (CS #3 South Side Wall (AH-5))	9
Sample 274257 (CS #4 Bottom Hole 4' (AH-6))	10
Sample 274258 (CS #4 North Side Wall (AH-6))	10
Sample 274259 (CS #4 East Side Wall (AH-6))	10
Sample 274260 (CS #4 West Side Wall (AH-6))	10
Sample 274261 (Trench #1 5' (AH-1))	11
Sample 274262 (Trench #2 1' (AH-2))	11
Sample 274263 (Trench #2 3' (AH-2))	11
Sample 274264 (Trench #2 5' (AH-2))	12
Sample 274265 (Trench #2 7' (AH-2))	12
Sample 274266 (Trench #2 9' (AH-2))	12
Sample 274267 (Trench #3 6' (AH-5))	12
Sample 274268 (Trench #3 8' (AH-5))	13
Sample 274269 (Trench #3 10' (AH-5))	13
Sample 274270 (Trench #4 6' (AH-6))	13
Sample 274271 (Trench #4 8' (AH-6))	14
Sample 274272 (Trench #5 11' (AH-3))	14
Sample 274273 (Trench #5 13' (AH-3))	14
Method Blanks	15
QC Batch 84034 - Method Blank (1)	15
QC Batch 84035 - Method Blank (1)	15
QC Batch 84113 - Method Blank (1)	15
QC Batch 84114 - Method Blank (1)	15
Laboratory Control Spikes	17
QC Batch 84034 - LCS (1)	17
QC Batch 84035 - LCS (1)	17
QC Batch 84113 - LCS (1)	17
QC Batch 84114 - LCS (1)	18

QC Batch 84034 - MS (1)	18
QC Batch 84035 - MS (1)	18
QC Batch 84113 - MS (1)	19
QC Batch 84114 - MS (1)	19
Calibration Standards	21
QC Batch 84034 - ICV (1)	21
QC Batch 84034 - CCV (1)	21
QC Batch 84035 - ICV (1)	21
QC Batch 84035 - CCV (1)	21
QC Batch 84113 - ICV (1)	21
QC Batch 84113 - CCV (1)	22
QC Batch 84114 - ICV (1)	22
QC Batch 84114 - CCV (1)	22
Appendix	23
Laboratory Certifications	23
Standard Flags	23
Attachments	23

Case Narrative

Samples for project COG/Biscuit Hill SWD were received by TraceAnalysis, Inc. on 2011-08-10 and assigned to work order 11081030. Samples for work order 11081030 were received intact at a temperature of 2.6 C.

Samples were analyzed for the following tests using their respective methods.

Test	Method	Prep Batch	Prep Date	QC Batch	Analysis Date
Chloride (Titration)	SM 4500-Cl B	71304	2011-08-17 at 09:27	84034	2011-08-18 at 14:58
Chloride (Titration)	SM 4500-Cl B	71304	2011-08-17 at 09:27	84035	2011-08-18 at 15:00
Chloride (Titration)	SM 4500-Cl B	71304	2011-08-17 at 09:27	84113	2011-08-22 at 11:42
Chloride (Titration)	SM 4500-Cl B	71304	2011-08-17 at 09:27	84114	2011-08-22 at 11:43

Results for these samples are reported on a wet weight basis unless data package indicates otherwise.

A matrix spike (MS) and matrix spike duplicate (MSD) sample is chosen at random from each preparation batch. The MS and MSD will indicate if a site specific matrix problem is occurring, however, it may not pertain to the samples for work order 11081030 since the sample was chosen at random. Therefore, the validity of the analytical data reported has been determined by the laboratory control sample (LCS) and the method blank (MB). These quality control measures are performed with each preparation batch to ensure data integrity.

All other exceptions associated with this report have been footnoted on the appropriate analytical page to assist in general data comprehension. Please contact the laboratory directly if there are any questions regarding this project.

Report Date: August 22, 2011
114-6400816

Work Order: 11081030
COG/Biscuit Hill SWD

Page Number: 6 of 23
Eddy Co., NM

Analytical Report

Sample: 274243 - CS #1 Bottom 4' (AH-1)

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2011-08-18	Analyzed By:	AR
QC Batch:	84034	Sample Preparation:	2011-08-17	Prepared By:	AR
Prep Batch:	71304				

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			250	mg/Kg	50	4.00

Sample: 274244 - CS #1 North Side Wall (AH-1)

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2011-08-18	Analyzed By:	AR
QC Batch:	84034	Sample Preparation:	2011-08-17	Prepared By:	AR
Prep Batch:	71304				

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			283	mg/Kg	50	4.00

Sample: 274245 - CS #1 East Side Wall (AH-1)

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2011-08-18	Analyzed By:	AR
QC Batch:	84034	Sample Preparation:	2011-08-17	Prepared By:	AR
Prep Batch:	71304				

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			274	mg/Kg	50	4.00

Report Date: August 22, 2011
114-6400816

Work Order: 11081030
COG/Biscuit Hill SWD

Page Number: 7 of 23
Eddy Co., NM

Sample: 274246 - CS #1 West Side Wall (AH-1)

Laboratory:	Midland		
Analysis:	Chloride (Titration)	Analytical Method:	SM 4500-Cl B
QC Batch:	84034	Date Analyzed:	2011-08-18
Prep Batch:	71304	Sample Preparation:	2011-08-17
		Prep Method:	N/A
		Analyzed By:	AR
		Prepared By:	AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			260	mg/Kg	50	4.00

Sample: 274247 - CS #1 South Side Wall (AH-1)

Laboratory:	Midland		
Analysis:	Chloride (Titration)	Analytical Method:	SM 4500-Cl B
QC Batch:	84034	Date Analyzed:	2011-08-18
Prep Batch:	71304	Sample Preparation:	2011-08-17
		Prep Method:	N/A
		Analyzed By:	AR
		Prepared By:	AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	J		<200	mg/Kg	50	4.00

Sample: 274248 - CS #2 Bottom Hole 9' (AH-3)

Laboratory:	Midland		
Analysis:	Chloride (Titration)	Analytical Method:	SM 4500-Cl B
QC Batch:	84034	Date Analyzed:	2011-08-18
Prep Batch:	71304	Sample Preparation:	2011-08-17
		Prep Method:	N/A
		Analyzed By:	AR
		Prepared By:	AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			2290	mg/Kg	50	4.00

Sample: 274249 - CS #2 North Side Wall (AH-3)

Laboratory:	Midland		
Analysis:	Chloride (Titration)	Analytical Method:	SM 4500-Cl B
QC Batch:	84034	Date Analyzed:	2011-08-18
Prep Batch:	71304	Sample Preparation:	2011-08-17
		Prep Method:	N/A
		Analyzed By:	AR
		Prepared By:	AR

Report Date: August 22, 2011
114-6400816

Work Order: 11081030
COG/Biscuit Hill SWD

Page Number: 8 of 23
Eddy Co., NM

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			212	mg/Kg	50	4.00

Sample: 274250 - CS #2 East Side Wall (AH-3)

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 84034 Date Analyzed: 2011-08-18 Analyzed By: AR
Prep Batch: 71304 Sample Preparation: 2011-08-17 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			203	mg/Kg	50	4.00

Sample: 274251 - CS #2 West Side Wall (AH-3)

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 84034 Date Analyzed: 2011-08-18 Analyzed By: AR
Prep Batch: 71304 Sample Preparation: 2011-08-17 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			373	mg/Kg	50	4.00

Sample: 274252 - CS #2 South Side Wall (AH-3)

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 84034 Date Analyzed: 2011-08-18 Analyzed By: AR
Prep Batch: 71304 Sample Preparation: 2011-08-17 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			208	mg/Kg	50	4.00

Report Date: August 22, 2011
114-6400816

Work Order: 11081030
COG/Biscuit Hill SWD

Page Number: 9 of 23
Eddy Co., NM

Sample: 274253 - CS #3 Bottom Hole 4' (AH-5)

Laboratory:	Midland		
Analysis:	Chloride (Titration)	Analytical Method:	SM 4500-Cl B
QC Batch:	84035	Date Analyzed:	2011-08-18
Prep Batch:	71304	Sample Preparation:	2011-08-17
		Prep Method:	N/A
		Analyzed By:	AR
		Prepared By:	AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			249	mg/Kg	50	4.00

Sample: 274254 - CS #3 East Side Wall (AH-5)

Laboratory:	Midland		
Analysis:	Chloride (Titration)	Analytical Method:	SM 4500-Cl B
QC Batch:	84035	Date Analyzed:	2011-08-18
Prep Batch:	71304	Sample Preparation:	2011-08-17
		Prep Method:	N/A
		Analyzed By:	AR
		Prepared By:	AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			254	mg/Kg	50	4.00

Sample: 274255 - CS #3 West Side Wall (AH-5)

Laboratory:	Midland		
Analysis:	Chloride (Titration)	Analytical Method:	SM 4500-Cl B
QC Batch:	84035	Date Analyzed:	2011-08-18
Prep Batch:	71304	Sample Preparation:	2011-08-17
		Prep Method:	N/A
		Analyzed By:	AR
		Prepared By:	AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			898	mg/Kg	50	4.00

Sample: 274256 - CS #3 South Side Wall (AH-5)

Laboratory:	Midland		
Analysis:	Chloride (Titration)	Analytical Method:	SM 4500-Cl B
QC Batch:	84035	Date Analyzed:	2011-08-18
Prep Batch:	71304	Sample Preparation:	2011-08-17
		Prep Method:	N/A
		Analyzed By:	AR
		Prepared By:	AR

Report Date: August 22, 2011
114-6400816

Work Order: 11081030
COG/Biscuit Hill SWD

Page Number: 10 of 23
Eddy Co., NM

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			343	mg/Kg	50	4.00

Sample: 274257 - CS #4 Bottom Hole 4' (AH-6)

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 84035 Date Analyzed: 2011-08-18 Analyzed By: AR
Prep Batch: 71304 Sample Preparation: 2011-08-17 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

Sample: 274258 - CS #4 North Side Wall (AH-6)

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 84035 Date Analyzed: 2011-08-18 Analyzed By: AR
Prep Batch: 71304 Sample Preparation: 2011-08-17 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			386	mg/Kg	50	4.00

Sample: 274259 - CS #4 East Side Wall (AH-6)

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 84035 Date Analyzed: 2011-08-18 Analyzed By: AR
Prep Batch: 71304 Sample Preparation: 2011-08-17 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			277	mg/Kg	50	4.00

Report Date: August 22, 2011
114-6400816

Work Order: 11081030
COG/Biscuit Hill SWD

Page Number: 11 of 23
Eddy Co., NM

Sample: 274260 - CS #4 West Side Wall (AH-6)

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2011-08-18	Analyzed By:	AR
QC Batch:	84035	Sample Preparation:	2011-08-17	Prepared By:	AR
Prep Batch:	71304				

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			1010	mg/Kg	50	4.00

Sample: 274261 - Trench #1 5' (AH-1)

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2011-08-18	Analyzed By:	AR
QC Batch:	84035	Sample Preparation:	2011-08-17	Prepared By:	AR
Prep Batch:	71304				

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			367	mg/Kg	50	4.00

Sample: 274262 - Trench #2 1' (AH-2)

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2011-08-18	Analyzed By:	AR
QC Batch:	84035	Sample Preparation:	2011-08-17	Prepared By:	AR
Prep Batch:	71304				

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			287	mg/Kg	50	4.00

Sample: 274263 - Trench #2 3' (AH-2)

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2011-08-22	Analyzed By:	AR
QC Batch:	84113	Sample Preparation:	2011-08-17	Prepared By:	AR
Prep Batch:	71304				

Report Date: August 22, 2011
114-6400816

Work Order: 11081030
COG/Biscuit Hill SWD

Page Number: 12 of 23
Eddy Co., NM

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

Sample: 274264 - Trench #2 5' (AH-2)

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 84113 Date Analyzed: 2011-08-22 Analyzed By: AR
Prep Batch: 71304 Sample Preparation: 2011-08-17 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

Sample: 274265 - Trench #2 7' (AH-2)

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 84113 Date Analyzed: 2011-08-22 Analyzed By: AR
Prep Batch: 71304 Sample Preparation: 2011-08-17 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			629	mg/Kg	50	4.00

Sample: 274266 - Trench #2 9' (AH-2)

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 84113 Date Analyzed: 2011-08-22 Analyzed By: AR
Prep Batch: 71304 Sample Preparation: 2011-08-17 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			254	mg/Kg	50	4.00

Report Date: August 22, 2011
114-6400816

Work Order: 11081030
COG/Biscuit Hill SWD

Page Number: 13 of 23
Eddy Co., NM

Sample: 274267 - Trench #3 6' (AH-5)

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2011-08-22	Analyzed By:	AR
QC Batch:	84113	Sample Preparation:	2011-08-17	Prepared By:	AR
Prep Batch:	71304				

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			468	mg/Kg	50	4.00

Sample: 274268 - Trench #3 8' (AH-5)

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2011-08-22	Analyzed By:	AR
QC Batch:	84113	Sample Preparation:	2011-08-17	Prepared By:	AR
Prep Batch:	71304				

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			473	mg/Kg	50	4.00

Sample: 274269 - Trench #3 10' (AH-5)

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2011-08-22	Analyzed By:	AR
QC Batch:	84113	Sample Preparation:	2011-08-17	Prepared By:	AR
Prep Batch:	71304				

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			268	mg/Kg	50	4.00

Sample: 274270 - Trench #4 6' (AH-6)

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2011-08-22	Analyzed By:	AR
QC Batch:	84113	Sample Preparation:	2011-08-17	Prepared By:	AR
Prep Batch:	71304				

Report Date: August 22, 2011
114-6400816

Work Order: 11081030
COG/Biscuit Hill SWD

Page Number: 14 of 23
Eddy Co., NM

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			317	mg/Kg	50	4.00

Sample: 274271 - Trench #4 8' (AH-6)

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 84113 Date Analyzed: 2011-08-22 Analyzed By: AR
Prep Batch: 71304 Sample Preparation: 2011-08-17 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

Sample: 274272 - Trench #5 11' (AH-3)

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 84113 Date Analyzed: 2011-08-22 Analyzed By: AR
Prep Batch: 71304 Sample Preparation: 2011-08-17 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			561	mg/Kg	50	4.00

Sample: 274273 - Trench #5 13' (AH-3)

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 84114 Date Analyzed: 2011-08-22 Analyzed By: AR
Prep Batch: 71304 Sample Preparation: 2011-08-17 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

Report Date: August 22, 2011
114-6400816

Work Order: 11081030
COG/Biscuit Hill SWD

Page Number: 15 of 23
Eddy Co., NM

Method Blanks

Method Blank (1) QC Batch: 84034

QC Batch: 84034
Prep Batch: 71304

Date Analyzed: 2011-08-18
QC Preparation: 2011-08-17

Analyzed By: AR
Prepared By: AR

Parameter	Flag	Cert	MDL Result	Units	RL
Chloride			<3.85	mg/Kg	4

Method Blank (1) QC Batch: 84035

QC Batch: 84035
Prep Batch: 71304

Date Analyzed: 2011-08-18
QC Preparation: 2011-08-17

Analyzed By: AR
Prepared By: AR

Parameter	Flag	Cert	MDL Result	Units	RL
Chloride			<3.85	mg/Kg	4

Method Blank (1) QC Batch: 84113

QC Batch: 84113
Prep Batch: 71304

Date Analyzed: 2011-08-22
QC Preparation: 2011-08-17

Analyzed By: AR
Prepared By: AR

Parameter	Flag	Cert	MDL Result	Units	RL
Chloride			<3.85	mg/Kg	4

Method Blank (1) QC Batch: 84114

QC Batch: 84114
Prep Batch: 71304

Date Analyzed: 2011-08-22
QC Preparation: 2011-08-17

Analyzed By: AR
Prepared By: AR

Report Date: August 22, 2011
114-6400816

Work Order: 11081030
COG/Biscuit Hill SWD

Page Number: 16 of 23
Eddy Co., NM

Parameter	Flag	Cert	MDL Result	Units	RL
Chloride			<3.85	mg/Kg	4

Report Date: August 22, 2011
114-6400816

Work Order: 11081030
COG/Biscuit Hill SWD

Page Number: 17 of 23
Eddy Co., NM

Laboratory Control Spikes

Laboratory Control Spike (LCS-1)

QC Batch: 84034
Prep Batch: 71304

Date Analyzed: 2011-08-18
QC Preparation: 2011-08-17

Analyzed By: AR
Prepared By: AR

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride			98.3	mg/Kg	1	100	<3.85	98	85 - 115

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride			108	mg/Kg	1	100	<3.85	108	85 - 115	9	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Laboratory Control Spike (LCS-1)

QC Batch: 84035
Prep Batch: 71304

Date Analyzed: 2011-08-18
QC Preparation: 2011-08-17

Analyzed By: AR
Prepared By: AR

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride			94.6	mg/Kg	1	100	<3.85	95	85 - 115

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride			102	mg/Kg	1	100	<3.85	102	85 - 115	8	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Laboratory Control Spike (LCS-1)

QC Batch: 84113
Prep Batch: 71304

Date Analyzed: 2011-08-22
QC Preparation: 2011-08-17

Analyzed By: AR
Prepared By: AR

Report Date: August 22, 2011
114-6400816

Work Order: 11081030
COG/Biscuit Hill SWD

Page Number: 18 of 23
Eddy Co., NM

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride			93.1	mg/Kg	1	100	<3.85	93	85 - 115

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride			104	mg/Kg	1	100	<3.85	104	85 - 115	11	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Laboratory Control Spike (LCS-1)

QC Batch: 84114
Prep Batch: 71304

Date Analyzed: 2011-08-22
QC Preparation: 2011-08-17

Analyzed By: AR
Prepared By: AR

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride			92.8	mg/Kg	1	100	<3.85	93	85 - 115

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride			104	mg/Kg	1	100	<3.85	104	85 - 115	11	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Matrix Spike (MS-1) Spiked Sample: 274252

QC Batch: 84034
Prep Batch: 71304

Date Analyzed: 2011-08-18
QC Preparation: 2011-08-17

Analyzed By: AR
Prepared By: AR

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride			10000	mg/Kg	100	10000	<385	98	79.4 - 120.6

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride			10700	mg/Kg	100	10000	<385	105	79.4 - 120.6	7	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Report Date: August 22, 2011
114-6400816

Work Order: 11081030
COG/Biscuit Hill SWD

Page Number: 19 of 23
Eddy Co., NM

Matrix Spike (MS-1) Spiked Sample: 274262

QC Batch: 84035
Prep Batch: 71304

Date Analyzed: 2011-08-18
QC Preparation: 2011-08-17

Analyzed By: AR
Prepared By: AR

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride			10200	mg/Kg	100	10000	<385	99	79.4 - 120.6

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride			10800	mg/Kg	100	10000	<385	105	79.4 - 120.6	6	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Matrix Spike (MS-1) Spiked Sample: 274272

QC Batch: 84113
Prep Batch: 71304

Date Analyzed: 2011-08-22
QC Preparation: 2011-08-17

Analyzed By: AR
Prepared By: AR

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride			8550	mg/Kg	100	10000	561	80	79.4 - 120.6

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride			9110	mg/Kg	100	10000	561	85	79.4 - 120.6	6	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Matrix Spike (MS-1) Spiked Sample: 274274

QC Batch: 84114
Prep Batch: 71304

Date Analyzed: 2011-08-22
QC Preparation: 2011-08-17

Analyzed By: AR
Prepared By: AR

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride			9250	mg/Kg	100	10000	965	83	79.4 - 120.6

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Report Date: August 22, 2011
114-6400816

Work Order: 11081030
COG/Biscuit Hill SWD

Page Number: 20 of 23
Eddy Co., NM

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride			9580	mg/Kg	100	10000	965	86	79.4 - 120.6	4	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Calibration Standards

Standard (ICV-1)

QC Batch: 84034

Date Analyzed: 2011-08-18

Analyzed By: AR

Param	Flag	Cert	Units	ICVs True Conc.	ICVs Found Conc.	ICVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride			mg/Kg	100	100	100	85 - 115	2011-08-18

Standard (CCV-1)

QC Batch: 84034

Date Analyzed: 2011-08-18

Analyzed By: AR

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride			mg/Kg	100	99.9	100	85 - 115	2011-08-18

Standard (ICV-1)

QC Batch: 84035

Date Analyzed: 2011-08-18

Analyzed By: AR

Param	Flag	Cert	Units	ICVs True Conc.	ICVs Found Conc.	ICVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride			mg/Kg	100	99.5	100	85 - 115	2011-08-18

Standard (CCV-1)

QC Batch: 84035

Date Analyzed: 2011-08-18

Analyzed By: AR

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride			mg/Kg	100	101	101	85 - 115	2011-08-18

Report Date: August 22, 2011
114-6400816

Work Order: 11081030
COG/Biscuit Hill SWD

Page Number: 22 of 23
Eddy Co., NM

Standard (ICV-1)

QC Batch: 84113

Date Analyzed: 2011-08-22

Analyzed By: AR

Param	Flag	Cert	Units	ICVs True Conc.	ICVs Found Conc.	ICVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride			mg/Kg	100	101	101	85 - 115	2011-08-22

Standard (CCV-1)

QC Batch: 84113

Date Analyzed: 2011-08-22

Analyzed By: AR

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride			mg/Kg	100	98.8	99	85 - 115	2011-08-22

Standard (ICV-1)

QC Batch: 84114

Date Analyzed: 2011-08-22

Analyzed By: AR

Param	Flag	Cert	Units	ICVs True Conc.	ICVs Found Conc.	ICVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride			mg/Kg	100	99.2	99	85 - 115	2011-08-22

Standard (CCV-1)

QC Batch: 84114

Date Analyzed: 2011-08-22

Analyzed By: AR

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride			mg/Kg	100	101	101	85 - 115	2011-08-22

Appendix

Laboratory Certifications

C	Certifying Authority	Certification Number	Laboratory Location
-	NCTRCA	WFWB384444Y0909	TraceAnalysis
-	DBE	VN 20657	TraceAnalysis
-	HUB	1752439743100-86536	TraceAnalysis
-	WBE	237019	TraceAnalysis

Standard Flags

F	Description
B	Analyte detected in the corresponding method blank above the method detection limit
H	Analyzed out of hold time
J	Estimated concentration
Jb	The analyte is positively identified and the value is approximated between the SDL and MQL. Sample contains less then ten times the concentration found in the method blank. The result should be considered non-detect to the SDL.
Je	Estimated concentration exceeding calibration range.
Qc	Calibration check outside of laboratory limits.
Qr	RPD outside of laboratory limits
Qs	Spike recovery outside of laboratory limits.
Qsr	Surrogate recovery outside of laboratory limits.
U	The analyte is not detected above the SDL

Attachments

The scanned attachments will follow this page.
Please note, each attachment may consist of more than one page.

ns Pink copy - Accounting receives Gold copy.

Please fill out all copies - Laboratory retains Yellow copy - Return Original copy to Tetra Tech - Project Manager retains Pink copy - Accounting receives Gold copy.

Xwo #: 11081030

Analysis Request of Chain of Custody Record

PAGE: 3 OF: 4

**TETRA TECH**
 1910 N. Big Spring St.
 Midland, Texas 79705
 (432) 682-4559 • Fax (432) 682-3946

 ANALYSIS REQUEST
 (Circle or Specify Method No.)

CLIENT NAME:

COG

SITE MANAGER:

THE TOWER

PROJECT NO.:

114-640 0816

PROJECT NAME:

COG-Biscuit Hill Swa

LAB I.D.
NUMBER

DATE

TIME

MATRIX

COMP

GRAB

SAMPLE IDENTIFICATION

NUMBER OF CONTAINERS

FILTERED (Y/N)

HCL

HNO3

ICE

NONE

PRESERVATIVE
METHOD

BTX 8021B

TPH 8015 MOD. TX1005 (Ext. to C35)

PAH 8270

ROHA Metals Ag As Ba Cd Cr Pb Hg Se

TCLP Metals Ag As Ba Cd Cr Pb Hg Se

TCLP Volatiles

TCLP Semi Volatiles

RCL

GC/MS Vol. 8240/8260/624

GC/MS Semi. Vol. 8270/625

PCB's 8080/608

Pest. 808/608

Chlorides

Gamma Spec.

Alpha Beta (Air)

PLM (Asbestos)

Major Anions/Cations, pH, TDS

RELINQUISHED BY: (Signature)

Date:

Time:

RECEIVED BY: (Signature)

Date:

Time:

SAMPLED BY: (Print & Initial)

Date:

Time:

RELINQUISHED BY: (Signature)

Date:

Time:

RECEIVED BY: (Signature)

Date:

Time:

SAMPLE SHIPPED BY: (Circle)

AIRBILL #:

RELINQUISHED BY: (Signature)

Date:

Time:

RECEIVED BY: (Signature)

Date:

Time:

TETRA TECH CONTACT PERSON:

Results by:

RECEIVING LABORATORY:

RECEIVED BY: (Signature)

ADDRESS:

CITY:

STATE:

ZIP:

CONTACT:

PHONE:

DATE:

TIME:

SAMPLE CONDITION WHEN RECEIVED:

REMARKS:

2.6 °C

THE TOWER

 RUSH Charges
 Authorized:
 Yes No

Please fill out all copies - Laboratory retains Yellow copy - Return Original copy to Tetra Tech - Project Manager retains Pink copy - Accounting receives Gold copy.

Job #: 11081030

Analysis Request of Chain of Custody Record

PAGE: 4 OF: 4



TETRA TECH

1910 N. Big Spring St.
Midland, Texas 79705
(432) 682-4559 • Fax (432) 682-3946

ANALYSIS REQUEST
(Circle or Specify Method No.)

CLIENT NAME:

COG

SITE MANAGER:

KE TOWERS

PROJECT NO.:

114-640 0816

PROJECT NAME:

COG-Biscuit Hill SWD

LAB I.D.
NUMBER

DATE

TIME

MATRIX

COMP.

GRAB

SAMPLE IDENTIFICATION

NUMBER OF CONTAINERS

FILTERED (Y/N)

PRESERVATIVE
METHOD

HCL

HNO3

ICE

NONE

BTEX 8021B

TPH 8015 MOD. TX1005 (Ext. to C35)

PAH 8270

HCRA Metals Ag As Ba Cd Cr Pb Hg Se

TCLP Metals Ag As Ba Cd Cr Pb Hg Se

TCLP Volatiles

TCLP Semi Volatiles

RCI

GC/MS Vol. 8240/8260/824

GC/MS Semi. Vol. 8270/625

PCB's 8080/608

Pest. 808/608

Chloride

Gamma Spec.

Alpha Beta (Air)

PLM (Asbestos)

Major Anions/Cations, pH, TDS

RELINQUISHED BY: (Signature)

Date: 8/12/11

Time: 1:50

RECEIVED BY: (Signature)

Date: 8/10/11

Time: 1:20 PM

SAMPLED BY: (Print & Initial)

Date: _____

RELINQUISHED BY: (Signature)

Date: 8/10/11

Time: 1:20 PM

RECEIVED BY: (Signature)

Date: 8-10-11

Time: 1:20 PM

SAMPLE SHIPPED BY: (Circle)

AIRBILL #: _____

FEDEX

BUS

HAND DELIVERED

UPS

OTHER: _____

RECEIVING LABORATORY:

ADDRESS:

CITY:

STATE:

ZIP:

CONTACT:

PHONE:

RECEIVED BY: (Signature)

DATE: _____

TIME: _____

TETRA TECH CONTACT PERSON:

Results by:

RUSH Charges

Authorized:

Yes No

SAMPLE CONDITION WHEN RECEIVED:

REMARKS:

7.6°C

Please fill out all copies - Laboratory retains Yellow copy - Return Original copy to Tetra Tech - Project Manager retains Pink copy - Accounting receives Gold copy.