

Bratcher, Mike, EMNRD

From: Cliff P. Brunson <cbrunson@bbcinternational.com>
Sent: Tuesday, September 11, 2012 7:06 PM
To: Bratcher, Mike, EMNRD
Cc: Chris Jones; Ken Swinney; Kathy Purvis; Jennifer Gilkey
Subject: Oxy-DWU Federal #1
Attachments: Remediation Packet- DWU Fed #1 - 2.pdf

Mike,

This e-mail is to confirm our discussion on September 5, 2012 concerning the remediation plan for the release that occurred at the Oxy DWU Federal #1. As agreed, Oxy will excavate 3 feet in the areas covered by SP1 - SP3 and will excavate to a depth of 1 foot in the areas covered by SP4 - SP6 as depicted on the attached site diagram. In addition, inside the tank battery berm area, a compacted clay liner will be installed in the previously excavated 2 foot area then backfilled. The excavation will then be backfilled with clean soil. The depth to groundwater in this area is approximately 100 feet.

I have attached the site drawing and the summary of the laboratory data we reviewed during our discussion for your files. If you would please reply back via e-mail with your concurrence of this remediation plan, it would be greatly appreciated.

Oxy and I thank you for your assistance in handling this matter.

Thanks, Cliff

Cliff P. Brunson, CEI, CRS
President
BBC International, Inc.
World-Wide Environmental Specialists
Mailing Address:
P. O. Box 805
Hobbs, NM 88241-0805 USA
Shipping Address:
1324 W. Marland St.
Hobbs, NM 88240 USA
Phone: (575) 397-6388
Fax: (575) 397-0397
E-Mail: cbrunson@bbcinternational.com

Confidentiality Notice: This electronic transmission (and any attached documents) is intended only for the person(s) to whom it is addressed and may contain information that is privileged, confidential, or otherwise protected from disclosure. If you have received this transmission in error, please immediately notify the sender by e-mail or by telephone call to (575) 397-6388 for handling instructions. Any disclosure or distribution of the contents of this transmission by anyone other than the named recipient(s) is strictly prohibited.
