


District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505



Form C-141
Revised March 17, 1999
Submit 2 Copies to appropriate District Office in accordance with Rule 116 on back side of form

Release Notification and Corrective Action

OPERATOR

Initial Report Final Report

Name of Company Devon Energy	Contact Tracy Kidd
Address P. O. Box 250 Artesia, NM 88211	Telephone No. 575-513-0628
Facility Name: Snapping 2 State 4H	Facility Type Oil Well
Surface Owner	Mineral Owner
API #: 30-015-39071 2RP-1280	

LOCATION OF RELEASE

Unit Letter P	Section 2	Township 26S	Range 31E	Feet from the 330'	North/South Line South	Feet from the 735'	East/West Line East	County EDDY
------------------	--------------	-----------------	--------------	-----------------------	---------------------------	-----------------------	------------------------	----------------

NATURE OF RELEASE

Type of Release: Oil	Volume of Release - 20 bbls	Volume Recovered - 10 bbls
Source of Release : Overflow Tank	Date and Hour of Occurrence 8/22/12, 7:30 AM	Date and Hour of Discovery 8/22/12, 7:30 AM
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? OCD / Mike Bratcher	
By Whom? Daniel Suniga	Date and Hour: 8/22/12, 8:45 AM	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.*

N/A

Describe Cause of Problem and Remedial Action Taken.*

At the Snapping 2 State 4H battery, a miscommunication between two well watchmen led to the overflow of a frac tank. A vacuum truck was immediately called to location.

Describe Area Affected and Cleanup Action Taken.* Banta was immediately contracted for the correction of this release. The impacted area from this release was excavated to a depth of 2-feet deep. Talon/LPE was contacted to do the analytical testing. The OCD gave permission to backfill the excavation on September 13, 2012. The excavation was backfilled to grade using new material and contoured to match the surrounding location.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature:	OIL CONSERVATION DIVISION	
Printed Name: Gracie Bustamante	Approved by District Supervisor:	
Title: Admin Field Support	Approval Date:	Expiration Date:
Date: 9/24/2012 Phone: 575-746-5561	Conditions of Approval:	Attached <input type="checkbox"/>

* Attach Additional Sheets If Necessary

Kimberly M. Wilson

From: Bratcher, Mike, EMNRD [mike.bratcher@state.nm.us]
Sent: Thursday, September 13, 2012 2:29 PM
To: Kimberly M. Wilson
Cc: dan.suniga@dvn.com; David Adkins
Subject: RE: Snapping 2 State #4H 2RP-1280

Reference: Devon Energy * Snapping 2 St 4 * 30-015-39071 * P-2-26s-31e * Eddy County, New Mexico
OCD Tracking Number: **2RP-1280** * Date of Release: 8/22/12

Ms. Wilson,

Based on the analytical data submitted to OCD, and consideration of the site ranking for this area, your request to commence backfill operations is approved. You may proceed on your schedule. It is OCD's understanding that impacted soils were excavated relatively quickly after the release, and hauled to an OCD approved disposal.

Be advised, OCD approval does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

If you have any questions or concerns, please contact me.

Mike Bratcher
NMOCD District 2
811 S. First Street
Artesia, NM 88210
O: 575-748-1283 X108
C: 575-626-0857
F: 575-748-9720

From: Kimberly M. Wilson [mailto:kwilson@talonlpe.com]
Sent: Thursday, September 13, 2012 1:36 PM
To: Bratcher, Mike, EMNRD
Cc: dan.suniga@dvn.com; David Adkins
Subject: Snapping 2 State #4H 2RP-1280

Mr. Bratcher,

Please find attached the initial C-141, water depth, site maps and analytical data for the above reference site.

A third party, Banta, had done the excavation and our office went out to collect the confirmation samples. Can I get permission for them to backfill this excavation.

Thank you,

Kimberly M. Wilson
Environmental Scientist
Talon/LPE
408 West Texas Avenue

Artesia, New Mexico 88210

Office: 575.746.8768

Fax: 575.746.8905

Cell: 575.602.3826

Emergency: 866.742.0742

Email: kwilson@talonlpe.com

Web: www.talonlpe.com



Better Business Bureau Torch Award for Marketplace Ethics: 2010 Winner, 2009 Finalist

Staples Foundation for Learning Hall of Fame Recipient:2010

ICIC and Business Week- Top 100: 2010, 2009, 2008, 2007, 2006

Inc. 500/5000: 2012, 2011, 2010, 2009, 2008, 2007

This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error please notify the system manager. This message contains confidential information and is intended only for the individual named. If you are not the named addressee you should not disseminate, distribute or copy this e-mail. Please notify the sender immediately by e-mail if you have received this e-mail by mistake and delete this e-mail from your system. If you are not the intended recipient you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited

September 11, 2012

DAVID ADKINS

TALON

408 TEXAS AVE.

ARTESIA, NM 88210

RE: SNAPPING 2 # 4 H

Enclosed are the results of analyses for samples received by the laboratory on 09/05/12 11:30.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-11-3. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Celey D. Keene

Lab Director/Quality Manager

Analytical Results For:

 TALON
 DAVID ADKINS
 408 TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 746-8905

Received:	09/05/2012	Sampling Date:	09/05/2012
Reported:	09/11/2012	Sampling Type:	Soil
Project Name:	SNAPPING 2 # 4 H	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Celey D. Keene
Project Location:	P-2-26-31		

Sample ID: S-1 (H202134-01)

BTEX 8021B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/07/2012	ND	1.87	93.7	2.00	1.64		
Toluene*	<0.050	0.050	09/07/2012	ND	1.97	98.7	2.00	0.662		
Ethylbenzene*	0.056	0.050	09/07/2012	ND	2.04	102	2.00	0.320		
Total Xylenes*	0.412	0.150	09/07/2012	ND	6.68	111	6.00	0.794		

Surrogate: 4-Bromofluorobenzene (PIE) 105 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	224	16.0	09/07/2012	ND	416	104	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	09/10/2012	ND	173	86.3	200	10.1		
DRO >C10-C28	91.6	10.0	09/10/2012	ND	177	88.7	200	15.4		


Surrogate: 1-Chlorooctane 74.4 % 65.2-140

Surrogate: 1-Chlorooctadecane 74.0 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 TALON
 DAVID ADKINS
 408 TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 746-8905

Received:	09/05/2012	Sampling Date:	09/05/2012
Reported:	09/11/2012	Sampling Type:	Soil
Project Name:	SNAPPING 2 # 4 H	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Celey D. Keene
Project Location:	P-2-26-31		

Sample ID: S-2 (H202134-02)

BTEX 8021B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/10/2012	ND	1.87	93.7	2.00	1.64		
Toluene*	<0.050	0.050	09/10/2012	ND	1.97	98.7	2.00	0.662		
Ethylbenzene*	<0.050	0.050	09/10/2012	ND	2.04	102	2.00	0.320		
Total Xylenes*	<0.150	0.150	09/10/2012	ND	6.68	111	6.00	0.794		

Surrogate: 4-Bromofluorobenzene (PIE) 102 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	112	16.0	09/10/2012	ND	400	100	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	09/10/2012	ND	173	86.3	200	10.1		
DRO >C10-C28	<10.0	10.0	09/10/2012	ND	177	88.7	200	15.4		


Surrogate: 1-Chlorooctane 77.1 % 65.2-140

Surrogate: 1-Chlorooctadecane 85.9 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 TALON
 DAVID ADKINS
 408 TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 746-8905

 Received: 09/05/2012
 Reported: 09/11/2012
 Project Name: SNAPPING 2 # 4 H
 Project Number: NONE GIVEN
 Project Location: P-2-26-31

 Sampling Date: 09/05/2012
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: S-3 (H202134-03)

BTEX 8021B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/07/2012	ND	1.87	93.7	2.00	1.64		
Toluene*	<0.050	0.050	09/07/2012	ND	1.97	98.7	2.00	0.662		
Ethylbenzene*	<0.050	0.050	09/07/2012	ND	2.04	102	2.00	0.320		
Total Xylenes*	<0.150	0.150	09/07/2012	ND	6.68	111	6.00	0.794		

Surrogate: 4-Bromofluorobenzene (PIC) 103 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	09/10/2012	ND	400	100	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	09/10/2012	ND	173	86.3	200	10.1		
DRO >C10-C28	<10.0	10.0	09/10/2012	ND	177	88.7	200	15.4		


Surrogate: 1-Chlorooctane 76.9 % 65.2-140

Surrogate: 1-Chlorooctadecane 84.8 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 TALON
 DAVID ADKINS
 408 TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 746-8905

Received:	09/05/2012	Sampling Date:	09/05/2012
Reported:	09/11/2012	Sampling Type:	Soil
Project Name:	SNAPPING 2 # 4 H	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Celey D. Keene
Project Location:	P-2-26-31		

Sample ID: S-4 (H202134-04)

BTEX 8021B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/07/2012	ND	1.87	93.7	2.00	1.64		
Toluene*	<0.050	0.050	09/07/2012	ND	1.97	98.7	2.00	0.662		
Ethylbenzene*	<0.050	0.050	09/07/2012	ND	2.04	102	2.00	0.320		
Total Xylenes*	<0.150	0.150	09/07/2012	ND	6.68	111	6.00	0.794		

Surrogate: 4-Bromofluorobenzene (PIC) 99.8 % 89.4-126

Chloride, SM4500CI-B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	09/10/2012	ND	400	100	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	09/10/2012	ND	173	86.3	200	10.1		
DRO >C10-C28	<10.0	10.0	09/10/2012	ND	177	88.7	200	15.4		


Surrogate: 1-Chlorooctane 73.8 % 65.2-140

Surrogate: 1-Chlorooctadecane 86.3 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 TALON
 DAVID ADKINS
 408 TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 746-8905

Received:	09/05/2012	Sampling Date:	09/05/2012
Reported:	09/11/2012	Sampling Type:	Soil
Project Name:	SNAPPING 2 # 4 H	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Celey D. Keene
Project Location:	P-2-26-31		

Sample ID: S-5 (H202134-05)

BTEX 8021B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/10/2012	ND	1.67	83.7	2.00	11.0		
Toluene*	<0.050	0.050	09/10/2012	ND	1.77	88.5	2.00	10.1		
Ethylbenzene*	<0.050	0.050	09/10/2012	ND	1.85	92.7	2.00	9.96		
Total Xylenes*	<0.150	0.150	09/10/2012	ND	6.09	101	6.00	9.11		

Surrogate: 4-Bromofluorobenzene (PIC) 101 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	176	16.0	09/10/2012	ND	400	100	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	09/10/2012	ND	173	86.3	200	10.1		
DRO >C10-C28	<10.0	10.0	09/10/2012	ND	177	88.7	200	15.4		


Surrogate: 1-Chlorooctane 76.5 % 65.2-140

Surrogate: 1-Chlorooctadecane 86.6 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager


Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celest D. Keene, Lab Director/Quality Manager



Project Correspondence Sheet

- Field
 Office
 Reimbursement
 Proposal
 OK
 NM
 TX
 Other


Date:	Time:	Project Manager:
-------	-------	------------------

Project Number:

Project Name:

Topic:


Notes:



Document must be filed in Project File	Prepared by:	Page ____ of ____
--	--------------	-------------------

District I
1625 N. French Dr , Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St. Francis Dr , Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505



Form C-141
Revised March 17, 1999
Submit 2 Copies to appropriate District Office in accordance with Rule 116 on back side of form

Release Notification and Corrective Action

OPERATOR

Initial Report Final Report

Name of Company Devon Energy 6137	Contact Tracy Kidd
Address P. O. Box 250 Artesia, NM 88211	Telephone No. 575-513-0628
Facility Name Snapping 2 State 4H	Facility Type Oil Well

Surface Owner	Mineral Owner	Lease No.
---------------	---------------	-----------

API # 30-015-39071

LOCATION OF RELEASE

Unit Letter P	Section 2	Township 26S	Range 31E	Feet from the 330	North/South Line FSL	Feet from the 735	East/West Line East	County Eddy
---------------	-----------	--------------	-----------	-------------------	----------------------	-------------------	---------------------	-------------

NATURE OF RELEASE

Type of Release SPILL	Volume of Release 20bbls of Oil	Volume Recovered 10bbls of Oil
Source of Release Tank Overflow	Date and Hour of Occurrence 08/22/12, 7:30am	Date and Hour of Discovery 08/22/12, 7:30am
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? OCD - Mike Bratcher	
By Whom? Daniel Suniga	Date and Hour 08/22/12, 8:45am	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.*

N/A

Describe Cause of Problem and Remedial Action Taken.*

At the Snapping 2 State 4H battery, a miscommunication between two well watchmen led to the overflow of a frac tank, resulting in an oil spill of 20bbls.

Describe Area Affected and Cleanup Action Taken.*

The day well watcher noticed that the well had loaded up and was not producing. He switched all of the production from the equipment to a frac tank in order to release pressure, so the well would began producing. Upon completion of his shift that evening, he notified the night well watcher of the changes. The night well watcher did not understand the instructions received and continued to monitor the production tanks. He was under the impression that his levels in the production tanks at the battery were fine, so he went to sleep. The night watchman woke up in the morning to discover that the frac tank was overflowing. The overflow result in a spill of 15bbls of oil on the location and 5bbls of oil in the pasture off the side of location. A vacuum truck was able to recover 10bbls and return the oil to the oil tank. The Devon PIC has made arrangements to remove the oily dirt and replace it.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: <i>Gracie Bustamante</i>	OIL CONSERVATION DIVISION	
Printed Name: Gracie Bustamante	Approved by District Supervisor	Signed By <i>Mike Bratcher</i>
Title: Adm Field Support	Approval Date: SEP 10 2012	Expiration Date:
Date: 08/24/12 Phone: (575) 746-5561	Conditions of Approval:	Attached <input type="checkbox"/>

* Attach Additional Sheets If Necessary

Remediation per OCD Rules & Guidelines. **SUBMIT REMEDIATION PROPOSAL NOT LATER THAN:**

10/10/12

2RP-1280



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest)

(NAD83 UTM in meters) (In feet)

POD Number	POD Code	Subbasin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Distance	Depth Well	Depth Water	Water Column
C 03554 POD1	C		ED	2	1	4	01	26S	31E	620077	3549022	1412	1000		
C 02090			ED	4	4	01	26S	31E	620329	3548533*	1529	350	335	15	
													Average Depth to Water: 335 feet		
													Minimum Depth: 335 feet		
													Maximum Depth: 335 feet		

Record Count: 2

UTMNAD83 Radius Search (in meters):

Easting (X): 618804

Northing (Y): 3548410

Radius: 5000

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.