



DCP Midstream
10 Desta Dr. Suite 400 W
Midland, TX 79705
O: (432) 620-4207
F: (432) 620-4162

November 10, 2009

Mr. Michael Bratcher
New Mexico Oil Conservation Division
1301 West Grand Blvd. **via certified mail 7008 1830 0004 2589 6265**
Artesia, NM 88240

RE: Final C-141 Report
Spill at Jackson Booster
Section 28, TWN 17S, RNG 29E
Eddy County, New Mexico

Dear Mr. Bratcher:

Enclosed is a final C-141 report on a spill that occurred inside and outside of the secondary containment at the above referenced facility. A separate C-141 report was submitted in October of 2008 that addresses remedial action for the north and east sides of the secondary containment. Additional soil staining was noted on the west side of the containment in an inspection by OCD on August 26, 2009 and a final C-141 separately addressing this area was required after remediation of the west side of the containment.

If you have any questions, please contact me at 432-620-4207.

Sincerely,
DCP Midstream, LP


A handwritten signature in black ink, appearing to read "Jon D. Bebbington".

Jon D. Bebbington
Sr. Environmental Specialist

Cc: Johnny Lamb, DCP Carlsbad
Diane Kocis, DCP Denver
File 2.1.1.1

JACKSON BOOSTER STATION

Precleanup Sampling on West Side of Secondary Containment



Key:

- 1 H18205-1 JACK-01
- 2 H18205-2 JACK-02
- 3 H18205-3 JACK-03
- 4 H18205-4 JACK-04
- 5 H18205-5 JACK-05
- 6 H18205-6 JACK-06




Photo #1: West side of slop oil tank containment showing six pre-cleanup sampling locations. Photo was taken on September 9, 2009.



Photo #2: Excavation showing three sample locations at the one foot level. Photo was taken on October 5, 2009.




Photo #3: Post-cleanup excavation showing two sample locations. Photo was taken on October 19, 2009.



ARDINAL LABORATORIES

PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

October 12, 2009

Jon Bebbington
DCP Midstream
10 Desta Dr., Suite 400W
Midland, TX 79705

Re: Jackson Booster

Enclosed are the results of analyses for sample number H18415, received by the laboratory on 10/03/09 at 4:45 pm.

Cardinal Laboratories is accredited through Texas NELAP for:

Method SW-846 8021	Benzene, Toluene, Ethyl Benzene, and Total Xylenes
Method SW-846 8260	Benzene, Toluene, Ethyl Benzene, and Total Xylenes
Method TX 1005	Total Petroleum Hydrocarbons

Certificate number T104704398-08-TX. Accreditation applies to solid and chemical materials and non-potable water matrices.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.2	Regulated VOCs (V2, V3)

Accreditation applies to public drinking water matrices.

Total Number of Pages of Report: 3 (includes Chain of Custody)

Sincerely,

Celey D. Keene
Laboratory Director



ARDINAL LABORATORIES

PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

September 11, 2009

DCP Midstream
Jon Bebbington
10 Desta Drive, Suite 400W
Midland, TX 79705

Re: Jackson Booster Slop Oil

Enclosed are the results of analyses for sample number H18205, received by the laboratory on 09/09/09 at 1:40 pm.

Cardinal Laboratories is accredited through Texas NELAP for:

Method SW-846 8021	Benzene, Toluene, Ethyl Benzene, and Total Xylenes
Method SW-846 8260	Benzene, Toluene, Ethyl Benzene, and Total Xylenes
Method TX 1005	Total Petroleum Hydrocarbons

Certificate number T104704398-08-TX. Accreditation applies to solid and chemical materials and non-potable water matrices.

Cardinal Laboratories is accredited though the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.2	Regulated VOCs (V2, V3)

Accreditation applies to public drinking water matrices.

Total Number of Pages of Report: 3 (includes Chain of Custody)

Sincerely,

Celey D. Keene
Laboratory Director



ANALYTICAL RESULTS FOR
 DCP MIDSTREAM
 ATTN: JON BEBBINGTON
 10 DESTA DR. STE 400W
 MIDLAND, TX 79705


Receiving Date: 09/09/09
 Reporting Date: 09/11/09
 Project Number: NOT GIVEN
 Project Name: JACKSON BOOSTER SLOP OIL
 Project Location: JACKSON BOOSTER

Sampling Date: 09/09/09
 Sample Type: SOIL
 Sample Condition: COOL & INTACT @ 5°C
 Sample Received By: ML
 Analyzed By: AB/ZL

LAB NO. SAMPLE ID	GRO (C ₆ -C ₁₀) (mg/kg)	DRO (>C ₁₀ -C ₂₈) (mg/kg)	BENZENE (mg/kg)	TOLUENE (mg/kg)	ETHYL BENZENE (mg/kg)	TOTAL XYLENES (mg/kg)
ANALYSIS DATE:	09/10/09	09/10/09	09/10/09	09/10/09	09/10/09	09/10/09
H18205-1 JACK-01	<10.0	52.4	<0.025	<0.025	<0.025	<0.075
H18205-2 JACK-02	172	3,110	<0.025	0.040	0.501	2.30
H18205-3 JACK-03	941	13,200	<0.025	0.635	5.35	16.8
H18205-4 JACK-04	318	5,370	<0.025	0.288	1.17	8.96
H18205-5 JACK-05	<10.0	<10.0	<0.025	<0.025	<0.025	0.379
H18205-6 JACK-06	176	6,480	<0.025	0.067	0.688	3.42
Quality Control	499	468	0.047	0.050	0.043	0.132
True Value QC	500	500	0.050	0.050	0.050	0.150
% Recovery	99.8	93.6	94.0	100	86.0	88.0
Relative Percent Difference	1.0	2.7	2.1	2.1	<1.0	2.1

METHODS: TPH GRO & DRO - EPA SW-846 8015 M; BTEX - SW-846 8021B. Reported on wet weight.

TEXAS NELAP ACCREDITATION T104704398-08-TX FOR BENZENE, TOLUENE, ETHYL BENZENE, AND TOTAL XYLENES. Not accredited for GRO/DRO.


 Lab Director

09/11/09
 Date

H18205 TPHBTEX DCP

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



CARDINAL LABORATORIES

101 East Marland, Hobbs, NM 88240

(575) 393-2326 Fax (575) 393-2476

Page ____ of ____

Company Name: <u>OSP Midstream</u>		BILL TO			ANALYSIS REQUEST																				
Project Manager: <u>Jan Babbington</u>		P.O. #:																							
Address: <u>13 Gasta Dr. SW 400W</u>		Company:																							
City: <u>Hobbs</u> State: <u>TX</u> Zip: <u>79705</u>		Attn: <u>Jan</u>																							
Phone #: <u>432-620-4207</u> Fax #:		Address:																							
Project #:		Project Owner:																							
Project Name: <u>Jackson Booster Stop Oil</u>		City:																							
Project Location: <u>Jackson Booster</u>		State: Zip:																							
Sampler Name: <u>Jan Babbington</u>		Phone #:																							
Fax #:																									
FOR LAB USE ONLY																									
Lab I.D.	Sample I.D.	(GRAB OR (COMP.	# CONTAINERS	MATRIX					PRESERV			SAMPLING													
				GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER	ACID/BASE	ICE / COOL	OTHER	DATE	TIME											
<u>H182051</u>	<u>TALK - 01</u>											<u>9-9-09</u>	<u>0920</u>	<u>TPH</u>	<u>BTEX</u>										
<u>-2</u>	<u>" 02</u>																								
<u>-3</u>	<u>" 03</u>																								
<u>-4</u>	<u>" 04</u>																								
<u>-5</u>	<u>" 05</u>																								
<u>-6</u>	<u>" 06</u>																								

PLEASE NOTE: Liability and Damages: Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort shall be limited to the amount paid by the client for the analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated releases or otherwise.

Sampler Relinquished By: <u>Jan Babbington</u>		Date: <u>9-9-09</u>		Received By: <u>Maity Subert</u>		Phone Result: <input type="checkbox"/> No <input type="checkbox"/> Add'l Phone #:	
Time: <u>1400</u>		Date:		Received By:		Fax Result: <input type="checkbox"/> No <input type="checkbox"/> Add'l Fax #:	
Relinquished By:		Date:		Received By:		REMARKS:	
Time:		Date:		Received By:			
Delivered By: (Circle One)		Temp.:		Sample Condition		CHECKED BY:	
Sampler - UPS - Bus - Other:		<u>50C</u>		Cool Intact <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> No		<u>MSB</u> (Initials)	

† Cardinal cannot accept verbal changes. Please fax written changes to 575-393-2476.

#26



ANALYTICAL RESULTS FOR
 DCP MIDSTREAM
 ATTN: JON BEBBINGTON
 10 DESTA DR. STE 400W
 MIDLAND, TX 79705

Receiving Date: 10/03/09
 Reporting Date: 10/12/09
 Project Number: NOT GIVEN
 Project Name: NOT GIVEN
 Project Location: JACKSON BOOSTER

Sampling Date: NOT GIVEN
 Sample Type: SOIL
 Sample Condition: COOL & INTACT @ 6°C
 Sample Received By: ML
 Analyzed By: AB/ZL

LAB NO.	SAMPLE ID	GRO (C ₆ -C ₁₀) (mg/kg)	DRO (>C ₁₀ -C ₂₈) (mg/kg)	BENZENE (mg/kg)	TOLUENE (mg/kg)	ETHYL BENZENE (mg/kg)	TOTAL XYLENES (mg/kg)
---------	-----------	--	--	--------------------	--------------------	-----------------------------	-----------------------------

ANALYSIS DATE:	10/09/09	10/09/09	10/08/09	10/08/09	10/08/09	10/08/09
H18415-1 100509-01	63.5	7,590	<0.025	<0.025	0.118	0.598
H18415-2 100509-02	<10.0	284	<0.025	<0.025	<0.025	0.094
H18415-3 100509-03	65.4	6,190	<0.025	<0.025	<0.025	0.330
Quality Control	455	454	0.052	0.049	0.048	0.158
True Value QC	500	500	0.050	0.050	0.050	0.150
% Recovery	91.0	90.8	104	98.0	96.0	105
Relative Percent Difference	4.2	<0.1	3.8	4.3	6.6	6.6

METHODS: TPH GRO & DRO - EPA SW-846 8015 M; BTEX - SW-846 8021B. Reported on wet weight.

TEXAS NELAP ACCREDITATION T104704398-08-TX FOR BENZENE, TOLUENE, ETHYL BENZENE, AND TOTAL XYLENES. Not accredited for GRO/DRO.

Clay J. Keene
 Lab Director

10/12/09
 Date

H18415 TPHBTEX DCP

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



ARDINAL LABORATORIES

PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

October 22, 2009

Jon Bebbington
DCP Midstream
10 Desta Dr., Suite 400W
Midland, TX 79705

Re: Jackson C5

Enclosed are the results of analyses for sample number H18528, received by the laboratory on 10/19/09 at 4:15 pm.

Cardinal Laboratories is accredited through Texas NELAP for:

Method SW-846 8021	Benzene, Toluene, Ethyl Benzene, and Total Xylenes
Method SW-846 8260	Benzene, Toluene, Ethyl Benzene, and Total Xylenes
Method TX 1005	Total Petroleum Hydrocarbons

Certificate number T104704398-08-TX. Accreditation applies to solid and chemical materials and non-potable water matrices.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.2	Regulated VOCs (V2, V3)

Accreditation applies to public drinking water matrices.

Total Number of Pages of Report: 3 (includes Chain of Custody)

Sincerely,

Caley D. Keene
Laboratory Director

This report conforms with NELAP requirements.



ANALYTICAL RESULTS FOR
 DCP MIDSTREAM
 ATTN: JON BEBBINGTON
 10 DESTA DR. STE 400W
 MIDLAND, TX 79705

Receiving Date: 10/19/09
 Reporting Date: 10/21/09
 Project Number: NOT GIVEN
 Project Name: JACKSON C5
 Project Location: EDDY CO., NM


Sampling Date: 10/19/09
 Sample Type: SOIL
 Sample Condition: COOL & INTACT @ 2.5°C
 Sample Received By: AB
 Analyzed By: AB/ZL

LAB NO.	SAMPLE ID	GRO (C ₆ -C ₁₀) (mg/kg)	DRO (>C ₁₀ -C ₂₈) (mg/kg)	BENZENE (mg/kg)	TOLUENE (mg/kg)	ETHYL BENZENE (mg/kg)	TOTAL XYLENES (mg/kg)
---------	-----------	--	--	--------------------	--------------------	-----------------------------	-----------------------------

ANALYSIS DATE:		10/20/09	10/20/09	10/20/09	10/20/09	10/20/09	10/20/09
H18528-1	101909-01	<10.0	39.6	<0.050	<0.050	<0.050	<0.300
H18528-2	101909-02	<10.0	44.2	<0.050	<0.050	<0.050	<0.300
Quality Control		495	521	0.046	0.048	0.048	0.139
True Value QC		500	500	0.050	0.050	0.050	0.150
% Recovery		99.0	104	92.0	96.0	96.0	92.7
Relative Percent Difference		1.6	2.7	2.3	2.2	2.2	1.5

METHODS: TPH GRO & DRO - EPA SW-846 8015 M; BTEX - SW-846 8021B. Reported on wet weight.

TEXAS NELAP ACCREDITATION T104704398-08-TX FOR BENZENE, TOLUENE, ETHYL BENZENE, AND TOTAL XYLENES. Not accredited for GRO/DRO.


 Lab Director

10/22/09
 Date

H18528 TPHBTEX DCP

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



CARDINAL LABORATORIES

101 East Marland, Hobbs, NM 88240

(575) 393-2326 Fax (575) 393-2476

Page ____ of ____

Company Name: <u>DCP Midstream</u>		BILL TO		ANALYSIS REQUEST									
Project Manager: <u>Jan Bebbington</u>		P.O. #:											
Address: <u>10 Dosty Drive Ste 400 W</u>		Company:											
City: <u>Midland</u> State: <u>TX</u> Zip: <u>79705</u>		Attn:											
Phone #: <u>432-294-4207</u> Fax #:		Address:											
Project #:		City:											
Project Name: <u>JACKSON CS</u>		State: Zip:											
Project Location: <u>Eddy City, NM</u>		Phone #:											
Sampler Name: <u>JON BEBBINGTON</u>		Fax #:											

FOR LAB USE ONLY		GRAB OR (C)OMP.	# CONTAINERS	MATRIX					PRESERV.		SAMPLING		DATE	TIME						
Lab I.D.	Sample I.D.			GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER	ACID/BASE	ICE / COOL	OTHER								
<u>H18528-1</u>	<u>101909-01</u>	<u>G</u>	<u>1</u>			<u>X</u>				<u>/</u>		<u>10/19/09</u>								<u>BTEX / TPH</u>
<u>-2</u>	<u>101909-02</u>	<u>G</u>	<u>1</u>			<u>X</u>				<u>/</u>		<u>10/19/09</u>								<u>BTEX / TPH</u>

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Sampler Relinquished By: <u>Jan Bebbington</u>		Date: <u>10/19/09</u>	Received By: <u>CB</u>	Phone Result: <input type="checkbox"/> No <input type="checkbox"/> Add'l Phone #:
Relinquished By: _____		Date: _____	Received By: _____	Fax Result: <input type="checkbox"/> No <input type="checkbox"/> Add'l Fax #:
Delivered By: (Circle One) <u>UPS</u>		Temp.: <u>25C</u>	Sample Condition: <input checked="" type="checkbox"/> Cool <input checked="" type="checkbox"/> Intact	CHECKED BY: <u>CB</u>
Sampler - UPS - Bus - Other: _____			<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No	REMARKS:

† Cardinal cannot accept verbal changes. Please fax written changes to 575-393-2476.