

DISTRICT I
P.O. Box 1980, Hobbs, NM 88241-1980

DISTRICT II
811 South First St., Artesia, NM 88210-2835

DISTRICT III
1000 Rio Brazos Rd, Aztec, NM 87410-1693

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

2040 S. Pacheco
Santa Fe, New Mexico 87505-6429

Form C-107-A
New 3-12-96

APPROVAL PROCESS :

Administrative Hearing

EXISTING WELLBORE

YES NO

APPLICATION FOR DOWNHOLE COMMINGLING

BURLINGTON RESOURCES OIL & GAS COMPANY

PO Box 4289, Farmington, NM 87499

Operator

Address

San Juan 29-7 Unit

#30A

O Sec. 35, T-29-N, R-7-W

Rio Arriba, NM

Lease

Well No.

Unit Ltr. - Sec - Twp - Rge

County

Spacing Unit Lease Types: (check 1 or more)

OGRID NO. 14538 Property Code 7465 API NO. 30-039-22269 Federal , State , (and/or) Fee

The following facts are submitted in support of downhole commingling:	Upper Zone	Intermediate Zone	Lower Zone
1. Pool Name and Pool Code	Blanco Mesaverde- 72319		Basin Dakota - 71599
2. Top and Bottom of Pay Section (Perforations)	5044' - 5977'		7648' - 7823'
3. Type of production (Oil or Gas)	Gas		Gas
4. Method of Production (Flowing or Artificial Lift)	Flowing		Plunger Lift
5. Bottomhole Pressure Oil Zones - Artificial Lift: Estimated Current Gas & Oil - Flowing: Measured Current All Gas Zones: Estimated or Measured Original	(Current) a. 425 psia	a.	Measured a. 454 psia
	(Original) b. 894 psia	b.	b. 2402 psia
6. Oil Gravity (°API) or Gas BTU Content	1145		1094
7. Producing or Shut-In?	Producing		Producing
Production Marginal? (yes or no)	No		Yes
* If Shut-In and oil/gas/water rates of last production <small>Note: For new zones with no production history, applicant shall be required to attach production estimates and supporting data.</small>	Date: N/A Rates:	Date: Rates:	Date: N/A Rates:
	Date: 1/98 Rates: 0.9 Bbls/d / 128 MCFD	Date: Rates:	Date: 1/98 Rates: 0.0 Bbls/d / 93 MCFD
8. Fixed Percentage Allocation Formula -% for each zone (total of %'s to equal 100%)	Oil: Gas: will be supplied upon completion	Oil: Gas: % % %	Oil: Gas: will be supplied upon completion

9. If allocation formula is based upon something other than current or past production, or is based upon some other method, submit attachments with supporting data and/or explaining method and providing rate projections or other required data.
10. Are all working, overriding, and royalty interests identical in all commingled zones? Yes No
 If not, have all working, overriding, and royalty interests been notified by certified mail? Yes No
 Have all offset operators been given written notice of the proposed downhole commingling? Yes No
11. Will cross-flow occur? Yes No If yes, are fluids compatible, will the formations not be damaged, will any cross-flowed production be recovered, and will the allocation formula be reliable. Yes No (If No, attach explanation)
12. Are all produced fluids from all commingled zones compatible with each other? Yes No
13. Will the value of production be decreased by commingling? Yes No (If Yes, attach explanation)
14. If this well is on, or communitized with, state or federal lands, either the Commissioner of Public Lands or the United States Bureau of Land Management has been notified in writing of this application. Yes No
15. NMOCD Reference Cases for Rule 303(D) Exceptions: ORDER NO(S). Reference Order # R-10697
16. ATTACHMENTS:
 * C-102 for each zone to be commingled showing its spacing unit and acreage dedication.
 * Production curve for each zone for at least one year. (If not available, attach explanation.)
 * For zones with no production history, estimated production rates and supporting data.
 * Data to support allocation method or formula.
 * Notification list of all offset operators.
 * Notification list of working, overriding, and royalty interests for uncommon interest cases.
 * Any additional statements, data, or documents required to support commingling.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE L. Tom Loveland TITLE Engineer I DATE 02-23-98

TYPE OR PRINT NAME L. Tom Loveland TELEPHONE NO. (505) 326-9771

All distances must be from the outer boundaries of the Section.


Operator EL PASO NATURAL GAS COMPANY		Lease SAN JUAN 29-7 UNIT (SF-078425)		Well No. 30-A
Unit Letter 0	Section 35	Township 29N	Range 7W	County Rio Arriba
Actual Footage Location of Well: 1070 feet from the South line and 1640 feet from the East line				
Ground Level Elev. 6605	Producing Formation MESA VERDE - DAKOTA	Pool BLANCO MESA VERDE BASIN DAKOTA	Dedicated Acreage: 320.0 & 320.0 Acres	

1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below.
2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty).
3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling, etc?

Yes No If answer is "yes," type of consolidation Unitization

If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.)

No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission.



CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.

A. P. Guisco


Name
Drilling Clerk
Position
El Paso Natural Gas Co
Company
December 3, 1979
Date


I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed
AUGUST 1979
Registered Professional Engineer and/or Land Surveyor
Fred B. Kerr Jr.
Certificate No.
3950

Prop 70 *

- GAS Mcf/d
- OIL Bbl/d
- OIL/GAS
- WATER Bbls/d

 RateTime
 Semi Log



* WATER 100
 * OIL/GAS 100
 * OIL 100
 * GAS 100

Major = GAS

San Juan 29-7 Unit #30A
Bottom Hole Pressures
Flowing and Static BHP
Cullender and Smith Method

Version 1.0 3/13/94

Mesaverde	Dakota																																																
<u>MV-Current</u>	<u>DK-Current</u>																																																
<table style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 80%;">GAS GRAVITY</td><td style="text-align: right; border-bottom: 1px solid black;">0.674</td></tr> <tr><td>COND. OR MISC. (C/M)</td><td style="text-align: right; border-bottom: 1px solid black;">C</td></tr> <tr><td>%N2</td><td style="text-align: right; border-bottom: 1px solid black;">0.18</td></tr> <tr><td>%CO2</td><td style="text-align: right; border-bottom: 1px solid black;">1.25</td></tr> <tr><td>%H2S</td><td style="text-align: right; border-bottom: 1px solid black;">0</td></tr> <tr><td>DIAMETER (IN)</td><td style="text-align: right; border-bottom: 1px solid black;">7</td></tr> <tr><td>DEPTH (FT)</td><td style="text-align: right; border-bottom: 1px solid black;">5461</td></tr> <tr><td>SURFACE TEMPERATURE (DEG F)</td><td style="text-align: right; border-bottom: 1px solid black;">60</td></tr> <tr><td>BOTTOMHOLE TEMPERATURE (DEG F)</td><td style="text-align: right; border-bottom: 1px solid black;">150</td></tr> <tr><td>FLOWRATE (MCFPD)</td><td style="text-align: right; border-bottom: 1px solid black;">0</td></tr> <tr><td>SURFACE PRESSURE (PSIA)</td><td style="text-align: right; border-bottom: 1px solid black;">373</td></tr> <tr><td>BOTTOMHOLE PRESSURE (PSIA)</td><td style="text-align: right; border: 1px solid black;">424.8</td></tr> </table>	GAS GRAVITY	0.674	COND. OR MISC. (C/M)	C	%N2	0.18	%CO2	1.25	%H2S	0	DIAMETER (IN)	7	DEPTH (FT)	5461	SURFACE TEMPERATURE (DEG F)	60	BOTTOMHOLE TEMPERATURE (DEG F)	150	FLOWRATE (MCFPD)	0	SURFACE PRESSURE (PSIA)	373	BOTTOMHOLE PRESSURE (PSIA)	424.8	<table style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 80%;">GAS GRAVITY</td><td style="text-align: right; border-bottom: 1px solid black;">0.645</td></tr> <tr><td>COND. OR MISC. (C/M)</td><td style="text-align: right; border-bottom: 1px solid black;">C</td></tr> <tr><td>%N2</td><td style="text-align: right; border-bottom: 1px solid black;">0.57</td></tr> <tr><td>%CO2</td><td style="text-align: right; border-bottom: 1px solid black;">1.26</td></tr> <tr><td>%H2S</td><td style="text-align: right; border-bottom: 1px solid black;">0</td></tr> <tr><td>DIAMETER (IN)</td><td style="text-align: right; border-bottom: 1px solid black;">2.375</td></tr> <tr><td>DEPTH (FT)</td><td style="text-align: right; border-bottom: 1px solid black;">7736</td></tr> <tr><td>SURFACE TEMPERATURE (DEG F)</td><td style="text-align: right; border-bottom: 1px solid black;">60</td></tr> <tr><td>BOTTOMHOLE TEMPERATURE (DEG F)</td><td style="text-align: right; border-bottom: 1px solid black;">188</td></tr> <tr><td>FLOWRATE (MCFPD)</td><td style="text-align: right; border-bottom: 1px solid black;">0</td></tr> <tr><td>SURFACE PRESSURE (PSIA)</td><td style="text-align: right; border-bottom: 1px solid black;">383</td></tr> <tr><td>BOTTOMHOLE PRESSURE (PSIA)</td><td style="text-align: right; border: 1px solid black;">453.8</td></tr> </table>	GAS GRAVITY	0.645	COND. OR MISC. (C/M)	C	%N2	0.57	%CO2	1.26	%H2S	0	DIAMETER (IN)	2.375	DEPTH (FT)	7736	SURFACE TEMPERATURE (DEG F)	60	BOTTOMHOLE TEMPERATURE (DEG F)	188	FLOWRATE (MCFPD)	0	SURFACE PRESSURE (PSIA)	383	BOTTOMHOLE PRESSURE (PSIA)	453.8
GAS GRAVITY	0.674																																																
COND. OR MISC. (C/M)	C																																																
%N2	0.18																																																
%CO2	1.25																																																
%H2S	0																																																
DIAMETER (IN)	7																																																
DEPTH (FT)	5461																																																
SURFACE TEMPERATURE (DEG F)	60																																																
BOTTOMHOLE TEMPERATURE (DEG F)	150																																																
FLOWRATE (MCFPD)	0																																																
SURFACE PRESSURE (PSIA)	373																																																
BOTTOMHOLE PRESSURE (PSIA)	424.8																																																
GAS GRAVITY	0.645																																																
COND. OR MISC. (C/M)	C																																																
%N2	0.57																																																
%CO2	1.26																																																
%H2S	0																																																
DIAMETER (IN)	2.375																																																
DEPTH (FT)	7736																																																
SURFACE TEMPERATURE (DEG F)	60																																																
BOTTOMHOLE TEMPERATURE (DEG F)	188																																																
FLOWRATE (MCFPD)	0																																																
SURFACE PRESSURE (PSIA)	383																																																
BOTTOMHOLE PRESSURE (PSIA)	453.8																																																
<u>MV-Original</u>	<u>DK-Original</u>																																																
<table style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 80%;">GAS GRAVITY</td><td style="text-align: right; border-bottom: 1px solid black;">0.674</td></tr> <tr><td>COND. OR MISC. (C/M)</td><td style="text-align: right; border-bottom: 1px solid black;">C</td></tr> <tr><td>%N2</td><td style="text-align: right; border-bottom: 1px solid black;">0.18</td></tr> <tr><td>%CO2</td><td style="text-align: right; border-bottom: 1px solid black;">1.25</td></tr> <tr><td>%H2S</td><td style="text-align: right; border-bottom: 1px solid black;">0</td></tr> <tr><td>DIAMETER (IN)</td><td style="text-align: right; border-bottom: 1px solid black;">7</td></tr> <tr><td>DEPTH (FT)</td><td style="text-align: right; border-bottom: 1px solid black;">5461</td></tr> <tr><td>SURFACE TEMPERATURE (DEG F)</td><td style="text-align: right; border-bottom: 1px solid black;">60</td></tr> <tr><td>BOTTOMHOLE TEMPERATURE (DEG F)</td><td style="text-align: right; border-bottom: 1px solid black;">150</td></tr> <tr><td>FLOWRATE (MCFPD)</td><td style="text-align: right; border-bottom: 1px solid black;">0</td></tr> <tr><td>SURFACE PRESSURE (PSIA)</td><td style="text-align: right; border-bottom: 1px solid black;">778</td></tr> <tr><td>BOTTOMHOLE PRESSURE (PSIA)</td><td style="text-align: right; border: 1px solid black;">893.7</td></tr> </table>	GAS GRAVITY	0.674	COND. OR MISC. (C/M)	C	%N2	0.18	%CO2	1.25	%H2S	0	DIAMETER (IN)	7	DEPTH (FT)	5461	SURFACE TEMPERATURE (DEG F)	60	BOTTOMHOLE TEMPERATURE (DEG F)	150	FLOWRATE (MCFPD)	0	SURFACE PRESSURE (PSIA)	778	BOTTOMHOLE PRESSURE (PSIA)	893.7	<table style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 80%;">GAS GRAVITY</td><td style="text-align: right; border-bottom: 1px solid black;">0.645</td></tr> <tr><td>COND. OR MISC. (C/M)</td><td style="text-align: right; border-bottom: 1px solid black;">C</td></tr> <tr><td>%N2</td><td style="text-align: right; border-bottom: 1px solid black;">0.57</td></tr> <tr><td>%CO2</td><td style="text-align: right; border-bottom: 1px solid black;">1.26</td></tr> <tr><td>%H2S</td><td style="text-align: right; border-bottom: 1px solid black;">0</td></tr> <tr><td>DIAMETER (IN)</td><td style="text-align: right; border-bottom: 1px solid black;">2.375</td></tr> <tr><td>DEPTH (FT)</td><td style="text-align: right; border-bottom: 1px solid black;">7736</td></tr> <tr><td>SURFACE TEMPERATURE (DEG F)</td><td style="text-align: right; border-bottom: 1px solid black;">60</td></tr> <tr><td>BOTTOMHOLE TEMPERATURE (DEG F)</td><td style="text-align: right; border-bottom: 1px solid black;">188</td></tr> <tr><td>FLOWRATE (MCFPD)</td><td style="text-align: right; border-bottom: 1px solid black;">0</td></tr> <tr><td>SURFACE PRESSURE (PSIA)</td><td style="text-align: right; border-bottom: 1px solid black;">1972</td></tr> <tr><td>BOTTOMHOLE PRESSURE (PSIA)</td><td style="text-align: right; border: 1px solid black;">2401.5</td></tr> </table>	GAS GRAVITY	0.645	COND. OR MISC. (C/M)	C	%N2	0.57	%CO2	1.26	%H2S	0	DIAMETER (IN)	2.375	DEPTH (FT)	7736	SURFACE TEMPERATURE (DEG F)	60	BOTTOMHOLE TEMPERATURE (DEG F)	188	FLOWRATE (MCFPD)	0	SURFACE PRESSURE (PSIA)	1972	BOTTOMHOLE PRESSURE (PSIA)	2401.5
GAS GRAVITY	0.674																																																
COND. OR MISC. (C/M)	C																																																
%N2	0.18																																																
%CO2	1.25																																																
%H2S	0																																																
DIAMETER (IN)	7																																																
DEPTH (FT)	5461																																																
SURFACE TEMPERATURE (DEG F)	60																																																
BOTTOMHOLE TEMPERATURE (DEG F)	150																																																
FLOWRATE (MCFPD)	0																																																
SURFACE PRESSURE (PSIA)	778																																																
BOTTOMHOLE PRESSURE (PSIA)	893.7																																																
GAS GRAVITY	0.645																																																
COND. OR MISC. (C/M)	C																																																
%N2	0.57																																																
%CO2	1.26																																																
%H2S	0																																																
DIAMETER (IN)	2.375																																																
DEPTH (FT)	7736																																																
SURFACE TEMPERATURE (DEG F)	60																																																
BOTTOMHOLE TEMPERATURE (DEG F)	188																																																
FLOWRATE (MCFPD)	0																																																
SURFACE PRESSURE (PSIA)	1972																																																
BOTTOMHOLE PRESSURE (PSIA)	2401.5																																																

Page No.: 2

Print Time: Thu Jan 08 18:09:33 1998

Property ID: 70

Property Name: SAN JUAN 29-7 UNIT | 30A | MESAVERDE

Table Name: S:\ARIES\1MXJ\TEST.DBF

<u>--DATE--</u>	<u>--CUM OIL-</u> Bbl	<u>---CUM GAS--</u> Mcf	<u>M SIWHP</u> Psi	
11/03/81		0	778.0	ORIGINAL
03/17/82		92531	514.0	
05/13/82		127339	503.0	
02/13/84		299492	493.0	
08/21/84		358166	506.0	
10/04/86		514866	495.0	
10/11/89		675815	486.0	
08/18/91		727054	510.0	
05/03/93		808891	460.0	
11/30/97		1048938	373.0	CURRENT - ESTIMATED FROM P/Z DATA

Page No.: 1

Print Time: Thu Jan 08 18:09:33 1998

Property ID: 69

Property Name: SAN JUAN 29-7 UNIT | 30A | DAKOTA

Table Name: S:\ARIES\1MXJ\TEST.DBF

<u>--DATE--</u>	<u>--CUM OIL-</u>	<u>---CUM GAS--</u>	<u>M SIWHP</u>
	Bbl	Mcf	Psi

10/27/81		0	1972.0	ORIGINAL
11/03/81		0	1973.0	
03/17/82		62020	1455.0	
05/13/82		88352	1248.0	
02/13/84		227806	997.0	
06/05/85		309823	992.0	
10/11/88		429543	937.0	
04/22/90		513682	593.0	
04/29/92		588797	672.0	
05/17/93		628990	619.0	

11/30/97		736778	383.0	CURRENT - ESTIMATED FROM P/Z DATA
----------	--	--------	-------	-----------------------------------

Package Preparation Volume Data

DPNo: 69713 SAN JUAN 29-7 UNIT 30A Form: MV

Supt: 60 KEN RAYBON FF: 335 LARY BYARS MS: 371 MARK MCKNIGHT
 Pipeline: EPNG Plunger: No Dual: Yes Compressor: No

<u>Ownership (No Trust)</u>			<u>Prior Year</u>			<u>Current Year</u>			
	<u>Gas</u>	<u>Oil</u>		<u>MCF/M</u>	<u>BOPM</u>	<u>Days On</u>	<u>MCF/M</u>	<u>BOPM</u>	<u>Days On</u>
GWI:	62.5191%	62.5191%	Jan	4,653	54.0	31	1,927	14.0	31
GNI:	52.8043%	52.8043%	Feb	1,990	0.0	29	2,815	0.0	28
			Mar	3,142	0.0	31	6,014	0.0	31
			Apr	5,609	0.0	30	4,028	36.0	30
			May	3,216	5.0	31	4,565	99.0	31
			Jun	3,983	2.0	24.9	2,926	13.0	26
			Jul	3,771	0.0	22.9	5,103	3.0	31
			Aug	3,036	0.0	31	1,443	34.0	31
			Sept	2,573	0.0	30	4,778	42.0	30
			Oct	3,147	0.0	31	1,986	0.0	31
			Nov	6,017	17.0	30	0	0.0	30
			Dec	3,011	15.0	31	0	0.0	0
			Total	44,148	93.0		35,585	241.0	
<u>Volumes (Days On)</u>									
	<u>MCFD</u>	<u>BOPD</u>							
7 Day Avg	160	9.4							
30 Day Avg	128	0.9							
60 Day Avg	95	0.4							
3 Mo Avg	116	1.1							
6 Mo Avg	124	0.8							
12 MoAvg									
<u>Volumes (Days in Month)</u>									
	<u>MCFD</u>	<u>BOPD</u>							
30 Day Avg	128	0.9							
60 Day Avg	95	0.4							
3 Mo Avg	114	1.0							
6 Mo Avg	122	0.7							
12 Mo Avg									

Print Form

Exit Volumes Data

Package Preparation Volume Data

DPNo: 69714 SAN JUAN 29-7 UNIT 30A Form: DK

Supt: 60 KEN RAYBON FF: 335 LARY BYARS MS: 371 MARK MCKNIGHT
 Pipeline: EPNG Plunger: Yes Dual: Yes Compressor: No

<u>Ownership (No Trust)</u>			<u>Prior Year</u>			<u>Current Year</u>			
	<u>Gas</u>	<u>Oil</u>		<u>MCF/M</u>	<u>BOPM</u>	<u>Days On</u>	<u>MCF/M</u>	<u>BOPM</u>	<u>Days On</u>
GWI:	60.2270%	60.2270%	Jan	1,847	0.0	31	1,088	0.0	31
GNI:	49.8477%	49.8477%	Feb	1,066	0.0	29	1,669	0.0	28
			Mar	1,239	0.0	31	1,670	0.0	31
<u>Volumes</u>			Apr	979	0.0	30	1,871	0.0	30
<u>(Days On)</u>	<u>MCFD</u>	<u>BOPD</u>	May	1,017	0.0	31	2,443	0.0	31
7 Day Avg	122	0.0	Jun	769	0.0	24.9	1,497	0.0	21.8
30 Day Avg	93	0.0	Jul	315	0.0	28	1,977	0.0	31
60 Day Avg	64	0.0	Aug	34	0.0	31	661	0.0	31
3 Mo Avg	57	0.0	Sept	520	0.0	30	2,300	0.0	30
6 Mo Avg	56	0.0	Oct	725	0.0	31	1,115	0.0	31
12 MoAvg			Nov	2,094	0.0	30	0	0.0	30
			Dec	1,468	0.0	31	0	0.0	0
<u>Volumes</u>			Total	12,073	0.0		16,291	0.0	
<u>(Days in Month)</u>	<u>MCFD</u>	<u>BOPD</u>							
30 Day Avg	93	0.0							
60 Day Avg	64	0.0							
3 Mo Avg	55	0.0							
6 Mo Avg	54	0.0							
12 Mo Avg									


Print Form
Exit Volumes Data

BURLINGTON RESOURCES OIL AND GAS COMPANY

San Juan 29-7 Unit #30A

**OFFSET OPERATOR/OWNER PLAT
Mesaverde / Dakota Formations Commingle Well**

Township 29 North, Range 7 West



1) Burlington Resources

<p>59128 ²⁷ 53A</p> <p>⊗ ⊗ ⊗</p>	<p>26</p> <p>58 123M</p> <p>⊗ ⊗</p> <p>123</p>	<p>25</p> <p>74 69A</p> <p>⊗ ⊗</p> <p>139</p>	
<p>61A 60</p> <p>⊗ ⊗</p> <p>34 60A</p> <p>⊗ ⊗</p> <p>61</p> <p>⊗</p>	<p>70A 30E</p> <p>⊗ ⊗</p> <p>30</p> <p>⊗ ⊗</p> <p>35</p> <p>SAN JUAN 29-7 #30A</p> <p>⊗ ⊗ ⊗</p> <p>70E 70</p>	<p>106M 105</p> <p>⊗ ⊗</p> <p>55</p> <p>⊗</p> <p>106 36</p> <p>⊗ ⊗</p> <p>68 55A</p> <p>⊗ ⊗</p>	<p>⊗</p> <p>⊗</p>
<p>61 10 61A</p> <p>⊗ ⊗ ⊗</p>	<p>74A 74 1</p> <p>⊗ ⊗ ⊗</p>	<p>218 55A</p> <p>⊗ ⊗</p> <p>12</p>	<p>184 12</p> <p>⊗ ⊗</p>
<p>234E 23</p> <p>⊗ ⊗</p> <p>15 234</p> <p>⊗</p>	<p>233M 233 233E 244</p> <p>⊗ ⊗ ⊗ ⊗</p> <p>14 24A</p> <p>⊗ ⊗</p> <p>9136E 136</p> <p>⊗ ⊗</p>	<p>56A 164 33</p> <p>⊗ ⊗</p> <p>186 13 33A</p> <p>⊗ ⊗ ⊗</p> <p>56 164E</p> <p>⊗ ⊗</p>	<p>28A</p> <p>⊗</p> <p>28 59</p> <p>⊗ ⊗</p>

PLH 12/10/97

SAN JUAN 29-7 #30A
SEC. 35, T29N, R7W
MESAVERDE/DAKOTA

STATE OF NEW MEXICO
ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT
OIL CONSERVATION DIVISION

IN THE MATTER OF THE HEARING
CALLED BY THE OIL CONSERVATION
DIVISION FOR THE PURPOSE OF
CONSIDERING:

CASE NO. 11629
ORDER NO. R-10697

APPLICATION OF BURLINGTON RESOURCES
OIL & GAS COMPANY FOR THE ESTABLISHMENT
OF A DOWNHOLE COMMINGLING "REFERENCE
CASE" FOR ITS SAN JUAN 29-7 UNIT PURSUANT
TO DIVISION RULE 303.E. AND THE ADOPTION
OF SPECIAL ADMINISTRATIVE RULES THEREFOR,
SAN JUAN COUNTY, NEW MEXICO.

ORDER OF THE DIVISION

BY THE DIVISION:

This cause came on for hearing at 8:15 a.m. on October 17, and November 7, 1996, at Santa Fe, New Mexico, before Examiners David R. Catanach and Michael E. Stogner, respectively.

NOW, on this 8th day of November, 1996, the Division Director, having considered the testimony, the record and the recommendations of the Examiner, and being fully advised in the premises,

FINDS THAT:

- (1) Due public notice having been given as required by law, the Division has jurisdiction of this cause and the subject matter thereof.
- (2) The applicant, Burlington Resources Oil & Gas Company (Burlington), pursuant to the provisions of Division Rule 303.E., seeks to establish a downhole commingling "reference case" to provide exceptions for (a) marginal economic criteria, (b) pressure criteria, (c) allocation formulas and (d) modification of notification rules on a unit-wide basis for downhole commingling of Dakota, Mesaverde, Fruitland Coal and Pictured Cliffs gas production within existing or future drilled wells within the San Juan 29-7 Unit, San Juan County, New Mexico.
- (3) Division Rule No. 303.E., amended by Order No. R-10470-A, currently states:

"If sufficient data exists on a lease, pool, formation, geographic area, etc., so as to render it unnecessary to repeatedly provide such data on Form C-107-A, an operator may except any of the various criteria required under Paragraph 303.D. of this rule by establishing a "reference case". The Division, upon its own motion, or by application from an operator, may establish "reference cases" either administratively or by hearing. Upon Division approval of such "reference cases" for specific criteria, subsequent applications to downhole commingle (Form C-107-A) will be required only to cite the Division order number which established such exceptions and shall not be required to submit data for those criteria."

(4) The applicant is the current operator of the San Juan 29-7 Unit which encompasses some 22,500 acres in Township 29 North, Range 7 West, NMPM, San Juan County, New Mexico.

(5) Within the San Juan 29-7 Unit, the applicant currently operates fifty-five (55) Basin-Dakota Gas Pool wells, one hundred thirty-one (131) Blanco-Mesaverde Gas Pool wells, thirteen (13) Blanco-Pictured Cliffs and South Blanco-Pictured Cliffs Gas Pool wells, and forty-nine (49) Basin-Fruitland Coal Gas Pool wells.

(6) According to its evidence and testimony, Burlington seeks to:

- a) establish a "reference case" for marginal economic criteria in the Dakota and Pictured Cliffs formations whereby these formations and/or pools may be identified as "marginal" on Form C-107-A's subsequently filed for wells within the San Juan 29-7 Unit. The applicant further proposes that the data provided in the immediate case serve as supplemental data or confirmation that these formations and/or pools should be classified as "marginal";
- b) establish a "reference case" for pressure criteria in the Dakota and Pictured Cliffs formations whereby the Division may utilize data provided in the immediate case to verify the pressure data provided on Form C-107-A's subsequently filed for wells within the San Juan 29-7 Unit;
- c) establish a "reference case" whereby the Division utilizes the data presented in the immediate case to endorse or approve certain methods of allocating production whereby the applicant need not submit additional data or justification when proposing a certain method of allocating production on Form C-107-A's subsequently filed for wells within the San Juan 29-7 Unit; and.

- d) establish a "reference case" or an administrative procedure for authorizing the downhole commingling of existing or future drilled wells within the San Juan 29-7 Unit without additional notice to each affected interest owner as required by Division Rule No. 303.D.

(7) In support of its request to except marginal economic criteria, the applicant presented geologic and engineering evidence and testimony which indicates that within the San Juan 29-7 Unit:

- a) the structure and thickness of the Dakota and Pictured Cliffs formations are very consistent;
- b) the average recoverable Dakota and Pictured Cliffs gas reserves underlying an undeveloped drill block are approximately 245 MMCFG and 76 MMCFG, respectively;
- c) the average initial producing rate for a newly drilled or recompleted Dakota and Pictured Cliffs gas well is approximately 218 MCFGD and 238 MCFGD, respectively; and,
- d) the estimated ultimate gas recoveries and initial producing rates from the Dakota and Pictured Cliffs formations are insufficient to justify drilling stand alone wells and/or dually completed wells to recover such gas reserves.

(8) The evidence and testimony presented by the applicant indicates that the Dakota and Pictured Cliffs formations within the San Juan 29-7 Unit should be properly classified as "marginal".

(9) In support of its request to except pressure criteria within the Dakota and Pictured Cliffs formations within the San Juan 29-7 Unit, the applicant presented engineering evidence and testimony which indicates that:

- a) the average shut-in bottomhole pressure within the Dakota and Pictured Cliffs formations at the time of initial development was approximately 3,209 psi and 1,148 psi, respectively; and,
- b) the average current shut-in bottomhole pressure within the Dakota and Pictured Cliffs formations is approximately 952 psi and 655 psi, respectively.

(10) There is sufficient pressure data available within the San Juan 29-7 Unit so as to except pressure criteria as proposed by the applicant.

(11) The applicant testified that various allocation methods will be utilized for downhole commingled wells within the San Juan 29-7 Unit depending on the circumstances. Some of the methods and circumstances are described as follows:

- a) the subtraction method will likely be utilized in those instances involving the Basin-Fruitland Coal Gas Pool and in those instances where a zone with a well established decline rate is commingled with a newly completed zone;
- b) a fixed allocation formula will be utilized in those instances where production history for both zones is available, or in those instances where newly completed zones are tested and stabilized flow rates obtained.

(12) The allocation methods proposed by the applicant are routinely utilized by industry and approved by the Division and therefore, the proposal to except allocation formulas should be approved.

(13) In support of its request to establish a "reference case" or administrative procedure for providing notice within the San Juan 29-7 Unit the applicant presented evidence and testimony which indicates that:

- a) the interest ownership between two zones within a given wellbore in the San Juan 29-7 Unit is generally not common;
- b) pursuant to Division Rule No. 303.D., applicant is currently required to notify all interest owners within the San Juan 29-7 Unit every time a Form C-107-A is submitted to the Division. There are a considerable number of such interest owners within the unit;
- c) providing notice to each interest owner within the San Juan 29-7 Unit of subsequent downhole comminglings is unnecessary and is an excessive burden on the applicant;
- d) the downhole commingling of wells within the San Juan 29-7 Unit Area will benefit working, royalty, and overriding royalty interest owners. In addition, the downhole commingling of wells within the San Juan 29-7 Unit should not violate the correlative rights of any interest owner;

- e) no interest owner appeared at the hearing in opposition to the establishment of a "reference case" or administrative procedure for notice.

(14) An administrative procedure should be established within the San Juan 29-7 Unit for obtaining approval for subsequent downhole commingled wells without notice to Unit interest owners, provided however that, all other provisions contained within Division Rule No. 303.C. are complied with.

(15) Approval of the proposed "reference cases" for marginal economic criteria, pressure criteria, allocation formulas and notice will lessen the burden on the applicant insofar as providing the data required pursuant to Division Rule No. 303.D. and Form C-107-A, will provide the applicant a streamlined method for obtaining downhole commingling approvals within the San Juan 29-7 Unit, and will not violate correlative rights.

IT IS THEREFORE ORDERED THAT:

(1) The application of Burlington Resources Oil & Gas Company to establish a "reference case" for (a) marginal economic criteria, (b) pressure criteria, (c) allocation formulas and (d) modification of notification rules on a unit-wide basis for downhole commingling of Dakota, Mesaverde, Fruitland Coal and Pictured Cliffs gas production within existing or future drilled wells within the San Juan 29-7 Unit, San Juan County, New Mexico, is hereby approved.


(2) Upon filing of Division Form No. C-107-A's for wells subsequently downhole commingled within the San Juan 29-7 Unit Area, the applicant shall not be required to submit supporting data to justify the classification of the Pictured Cliffs and Dakota formations as "marginal", supporting data to verify the Pictured Cliffs and Dakota pressure information provided, and support or justification for utilizing a given method or formula for allocation of production, provided however, in the event any of the data described above appearing on Form C-107-A appears to be beyond the data range provided in this case, the Division may require the submittal of additional supporting data.

(3) In order to obtain Division authorization to downhole commingle wells within the San Juan 29-7 Unit, the applicant shall file a Form C-107-A with the Santa Fe and Aztec Offices of the Division. Such application shall contain all the information required under Rule No. 303.C. of the Division Rules and Regulations, provided however that the applicant shall not be required to provide notice to all interest owners within the San Juan 29-7 Unit of such proposed commingling.

(4) Jurisdiction of this cause is retained for the entry of such further orders as the Division may deem necessary.

DONE at Santa Fe, New Mexico, on the day and year hereinabove designated.

STATE OF NEW MEXICO
OIL CONSERVATION DIVISION

A handwritten signature in black ink, appearing to read 'William J. LeMay', is written over the typed name and title. The signature is fluid and cursive, with a long, sweeping underline that extends to the right and then curves down.

WILLIAM J. LeMAY
Director

S E A L