

SITE INFORMATION

Report Type: Initial Work Plan

Proposed
to delinquent

General Site Information:

Site:	Delhi B State #3		
Company:	Alamo Permian Resources, LLC.		
Section, Township and Range	Section 32	T17S	R28E
Lease Number:	API-30-015-39590		
County:	Eddy County		
GPS:	32.800365 104.187837		
Surface Owner:	State		
Mineral Owner:			
Directions:			

RECEIVED
JUN 14 2012
NMOCD ARTESIA

Release Data:

Date Released:	5/21/2012
Type Release:	oil and water
Source of Contamination:	flow line
Fluid Released:	50 barrels
Fluids Recovered:	30 barrels

Official Communication:

Name:	Steven Mastin		Ike Tavaréz
Company:	Alamo Permian Resources, LLC.		Tetra Tech
Address:	415 W. Wall St. Suite 500		1910 N. Big Spring
P.O. Box			
City:	Midland Texas		Midland, Texas
Phone number:	(432) 557-5847		(432) 682-4559
Fax:			
Email:			ike.tavaréz@tetrattech.com

Ranking Criteria

Depth to Groundwater:	Ranking Score	Site Data
<50 ft	20	
50-99 ft	10	
>100 ft.	0	>100
WellHead Protection:	Ranking Score	Site Data
Water Source <1,000 ft., Private <200 ft.	20	
Water Source >1,000 ft., Private >200 ft.	0	0
Surface Body of Water:	Ranking Score	Site Data
<200 ft.	20	
200 ft - 1,000 ft.	10	
>1,000 ft.	0	0
Total Ranking Score:	0	

Acceptable Soil RRAL (mg/kg)		
Benzene	Total BTEX	TPH
10	50	5,000



TETRA TECH

June 12, 2012

Mr. Mike Bratcher
Environmental Engineer Specialist
Oil Conservation Division, District 2
1301 West Grand Avenue
Artesia, New Mexico 88210

Re: Initial Work Plan for the Alamo Permian Resources, LLC., Delhi B State #3 Flow line, Unit M, Section 28, Township 17 South, Range 28 East, Eddy County, New Mexico.

Mr. Bratcher:

Tetra Tech, Inc. (Tetra Tech) was contacted by Alamo Permian Resources, LLC., (Alamo) to assess a spill from the Delhi B State #3 flow line Unit M, Section 28, Township 17 South, Range 28 East, Eddy County, New Mexico (Site). The spill site coordinates are N 32.800365° W 104.187837°.

Background

According to the State of New Mexico C-141 Initial Report, the leak was discovered on May 21, 2012, and released approximately fifty (50) barrels of oil and water due to a leaking flow line. The spill was located near the well site and recovered approximately 30 barrels of fluid. The initial C-141 form is enclosed in Appendix A.

Groundwater

According to the USGS data, one well is located in Section 22, Township 17 South, Range 28 East, with a depth groundwater of 79.0' below surface. According the NMOCD groundwater map, two wells are located in Section 19, Township 17 South, Range 28 East and Section 4, Township 18 South, Range 28 East, with reported depths of 191.0' and 108.0', respectively. The groundwater depth in the area is approximately 125' below surface. The groundwater data is shown in Appendix B.

Tetra Tech

1910 North Big Spring, Midland, TX 79705

Tel 432 682 4559 Fax 432 682 3946 www.tetrattech.com



Regulatory

A risk-based evaluation was performed for the Site in accordance with the New Mexico Oil Conservation Division (NMOCD) Guidelines for Remediation of Leaks, Spills and Releases, dated August 13, 1993. The guidelines require a risk-based evaluation of the site to determine recommended remedial action levels (RRAL) for benzene, toluene, ethylbenzene and xylene (collectively referred to as BTEX) and total petroleum hydrocarbons (TPH) in soil. The proposed RRAL for benzene was determined to be 10 parts per million (ppm) or milligrams per kilogram (mg/kg) and 50 ppm for total BTEX. Based upon the depth to groundwater, the proposed RRAL for TPH is 5,000 mg/kg.

Assessment Work Plan

Tetra Tech personnel will inspect the spill area and collect soil samples using a stainless steel, bucket type hand auger to evaluate the extent of subsurface impact at this site. If a dense formation is encountered and deeper samples cannot be collected, backhoe trenches will be installed to attempt to define the vertical extents for delineation. If the soil impact cannot be defined, boreholes will be installed using an air rotary rig.

Soil samples will be collected at selected depth intervals for field screening and sampling. A head space gas survey will be performed by collecting discrete soil samples and placing a portion of the sample in a clean plastic sample bag and measuring organic vapors using an Organic Vapor Meter (OVM). If utilized, all down hole equipment (i.e., drill rods, drill bits, etc.) will thoroughly decontaminated between each borehole with a high-pressure hot water wash and rinse. Soil cuttings from drilling will be stockpiled adjacent to the well until disposal is arranged.

The samples selected for analysis will be determined from field observation and data. All samples will be collected and preserved in laboratory prepared sample containers with standard QA/QC procedures. All samples will be shipped under proper chain-of-custody control and analyzed within the standard holding times. The soil samples will be analyzed for Total Petroleum Hydrocarbon (TPH) by method 8015 DRO/GRO, Benzene, Toluene, Ethyl benzene, and Xylene (BTEX) by method EPA Method 8021B and chloride by method EPA method 300.



TETRA TECH

Once the analytical data has been received and reviewed, a remediation work plan will be prepared and submitted to the NMOCD for approval. If you have any questions or comments concerning the proposed work plan, please call me at (432) 682-4559.

Respectfully submitted,
TETRA TECH


Ike Tavaréz , PG
Sr. Project Manager

cc: Hollie Lamb -HeLM

Appendix A

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505



Form C-141
Revised August 8, 2011

Release Notification and Corrective Action

OPERATOR

Initial Report Final Report

Name of Company	ALAMO PERMIAN RESOURCES, LLC	Contact	STEVEN MASTIN
Address	415 W. WALL ST. SUITE 500	Telephone No.	432 557 5847
Facility Name	DELHI B STATE #3	Facility Type	WELL
Surface Owner	STATE	Mineral Owner	STATE
		API No.	30-015-39590

LOCATION OF RELEASE

Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
28	17S	28E	835	S	330	W	EDDY

Latitude 32.800365
Longitude -104.187837

NATURE OF RELEASE

Type of Release: OIL AND WATER	Volume of Release: 50 BBLS OF OIL, 50 BBLS OF WATER	Volume Recovered: 30 BBLS OIL
Source of Release: FLOW LINE	Date and Hour of Occurrence: MAY 21, 2012	Date and Hour of Discovery MAY 22, 2012
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? STEVEN MASTIN	
By Whom? RICKY RODRIGUEZ, FIELD SUPERVISOR	Date and Hour MAY 22, 2012, 8:00 AM	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	
If a Watercourse was Impacted, Describe Fully.*		
Describe Cause of Problem and Remedial Action Taken.*		
Cause of problem: Flowline leak at wellsite location; vacuum trucks dispatched to suck up standing fluid.		
Describe Area Affected and Cleanup Action Taken.*		
Clean up action: Localized area around wellsite, vacuum trucks picked up 30 bbls of standing oil		
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Signature:		OIL CONSERVATION DIVISION
Printed Name: TOM FULVI		Approved by Environmental Specialist:
Title: REGULATORY/ PRODUCTION TECH	Approval Date:	Expiration Date:
E-mail Address: tfulvi@alamoresources.com	Conditions of Approval:	Attached <input type="checkbox"/>
Date: 05/22/2012	Phone: 432 897 0673	

* Attach Additional Sheets If Necessary

Appendix B

Water Well Data
Average Depth to Groundwater (ft)
Delhi B State #3
Eddy County, New Mexico

16 South 27 East

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

16 South 28 East

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

16 South 29 East

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14 220	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

17 South 27 East

6	5	4	3	2	1
7	8	9	10	11 54	12
14				50	
18	17	16	15	14	13
111	90	175			
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

17 South 28 East

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
191			79		
30	29	28	27	26	25
31	32	33	34	35	36

17 South 29 East

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29 210	28	27	26	25
31	32	33	34	35	36

18 South 27 East

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	65	32	33	34	35

18 South 28 East

6	5	4	3	2	1
7	8	9	10	11	12
49	69				
18	17	16	15	14	13
19	20	21	22	23	24
49	29	28	27	26	25
31	32	33	34	35	36

18 South 29 East

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

- 88 New Mexico State Engineers Well Reports
- 105 USGS Well Reports
- 90 Geology and Groundwater Conditions in Southern Lea, County, NM (Report 6)
- Geology and Groundwater Resources of Eddy County, NM (Report 3)
- 34 NMOCD - Groundwater Data
- 123 Tetra Tech installed temporary wells and field water level
- 143 NMOCD Groundwater map well location



USGS Home
 Contact USGS
 Search USGS

National Water Information System: Web Interface

[USGS Water Resources](#)

Data Category:
 Groundwater

Geographic Area:
 New Mexico

[NEWS](#) updated March, 2012

Groundwater levels for New Mexico

NM

Search Results -- 1 sites found

Search Criteria

site_no list =
 • 324855104093101

Minimum number of levels = 1

[Save file of selected sites to local disk for future upload](#)

USGS 324855104093101 17S.28E.22.34242

Available data for this site Groundwater: Field measurements

<p>Eddy County, New Mexico Hydrologic Unit Code 13060011 Latitude 32°48'55", Longitude 104°09'31" NAD27 Land-surface elevation 3,578 feet above NGVD29 The depth of the well is 95.00 feet below land surface. This well is completed in the Alluvium, Bolson Deposits and Other Surface Deposits (110AVMB) local aquifer.</p>	<p>Output formats</p> <p>Table of data</p> <p>Tab-separated data</p> <p>Graph of data</p> <p>Reselect period</p>
---	---

USGS 324855104093101 17S.28E.22.34242

---- Provisional Data Subject to Revision ----

Breaks in the plot represent a gap of at least one year between field measurements.
[Download a presentation-quality graph](#)

[Questions about sites/data?](#)

[Data Tips](#)



New Mexico Office of the State Engineer Water Column/Average Depth to Water

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest) (NAD83 UTM in meters)
No records found.

PLSS Search:

Township: 17S Range: 28E

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

4/16/12 8:43 AM

WATER COLUMN/ AVERAGE
DEPTH TO WATER



New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced,
O=orphaned,
C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest) (NAD83 UTM in meters) (In feet)

POD Number	POD Code	Subbasin	County	Q 6	Q 4	Q 4	Sec	Tws	Rng	X	Y	Depth Well	Depth Water	Water Column
<u>L_01142_POD1</u>	L	LE	LE	2	4	15	18S	28E	578921	3623453*	80			
<u>L_01150_POD1</u>	L	LE	LE	1	1	35	18S	28E	579344	3618433*	135	65	70	
<u>RA 09568</u>		ED	ED	1	2	33	18S	28E	576976	3619384*	300			
												Average Depth to Water: 65 feet		
												Minimum Depth: 65 feet		
												Maximum Depth: 65 feet		

Record Count: 3

PLSS Search:

Township: 18S Range: 28E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

4/16/12 8:39 AM

WATER COLUMN/ AVERAGE
DEPTH TO WATER



New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW#### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced,
O=orphaned,
C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE) \
(quarters are smallest to largest) (NAD83 UTM in meters) (In feet)

POD Number	POD Code	Subbasin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Depth Well	Depth Water	Water Column
<u>RA 03714</u>			CH	4	4	2	08	18S	27E	566212	3625253'	381		
<u>RA 03917</u>			LE	4	1	2	10	18S	27E	569019	3625660'	130	50	80
<u>RA 04048</u>			LE	1	4	4	14	18S	27E	570841	3623030'	2096		
<u>RA 04211</u>			CH	3	1	28	18S	27E	566512	3620562'	120	100	20	
<u>RA 04298</u>			ED	1	2	19	18S	27E	564082	3622523'	92			
<u>RA 05524</u>			ED	2	4	33	18S	27E	567721	3618532'	90	49	41	
<u>RA 05660</u>			ED	3	4	31	18S	27E	564084	3618090'	305	65	240	
<u>RA 05664</u>			ED	4	1	33	18S	27E	566914	3618936'		145		
<u>RA 06091</u>			ED	1	2	3	29	18S	27E	565211	3620222'	90	17	73
Average Depth to Water:												71 feet		
Minimum Depth:												17 feet		
Maximum Depth:												145 feet		

Record Count: 9

PLSS Search:

Township: 18S Range: 27E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

4/18/12 8:40 AM

WATER COLUMN/ AVERAGE
DEPTH TO WATER



New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW#### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced,
O=orphaned,
C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest) (NAD83 UTM in meters) (In feet)

POD Number	POD Code	Subbasin	County	Q 64	Q 16	Q 4	Sec	Tws	Range	X	Y	Depth Well	Depth Water	Water Column
<u>RA 01493</u>			ED	2	1	27	17S	27E		568468	3630529*	876		
<u>RA 01716 (D)</u>	O		ED	4	4	3	16	17S	27E	566953	3632420*	1220	175	1045
<u>RA 01716 S</u>			ED	4	4	3	16	17S	27E	566953	3632420*	1200		
<u>RA 02866</u>			ED	4	4	4	05	17S	27E	566117	3635707*	80	30	50
<u>RA 03279</u>			ED		3	2	07	17S	27E	564020	3635011*	250	14	236
<u>RA 03661</u>			ED	3	2	3	32	17S	27E	565186	3628038*	330	140	190
<u>RA 03664</u>			CH	3	2	3	32	17S	27E	565186	3628038*	400	100	300
<u>RA 03684</u>			ED		4	17	17S	27E		565854	3632721*	300	90	210
<u>RA 03816</u>			CH		4	17	17S	27E		565854	3632721*	945	931	14
<u>RA 04114</u>			LE	4	4	3	16	17S	27E	566953	3632420*	1042	260	782
<u>RA 04153</u>			CH	4	4	3	16	17S	27E	566953	3632420*	1220	175	1045
<u>RA 04320</u>			ED		3	17	17S	27E		565053	3632719*	120	50	70
<u>RA 04554</u>			ED		1	23	17S	27E		569859	3631947*	220	40	180
<u>RA 04561</u>			ED		4	2	26	17S	27E	570871	3630142*	250		
<u>RA 04786</u>			ED	4	3	2	18	17S	27E	564133	3633277*	138	111	27
<u>RA 06531</u>			ED	4	1	4	17	17S	27E	565747	3632821*	200		
<u>RA 06560</u>			CH	2	1	2	20	17S	27E	565757	3632217*	133	80	53
<u>RA 06635</u>			ED	2	2	2	18	17S	27E	564531	3633852*	325	60	265
<u>RA 07774</u>			ED	3	2	1	11	17S	27E	569933	3635251*	100	50	50
<u>RA 07844</u>			ED	3	4	3	16	17S	27E	566753	3632420*	1300	180	1120
<u>RA 07844 EXPL</u>			ED		4	3	16	17S	27E	566854	3632521*	1300	180	1120
<u>RA 08823</u>			ED	1	1	3	17	17S	27E	564745	3633019*	348	60	288
<u>RA 11691 POD1</u>			ED	2	1	4	17	17S	27E	565800	3633029	150	0	150

Average Depth to Water: 143 feet
Minimum Depth: 0 feet
Maximum Depth: 931 feet

Record Count: 23

PLSS Search:

Township: 17S Range: 27E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

4/16/12 8:42 AM

WATER COLUMN/ AVERAGE
DEPTH TO WATER