

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised October 10, 2003

Submit 2 copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

OPERATOR

Initial Report Final Report

Name of Company: Targa Midstream Services L.P.	Contact: Ralph England
Address: P.O. Box 1689, Lovington, NM 88260	Telephone No.: 575-396-3221
Facility Name: Saunders Plant	Facility Type: Gas Processing

Surface Owner: Dan Field Branch Ranch	Mineral Owner	Lease No.:
---------------------------------------	---------------	------------

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
U	3	16S	35E	929'	SOUTH	31'	WEST	LEA

Latitude: 32.946433° Longitude: -103.454091°

NATURE OF RELEASE API # 30-025-01195

Type of Release: Gas Release	Volume of Release: Unknown	Volume Recovered: 0
Source of Release: 20" steel pipeline	Date and Hour of Occurrence: 5-22-12 UNKNOWN	Date and Hour of Discovery: 5-22-12
Was Immediate Notice Given? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom?	
By Whom?	Date and Hour:	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse:	

If a Watercourse was Impacted, Describe Fully.*

Describe Cause of Problem and Remedial Action Taken.*

Gas pipeline leak discovered by Targa personal while performing routine line inspection. Watson Const. Co. was called out, pipeline was excavated and leak was clamped off. Site backfilled and ETNM / WEE Inc. were contacted to clean up leak.
DEPTH TO GROUND WATER ACCORDING TO TEXACO/CHEVRON 2005 WATER DATA MAP FOR LEA COUNTY IS APPROXIMATELY 57' bgs +/-

Describe Area Affected and Cleanup Action Taken.*

CLEAN UP ACTION: leak area was clamped off and backfilled. Targa is in the process of ordering new poly pipe for replacement of old pipe. ETNM / WEE Inc. has been contracted to perform clean up of leak area. Site will be cleaned up in accordance with NMOCD Leak Clean up standards.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: <i>Ralph England</i>	OIL CONSERVATION DIVISION ENV SPECIALIST ENV SUPERVISOR	
Printed Name: Ralph England	Approved by District Supervisor: <i>Jeff Levine</i>	
Title: Field Supervisor	Approval Date: <i>5/29/12</i>	Expiration Date: <i>7/30/12</i>
E-mail Address: REngland@targaresources.com	Conditions of Approval: SUBMIT FINAL <i>C-141 BY 7/30/12</i>	Attached <input type="checkbox"/> <i>IRP-5-12-2816</i>
Date: 5-25-12	Phone: (575) 396-3221	

* Attach Additional Sheets If Necessary

Earth Technologies of New Mexico Inc.

(A Whole Environmental Inc. Company)

ETNM PR- 6

Remediation and Site Restoration Protocol

Targa Midstream Services LLC

Field #2 Leak

1RP-2816

SEE NOTES 2ND PAGE
REVISION 6/26/12

1.0 Purpose

This protocol is to provide a detailed outline of the steps to be employed in the remediation of a gas & hydrocarbon release impact area near Lovington, NM in Lea County, New Mexico.

2.0 Scope

This protocol is site specific for the above project.

3.0 Preliminary

Prior to any field operations, Earth Technologies of New Mexico (ETNM / WEE Inc.) shall conduct the following activities:

3.1 Client Review

3.1.1 ETNM / WEE Inc. shall meet with appointed personnel within Targa Midstream Services LLC to review this protocol and make any requested modifications or alterations.

3.1.2 Changes to this protocol will be documented and submitted for final review by Targa Midstream Services LLC prior to the initiation of actual fieldwork.

3.1.3 Upon client approval, this protocol and supporting documentation will be submitted to the Hobbs district office of the NMOCD for approval.

4.0 Safety

4.1 Prior to work on the site, ETNM / WEE Inc. shall obtain the location and phone numbers of the nearest emergency medical treatment facility. We will review all safety related issues with the appropriate Targa Midstream Services LLC personnel, sub-contractors and exchange phone numbers.

4.2 A tailgate safety meeting shall be held and documented each day. All sub-contractors must attend and sign the daily log-in sheet.

4.3 Anyone allowed on to location will be wearing standard PPE, and Fire Retardant Clothing or Coveralls. Each vehicle must be equipped with two way communication capabilities.

5.0 Initial Site Investigation

The site will be properly delineated vertically and laterally to meet NMOCD Spill Clean Up Standards. ETNM/WEE Inc. will initiate site investigation by boring 5 boreholes on the site; 1 @ the source of the leak until clean plus one more clean sample in 5' increments and 4 more bores in each directions (N,S,E & W) 5' from the source until clean plus one more clean sample in 5' increments. Additional boring may be required if the initial bores 5' from the source are not clean. All samples will be saved and split with the land owner. Various samples from the bores will pulled and sent to Cardinal Labs in Hobbs for confirmation in accordance to NMOCD Spill Clean up Standards.

6.0 Remediation Procedure

The area impacted leak area will be sampled during the time that Targa is replacing the old steel pipe with the new poly line using a 5pt bottom composite and a 5pt. composite (each) of the north and south wall. Samples will be split with land owner and samples will be sent to Cardinal Labs in Hobbs for confirmation. If samples confirm clean no further work will be required at the site. If sample are above the NMOCD Spill Clean Up Standards ETNM/WEE Inc. will schedule a cleanup excavation of the impacted area with Targa to meet the NMOCD Spill Clean up Standards.

RE-EXCAVATION 10X10X5'
DO WALL
SAMPLES
& 5PT
BOTTOM
NA
SMALL

7.0 Site Restoration Procedure

The site will backfilled and compacted with fresh caliche, topsoil and re-contoured to match the surrounding elevation. The site will be reseeded using an approved seed mixture by the land owner.

8.0 Closure Report

At the conclusion of the project, Whole Earth shall prepare a closure report which contains the following minimum information:

- Photographs of the location prior to remediation
- Photographs of all excavations at the point of maximum soil removal
- Photographs of the location at time of final closure
- Lab results
- Field CL- titration & PID results
- Disposal record of all manifest ticket numbers, volume amount of load, and date of disposal
- Copies of this protocol and all testing procedures

EARTH TECHNOLOGIES OF NEW MEXICO INC.

(A WHOLE EARTH ENVIRONMENTAL INC. CO.)

Summary of Excavation Soil Sample Analytical Results
 IRP-2816 TARGA FIELD #2 LEAK

Soil Sample ID.	Depth (Feet)	Sample Date	Soil Status	PID Reading (ppm)	Field Chloride Analysis (ppm)	Benzene (mg/Kg)	Toluene (mg/Kg)	Ethylbenzene (mg/Kg)	Total Xylenes (mg/Kg)	Carbon Ranges (C6-C10) (mg/Kg)	Carbon Ranges (C10-C28) (mg/Kg)	Chloride (mg/Kg)	
SOURCE BORE	5' bgs	6/5/12	bore, auger cutting returns	13.0						<10.0	<10.0		
	10' bgs			18.4		<0.050	<0.050	<0.050	<0.150	<10.0	<10.0	768	
B1 @ 5' N. OF SOURCE	5' bgs			4.0							<10.0	<10.0	
	10' bgs			5.6		<0.050	<0.050	<0.050	<0.150	<10.0	<10.0	<16.0	
B2 @ 5' W. OF SOURCE	5' bgs			6.3							<10.0	<10.0	
	10' bgs			7.0		<0.050	<0.050	<0.050	<0.150	<10.0	<10.0	<16.0	
B3 @ 5' S. OF SOURCE	5' bgs			7.0							<10.0	<10.0	
	10' bgs			13.2		<0.050	<0.050	<0.050	<0.150	<10.0	<10.0	<16.0	
B4 @ 5' E. OF SOURCE	5' bgs			12.6							<10.0	<10.0	
	10' bgs			5.5		<0.050	<0.050	<0.050	<0.150	<10.0	<10.0	<16.0	

1RP-2816
Targa Field #2 Leak
UL/J SEC 3 - T16S - R35E
GPS LAT & LON WGS84
N32.946433 / W103.454091
929' FSL & 31' FWL
DRIVING DIRECTIONS: IN LOVINGTON @ INTERSECTION OF AVE
D & MAIN ST. TURN LE. ONTO AVE D GO 5.54MI. TURN R DRIVE
THRU GATE TAKE LEASE RD. ON L. STAYING ON MAIN LEASE
RD HEADED W. GO 0.54MI @ "y" CURVE L GO 0.12MI CURVE R
FOLLOW RD N 0.16MI. LEAK SITE IS LOCATED ON R. SIDE OF
LEASE RD ABOUT 10' INTO PASTURE.

Targa Field #2

W.D.Ave

W Ave D - 82 - Lovington

S Main Ave

N Main Ave

Arkansas Jct

Google earth

Imagery Date: 3/2/2012

lat 32.947745 lon -103.402564 elev 3965 ft

Eye alt 33637 ft

Image USDA, Farm Service Agency
© 2012 Google

INITIAL VIEW OF
LEAK. CLAMP
INSTALLED LINE
BACK IN
SERVICE W. > E.



**VIEWING LEAK
SOURCE LINE
SPOTTED
CLAMP VISIBLE
W. > E.**



**VIEWING LEAK
SOURCE LINE
SPOTTED,
LOCATION OF B1
S. > N.**



**VIEWING LEAK SOURCE S > N
S. SIDE OF PIPELINE**




**VIEWING LEAK SOURCE
SW > NE**



**VIEWING LEAK SOURCE
SOUTH WALL NW > SE**



**VIEWING LEAK SOURCE
SOUTH WALL NE > SW**



June 07, 2012

ROY RASCON

EARTH TECHNOLOGIES OF NEW MEXICO

904 WEST HUMBLE

HOBBS, NM 88240

RE: TARGA FIELD #2

Enclosed are the results of analyses for samples received by the laboratory on 06/06/12 9:15.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-11-3. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Celey D. Keene

Lab Director/Quality Manager

Analytical Results For:

 EARTH TECHNOLOGIES OF NEW MEXICO
 ROY RASCON
 904 WEST HUMBLE
 HOBBS NM, 88240
 Fax To: NONE

Received:	06/06/2012	Sampling Date:	06/05/2012
Reported:	06/07/2012	Sampling Type:	Soil
Project Name:	TARGA FIELD #2	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN		

Sample ID: SOURCE @ 5' (H201257-01)

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	06/06/2012	ND	187	93.4	200	1.58		
DRO >C10-C28	<10.0	10.0	06/06/2012	ND	190	94.9	200	0.252		
<i>Surrogate: 1-Chlorooctane</i>		90.0 %	65.2-140							
<i>Surrogate: 1-Chlorooctadecane</i>		105 %	63.6-154							

Sample ID: SOURCE @ 10' (H201257-02)

BTEX 8021B		mg/kg		Analyzed By: ZZZ						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	06/06/2012	ND	2.20	110	2.00	3.96		
Toluene*	<0.050	0.050	06/06/2012	ND	2.02	101	2.00	2.93		
Ethylbenzene*	<0.050	0.050	06/06/2012	ND	1.89	94.5	2.00	3.32		
Total Xylenes*	<0.150	0.150	06/06/2012	ND	5.72	95.4	6.00	3.02		

Surrogate: 4-Bromofluorobenzene (PII) 100 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	768	16.0	06/06/2012	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	06/06/2012	ND	187	93.4	200	1.58		
DRO >C10-C28	<10.0	10.0	06/06/2012	ND	190	94.9	200	0.252		

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 EARTH TECHNOLOGIES OF NEW MEXICO
 ROY RASCON
 904 WEST HUMBLE
 HOBBS NM, 88240
 Fax To: NONE

Received:	06/06/2012	Sampling Date:	06/05/2012
Reported:	06/07/2012	Sampling Type:	Soil
Project Name:	TARGA FIELD #2	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN		

Sample ID: SOURCE @ 10' (H201257-02)

TPH 8015M	mg/kg	Analyzed By: MS							
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Surrogate: 1-Chlorooctane	87.1 %	65.2-140							
Surrogate: 1-Chlorooctadecane	97.6 %	63.6-154							

Sample ID: B1 @ 5' (H201257-03)

TPH 8015M	mg/kg	Analyzed By: MS							
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	06/06/2012	ND	187	93.4	200	1.58	
DRO >C10-C28	<10.0	10.0	06/06/2012	ND	190	94.9	200	0.252	
Surrogate: 1-Chlorooctane	85.3 %	65.2-140							
Surrogate: 1-Chlorooctadecane	94.3 %	63.6-154							

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 EARTH TECHNOLOGIES OF NEW MEXICO
 ROY RASCON
 904 WEST HUMBLE
 HOBBS NM, 88240
 Fax To: NONE

 Received: 06/06/2012
 Reported: 06/07/2012
 Project Name: TARGA FIELD #2
 Project Number: NONE GIVEN
 Project Location: NOT GIVEN

 Sampling Date: 06/05/2012
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: B1 @ 10' (H201257-04)

BTEX 8021B		mg/kg		Analyzed By: ZZZ					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/06/2012	ND	2.20	110	2.00	3.96	
Toluene*	<0.050	0.050	06/06/2012	ND	2.02	101	2.00	2.93	
Ethylbenzene*	<0.050	0.050	06/06/2012	ND	1.89	94.5	2.00	3.32	
Total Xylenes*	<0.150	0.150	06/06/2012	ND	5.72	95.4	6.00	3.02	

Surrogate: 4-Bromofluorobenzene (PIC) 99.9 % 89.4-126

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	06/06/2012	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	06/06/2012	ND	187	93.4	200	1.58	
DRO >C10-C28	<10.0	10.0	06/06/2012	ND	190	94.9	200	0.252	

Surrogate: 1-Chlorooctane 91.8 % 65.2-140

Surrogate: 1-Chlorooctadecane 107 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 EARTH TECHNOLOGIES OF NEW MEXICO
 ROY RASCON
 904 WEST HUMBLE
 HOBBS NM, 88240
 Fax To: NONE

 Received: 06/06/2012
 Reported: 06/07/2012
 Project Name: TARGA FIELD #2
 Project Number: NONE GIVEN
 Project Location: NOT GIVEN

 Sampling Date: 06/05/2012
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: B2 @ 5' (H201257-05)

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	06/06/2012	ND	187	93.4	200	1.58	
DRO >C10-C28	<10.0	10.0	06/06/2012	ND	190	94.9	200	0.252	
<i>Surrogate: 1-Chlorooctane</i>		<i>88.8 %</i>	<i>65.2-140</i>						
<i>Surrogate: 1-Chlorooctadecane</i>		<i>98.9 %</i>	<i>63.6-154</i>						

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 EARTH TECHNOLOGIES OF NEW MEXICO
 ROY RASCON
 904 WEST HUMBLE
 HOBBS NM, 88240
 Fax To: NONE

 Received: 06/06/2012
 Reported: 06/07/2012
 Project Name: TARGA FIELD #2
 Project Number: NONE GIVEN
 Project Location: NOT GIVEN

 Sampling Date: 06/05/2012
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: B2 @ 10' (H201257-06)

BTEX 8021B		mg/kg		Analyzed By: ZZZ					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/06/2012	ND	2.20	110	2.00	3.96	
Toluene*	<0.050	0.050	06/06/2012	ND	2.02	101	2.00	2.93	
Ethylbenzene*	<0.050	0.050	06/06/2012	ND	1.89	94.5	2.00	3.32	
Total Xylenes*	<0.150	0.150	06/06/2012	ND	5.72	95.4	6.00	3.02	

Surrogate: 4-Bromofluorobenzene (PIE) 103 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	06/06/2012	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	06/06/2012	ND	187	93.4	200	1.58	
DRO >C10-C28	<10.0	10.0	06/06/2012	ND	190	94.9	200	0.252	

Surrogate: 1-Chlorooctane 91.5 % 65.2-140

Surrogate: 1-Chlorooctadecane 99.1 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 EARTH TECHNOLOGIES OF NEW MEXICO
 ROY RASCON
 904 WEST HUMBLE
 HOBBS NM, 88240
 Fax To: NONE

 Received: 06/06/2012
 Reported: 06/07/2012
 Project Name: TARGA FIELD #2
 Project Number: NONE GIVEN
 Project Location: NOT GIVEN

 Sampling Date: 06/05/2012
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: B3 @ 5' (H201257-07)
TPH 8015M
mg/kg
Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	06/06/2012	ND	187	93.4	200	1.58	
DRO >C10-C28	<10.0	10.0	06/06/2012	ND	190	94.9	200	0.252	
<hr/>									
Surrogate: 1-Chlorooctane	92.8 %	65.2-140							
Surrogate: 1-Chlorooctadecane	107 %	63.6-154							

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 EARTH TECHNOLOGIES OF NEW MEXICO
 ROY RASCON
 904 WEST HUMBLE
 HOBBS NM, 88240
 Fax To: NONE

Received:	06/06/2012	Sampling Date:	06/05/2012
Reported:	06/07/2012	Sampling Type:	Soil
Project Name:	TARGA FIELD #2	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN		

Sample ID: B3 @ 10' (H201257-08)

BTEX 8021B		mg/kg		Analyzed By: ZZZ					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/06/2012	ND	2.20	110	2.00	3.96	
Toluene*	<0.050	0.050	06/06/2012	ND	2.02	101	2.00	2.93	
Ethylbenzene*	<0.050	0.050	06/06/2012	ND	1.89	94.5	2.00	3.32	
Total Xylenes*	<0.150	0.150	06/06/2012	ND	5.72	95.4	6.00	3.02	

Surrogate: 4-Bromofluorobenzene (PID) 102 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	06/06/2012	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	06/06/2012	ND	187	93.4	200	1.58	
DRO >C10-C28	<10.0	10.0	06/06/2012	ND	190	94.9	200	0.252	

Surrogate: 1-Chlorooctane 87.0 % 65.2-140

Surrogate: 1-Chlorooctadecane 89.6 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 EARTH TECHNOLOGIES OF NEW MEXICO
 ROY RASCON
 904 WEST HUMBLE
 HOBBS NM, 88240
 Fax To: NONE

 Received: 06/06/2012
 Reported: 06/07/2012
 Project Name: TARGA FIELD #2
 Project Number: NONE GIVEN
 Project Location: NOT GIVEN

 Sampling Date: 06/05/2012
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: B4 @ 5' (H201257-09)

TPH 8015M	mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	06/06/2012	ND	187	93.4	200	1.58	
DRO >C10-C28	<10.0	10.0	06/06/2012	ND	190	94.9	200	0.252	
<i>Surrogate: 1-Chlorooctane</i>	<i>87.4 %</i>	<i>65.2-140</i>							
<i>Surrogate: 1-Chlorooctadecane</i>	<i>95.9 %</i>	<i>63.6-154</i>							

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 EARTH TECHNOLOGIES OF NEW MEXICO
 ROY RASCON
 904 WEST HUMBLE
 HOBBS NM, 88240
 Fax To: NONE

 Received: 06/06/2012
 Reported: 06/07/2012
 Project Name: TARGA FIELD #2
 Project Number: NONE GIVEN
 Project Location: NOT GIVEN

 Sampling Date: 06/05/2012
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: B4 @ 10' (H201257-10)

BTEX 8021B		mg/kg		Analyzed By: ZZZ					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/07/2012	ND	2.20	110	2.00	3.96	
Toluene*	<0.050	0.050	06/07/2012	ND	2.02	101	2.00	2.93	
Ethylbenzene*	<0.050	0.050	06/07/2012	ND	1.89	94.5	2.00	3.32	
Total Xylenes*	<0.150	0.150	06/07/2012	ND	5.72	95.4	6.00	3.02	

Surrogate: 4-Bromofluorobenzene (PIE) 101 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	06/06/2012	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	06/06/2012	ND	187	93.4	200	1.58	
DRO >C10-C28	<10.0	10.0	06/06/2012	ND	190	94.9	200	0.252	

Surrogate: 1-Chlorooctane 78.4 % 65.2-140

Surrogate: 1-Chlorooctadecane 89.7 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Notes and Definitions


ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories*=**Accredited Analyte**

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: <i>ETNM</i>		BILL TO		ANALYSIS REQUEST																	
Project Manager: <i>Roy Kessner</i>		P.O. #:		Company:		Attn:		Address:		City:		State:		Zip:		Phone #:		Fax #:			
Address:		State:		Zip:		Project Owner:		Project Location:		Project Name: <i>Payson Field #2</i>		Sampler Name: <i>Roy Kessner</i>		Matrix:		Preserv:		Sampling:			
City:		Fax #:		Project Owner:		Project Location:		Project Name:		Sampler Name:		Matrix:		Preserv:		Sampling:		Date:		Time:	
Phone #:		Project Owner:		Project Location:		Project Name:		Sampler Name:		Matrix:		Preserv:		Sampling:		Date:		Time:		Boism	
Project #:		Project Location:		Project Name:		Sampler Name:		Matrix:		Preserv:		Sampling:		Date:		Time:		Boism		Cl-	
Project Name: <i>Payson Field #2</i>		Project Location:		Project Name:		Sampler Name:		Matrix:		Preserv:		Sampling:		Date:		Time:		Boism		Boism	
Project Location:		Project Name:		Sampler Name:		Matrix:		Preserv:		Sampling:		Date:		Time:		Boism		Boism		Boism	
Sampler Name: <i>Roy Kessner</i>		Matrix:		Preserv:		Sampling:		Date:		Time:		Boism		Boism		Boism		Boism		Boism	
FOR LAB USE ONLY		Matrix:		Preserv:		Sampling:		Date:		Time:		Boism		Boism		Boism		Boism		Boism	
Lab I.D.		Sample I.D.		Matrix:		Preserv:		Sampling:		Date:		Time:		Boism		Boism		Boism		Boism	
<i>H2O1257</i>		<i>1 @ 5' @ 25'</i>		Matrix:		Preserv:		Sampling:		Date:		Time:		Boism		Boism		Boism		Boism	
<i>2</i>		<i>" @ 10'</i>		Matrix:		Preserv:		Sampling:		Date:		Time:		Boism		Boism		Boism		Boism	
<i>3</i>		<i>B1 @ 5'</i>		Matrix:		Preserv:		Sampling:		Date:		Time:		Boism		Boism		Boism		Boism	
<i>4</i>		<i>" @ 10'</i>		Matrix:		Preserv:		Sampling:		Date:		Time:		Boism		Boism		Boism		Boism	
<i>5</i>		<i>B2 @ 5'</i>		Matrix:		Preserv:		Sampling:		Date:		Time:		Boism		Boism		Boism		Boism	
<i>6</i>		<i>" @ 10'</i>		Matrix:		Preserv:		Sampling:		Date:		Time:		Boism		Boism		Boism		Boism	
<i>7</i>		<i>B3 @ 25'</i>		Matrix:		Preserv:		Sampling:		Date:		Time:		Boism		Boism		Boism		Boism	
<i>8</i>		<i>" @ 10'</i>		Matrix:		Preserv:		Sampling:		Date:		Time:		Boism		Boism		Boism		Boism	
<i>9</i>		<i>B4 @ 5'</i>		Matrix:		Preserv:		Sampling:		Date:		Time:		Boism		Boism		Boism		Boism	
<i>10</i>		<i>" @ 10'</i>		Matrix:		Preserv:		Sampling:		Date:		Time:		Boism		Boism		Boism		Boism	

PLEASE NOTE: Liability and Damages: Cardinal's liability and client's exclusive remedy for any chain custody whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: *[Signature]* **Date:** *6/12/05* **Received By:** *[Signature]* **Date:** *6/12/05*

Relinquished By: *[Signature]* **Date:** *6/12/05* **Received By:** *[Signature]* **Date:** *6/12/05*

Delivered By: (Circle One) Cool Intact

Sampler - UPS - Bus - Other: *50L* Yes No

Checked By: *[Signature]* **Initials:** *[Initials]*

Phone Result: Yes No **Add'l Phone #:**

Fax Result: Yes No **Add'l Fax #:**

REMARKS: *Kush!!!*

Email All

† Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2326 #26