

ABOVE THIS LINE FOR DIVISION USE ONLY

**NEW MEXICO OIL CONSERVATION DIVISION**  
 - Engineering Bureau -  
 2040 South Pacheco, Santa Fe, NM 87505



2214

**ADMINISTRATIVE APPLICATION COVERSHEET**

THIS COVERSHEET IS MANDATORY FOR ALL ADMINISTRATIVE APPLICATION FOR EXCEPTIONS TO DIVISION RULES AND REGULATIONS WHICH REQUIRE PROCESSING AT THE DIVISION LEVEL IN SANTA FE

**Application Acronyms:**

- [NSP-Non-Standard Proration Unit] [NSL-Non-Standard Location]
- [DD-Directional Drilling] [SD-Simultaneous Dedication]
- [DHC-Downhole Commingling] [CTB-Lease Commingling] [PLC-Pool/Lease Commingling]
- [PC-Pool Commingling] [OLS - Off-Lease Storage] [OLM-Off-Lease Measurement]
- [WFX-Waterflood Expansion] [PMX-Pressure Maintenance Expansion]
- [SWD-Salt Water Disposal] [IPI-Injection Pressure Increase]
- [EOR-Qualified Enhanced Oil Recovery Certification] [PPR-Positive Production Response]


[1] **TYPE OF APPLICATION - Check Those Which Apply for [A]**

- [A] Location - Spacing Unit - Directional Drilling  
 NSL  NSP  DD  SD

Check One Only for [B] or [C]

- [B] Commingling - Storage - Measurement  
 DHC  CTB  PLC  PC  OLS  OLM

- [C] Injection - Disposal - Pressure Increase - Enhanced Oil Recovery  
 WFX  PMX  SWD  IPI  EOR  PPR



[2] **NOTIFICATION REQUIRED TO: - Check Those Which Apply, or  Does Not Apply**

- [A]  Working, Royalty or Overriding Royalty Interest Owners
- [B]  Offset Operators, Leaseholders or Surface Owner
- [C]  Application is One Which Requires Published Legal Notice
- [D]  Notification and/or Concurrent Approval by BLM or SLO  
U.S. Bureau of Land Management - Commissioner of Public Lands, State Land Office
- [E]  For all of the above, Proof of Notification or Publication is Attached, and/or,
- [F]  Waivers are Attached

[3] **INFORMATION / DATA SUBMITTED IS COMPLETE - Certification**

I hereby certify that I, or personnel under my supervision, have read and complied with all applicable Rules and Regulations of the Oil Conservation Division. Further, I assert that the attached application for administrative approval is accurate and complete to the best of my knowledge and where applicable, verify that all interest (WI, RI, ORRI) is common. **I understand that any omission of data (including API numbers, pool codes, etc.), pertinent information and any required notification is cause to have the application package returned with no action taken.**

**Note: Statement must be completed by an individual with managerial and/or supervisory capacity.**

Print or Type Name \_\_\_\_\_ Signature *[Signature]* Title \_\_\_\_\_ Date \_\_\_\_\_

**DISTRICT I**

P.O. Box 1980, Hobbs, NM 88241-1980

**DISTRICT II**

811 South First St., Artesia, NM 88210-2835

**DISTRICT III**

1000 Rio Brazos Rd, Aztec, NM 87410-1693

State of New Mexico  
Energy, Minerals and Natural Resources Department

**OIL CONSERVATION DIVISION**

2040 S. Pacheco  
Santa Fe, New Mexico 87505-6429

Form C-107-A  
New 3-12-96

APPROVAL PROCESS :

Administrative  Hearing

EXISTING WELLBORE

YES  NO

**APPLICATION FOR DOWNHOLE COMMINGLING**

Burlington Resources Oil & Gas Company

PO Box 4289, Farmington, NM 87499

Operator

Address

San Juan 27-5 Unit

112M

08-27N-05W

Rio Arriba

Lease

Well No.

Unit Ltr. - Sec - Twp - Rge

County

Spacing Unit Lease Types: (check 1 or more)

OGRID NO. 14538 Property Code 7454 API NO. 30-XXX Federal  State  (and/or) Fee

The following facts are submitted in support of downhole commingling:	Upper Zone	Intermediate Zone	Lower Zone
1. Pool Name and Pool Code	Blanco Mesaverde - 72319		Basin Dakota - 71599
2. Top and Bottom of Pay Section (Perforations)	will be supplied upon completion		will be supplied upon completion
3. Type of production (Oil or Gas)	gas		gas
4. Method of Production (Flowing or Artificial Lift)	flowing		flowing
5. Bottomhole Pressure Oil Zones - Artificial Lift: Estimated Current Gas & Oil - Flowing: Measured Current All Gas Zones: Estimated or Measured Original	(Current) a. 524 psi (see attachment)	a.	a. 1025 psi (see attachment)
	(Original) b. 1233 psi (see attachment)	b.	b. 3085 psi (see attachment)
6. Oil Gravity (API) or Gas BTU Content	BTU 1205		BTU 1118
7. Producing or Shut-In?	shut in		shut in
Production Marginal? (yes or no)	no		yes
* If Shut-In and oil/gas/water rates of last production <small>Note: For new zones with no production history, applicant shall be required to attach production estimates and supporting data</small>	Date: n/a Rates:	Date: Rates:	Date: n/a Rates:
* If Producing, give data and oil/gas/water of recent test (within 60 days)	Date: n/a Rates:	Date: Rates:	Date: n/a Rates:
8. Fixed Percentage Allocation Formula -% for each zone (total of %'s to equal 100%)	Oil: % Gas: % will be supplied upon completion	Oil: % Gas: %	Oil: % Gas: % will be supplied upon completion

9. If allocation formula is based upon something other than current or past production, or is based upon some other method, submit attachments with supporting data and/or explaining method and providing rate projections or other required data.

10. Are all working, overriding, and royalty interests identical in all commingled zones?  Yes  No  
If not, have all working, overriding, and royalty interests been notified by certified mail?  Yes  No  
Have all offset operators been given written notice of the proposed downhole commingling?  Yes  No

11. Will cross-flow occur?  Yes  No If yes, are fluids compatible, will the formations not be damaged, will any cross-flowed production be recovered, and will the allocation formula be reliable.  Yes  No (If No, attach explanation)

12. Are all produced fluids from all commingled zones compatible with each other?  Yes  No

13. Will the value of production be decreased by commingling?  Yes  No (If Yes, attach explanation)

14. If this well is on, or communitized with, state or federal lands, either the Commissioner of Public Lands or the United States Bureau of Land Management has been notified in writing of this application.  Yes  No

15. NMOCD Reference Cases for Rule 303(D) Exceptions: ORDER NO(S)            Reference Order R-10694 attached

**16. ATTACHMENTS:**

- \* C-102 for each zone to be commingled showing its spacing unit and acreage dedication.
- \* Production curve for each zone for at least one year. (If not available, attach explanation.)
- \* For zones with no production history, estimated production rates and supporting data.
- \* Data to support allocation method or formula.
- \* Notification list of all offset operators.
- \* Notification list of working, overriding, and royalty interests for uncommon interest cases.
- \* Any additional statements, data, or documents required to support commingling.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE:



TITLE: Production Engineer

DATE: 2-3-99


TYPE OR PRINT NAME: Dan Voeks

TELEPHONE NO.: (505) 326-9700

# San Juan 27-5 Unit #112M

## Expected Production Curve


Mesaverde Formation



# San Juan 27-5 Unit #112M

## Expected Production Curve

Dakota Formation



# San Juan 27-5 Unit #112M

Bottom Hole Pressures

Flowing and Static BHP

Cullender and Smith Method

Version 1.0 3/13/94

<b>Mesaverde</b>	<b>Dakota</b>																																																
<b><u>MV-Current</u></b>	<b><u>DK-Current</u></b>																																																
<table style="width: 100%; border-collapse: collapse;"> <tr><td>GAS GRAVITY</td><td style="text-align: right;">0.708</td></tr> <tr><td>COND. OR MISC. (C/M)</td><td style="text-align: right;">C</td></tr> <tr><td>%N2</td><td style="text-align: right;">0.24</td></tr> <tr><td>%CO2</td><td style="text-align: right;">0.9</td></tr> <tr><td>%H2S</td><td style="text-align: right;">0</td></tr> <tr><td>DIAMETER (IN)</td><td style="text-align: right;">2.375</td></tr> <tr><td>DEPTH (FT)</td><td style="text-align: right;">5733</td></tr> <tr><td>SURFACE TEMPERATURE (DEG F)</td><td style="text-align: right;">60</td></tr> <tr><td>BOTTOMHOLE TEMPERATURE (DEG F)</td><td style="text-align: right;">137</td></tr> <tr><td>FLOWRATE (MCFPD)</td><td style="text-align: right;">0</td></tr> <tr><td>SURFACE PRESSURE (PSIA)</td><td style="text-align: right;">452</td></tr> <tr><td>BOTTOMHOLE PRESSURE (PSIA)</td><td style="text-align: right; border: 1px solid black;">524.3</td></tr> </table>	GAS GRAVITY	0.708	COND. OR MISC. (C/M)	C	%N2	0.24	%CO2	0.9	%H2S	0	DIAMETER (IN)	2.375	DEPTH (FT)	5733	SURFACE TEMPERATURE (DEG F)	60	BOTTOMHOLE TEMPERATURE (DEG F)	137	FLOWRATE (MCFPD)	0	SURFACE PRESSURE (PSIA)	452	BOTTOMHOLE PRESSURE (PSIA)	524.3	<table style="width: 100%; border-collapse: collapse;"> <tr><td>GAS GRAVITY</td><td style="text-align: right;">0.656</td></tr> <tr><td>COND. OR MISC. (C/M)</td><td style="text-align: right;">C</td></tr> <tr><td>%N2</td><td style="text-align: right;">0.18</td></tr> <tr><td>%CO2</td><td style="text-align: right;">1.27</td></tr> <tr><td>%H2S</td><td style="text-align: right;">0</td></tr> <tr><td>DIAMETER (IN)</td><td style="text-align: right;">2.375</td></tr> <tr><td>DEPTH (FT)</td><td style="text-align: right;">7837</td></tr> <tr><td>SURFACE TEMPERATURE (DEG F)</td><td style="text-align: right;">60</td></tr> <tr><td>BOTTOMHOLE TEMPERATURE (DEG F)</td><td style="text-align: right;">198</td></tr> <tr><td>FLOWRATE (MCFPD)</td><td style="text-align: right;">0</td></tr> <tr><td>SURFACE PRESSURE (PSIA)</td><td style="text-align: right;">852</td></tr> <tr><td>BOTTOMHOLE PRESSURE (PSIA)</td><td style="text-align: right; border: 1px solid black;">1024.9</td></tr> </table>	GAS GRAVITY	0.656	COND. OR MISC. (C/M)	C	%N2	0.18	%CO2	1.27	%H2S	0	DIAMETER (IN)	2.375	DEPTH (FT)	7837	SURFACE TEMPERATURE (DEG F)	60	BOTTOMHOLE TEMPERATURE (DEG F)	198	FLOWRATE (MCFPD)	0	SURFACE PRESSURE (PSIA)	852	BOTTOMHOLE PRESSURE (PSIA)	1024.9
GAS GRAVITY	0.708																																																
COND. OR MISC. (C/M)	C																																																
%N2	0.24																																																
%CO2	0.9																																																
%H2S	0																																																
DIAMETER (IN)	2.375																																																
DEPTH (FT)	5733																																																
SURFACE TEMPERATURE (DEG F)	60																																																
BOTTOMHOLE TEMPERATURE (DEG F)	137																																																
FLOWRATE (MCFPD)	0																																																
SURFACE PRESSURE (PSIA)	452																																																
BOTTOMHOLE PRESSURE (PSIA)	524.3																																																
GAS GRAVITY	0.656																																																
COND. OR MISC. (C/M)	C																																																
%N2	0.18																																																
%CO2	1.27																																																
%H2S	0																																																
DIAMETER (IN)	2.375																																																
DEPTH (FT)	7837																																																
SURFACE TEMPERATURE (DEG F)	60																																																
BOTTOMHOLE TEMPERATURE (DEG F)	198																																																
FLOWRATE (MCFPD)	0																																																
SURFACE PRESSURE (PSIA)	852																																																
BOTTOMHOLE PRESSURE (PSIA)	1024.9																																																
<b><u>MV-Original</u></b>	<b><u>DK-Original</u></b>																																																
<table style="width: 100%; border-collapse: collapse;"> <tr><td>GAS GRAVITY</td><td style="text-align: right;">0.708</td></tr> <tr><td>COND. OR MISC. (C/M)</td><td style="text-align: right;">C</td></tr> <tr><td>%N2</td><td style="text-align: right;">0.24</td></tr> <tr><td>%CO2</td><td style="text-align: right;">0.9</td></tr> <tr><td>%H2S</td><td style="text-align: right;">0</td></tr> <tr><td>DIAMETER (IN)</td><td style="text-align: right;">2.375</td></tr> <tr><td>DEPTH (FT)</td><td style="text-align: right;">5733</td></tr> <tr><td>SURFACE TEMPERATURE (DEG F)</td><td style="text-align: right;">60</td></tr> <tr><td>BOTTOMHOLE TEMPERATURE (DEG F)</td><td style="text-align: right;">137</td></tr> <tr><td>FLOWRATE (MCFPD)</td><td style="text-align: right;">0</td></tr> <tr><td>SURFACE PRESSURE (PSIA)</td><td style="text-align: right;">1045</td></tr> <tr><td>BOTTOMHOLE PRESSURE (PSIA)</td><td style="text-align: right; border: 1px solid black;">1233.3</td></tr> </table>	GAS GRAVITY	0.708	COND. OR MISC. (C/M)	C	%N2	0.24	%CO2	0.9	%H2S	0	DIAMETER (IN)	2.375	DEPTH (FT)	5733	SURFACE TEMPERATURE (DEG F)	60	BOTTOMHOLE TEMPERATURE (DEG F)	137	FLOWRATE (MCFPD)	0	SURFACE PRESSURE (PSIA)	1045	BOTTOMHOLE PRESSURE (PSIA)	1233.3	<table style="width: 100%; border-collapse: collapse;"> <tr><td>GAS GRAVITY</td><td style="text-align: right;">0.656</td></tr> <tr><td>COND. OR MISC. (C/M)</td><td style="text-align: right;">C</td></tr> <tr><td>%N2</td><td style="text-align: right;">0.18</td></tr> <tr><td>%CO2</td><td style="text-align: right;">1.27</td></tr> <tr><td>%H2S</td><td style="text-align: right;">0</td></tr> <tr><td>DIAMETER (IN)</td><td style="text-align: right;">2.375</td></tr> <tr><td>DEPTH (FT)</td><td style="text-align: right;">7837</td></tr> <tr><td>SURFACE TEMPERATURE (DEG F)</td><td style="text-align: right;">60</td></tr> <tr><td>BOTTOMHOLE TEMPERATURE (DEG F)</td><td style="text-align: right;">198</td></tr> <tr><td>FLOWRATE (MCFPD)</td><td style="text-align: right;">0</td></tr> <tr><td>SURFACE PRESSURE (PSIA)</td><td style="text-align: right;">2525</td></tr> <tr><td>BOTTOMHOLE PRESSURE (PSIA)</td><td style="text-align: right; border: 1px solid black;">3085.0</td></tr> </table>	GAS GRAVITY	0.656	COND. OR MISC. (C/M)	C	%N2	0.18	%CO2	1.27	%H2S	0	DIAMETER (IN)	2.375	DEPTH (FT)	7837	SURFACE TEMPERATURE (DEG F)	60	BOTTOMHOLE TEMPERATURE (DEG F)	198	FLOWRATE (MCFPD)	0	SURFACE PRESSURE (PSIA)	2525	BOTTOMHOLE PRESSURE (PSIA)	3085.0
GAS GRAVITY	0.708																																																
COND. OR MISC. (C/M)	C																																																
%N2	0.24																																																
%CO2	0.9																																																
%H2S	0																																																
DIAMETER (IN)	2.375																																																
DEPTH (FT)	5733																																																
SURFACE TEMPERATURE (DEG F)	60																																																
BOTTOMHOLE TEMPERATURE (DEG F)	137																																																
FLOWRATE (MCFPD)	0																																																
SURFACE PRESSURE (PSIA)	1045																																																
BOTTOMHOLE PRESSURE (PSIA)	1233.3																																																
GAS GRAVITY	0.656																																																
COND. OR MISC. (C/M)	C																																																
%N2	0.18																																																
%CO2	1.27																																																
%H2S	0																																																
DIAMETER (IN)	2.375																																																
DEPTH (FT)	7837																																																
SURFACE TEMPERATURE (DEG F)	60																																																
BOTTOMHOLE TEMPERATURE (DEG F)	198																																																
FLOWRATE (MCFPD)	0																																																
SURFACE PRESSURE (PSIA)	2525																																																
BOTTOMHOLE PRESSURE (PSIA)	3085.0																																																

District I  
PO Box 1980, Hobbs, NM 88241-1980

State of New Mexico  
Energy, Minerals & Natural Resources Department

Form C-102  
Revised February 21, 1994

District II  
PO Drawer 00, Artesia, NM 88211-0719

Submit to Appropriate District Office  
State Lease - 4 Copies  
Fee Lease - 3 Copies

District III  
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION  
PO Box 2088  
Santa Fe, NM 87504-2088

AMENDED REPORT

District IV  
PO Box 2088, Santa Fe, NM 87504-2088

WELL LOCATION AND ACREAGE DEDICATION PLAT

<sup>1</sup> API Number 30-039-		<sup>2</sup> Pool Code 72319/71599	<sup>3</sup> Pool Name Blanco Mesaverde/Basin Dakota
<sup>4</sup> Property Code 7454	<sup>5</sup> Property Name SAN JUAN 27-5 UNIT		<sup>6</sup> Well Number 112M
<sup>7</sup> CGRID No. 14538	<sup>8</sup> Operator Name BURLINGTON RESOURCES OIL & GAS COMPANY		<sup>9</sup> Elevation 6633'

<sup>10</sup> Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	8	27N	5W		665	NORTH	1655	WEST	RIO ARRIBA

<sup>11</sup> Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

<sup>12</sup> Dedicated Acres MV-W/320 DK-W/320	<sup>13</sup> Joint or Infill	<sup>14</sup> Consolidation Code	<sup>15</sup> Order No.
---	-------------------------------	----------------------------------	-------------------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



<sup>17</sup> OPERATOR CERTIFICATION  
I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief

Signature  
Peggy Bradfield  
Printed Name  
Regulatory Administrator  
Title  
Date

<sup>18</sup> SURVEYOR CERTIFICATION  
I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my belief.

Revised November 10, 1998  
JULY 29, 1998  
Date of Survey

Signature and Seal of Professional Surveyor  
**NEALE O. EDWARDS**  
NEW MEXICO  
6857  
Certificate Number 6857  
PROFESSIONAL SURVEYOR

Page No.: 1

Print Time: Wed Feb 03 12:35:08 1999

Property ID: 1467

Property Name: SAN JUAN 27-5 UNIT | 53 | 53386B-1

Table Name: Q:\PUBLIC\GENTITY\GDPNOS\TEST.DBF

--DATE-- ---CUM\_GAS-- M SIWHP  
Mcf Psi

12/02/60	0	1045.0
12/21/60	0	1044.0
09/05/61	99000	798.0
10/30/62	221000	712.0
09/27/63	294000	733.0
04/29/64	352000	702.0
05/10/65	432000	650.0
04/19/66	493000	706.0
05/16/67	561000	645.0
08/14/68	633000	624.0
06/27/69	685830	596.0
07/28/70	725921	612.0
06/21/71	772436	510.0
06/07/72	813845	577.0
07/15/74	906103	530.0
08/16/76	988058	519.0
05/02/78	1048848	505.0
07/02/80	1116478	494.0
06/05/81	1141152	493.0
06/04/82	1162538	515.0
04/18/86	1226232	501.0
09/04/89	1283340	530.0
01/24/91	1301665	518.0
09/24/91	1308522	530.0
05/31/93	1337194	452.0

San Juan 27-5 Unit #112M

Mesaverde Offset

Page No.: 1

Print Time: Wed Feb 03 12:35:00 1999

Property ID: 1518

Property Name: SAN JUAN 27-5 UNIT | 85 | 50639A-1

Table Name: Q:\PUBLIC\GENTITY\GDPNOS\TEST.DBF

--DATE-- ---CUM\_GAS-- M SIWHP  
Mcf Psi

09/01/62	0	2525.0
09/18/62	0	2581.0
01/29/63	37000	1474.0
04/29/64	139000	1151.0
05/10/65	260000	1030.0
04/19/66	385000	930.0
05/16/67	507000	902.0
05/02/68	591000	937.0
08/18/69	720415	798.0
07/28/70	802423	806.0
06/21/71	891540	744.0
06/07/72	985540	807.0
08/29/73	1082639	822.0
09/04/75	1219833	726.0
06/08/77	1363330	598.0
06/06/79	1514549	621.0
06/03/81	1629678	720.0
09/19/83	1730239	811.0
11/18/85	1817641	775.0
07/07/88	1904756	819.0
05/29/90	1994385	775.0
05/28/92	2042883	852.0

San Juan 27-5 Unit #112M

Dakota Offset



**BURLINGTON RESOURCES OIL AND GAS COMPANY**


**San Juan 27-5 Unit #112M**

**OFFSET OPERATOR/OWNER PLAT**

**Mesaverde & Dakota Formations**

**Commingle well**

**Township 27 North, Range 5 West**



1) Burlington Resources

STATE OF NEW MEXICO  
ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT  
OIL CONSERVATION DIVISION

IN THE MATTER OF THE HEARING  
CALLED BY THE OIL CONSERVATION  
DIVISION FOR THE PURPOSE OF  
CONSIDERING:

CASE NO. 11626  
ORDER NO. R-10694

APPLICATION OF BURLINGTON RESOURCES  
OIL & GAS COMPANY FOR THE ESTABLISHMENT  
OF A DOWNHOLE COMMINGLING "REFERENCE  
CASE" FOR ITS SAN JUAN 27-5 UNIT PURSUANT  
TO DIVISION RULE 303.E AND THE ADOPTION  
OF SPECIAL ADMINISTRATIVE RULES THEREFOR.  
~~SAN JUAN~~ COUNTY, NEW MEXICO.

RIO ARRIBA

ORDER OF THE DIVISION

BY THE DIVISION:

This cause came on for hearing at 8:15 a.m. on October 17 and November 7, 1996, at Santa Fe, New Mexico, before Examiners David R. Catanach and Michael E. Stogner, respectively.

NOW, on this 12th day of November, 1996, the Division Director, having considered the testimony, the record and the recommendations of the Examiner, and being fully advised in the premises,

FINDS THAT:

(1) Due public notice having been given as required by law, the Division has jurisdiction of this cause and the subject matter thereof.

(2) The applicant, Burlington Resources Oil & Gas Company (Burlington), pursuant to the provisions of Division Rule 303.E., seeks to establish a downhole commingling "reference case" to provide exceptions for (a) marginal economic criteria, (b) pressure criteria, (c) allocation formulas and (d) modification of notification rules on a unit-wide basis for downhole commingling of Dakota, Mesaverde, Fruitland Coal and Pictured Cliffs gas production within existing or future drilled wells within the San Juan 27-5 Unit, San Juan County, New Mexico.

(3) Division Rule No. 303.E., amended by Order No. R-10470-A, currently states:

"If sufficient data exists on a lease, pool, formation, geographic area, etc., so as to render it unnecessary to repeatedly provide such data on Form C-107-A, an operator may except any of the various criteria required under Paragraph 303.D. of this rule by establishing a "reference case". The Division, upon its own motion, or by application from an operator, may establish "reference cases" either administratively or by hearing. Upon Division approval of such "reference cases" for specific criteria, subsequent applications to downhole commingling (Form C-107-A) will be required only to cite the Division order number which established such exceptions and shall not be required to submit data for those criteria."

(4) The applicant is the current operator of the San Juan 27-5 Unit which encompasses some 23,043 acres in Township 27 North, Range 5 West, NMPM, San Juan County, New Mexico.

(5) Within the San Juan 27-5 Unit, the applicant currently operates one hundred and one (101) Basin-Dakota Gas Pool wells, one hundred and five (105) Blanco-Mesaverde Gas Pool wells, eighty-seven (87) South Blanco-Pictured Cliffs and Tapacito-Pictured Cliffs Gas Pool wells, and four (4) Basin-Fruitland Coal Gas Pool wells.

(6) According to its evidence and testimony, Burlington seeks to:

- a) establish a "reference case" for marginal economic criteria in the Dakota and Pictured Cliffs formations whereby these formations and/or pools may be identified as "marginal" on Form C-107-A's subsequently filed for wells within the San Juan 27-5 Unit. The applicant further proposes that the data provided in the immediate case serve as supplemental data or confirmation that these formations and/or pools should be classified as "marginal";
- b) establish a "reference case" for pressure criteria in the Dakota and Pictured Cliffs formations whereby the Division may utilize data provided in the immediate case to verify the pressure data provided on Form C-107-A's subsequently filed for wells within the San Juan 27-5 Unit;

- c) establish a "reference case" whereby the Division utilizes the data presented in the immediate case to endorse or approve certain methods of allocating production whereby the applicant need not submit additional data or justification when proposing a certain method of allocating production on Form C-107-A's subsequently filed for wells within the San Juan 27-5 Unit; and.
- d) establish a "reference case" or an administrative procedure for authorizing the downhole commingling of existing or future drilled wells within the San Juan 27-5 Unit without additional notice to each affected interest owner as required by Division Rule No. 303.D.

(7) In support of its request to except marginal economic criteria, the applicant presented geologic and engineering evidence and testimony which indicates that within the San Juan 27-5 Unit:

- a) the structure and thickness of the Dakota and Picured Cliffs formations are very consistent;
- b) the average recoverable Dakota and Picured Cliffs gas reserves underlying an undeveloped drill block are approximately 583 MMCFG and 426 MMCFG, respectively;
- c) the average initial producing rate for a newly drilled or recompleted Dakota and Picured Cliffs gas well is approximately 393 MCFGD and 63 MCFGD, respectively; and.
- d) the estimated ultimate gas recoveries and initial producing rates from the Dakota and Picured Cliffs formations are insufficient to justify drilling stand alone wells and/or dually completed wells to recover such gas reserves.

(8) The evidence and testimony presented by the applicant indicates that the Dakota and Picured Cliffs formations within the San Juan 27-5 Unit should be properly classified as "marginal".

(9) In support of its request to except pressure criteria within the Dakota and Picured Cliffs formations within the San Juan 27-5 Unit, the applicant presented engineering evidence and testimony which indicates that:

- a) the average shut-in bottomhole pressure within the Dakota and Picured Cliffs formations at the time of initial development were approximately 3.141 psi and 1.118 psi, respectively; and.
- b) the average current shut-in bottomhole pressure within the Dakota and Picured Cliffs formations are approximately 1.032 psi and 441 psi, respectively.

(10) There is sufficient pressure data available within the San Juan 27-5 Unit so as to except pressure criteria as proposed by the applicant.

(11) The applicant testified that various allocation methods will be utilized for downhole commingled wells within the San Juan 27-5 Unit depending on the circumstances. Some of the methods and circumstances are described as follows:

- a) the subtraction method will likely be utilized in those instances involving the Basin-Fruitland Coal Gas Pool and in those instances where a zone with a well established decline rate is commingled with a newly completed zone;
- b) a fixed allocation formula will be utilized in those instances where production history for both zones is available, or in those instances where newly completed zones are tested and stabilized flow rates obtained.

(12) The allocation methods proposed by the applicant are routinely utilized by industry and approved by the Division and therefore the proposal to except allocation formulas should be approved.

(13) In support of its request to establish a "reference case" or administrative procedure for providing notice within the San Juan 27-5 Unit the applicant presented evidence and testimony which indicates that:

- a) the interest ownership between two zones within a given wellbore in the San Juan 27-5 Unit is generally not common;
- b) pursuant to Division Rule No. 303.D., applicant is currently required to notify all interest owners within the San Juan 27-5 Unit every time a Form C-107-A is submitted to the Division. There is a considerable number of such interest owners within the unit;

- c) providing notice to each interest owner within the San Juan 27-5 Unit of subsequent downhole comminglings is unnecessary and is an excessive burden on the applicant;
- d) the downhole commingling of wells within the San Juan 27-5 Unit Area will benefit working, royalty, and overriding royalty interest owners. In addition, the downhole commingling of wells within the San Juan 27-5 Unit should not violate the correlative rights of any interest owner;
- e) no interest owner appeared at the hearing in opposition to the establishment of a "reference case" or administrative procedure for notice.

(14) An administrative procedure should be established within the San Juan 27-5 Unit for obtaining approval for subsequent downhole commingled wells without notice to Unit interest owners, provided however that, all other provisions contained within Division Rule No. 303.C. are complied with.

(15) Approval of the proposed "reference cases" for marginal economic criteria, pressure criteria, allocation formulas and notice will lessen the burden on the applicant insofar as providing the data required pursuant to Division Rule No. 303.D. and Form C-107-A. will provide the applicant a streamlined method for obtaining downhole commingling approvals within the San Juan 27-5 Unit, and will not violate correlative rights.

**IT IS THEREFORE ORDERED THAT:**

(1) The application of Burlington Resources Oil & Gas Company to establish a "reference case" for (a) marginal economic criteria, (b) pressure criteria, (c) allocation formulas and (d) modification of notification rules on a unit-wide basis for downhole commingling of Dakota, Mesaverde, Fruitland Coal and Pictured Cliffs gas production within existing or future drilled wells within the San Juan 27-5 Unit, San Juan County New Mexico, is hereby approved.

CASE NO. 11626  
Order No. R-10694  
Page -6-

---


(2) Upon filing of Division Form No. C-107-A's for wells subsequently downhole commingled within the San Juan 27-5 Unit Area, the applicant shall not be required to submit supporting data to justify the classification of the Pictured Cliffs and Dakota formations as "marginal", supporting data to verify the Pictured Cliffs and Dakota pressure information provided, and support or justification for utilizing a given method or formula for allocation of production, provided however, in the event any of the data described above appearing on Form C-107-A appears to be beyond the data range provided in this case, the Division may require the submittal of additional supporting data.

(3) In order to obtain Division authorization to downhole commingle wells within the San Juan 27-5 Unit, the applicant shall file a Form C-107-A with the Santa Fe and Aztec Offices of the Division. Such application shall contain all the information required under Rule No. 303.C. of the Division Rules and Regulations, provided however that the applicant shall not be required to provide notice to all interest owners within the San Juan 27-5 Unit of such proposed commingling.

(4) Jurisdiction of this cause is retained for the entry of such further orders as the Division may deem necessary.

DONE at Santa Fe, New Mexico, on the day and year hereinabove designated.

STATE OF NEW MEXICO  
OIL CONSERVATION DIVISION



WILLIAM J. LeMAY  
Director