



TONEY ANAYA
GOVERNOR

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT
OIL CONSERVATION DIVISION

February 11, 1986

50 YEARS



1935 - 1985

POST OFFICE BOX 2088
STATE LAND OFFICE BUILDING
SANTA FE, NEW MEXICO 87501
(505) 827-5800

HNG Oil Company
P. O. Box 2267
Midland, Texas 79702

Attention: Betty Gildon

Administrative Order TX-159

Gentlemen:

Reference is made to your request for an exception to the tubing setting requirements as contained in Division Rule 107(d) (3) for the below-named well.

Pursuant to the authority granted me by Rule 107(d) (4), you are hereby authorized to set tubing at 12,924 feet in the following well:

Well Name and Number: Page 3 Com Well No. 1

Location: Unit F, Sec. 3, T-25-S, R-34-E, Lea County,
New Mexico

The Division reserves the right to rescind this authority in the event that waste appears to be resulting therefrom.

Very truly yours,

R. L. STAMETS,
Division Director


RLS/MES/h

cc: Oil Conservation Division - Hobbs

PV2V2005132452



P. O. BOX 2267, MIDLAND, TEXAS 79702 (915) 686-3600



February 5, 1986

Oil Conservation Division
P. O. Box 2088
State Land Office Bldg.
Santa Fe, NM 87501

Attn: Mr. Joe D. Ramey
Division Director

In Re: Page 3 Com. #1
1780' FNL & 2080' FWL, Sec. 3, T25S, R34E
Lea County, NM

Dear Mr. Ramey:

Speaking with Melba Carpenter at the Oil Conservation Commission in Hobbs today, it was discovered that our request for an exception to Rule 107d on the above-named well was never approved.

Enclosed is a copy of our request dated September 10, 1985, and a copy of what we received in response. It would appear that your office intended to grant our request for exception; therefore, your early attention to the matter is greatly appreciated.

Very truly yours,

HNG OIL COMPANY

Betty Gildon
Regulatory Analyst

enclosures

cc: Oil Conservation Division - Hobbs



P. O. BOX 2267, MIDLAND, TEXAS 79702 (915) 686-3600

September 10, 1985

Oil Conservation Division
P. O. Box 2088
State Land Office Bldg.
Santa Fe, NM 87501

Attn: Mr. Joe D. Ramey
Division Director

In Re: Page 3 Com. #1
1780' FNL & 2080' FWL
Sec. 3, T25S, R34E
Lea County, NM

Dear Mr. Ramey:

Tubing for the above-named well has been set at 12,924 feet,
and casing perforated from 14,782 to 14,799 feet.

This office requests administrative exception to Rule 107d.

Very truly yours,

HNG OIL COMPANY

A handwritten signature in cursive script that reads "Betty Gildon".

Betty Gildon
Regulatory Analyst

bg

enclosures

This form is to be filed with the appropriate District Office of the Commission not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in triplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy	T. Canyon Mrkr	6550	T. Ojo Alamo	T. Penn. "N"
T. Salt	T. Strawn Lime	13640	T. Kirtland-Fruitland	T. Penn. "C"
T. Salt	T. Atoka Shale	13774	T. Pictured Cliffs	T. Penn. "D"
T. Yates	T. Atoka Bank	13990	T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian		T. Menefee	T. Madison
T. Queen	T. Silurian		T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya		T. Mancos	T. McCracken
T. San Andres	T. Simpson		T. Gallup	T. Ignacio Qtzite
T. Glorieta	T. McKee		T. Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger		T. Dakota	
T. Morrow Lime	T. Gr. Wash		T. Morrison	
T. Morrow Clastics	T. Leonard	9109	T. Todilto	
T. B. Sand	T. Granite	5300	T. Entrada	
T. C. Sand	T. Delaware Sand		T. Wingate	
T. Abo	T. Bone Springs Lime	9248	T. Chinle	
T. Wolfcamp	T. 1st BS Sand	10250	T. Permian	
T. Penn. Cherry Canyon	T. 2nd BS Sand	10791	T. Penn. "A"	
T. C. Sand	T. 3rd BS Sand	11908		

No. 1, from 15097	to 15180	OIL OR GAS SANDS OR ZONES	No. 4, from	to
No. 2, from 14782	to 14799		No. 5, from	to
No. 3, from	to		No. 6, from	to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from None	to	feet.
No. 2, from	to	feet.
No. 3, from	to	feet.
No. 4, from	to	feet.

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	620	620	Redbeds and Anhy				
620	2145	1525	Anhy				
2145	3975	1830	Salt & Anhy				
3975	5860	1885	Anhy				
5860	6905	1045	Sand & Shale & Lime				
6905	11600	4695	Sand, Shale & Lime				
11600	13554	6649	Shale & Lime				
13554	13834	280	Shale, Lime, Sand & Cht				
13834	14590	756	Shale & Lime				
14590	14708	118	Chert, Lime & Shale				
14708	15242	534	Lime, Shale & Sand				
15242	15300	58	Shale				

RECEIVED
SEP 19 1985
O.C.D.
HOBBS OFFICE