

District I - (505) 393-6161

1625 N. French Dr.
Hobbs, NM 88241-1980

District II - (505) 748-1283


811 S. First
Artesia, NM 88210

District III - (505) 334-6178

1000 Rio Brazos Road
Aztec, NM 87410

District IV - (505) 827-7131

New Mexico
Energy Minerals and Natural Resources Department
Oil Conservation Division
2040 South Pacheco Street
Santa Fe, New Mexico 87505
(505) 827-7131



Form C-142
Date 06/99

Submit Original
Plus 2 Copies
to the Santa Fe
Office

APPLICATION FOR NEW WELL STATUS

I. Operator and Well

Operator name address Burlington Resources Oil and Gas P.O. Box 4289 Farmington, NM 87499					OGRID NUMBER 014538			
Contact Party Peggy Bradfield					Phone 505-326-9700			
Property Name: SAN JUAN 29-7 UNIT				Well Number: 61B	API Number 300392613500			
UL E	Section 034	Township 029N	Range 007W	Feet From the 1385	North/South Line FNL	Feet From the 890	East/West Line FWL	County RIO ARRIBA

II. Date/Time Information

Spud Date 6/29/99	Spud Time 1:00:00 PM	Date Completed 9/2/99	Pool BLANCO MESAVERDE
----------------------	-------------------------	--------------------------	--------------------------

III. Attach copies of Form C-103 or Federal Form 3160-5 showing date/time of drilling commenced and Form C-105 or Federal Form 3160-4 showing well was completed as a producer.

IV. Attach a list of all working interest owners with their percentage interest.

V. AFFIDAVIT:

State of New Mexico
County of San Juan ss.
Peggy Bradfield, being first duly sworn, upon states:

- I am the Operator, or authorized representative of the Operator, of the above-referenced well,
- To the best of my knowledge, this application is complete and correct.

Signature Peggy Bradfield Title Reg Adm Date 10-6-99
 SUBSCRIBED AND SWORN TO before me this 12th day of Oct. 1999

My Commission expires: 6/11/03 Mae Benallyon
 Notary Public

FOR OIL CONSERVATION USE ONLY:

VI. CERTIFICATION OF APPROVAL:

This application is hereby approved and the above-referenced well is designated a New Well. By copy hereof, the Division notifies the Secretary of the Taxation and Revenue Department of this Approval.

Signature <u>Mark Kelly</u>	Title <u>P.E. Spec.</u>	NOV 1 - 1999
-----------------------------	-------------------------	---------------------

VII. DATE OF NOTIFICATION TO THE SECRETARY OF THE TAXATION AND REVENUE DEPARTMENT: 11/1/99

NOTICE: The operator must notify all working interest owners of this New Well certification

PVZV2007038529

Sundry Notices and Reports on Wells
99 JUN - 1 PM 1:40

1. Type of Well
GAS

070 FARMINGTON, NM

- 5. Lease Number
SF-078425
- 6. If Indian, All. or Tribe Name
- 7. Unit Agreement Name

2. Name of Operator
BURLINGTON RESOURCES OIL & GAS COMPANY

3. Address & Phone No. of Operator
PO Box 4289, Farmington, NM 87499 (505) 326-9700

- 8. Well Name & Number
San Juan 29-7 Unit
- 9. API Well No.
30-039-26135
- 10. Field and Pool
Blanco Mesaverde
- 11. County and State
Rio Arriba Co, NM

4. Location of Well, Footage, Sec., T, R, M
1385' FNL, 890' FWL, Sec.34, T-29-N, R-7-W, NMPM
R-10987A

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission	Type of Action	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other - Spud	

13. Describe Proposed or Completed Operations

6-29-99 MIRU. Spud well @ 1:00 p.m. 6-29-99. Drill to 385'. Circ hole clean. TOOH. TIH w/9 jts 9 5/8" 36# J-55 ST&C csg, set @ 375'. Pump 20 bbl wtr ahead. Cmtd w/275 sx Class "B" neat cmt w/3% calcium chloride, 0.25 pps Flocele (325 cu.ft.). Displace w/26 bbl wtr. Circ 26 bbl cmt to surface. WOC.

6-30-99 WOC. NU BOP. PT BOP & csg to 600 psi/30 min, OK. Drilling ahead.

APD ROW RELATED

RECEIVED
BLM
99 JUL - 1 PM 1:44
070 FARMINGTON, NM

14. I hereby certify that the foregoing is true and correct.

Signed *Peggy Bradfield* Title Regulatory Administrator Date 7/1/99
no

(This space for Federal or State Office use)

APPROVED BY _____ Title _____ Date _____

CONDITION OF APPROVAL, if any:

ACCEPTED FOR RECOP

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

JUL 20 1999

FARMINGTON FIELD OFFICE
BY *[Signature]*

OPERATOR

Peggy Bradfield
Printed Name
Peggy Bradfield
PUD - 8

Approval Date: SEP - 8 1999

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

December 31, 1991

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____

b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESVR Other _____

5. LEASE DESIGNATION AND SERIAL NO. SF-078425

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME San Juan 29-7 Unit

8. FARM OR LEASE NAME, WELL NO. San Juan 29-7 Unit #81B

2. NAME OF OPERATOR BURLINGTON RESOURCES OIL & GAS COMPANY

3. ADDRESS AND TELEPHONE NO. PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*
At surface 1385'FNL, 890'FWL
At top prod. interval reported below
At total depth R-10987A

9. API WELL NO. 30-039-26135

10. FIELD AND POOL, OR WILDCAT Blanco Mesaverde

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA Sec. 34, T-29-N, R-7-W

14. PERMIT NO. DATE ISSUED

12. COUNTY OR PARISH Rio Arriba

13. STATE New Mexico

15. DATE SPUDDED 6-29-99

16. DATE T.D. REACHED 7-4-99

17. DATE COMPL. (Ready to prod.) 9-2-99

18. ELEVATIONS (DF, RKB, RT, BR, ETC.)* 6761 GR, 6771 KB

19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD 6088

21. PLUG. BACK T.D., MD & TVD 6084

22. IF MULTIPLE COMPL., HOW MANY*

23. INTERVALS DRILLED BY 0-6088

ROTARY TOOLS

CABLE TOOLS

24. PRODUCTION INTERVAL (S) OF THIS COMPLETION-TOP, BOTTOM, NAME (MD AND TVD)* 4463-5970 Mesaverde

25. WAS DIRECTIONAL SURVEY MADE

26. TYPE ELECTRIC AND OTHER LOGS RUN CBL-CCL-GR

27. WAS WELL CORED No

28. CASING RECORD (Report all strings set in well)

CASING SIZE/GRADE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	TOP OF CEMENT. CEMENTING RECORD	AMOUNT PULLED
9 5/8	36#	375	12 1/4	325 cu.ft.	
7	23#	2863	8 3/4	910 cu.ft.	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)
4 1/2	2747	6087	482 cu.ft.	

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)
2 3/8	5954	

31. PERFORATION RECORD (Interval, size and number)

4463, 4483, 4488, 4494, 4502, 4505, 4510, 4540, 4544, 4546, 4556, 4610, 4612, 4619, 4621, 4639, 4641, 4657, 4663, 4670, 4697, 4730, 4733, 4740, 4741, 4745, 4748, 4787, 4791, 4801, 4803, 4807, 4883, 4885, 4889, 4894, 4896, 5146, 5152, 5164, 5208, 5231, 5236, 5248, 5252, 5281, 5286, 5289, 5296, 5327, 5332, 5337, 5364, 5390, 5398.

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
4463-4896	814 bbl 25# linear gel, 200,000# 20/40 Arizona sd
5146-5575	1670 bbl 2% KCl slk wtr, 71,250# 20/40 Arizona sd
5672-5970	1790 bbl 2% KCl slk wtr, 71,250# 20/40 Arizona sd

Perforations cont'd on back

33. PRODUCTION

DATE FIRST PRODUCTION PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Flowing

WELL STATUS (Producing or shut-in) SI

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N FOR TEST PERIOD	OIL-BBL	GAS-MCF	WATER-BBL	GAS-OIL RATIO
9-2-99					886 Pitot Gauge		

FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL-BBL	GAS-MCF	WATER-BBL	OIL GRAVITY-API (CORR.)
SI 630	SI 700					

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) To be sold

TEST WITNESSED BY

35. LIST OF ATTACHMENTS None

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED [Signature] TITLE Regulatory Administrator DATE 9-23-99

*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department of agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Well Completion Overview - 80478101 - SAN JUAN 29-7 UNIT 61B

Entity	Entity Type	Entity %	Entity Name
22208700/000	LEASE - LEASE - OIL AND GAS		USA SF-078425
60337002/000	CONTRACT - OTHER		WILLIAMS PRODUCTION COMPANY
61063300/000	CONTRACT - UNIT AGREEMENT		SAN JUAN 29-7 UNIT
61063301/000	CONTRACT - OPERATING AGREEMENT		SAN JUAN 29-7
OWNERS			
050144/01	OWNER - NONE	0.029629%	MAST MAYDELL MILLER
077799/01	OWNER - NONE	0.355553%	T H MCELVAIN OIL & G
117159/01	OWNER - NONE	0.014815%	GAY CHARLES W
117160/01	OWNER - NONE	0.014815%	HACKER LORRAYN GAY
999021/01	OWNER - NONE	61.052399%	BURLINGTON RESOURCES OIL & GAS
030228/02	OWNER - NONE	0.079012%	PIERCE DAVID A
107690/02	OWNER - NONE	0.208139%	C W BOLIN PROPERTIES
110351/02	OWNER - NONE	0.208140%	BOLIN DOLORES TRUSTS
006615/03	OWNER - NONE	0.059259%	REEMTSMA DIRK V
014278/03	OWNER - NONE	0.208139%	BOLIN D P

Expand All

Refresh

Detail

Close

Print

Entity	Entity Type	Entity %	Entity Name
014581/03	OWNER - NONE	0.104069%	BOLIN PAT S
015772/03	OWNER - NONE	0.416279%	BOLIN R L
021045/03	OWNER - NONE	0.104070%	BOLIN DAN H
006613/04	OWNER - NONE	0.059259%	REEMTSMA LANCE
031730/05	OWNER - NONE	0.569405%	PHILLIPS PETROLEUM
038317/05	OWNER - NONE	1.862121%	BOLACK MINERALS
033854/06	OWNER - NONE	0.296295%	RAYMOND JAMES M
066557/07	OWNER - NONE	2.401908%	WILLIAMS PRODUCTION
023319/18	OWNER - NONE	4.324910%	FOUR STAR OIL & GAS
031008/41	OWNER - NONE	10.313691%	CONOCO INC
031116/46	OWNER - NONE	11.451462%	AMOCO PRODUCTION CO
999001/71	OWNER - NONE	5.866631%	BURLINGTON RESO O&G CO-SJBT
UNIT PAS			
6800465000/013			SAN JUAN 29-7 - MV

Expand All

Refresh

Detail

Close

Print