

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

OPERATOR

x Initial Report Final Report

Name of Company: Occidental Permian Limited Partnership	Contact: Tony Summers
Address: 1017 West Stanolind Road, Hobbs, N.M. 88240	Telephone No: 505.397.8236 or 505.390.9228
Facility Name Fred Turner Jr. B. Battery	Facility Type Production
Surface Owner Bob McCasland	Mineral Owner Oxy
Lease No.	

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County Lea
C	17	20S	38E					

Latitude N 32° 34.368' Longitude W 103° 10.931'

NATURE OF RELEASE

Type of Release Crude oil and produced water	Volume of Release 5 bo x 30 bw	Volume Recovered 4 bo x 20 bw
Source of Release Hole in fire tube on heater treater	Date and Hour of Occurrence 03/14/07 8am	Date and Hour of Discovery 03/14/07 8am
Was Immediate Notice Given? Yes x No <input type="checkbox"/> Not Required	If YES, To Whom?	
By Whom?	Date and Hour 03/19/07 8:10am Pat Caperton	
Was a Watercourse Reached? <input type="checkbox"/> Yes x No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.*

Describe Cause of Problem and Remedial Action Taken.* At approximately 8:00 am lease operator found heater treater with hole in fire tube. Wells were immediately shut in along with heater treater. Vacuum truck was call and picked up all free standing fluids. Apprx. 5 bo x 30 bw were spilled and 4 bo x 20 bw were picked up by vacuum truck. Called Pat Caperton's office on 3/19/07 and left message concerning leak.

Describe Area Affected and Cleanup Action Taken.* All spilled liquids stayed on caliche pad. None got into pasture. See hand drawn map. According to the NMOSE, average depth to water is 118' giving this area a ranking of 0.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

OIL CONSERVATION DIVISION

Signature:	Approved by District Supervisor: <i>Chris Williams</i>	
Printed Name: Tony Summers	Approval Date: 3/20/07	Expiration Date: 3/20/08
Title: HES Technician	Conditions of Approval:	
E-mail Address: tony_summers@oxy.com	Attached <input type="checkbox"/>	
Date:	Phone: 505.397.8236	

* Attach Additional Sheets If Necessary

facility # PAC0708023281
incident - # PAC0708023364

application - # PA70708023477

RP # 1248



Occidental Permian Limited Partnership

March 20, 2007

New Mexico Oil Conservation Division
District I
1625 N. French Drive
Hobbs, New Mexico 88240

Attn: Environmental Engineering

RE: Remediation Plan
Fred Turner Jr. B Battery
UL 'C', Sec. 17, T-20S, R-38E

At approximately 8:00 AM on 03/14/07 a hole occurred in the fire tube of the heater treater at the Fred Turner Jr. B Battery. Wells and heater treater were shut in and vacuum truck called. Approximately 5 bo x 30 bw were spilled and 4 bo x 20 bw were picked up. All fluid spilled onto caliche pad with none going into pasture. The NMSEO states average depth to water is 118' giving area a ranking of 0. Remediation of spill site will be as follows:


1. Fire tube repaired and replaced
2. Contaminated area will be excavated and disposed of to JL Land farm.
3. NMOCD guidelines will be used to insure entire site is in compliance with guidelines.

If you have any questions, or if I can be of further assistance, please contact me at (505) 397-8251.

Tony Summers
HES Technician/Seminole RMT
Tony_summers@oxy.com
(505) 397-8236

Attachments: Initial C-141
Hand drawn map of spill site.

Fred Turner Heater. Hole in Fire
Tube. 3/14/07 5 x 30 spilled 4x20 recovered



N