

04-Apr-07 DATE	SUSPENSE	J. Brooks ENGINEER	11-Apr-07 LOGGED IN	NSL TYPE	PCLP0710129614 APP NO
-------------------	----------	-----------------------	------------------------	-------------	--------------------------

ABOVE THIS LINE FOR DIVISION USE ONLY

NEW MEXICO OIL CONSERVATION DIVISION
- Engineering Bureau -
1220 South St. Francis Drive, Santa Fe, NM 87505



Mc Kay Oil
4 Mile Draw B Fed #71

ADMINISTRATIVE APPLICATION CHECKLIST

THIS CHECKLIST IS MANDATORY FOR ALL ADMINISTRATIVE APPLICATIONS FOR EXCEPTIONS TO DIVISION RULES AND REGULATIONS WHICH REQUIRE PROCESSING AT THE DIVISION LEVEL IN SANTA FE

Application Acronyms:

[NSL-Non-Standard Location] [NSP-Non-Standard Proration Unit] [SD-Simultaneous Dedication]
[DHC-Downhole Commingling] [CTB-Lease Commingling] [PLC-Pool/Lease Commingling]
[PC-Pool Commingling] [OLS - Off-Lease Storage] [OLM-Off-Lease Measurement]
[WFX-Waterflood Expansion] [PMX-Pressure Maintenance Expansion]
[SWD-Salt Water Disposal] [IPI-Injection Pressure Increase]
[EOR-Qualified Enhanced Oil Recovery Certification] [PPR-Positive Production Response]

[1] TYPE OF APPLICATION - Check Those Which Apply for [A]

- [A] Location - Spacing Unit - Simultaneous Dedication
☒ NSL ☐ NSP ☐ SD

Check One Only for [B] or [C]

- [B] Commingling - Storage - Measurement
☐ DHC ☐ CTB ☐ PLC ☐ PC ☐ OLS ☐ OLM

- [C] Injection - Disposal - Pressure Increase - Enhanced Oil Recovery
☐ WFX ☐ PMX ☐ SWD ☐ IPI ☐ EOR ☐ PPR

- [D] Other: Specify _____

[2] NOTIFICATION REQUIRED TO: - Check Those Which Apply, or Does Not Apply

- [A] ☐ Working, Royalty or Overriding Royalty Interest Owners
[B] ☐ Offset Operators, Leaseholders or Surface Owner
[C] ☐ Application is One Which Requires Published Legal Notice
[D] ☐ Notification and/or Concurrent Approval by BLM or SLO
U.S. Bureau of Land Management - Commissioner of Public Lands, State Land Office
[E] ☐ For all of the above, Proof of Notification or Publication is Attached, and/or,
[F] ☐ Waivers are Attached

[3] SUBMIT ACCURATE AND COMPLETE INFORMATION REQUIRED TO PROCESS THE TYPE OF APPLICATION INDICATED ABOVE.

[4] **CERTIFICATION:** I hereby certify that the information submitted with this application for administrative approval is **accurate** and **complete** to the best of my knowledge. I also understand that **no action** will be taken on this application until the required information and notifications are submitted to the Division.

Note: Statement must be completed by an individual with managerial and/or supervisory capacity.

Print or Type Name

Signature

Title

Date

e-mail Address

SOUTHWEST PETROLEUM LAND SERVICES L.L.C.

**100 N. PENNSYLVANIA
ROSWELL, NEW MEXICO 88203**

(505) 622-6713 OFFICE
(505) 626-6879 CELLPHONE

(505) 622-9282 FAX
(505) 622-3615 HM

April 5, 2007

RECEIVED

APR 09 2007

Oil Conservation Division
New Mexico State Land Office
1220 S. St. Francis Drive
Santa Fe, NM 87505

Oil Conservation Division
1220 S. St. Francis Drive
Santa Fe, NM 87505

RE: McKay Oil Corp.
Non-Standard Location of the Four Mile Draw B Federal #7Y
Sec. 15: SW4, T6S, R22E
Chaves County, NM

*Request to
amend NSL-5600*

30-005-63900

Gentlemen:

Recent reservoir studies conclude that based on porosity and volumetric calculations that there are substantial reserves in the West Pecos Slope Abo formation. However, that due to low permeability of the formation that only approximately 10 to 20 acres of gas is being drained from a single vertical wellbore. Therefore, horizontal drilling is necessary to enhance the ability to extract the gas reservoirs in each proration unit.

The attached geological isopach map shows the formation channel thickening to the east. Also, further geological studies of the West Pecos Slope Abo Area indicate that there are natural faulting fractures in this area that trend in a northwest to southeast direction. In order to crosscut these natural fractures and maximize drainage of the proration unit, the horizontal hole needed to be drilled in east by northeast direction from the vertical wellbore. (See attached Isopach Map) McKay Oil Corp. owns all of the operating rights surrounding this location that are toward the unorthodox well location encroachment. (See attached map)

Therefore, McKay Oil Corp. drilled a test horizontal well in the Four Mile Draw B Federal #7Y proration unit (Sec. 15: SW4, T6S, R22E). The surface location is at 695'FSL and 660'FEL of Section 15, Township 6 South, Range 22 East, NMPM. The well was originally drilled to a vertically through to approximately 2,685' and then cored vertically to 3,202' through the Abo Formation. The well was then plugged back to approximately 2,302' and began curving the wellbore to a horizontal position over a 600' distance. The horizontal hole penetrated to Abo formation at approximately 1260'FWL


Page 2 of 2
Oil Conservation Division
April 5, 2007

and 770'FSL from the vertical hole at a TVD of 2883.5'. Originally, the plan for the horizontal portion of the well was to go due east (90°0), but during the drilling was changed to curved in an east by northeast direction to approximately 1,146'FSL & 2,629'FWL, but plugged back approximately 2,568' FWL of Section 15, Township 6 South, Range 22 East, NMPM. (See Attached Survey Plat).

McKay Oil Corporation is requesting that the OCD grant administrative approval to the unorthodox location of a location of 695'FSL and 660'FWL in Section 15, Township 6 South, Range 22East, NMPM with a bottom hole location of 1,146'FSL and 2,568'FWL in Section 15, Township 6 South, Range 22 East, NMPM.

Thank you for your cooperation and assistance in this matter.


Sincerely,



James L. Schultz, Manager
Agent for McKay Oil Corp.

cc: McKay Oil Corp.

4MD "B" 7H



State	County	Section	Tract	Owner	Acres	Notes
State	McKay Oil	11	11	McKay Oil	4.1-91	9.1-91
State	McKay Oil	12	12	McKay Oil	4.1-91	9.1-91
State	McKay Oil	13	13	McKay Oil	4.1-91	9.1-91
State	McKay Oil	14	14	McKay Oil	4.1-91	9.1-91
State	McKay Oil	15	15	McKay Oil	4.1-91	9.1-91
State	McKay Oil	16	16	McKay Oil	4.1-91	9.1-91
State	McKay Oil	17	17	McKay Oil	4.1-91	9.1-91
State	McKay Oil	18	18	McKay Oil	4.1-91	9.1-91
State	McKay Oil	19	19	McKay Oil	4.1-91	9.1-91
State	McKay Oil	20	20	McKay Oil	4.1-91	9.1-91
State	McKay Oil	21	21	McKay Oil	4.1-91	9.1-91
State	McKay Oil	22	22	McKay Oil	4.1-91	9.1-91
State	McKay Oil	23	23	McKay Oil	4.1-91	9.1-91
State	McKay Oil	24	24	McKay Oil	4.1-91	9.1-91
State	McKay Oil	25	25	McKay Oil	4.1-91	9.1-91
State	McKay Oil	26	26	McKay Oil	4.1-91	9.1-91
State	McKay Oil	27	27	McKay Oil	4.1-91	9.1-91
State	McKay Oil	28	28	McKay Oil	4.1-91	9.1-91
State	McKay Oil	29	29	McKay Oil	4.1-91	9.1-91
State	McKay Oil	30	30	McKay Oil	4.1-91	9.1-91
State	McKay Oil	31	31	McKay Oil	4.1-91	9.1-91
State	McKay Oil	32	32	McKay Oil	4.1-91	9.1-91
State	McKay Oil	33	33	McKay Oil	4.1-91	9.1-91
State	McKay Oil	34	34	McKay Oil	4.1-91	9.1-91
State	McKay Oil	35	35	McKay Oil	4.1-91	9.1-91
State	McKay Oil	36	36	McKay Oil	4.1-91	9.1-91
State	McKay Oil	37	37	McKay Oil	4.1-91	9.1-91
State	McKay Oil	38	38	McKay Oil	4.1-91	9.1-91
State	McKay Oil	39	39	McKay Oil	4.1-91	9.1-91
State	McKay Oil	40	40	McKay Oil	4.1-91	9.1-91
State	McKay Oil	41	41	McKay Oil	4.1-91	9.1-91
State	McKay Oil	42	42	McKay Oil	4.1-91	9.1-91
State	McKay Oil	43	43	McKay Oil	4.1-91	9.1-91
State	McKay Oil	44	44	McKay Oil	4.1-91	9.1-91
State	McKay Oil	45	45	McKay Oil	4.1-91	9.1-91
State	McKay Oil	46	46	McKay Oil	4.1-91	9.1-91
State	McKay Oil	47	47	McKay Oil	4.1-91	9.1-91
State	McKay Oil	48	48	McKay Oil	4.1-91	9.1-91
State	McKay Oil	49	49	McKay Oil	4.1-91	9.1-91
State	McKay Oil	50	50	McKay Oil	4.1-91	9.1-91




Scientific Drilling

ROCK RESOURCES

SECTION 15, T16S-R22E
FOUR MILE DRAW B FEDERAL 7-H
CHAVES COUNTY, NEW MEXICO
LATERAL

ALL DEPTHS SHOWN ARE
TRUE VERTICAL DEPTHS


4611.00' MD 89.76° INCLINATION 68.28° AZIMUTH 2883.50' TVD
451.00' NORTH 1969.00' EAST of SURFACE LOCATION
2020.00' CLOSURE DISTANCE 77.10° CLOSURE AZIMUTH



WELL DETAILS

Name	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	Sic
FOUR MILE DRAW B FEDERAL 7-H	0.0	0.0	1015542.42	393839.03	33°47'25.90N	104°42'56.40W	N/A

Azimuths to Grid North:
True North 0.21°
Magnetic North 2.35°
Magnetic Declination 2.14°
Magnetic Field
Station 4050 In T
Dip Angle 61.54°
Date 2/26/2007
Station 142005






Scientific Drilling

ROCK RESOURCES

SECTION 15, T16S-R22E
FOUR MILE DRAW B FEDERAL 7-H
CHAVES COUNTY, NEW MEXICO
LATERAL

ALL DEPTHS SHOWN ARE
MEASURED DEPTHS





Scientific Drilling Houston

Final Survey Report

Company: ROCK RESOURCES
Field: CHAVES COUNTY, NEW MEXICO
Site: SECTION 15, T16S-R22E
Well: FOUR MILE DRAW B FEDERAL 7-H
Wellpath: LATERAL

Date: 3/20/2007
Co-ordinate(NE) Reference: Well: FOUR MILE DRAW B FEDERAL 7-H
Vertical (TVD) Reference: RKB 4370.0
Section (VS) Reference: Well (0.00N,0.00E,90.00Azi)
Survey Calculation Method: Minimum Curvature **Db:** Sybase

Page: 1

Field: CHAVES COUNTY, NEW MEXICO

Map System: US State Plane Coordinate System 1927
Geo Datum: NAD27 (Clarke 1866)
Sys Datum: Mean Sea Level

Map Zone: New Mexico, Eastern Zone
Coordinate System: Well Centre
Geomagnetic Model: igrf2005

Site: SECTION 15, T16S-R22E

Site Position: Northing: 1015342.42 ft Latitude: 33 47 25.800 N
From: Geographic Easting: 383839.03 ft Longitude: 104 42 56.400 W
Position Uncertainty: 0.0 ft North Reference: Grid
Ground Level: 4358.0 ft Grid Convergence: -0.21 deg

Well: FOUR MILE DRAW B FEDERAL 7-H

Slot Name:

Well Position: +N/-S 0.0 ft Northing: 1015342.42 ft Latitude: 33 47 25.800 N
 +E/-W 0.0 ft Easting: 383839.03 ft Longitude: 104 42 56.400 W
Position Uncertainty: 0.0 ft

Wellpath: LATERAL

Current Datum: RKB **Height** 4370.0 ft
Magnetic Data: 2/26/2007
Field Strength: 49901 nT
Vertical Section: Depth From (TVD) +N/-S +E/-W Direction bearing
 ft ft ft
 0.0 0.0 0.0 90.00

Survey

MD ft	Incl deg	Azim bearing	TVD ft	N/S ft	E/V ft	VS ft	DLS deg/100ft	ClsD ft	ClsA bearing	Tool
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.0	0.00	TIE LINE
1000.0	0.00	0.00	1000.0	0.0	0.0	0.0	0.00	0.0	0.00	MWD-SDI
1794.0	0.88	35.33	1794.0	5.0	3.5	3.5	0.11	6.1	35.33	MWD-SDI
2199.0	0.17	207.47	2199.0	7.0	5.0	5.0	0.26	8.6	35.88	MWD-SDI
2231.0	0.24	245.23	2231.0	6.9	5.0	5.0	0.46	8.5	35.70	MWD-SDI
2260.0	1.49	97.21	2260.0	6.8	5.3	5.3	5.86	8.6	37.70	MWD-SDI
2291.0	3.79	102.32	2290.9	6.6	6.7	6.7	7.45	9.4	45.51	SDI E-FIELD
2320.0	7.45	100.78	2319.8	6.0	9.5	9.5	12.63	11.2	57.60	SDI E-FIELD
2352.0	11.50	97.30	2351.3	5.2	14.7	14.7	12.78	15.6	70.43	SDI E-FIELD
2383.0	15.62	93.07	2381.5	4.6	21.9	21.9	13.66	22.4	78.14	SDI E-FIELD
2414.0	19.47	88.70	2411.0	4.5	31.2	31.2	13.12	31.6	81.82	SDI E-FIELD
2446.0	22.10	86.11	2440.9	5.0	42.6	42.6	8.70	42.9	83.27	SDI E-FIELD
2477.0	23.28	84.14	2469.5	6.0	54.5	54.5	4.53	54.8	83.67	SDI E-FIELD
2508.0	24.86	83.71	2497.8	7.4	67.1	67.1	5.13	67.5	83.72	SDI E-FIELD
2539.0	26.63	83.77	2525.8	8.9	80.5	80.5	5.71	80.9	83.72	SDI E-FIELD
2568.0	27.87	83.71	2551.5	10.3	93.7	93.7	4.28	94.2	83.72	SDI E-FIELD
2599.0	30.38	83.97	2578.6	11.9	108.7	108.7	8.11	109.3	83.74	SDI E-FIELD
2631.0	33.57	83.53	2605.8	13.8	125.5	125.5	10.00	126.2	83.74	SDI E-FIELD
2662.0	37.18	83.43	2631.0	15.8	143.3	143.3	11.65	144.2	83.71	SDI E-FIELD
2693.0	41.23	83.21	2655.0	18.1	162.8	162.8	13.07	163.8	83.66	SDI E-FIELD
2725.0	45.57	83.28	2678.3	20.7	184.6	184.6	13.56	185.8	83.61	SDI E-FIELD
2756.0	49.75	83.10	2699.2	23.4	207.4	207.4	13.49	208.7	83.57	SDI E-FIELD
2787.0	53.63	82.81	2718.4	26.4	231.5	231.5	12.54	233.0	83.50	SDI E-FIELD
2818.0	56.67	82.11	2736.1	29.7	256.7	256.7	9.98	258.4	83.40	SDI E-FIELD
2849.0	59.54	80.70	2752.5	33.6	282.7	282.7	10.03	284.7	83.21	SDI E-FIELD
2878.0	62.62	79.76	2766.5	38.0	307.7	307.7	10.99	310.1	82.97	SDI E-FIELD
2909.0	65.32	80.29	2780.1	42.8	335.2	335.2	8.84	337.9	82.73	SDI E-FIELD
2940.0	65.67	80.59	2793.0	47.5	363.0	363.0	1.43	366.1	82.55	SDI E-FIELD



Scientific Drilling Houston

Final Survey Report

Company: ROCK RESOURCES	Date: 3/20/2007	Time: 09:04:08	Page: 2
Field: CHAVES COUNTY, NEW MEXICO	Co-ordinate(NE) Reference:	Well: FOUR MILE DRAW B FEDERAL 7-H	
Site: SECTION 15, T16S-R22E	Vertical (TVD) Reference:	RKB 4370.0	
Well: FOUR MILE DRAW B FEDERAL 7-H	Section (VS) Reference:	Well (0.00N,0.00E,90.00Azi)	
Wellpath: LATERAL	Survey Calculation Method:	Minimum Curvature	Db: Sybase

Survey

MD ft	Incl deg	Azim bearing	TVD ft	N/S ft	E/W ft	VS ft	DLS deg/100ft	ClsD ft	ClsA bearing	Tool
2972.0	66.93	81.12	2805.8	52.1	391.9	391.9	4.22	395.4	82.42	SDI E-FIELD
3003.0	69.98	82.21	2817.2	56.3	420.4	420.4	10.37	424.2	82.37	SDI E-FIELD
3034.0	73.45	83.14	2826.9	60.0	449.6	449.6	11.55	453.6	82.39	SDI E-FIELD
3065.0	76.42	83.05	2835.0	63.6	479.3	479.3	9.58	483.6	82.44	SDI E-FIELD
3096.0	78.73	82.66	2841.6	67.4	509.4	509.4	7.55	513.8	82.46	SDI E-FIELD
3128.0	80.58	81.91	2847.4	71.6	540.6	540.6	6.22	545.3	82.45	SDI E-FIELD
3159.0	80.92	81.09	2852.4	76.2	570.8	570.8	2.83	575.9	82.40	SDI E-FIELD
3236.0	84.95	81.16	2861.8	87.9	646.3	646.3	5.23	652.3	82.25	SDI E-FIELD
3266.0	86.06	79.59	2864.2	92.9	675.8	675.8	6.40	682.2	82.17	SDI E-FIELD
3296.0	87.65	79.36	2865.8	98.4	705.3	705.3	5.35	712.1	82.06	SDI E-FIELD
3326.0	89.50	79.06	2866.6	104.0	734.7	734.7	6.25	742.0	81.94	SDI E-FIELD
3356.0	89.93	79.20	2866.7	109.7	764.2	764.2	1.51	772.0	81.83	SDI E-FIELD
3387.0	89.76	78.90	2866.8	115.6	794.6	794.6	1.11	803.0	81.72	SDI E-FIELD
3417.0	90.13	78.57	2866.9	121.4	824.0	824.0	1.65	832.9	81.62	SDI E-FIELD
3448.0	90.40	78.07	2866.7	127.7	854.4	854.4	1.83	863.9	81.50	SDI E-FIELD
3478.0	89.56	77.38	2866.7	134.1	883.7	883.7	3.62	893.8	81.37	SDI E-FIELD
3508.0	89.50	77.08	2867.0	140.7	913.0	913.0	1.02	923.7	81.24	SDI E-FIELD
3541.0	88.32	77.25	2867.6	148.1	945.1	945.1	3.61	956.7	81.10	SDI E-FIELD
3573.0	89.09	75.21	2868.3	155.7	976.2	976.2	6.81	988.5	80.94	SDI E-FIELD
3605.0	87.68	77.46	2869.2	163.2	1007.3	1007.3	8.30	1020.4	80.80	SDI E-FIELD
3637.0	88.45	77.38	2870.3	170.2	1038.5	1038.5	2.42	1052.3	80.69	SDI E-FIELD
3669.0	89.46	77.44	2870.9	177.2	1069.7	1069.7	3.16	1084.3	80.60	SDI E-FIELD
3700.0	90.67	78.09	2870.8	183.7	1100.0	1100.0	4.43	1115.3	80.52	SDI E-FIELD
3732.0	91.40	77.81	2870.3	190.4	1131.3	1131.3	2.44	1147.2	80.45	SDI E-FIELD
3764.0	91.58	77.51	2869.4	197.3	1162.6	1162.6	1.09	1179.2	80.37	SDI E-FIELD
3796.0	91.14	77.37	2868.7	204.2	1193.8	1193.8	1.44	1211.1	80.29	SDI E-FIELD
3829.0	90.84	77.36	2868.1	211.4	1226.0	1226.0	0.91	1244.1	80.22	SDI E-FIELD
3856.0	90.20	75.92	2867.9	217.7	1252.2	1252.2	5.84	1271.0	80.14	SDI E-FIELD
3889.0	89.77	75.91	2867.9	225.7	1284.3	1284.3	1.30	1303.9	80.03	SDI E-FIELD
3921.0	89.97	76.02	2867.9	233.5	1315.3	1315.3	0.71	1335.9	79.94	SDI E-FIELD
3953.0	90.57	75.89	2867.8	241.2	1346.3	1346.3	1.92	1367.8	79.84	SDI E-FIELD
3985.0	88.76	75.19	2868.0	249.2	1377.3	1377.3	6.06	1399.7	79.74	SDI E-FIELD
4017.0	87.98	75.31	2868.9	257.4	1408.3	1408.3	2.47	1431.6	79.64	SDI E-FIELD
4050.0	88.32	74.60	2870.0	265.9	1440.1	1440.1	2.38	1464.5	79.54	SDI E-FIELD
4082.0	88.66	74.34	2870.8	274.5	1470.9	1470.9	1.34	1496.3	79.43	SDI E-FIELD
4114.0	88.49	73.70	2871.6	283.3	1501.7	1501.7	2.07	1528.2	79.32	SDI E-FIELD
4146.0	88.62	73.26	2872.4	292.4	1532.4	1532.4	1.43	1560.0	79.20	SDI E-FIELD
4178.0	89.43	73.25	2872.9	301.6	1563.0	1563.0	2.53	1591.8	79.08	SDI E-FIELD
4210.0	89.63	72.70	2873.2	311.0	1593.6	1593.6	1.83	1623.6	78.96	SDI E-FIELD
4242.0	90.13	72.42	2873.3	320.6	1624.1	1624.1	1.79	1655.4	78.83	SDI E-FIELD
4274.0	88.92	70.97	2873.5	330.6	1654.5	1654.5	5.90	1687.2	78.70	SDI E-FIELD
4306.0	88.63	70.51	2874.2	341.2	1684.7	1684.7	1.70	1718.9	78.55	SDI E-FIELD
4338.0	87.08	70.15	2875.4	351.9	1714.8	1714.8	4.97	1750.5	78.40	SDI E-FIELD
4371.0	87.14	69.46	2877.1	363.3	1745.7	1745.7	2.10	1783.1	78.24	SDI E-FIELD
4403.0	87.01	69.02	2878.7	374.6	1775.6	1775.6	1.43	1814.7	78.09	SDI E-FIELD
4435.0	87.41	68.78	2880.3	386.1	1805.4	1805.4	1.46	1846.3	77.93	SDI E-FIELD
4467.0	88.22	68.42	2881.5	397.8	1835.2	1835.2	2.77	1877.8	77.77	SDI E-FIELD
4499.0	87.88	68.09	2882.6	409.7	1864.9	1864.9	1.48	1909.4	77.61	SDI E-FIELD
4532.0	89.90	68.58	2883.2	421.8	1895.6	1895.6	6.30	1941.9	77.45	SDI E-FIELD
4564.0	89.76	68.28	2883.3	433.6	1925.3	1925.3	1.03	1973.6	77.31	SDI E-FIELD
4611.0	89.76	68.28	2883.5	451.0	1969.0	1969.0	0.00	2020.0	77.10	PROJECTED DEPTH

FourMileB7H-Final1.txt

H HEADER INFORMATION -----
H COMPANY : ROCK RESOURCES
H FIELD : CHAVES COUNTY, NEW MEXICO
H SITE : SECTION 15, T16S-R22E
H WELL : FOUR MILE DRAW B FEDERAL 7-H
H WELLPATH: LATERAL
H DEPTHUNT: ft
H SURVDATE: 2007-03-20
H-----

H WELL INFORMATION
H WELL EW MAP : 383839.03
H WELL NS MAP : 1015342.42
H DATUM ELEVN : 4370.00
H VSECT ANGLE : 90.00
H-----

H SURVEY TYPE INFORMATION
1000.00 - 2260.00 Survey #1 : MWD-SDI
2291.00 - 4611.00 Survey #2 : SDI E-FIELD
H-----

H SURVEY LIST		MD	INC	AZI	TVD	NS	EW	VSEC	DOGLEG
TFO	SURVEYTOOL-COMMENT	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00	TIE LINE								
1000.00	0.00	0.00	0.00	1000.00	0.00	0.00	0.00	0.00	0.00
0.00	MWD-SDI								
1794.00	0.88	35.33	1793.97	4.97	3.53	3.53	0.11		
0.00	MWD-SDI								
2199.00	0.17	207.47	2198.96	6.98	5.05	5.05	0.26		
178.73	MWD-SDI								
2231.00	0.24	245.23	2230.96	6.91	4.96	4.96	0.46		
82.35	MWD-SDI								
2260.00	1.49	97.21	2259.95	6.84	5.28	5.28	5.86		
-152.31	SDI E-FIELD								
2291.00	3.79	102.32	2290.92	6.57	6.68	6.68	7.45		
8.40	SDI E-FIELD								
2320.00	7.45	100.78	2319.77	6.01	9.47	9.47	12.63		
-3.13	SDI E-FIELD								
2352.00	11.50	97.30	2351.33	5.22	14.67	14.67	12.78		
-9.77	SDI E-FIELD								
2383.00	15.62	93.07	2381.46	4.60	21.91	21.91	13.66		
-15.60	SDI E-FIELD								
2414.00	19.47	88.70	2411.01	4.49	31.25	31.25	13.12		
-20.99	SDI E-FIELD								
2446.00	22.10	86.11	2440.93	5.02	42.58	42.58	8.70		
-20.48	SDI E-FIELD								
2477.00	23.28	84.14	2469.53	6.04	54.50	54.50	4.53		
-33.69	SDI E-FIELD								
2508.00	24.86	83.71	2497.83	7.38	67.07	67.07	5.13		
-6.53	SDI E-FIELD								
2539.00	26.63	83.77	2525.76	8.85	80.45	80.45	5.71		
0.87	SDI E-FIELD								
2568.00	27.87	83.71	2551.54	10.30	93.65	93.65	4.28		
-1.30	SDI E-FIELD								
2599.00	30.38	83.97	2578.61	11.92	108.65	108.65	8.11		
3.00	SDI E-FIELD								
2631.00	33.57	83.53	2605.76	13.76	125.50	125.50	10.00		
-4.36	SDI E-FIELD								
2662.00	37.18	83.43	2631.03	15.80	143.32	143.32	11.65		
-0.96	SDI E-FIELD								
2693.00	41.23	83.21	2655.05	18.08	162.78	162.78	13.07		
-2.05	SDI E-FIELD								
2725.00	45.57	83.28	2678.29	20.67	184.61	184.61	13.56		

FourMileB7H-Final1.txt

0.66	SDI E-FIELD						
2756.00	49.75	83.10	2699.16	23.39	207.36	207.36	13.49
-1.88	SDI E-FIELD						
2787.00	53.63	82.81	2718.38	26.37	231.49	231.49	12.54
-3.45	SDI E-FIELD						
2818.00	56.67	82.11	2736.09	29.71	256.71	256.71	9.98
-10.90	SDI E-FIELD						
2849.00	59.54	80.70	2752.47	33.65	282.73	282.73	10.03
-23.02	SDI E-FIELD						
2878.00	62.62	79.76	2766.49	37.96	307.74	307.74	10.99
-15.19	SDI E-FIELD						
2909.00	65.32	80.29	2780.09	42.78	335.17	335.17	8.84
10.12	SDI E-FIELD						
2940.00	65.67	80.59	2792.95	47.47	362.99	362.99	1.43
38.01	SDI E-FIELD						
2972.00	66.93	81.12	2805.81	52.12	391.92	391.92	4.22
21.17	SDI E-FIELD						
3003.00	69.98	82.21	2817.20	56.30	420.44	420.44	10.37
18.59	SDI E-FIELD						
3034.00	73.45	83.14	2826.92	60.05	449.63	449.63	11.55
14.43	SDI E-FIELD						
3065.00	76.42	83.05	2834.98	63.65	479.35	479.35	9.58
-1.69	SDI E-FIELD						
3096.00	78.73	82.66	2841.65	67.41	509.38	509.38	7.55
-9.41	SDI E-FIELD						
3128.00	80.58	81.91	2847.39	71.64	540.58	540.58	6.22
-21.81	SDI E-FIELD						
3159.00	80.92	81.09	2852.38	76.16	570.84	570.84	2.83
-67.28	SDI E-FIELD						
3236.00	84.95	81.16	2861.85	87.95	646.32	646.32	5.23
0.99	SDI E-FIELD						
3266.00	86.06	79.59	2864.20	92.95	675.81	675.81	6.40
-54.72	SDI E-FIELD						
3296.00	87.65	79.36	2865.84	98.42	705.26	705.26	5.35
-8.23	SDI E-FIELD						
3326.00	89.50	79.06	2866.59	104.04	734.72	734.72	6.25
-9.21	SDI E-FIELD						
3356.00	89.93	79.20	2866.74	109.69	764.18	764.18	1.51
18.03	SDI E-FIELD						
3387.00	89.76	78.90	2866.82	115.58	794.61	794.61	1.11
-119.54	SDI E-FIELD						
3417.00	90.13	78.57	2866.85	121.44	824.03	824.03	1.65
-41.73	SDI E-FIELD						
3448.00	90.40	78.07	2866.71	127.72	854.39	854.39	1.83
-61.63	SDI E-FIELD						
3478.00	89.56	77.38	2866.72	134.10	883.71	883.71	3.62
-140.60	SDI E-FIELD						
3508.00	89.50	77.08	2866.96	140.73	912.96	912.96	1.02
-101.31	SDI E-FIELD						
3541.00	88.32	77.25	2867.59	148.06	945.13	945.13	3.61
171.80	SDI E-FIELD						
3573.00	89.09	75.21	2868.32	155.67	976.20	976.20	6.81
-69.34	SDI E-FIELD						
3605.00	87.68	77.46	2869.22	163.23	1007.28	1007.28	8.30
122.11	SDI E-FIELD						
3637.00	88.45	77.38	2870.30	170.19	1038.50	1038.50	2.42
-5.93	SDI E-FIELD						
3669.00	89.46	77.44	2870.88	177.17	1069.72	1069.72	3.16
3.40	SDI E-FIELD						
3700.00	90.67	78.09	2870.85	183.74	1100.02	1100.02	4.43
28.24	SDI E-FIELD						
3732.00	91.40	77.81	2870.27	190.41	1131.30	1131.30	2.44
-20.98	SDI E-FIELD						

FourMileB7H-Final1.txt

3764.00	91.58	77.51	2869.44	197.25	1162.55	1162.55	1.09
-59.02	SDI E-FIELD						
3796.00	91.14	77.37	2868.68	204.21	1193.78	1193.78	1.44
-162.35	SDI E-FIELD						
3829.00	90.84	77.36	2868.11	211.43	1225.98	1225.98	0.91
-178.09	SDI E-FIELD						
3856.00	90.20	75.92	2867.86	217.66	1252.24	1252.24	5.84
-113.96	SDI E-FIELD						
3889.00	89.77	75.91	2867.87	225.69	1284.25	1284.25	1.30
-178.67	SDI E-FIELD						
3921.00	89.97	76.02	2867.94	233.46	1315.30	1315.30	0.71
28.81	SDI E-FIELD						
3953.00	90.57	75.89	2867.79	241.22	1346.34	1346.34	1.92
-12.22	SDI E-FIELD						
3985.00	88.76	75.19	2867.98	249.21	1377.32	1377.32	6.06
-158.86	SDI E-FIELD						
4017.00	87.98	75.31	2868.89	257.35	1408.26	1408.26	2.47
171.26	SDI E-FIELD						
4050.00	88.32	74.60	2869.96	265.92	1440.11	1440.11	2.38
-64.41	SDI E-FIELD						
4082.00	88.66	74.34	2870.80	274.48	1470.93	1470.93	1.34
-37.40	SDI E-FIELD						
4114.00	88.49	73.70	2871.59	283.29	1501.68	1501.68	2.07
-104.89	SDI E-FIELD						
4146.00	88.62	73.26	2872.40	292.38	1532.35	1532.35	1.43
-73.54	SDI E-FIELD						
4178.00	89.43	73.25	2872.95	301.60	1562.99	1562.99	2.53
-0.71	SDI E-FIELD						
4210.00	89.63	72.70	2873.21	310.97	1593.59	1593.59	1.83
-70.02	SDI E-FIELD						
4242.00	90.13	72.42	2873.28	320.56	1624.12	1624.12	1.79
-29.25	SDI E-FIELD						
4274.00	88.92	70.97	2873.54	330.61	1654.49	1654.49	5.90
-129.85	SDI E-FIELD						
4306.00	88.63	70.51	2874.22	341.16	1684.70	1684.70	1.70
-122.24	SDI E-FIELD						
4338.00	87.08	70.15	2875.42	351.93	1714.81	1714.81	4.97
-166.94	SDI E-FIELD						
4371.00	87.14	69.46	2877.09	363.31	1745.74	1745.74	2.10
-85.04	SDI E-FIELD						
4403.00	87.01	69.02	2878.72	374.63	1775.62	1775.62	1.43
-106.49	SDI E-FIELD						
4435.00	87.41	68.78	2880.28	386.14	1805.44	1805.44	1.46
-30.94	SDI E-FIELD						
4467.00	88.22	68.42	2881.50	397.81	1835.21	1835.21	2.77
-23.95	SDI E-FIELD						
4499.00	87.88	68.09	2882.59	409.66	1864.92	1864.92	1.48
-135.88	SDI E-FIELD						
4532.00	89.90	68.58	2883.22	421.84	1895.58	1895.58	6.30
13.64	SDI E-FIELD						
4564.00	89.76	68.28	2883.32	433.60	1925.34	1925.34	1.03
-115.02	SDI E-FIELD						
4611.00	89.76	68.28	2883.52	450.99	1969.00	1969.00	0.00
180.00	SDI E-FIELD						

Well File Search - Select API Number to View

Please select the API Number you wish to view from the list below by clicking the radio button next to the API Number. Then click the "Continue" button to see the thumbnails for the API you selected. The search results are broken out by groups of 25 on each page. Switching pages can be done by clicking the "Next 25" or "Previous 25" links.

8 Records found

Displaying Screen 1 of 1

- | ☐ | API Number | ULSTR | Footages |
|-----------------------|---|-------------|---------------------|
| ☐ | 3000561607 | H-15-6S-22E | 1980 FNL & 990 FEL |
| | Well Name & Number: FOUR MILE DRAW FEDERAL No. 001 | | |
| | Operator: MCKAY OIL CORP | | |
| ☐ | 3000562302 | P-15-6S-22E | 660 FSL & 1650 FEL |
| | Well Name & Number: FOUR MILE DRAW FEDERAL No. 002 | | |
| | Operator: MCKAY OIL CORP | | |
| ☐ | 3000562348 | K-15-6S-22E | 1980 FSL & 1980 FWL |
| | Well Name & Number: FOUR MILE DRAW FEDERAL No. 007 | | |
| | Operator: MCKAY OIL CORP | | |
| ☐ | 3000562349 | F-15-6S-22E | 1780 FNL & 1780 FWL |
| | Well Name & Number: FOUR MILE DRAW FEDERAL No. 008 | | |
| | Operator: MCKAY OIL CORP | | |
| ☐ | 3000563755 | M-15-6S-22E | 660 FSL & 660 FWL |
| | Well Name & Number: FOUR MILE DRAW B FEDERAL No. 007C | | |
| | Operator: MCKAY OIL CORP | | |
| ☐ | 3000563756 | D-15-6S-22E | 510 FNL & 660 FWL |
| | Well Name & Number: FOUR MILE DRAW B FED No. 008 | | |
| | Operator: MCKAY OIL CORP | | |
| ☐ | 3000563865 | M-15-6S-22E | 660 FSL & 660 FWL |
| | Well Name & Number: FOUR MILE DRAW B FEDERAL No. 007H | | |
| | Operator: MCKAY OIL CORP | | |
| ☐ | 3000563900 | M-15-6S-22E | 695 FSL & 660 FWL |
| | Well Name & Number: FOUR MILE DRAW B FEDERAL No. 007Y | | |
| | Operator: MCKAY OIL CORP | | |

[Continue](#)[Go Back](#)

D C B A
E F G H
L K J I
M N O P