


AP - 52

STG 1 & 2 AP

DATE:

9-22-06



PLAINS
PIPELINE

AP-52
Stage 1 & 2 AP
9-22-06

September 22, 2006

Mr. Ben Stone
New Mexico Oil Conservation Division
Environmental Bureau
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

AP-052

Re: Plains Pipeline Abatement Plan Response
CS Caylor Release Site
Unit Letter B of Section 6, Township 17 South, Range 37 East
Lea County, New Mexico

Dear Mr. Stone:

Included herewith, please find the response to the conditions and understandings outlined in the NMOCD Abatement Plan approval letter dated January 18, 2006 for the Plains Pipeline CS Caylor release site located in Unit Letter B of Section 6, Township 17 South and Range 37 East, Lea County, New Mexico.

Should you have any questions or comments, please contact me at (505) 441-0965.

Sincerely,

Camille Reynolds
Remediation Coordinator
Plains All American Pipeline

CC: Larry Johnson, NMOCD, Hobbs, NM

Enclosure



AP-52

NEW MEXICO ENERGY, MINERALS and NATURAL RESOURCES DEPARTMENT

BILL RICHARDSON

Governor

Joanna Prukop

Cabinet Secretary

Mark E. Fesmire, P.E.

Director

Oil Conservation Division

January 18, 2006

Ms. Camille Reynolds
Plains Pipeline
3112 West Highway 82
Lovington, NM 88260

RE: Plains All American Pipeline Stage 1 and 2
Abatement Plan, Dated October 2005 for the
C.S. Cayler Release Site (Plains Ref. 2002-10250) Located in
Unit Letter B of Section 6, township 17 South, Range 37 East
NMPM, Lea County, New Mexico
NMOCD Reference AP-052 (Old 1R-0382)

Dear Ms. Reynolds:

The New Mexico Oil Conservation Division (NMOCD) has received and reviewed the abatement plan proposal shown above. This proposal for remediation activities at the site is hereby approved with the following conditions and understandings:

1. Groundwater impact at the site will be further delineated as described in section 3.7 of the proposal entitled "Proposed Monitoring Wells" and further detailed in Figure 30. A report shall be submitted to the NMOCD Santa Fe office after installation of these additional monitor wells containing well completion data and groundwater sample analyses of water collected from these wells.
2. Per section 2.12 of the proposal, Plains All American Pipeline (Plains) shall submit soil sampling results obtained during the installation of the proposed monitor wells MW11 through MW16. Upon receiving this report, the NMOCD will make a determination as to the necessity for additional boreholes inside the perimeter of the existing excavation.
3. Plains will continue the annual reporting to the NMOCD as described in section 2.13 of the proposal.
4. Per proposal section 2.11.8.1, Plains is proposing to remediate soil at the site to levels that "may be in excess of the NMOCD remedial goals prescribed according to the site rank." Such acceptable levels have yet to be determined. Plains will propose alternative soil remediation levels and obtain NMOCD approval before any backfilling of the excavation takes place. Additionally, no backfilling activities shall take place before NMOCD personnel have inspected the site.

5. Section 3.2 of the proposal is agreed to, in principle, contingent upon NMOCD inspection of the site before installation of the "oversized engineered barrier" and the NMOCD approval of Plains' report showing the soil sample analyses.
6. Plains shall not receive soil closure approval until the NMOCD is satisfied that soil contamination at the site will not pose a threat to fresh water, public health or the environment.
7. Vapor extraction and product recovery, will not deviate from the description of such activities shown in sections 3.2.6 and 3.3 of the proposal.
8. Groundwater remediation and a monitoring schedule will be accomplished according to sections 3.8 and 3.9 of the proposal respectively.

NMOCD approval of this Stage 1 and Stage 2 Abatement Plan does not relieve Plains of liability should its operations at this site, under said plan, prove to have been harmful to fresh water, public health and the environment. Nor does it relieve Plains of its responsibility to comply with the rules and regulations of any other governmental entity.

NEW MEXICO OIL CONSERVATION DIVISION

A handwritten signature in black ink, appearing to read "Roger C. Anderson", written in a cursive style.

Roger C. Anderson
Environmental Bureau Chief

Copy: NMOCD, Hobbs
Environmental Plus, Inc.



ENVIRONMENTAL PLUS, INC.

Micro-Blaze

Micro-Blaze Out™

STATE APPROVED LAND FARM AND ENVIRONMENTAL SERVICES

ENVIRONMENTAL PLUS, INC.

September 5, 2006

Mr. Ben Stone
New Mexico Oil Conservation Division (NMOCD) Environmental Bureau
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

Re: Plains Pipeline, L.P. C.S. Cayler (Plains ref# 2002-10250)
UL-B (NW¼ of the NE¼) of Section 6, T17S, R37E
Latitude: 32° 52' 2.45"N and Longitude: 103° 17' 17.73"W
Landowner: Robert C. Rice
Driving Directions: From the intersection of NMSR 18 and NMSR 82 in Lovington, NM, go south on NMSR 18, 6.0 miles, then right (west) on caliche road 400 feet, then left (south) .5 mile, then left (east) .2 miles to the work location.

Dear Mr. Stone:

Environmental Plus, Inc. (EPI), on behalf of Plains Pipeline, L.P. (Plains), submits this response to the conditions and understandings in the NMOCD letter dated January 18, 2006 approving the Stage 1 and Stage 2 Abatement Plan for the Plains C.S. Cayler Release Site (Plains ref# 2002-10250). The approval conditions (#.) are reiterated below followed by the Plains response.

1. "Groundwater impact at the site will be further delineated as described in section 3.7 of the proposal entitled "Proposed Monitoring Wells" and further detailed in Figure 30. A report shall be submitted to the NMOCD Santa Fe office after installation of these additional monitor wells containing well completion data and groundwater sample analyses of water collected from these wells."

Response: Included as Attachment I are the engineered survey plat of the site groundwater monitoring wells; Table 3 – Summary of Groundwater Analytical Results; the August 14, 2006 groundwater the contaminant concentration map; the August 14, 2006 groundwater contour map and the construction diagrams for groundwater monitoring wells MW-11 through MW-17.

Discussion of Groundwater Analytical Results and Proposal: The laboratory results from analysis of the groundwater samples collected during the August 14, 2006 sampling event indicate the areal extents of the dissolved phase BTEX constituents, (i.e., benzene, toluene, ethylbenzene, and total xylenes) in excess of the New Mexico Water Quality Control Commission (WQCC) standards are bounded upgradient to the northwest by monitoring wells MW-16 and MW-17, to the east by monitoring well MW-10, to the southeast by monitoring well MW-11, to the southwest by monitoring well MW-13 and to the west by monitoring wells MW-14 and MW-15. The second and third quarter benzene concentrations in monitoring well MW-9 to the northeast and monitoring well MW-12 to south were in excess of the 10.0 µg/L WQCC standard. The xylene standard of 620 µg/L was exceeded in monitoring well MW-12. To bound the dissolved phase BTEX plume along the south radian, Plains proposes to install monitoring well MW-18 approximately 100-foot down gradient of monitoring well MW-12 (reference Figure 9a in Attachment I).

Discussion of Potential Off-site Encroachment: Approximately 50-feet due west of monitoring well MW-12 is an abandoned tank battery initially constructed, according to available well files, in the early 1950's by Skelly Oil Company to store and manage produced fluids, (i.e., crude oil and produced water) and natural gas when the C.S. Caylor lease was being developed. It is not known when the tank battery was abandoned. The tank battery vessels were removed from the site sometime after November 11, 1997 as they are visible in the USGS aerial photograph from that date included in Attachment I. Because of the proximity of impacted monitoring wells MW-5 and MW-12 to the abandoned tank battery and the fact that the tank battery has not been delineated, it is possible that historical releases from the abandoned tank battery are contributing to the impacts currently monitored in monitoring wells MW-5 and MW-12. Monitoring well MW-18 should provide additional objective information.

2. "Per section 2.1.12 of the proposal, Plains All American Pipeline (Plains) shall submit soil sampling results obtained during the installation of the proposed monitor wells MW11 through MW16. Upon receiving this report, the NMOCD will make a determination as to the necessity for additional boreholes inside the perimeter of the existing excavation."

Response: Included as Attachment II are *Table 1*, (i.e., analytical results summary) and the laboratory reports from analysis of soil samples collected during installation of the groundwater monitoring wells MW-11 through MW-17. The BTEX and TPH (i.e., benzene, toluene, ethylbenzene and total xylenes and total petroleum hydrocarbons) laboratory analytical results from analysis of the soil samples collected during installation of the groundwater monitoring wells were all below the respective NMOCD remedial goals and supports the conclusion that soils in the area of the groundwater monitoring well locations were not impacted previously by crude oil.

3. "Plains will continue the annual reporting to the NMOCD as described in section 2.13 of the proposal."

Response: Plains will continue annual reporting to the NMOCD.

4. "Per proposal section 2.11.8.1, Plains is proposing to remediate soil at the site to levels that "may be in excess of the NMOCD remedial goals prescribed according to the site rank." Such acceptable levels have yet to be determined. Plains will propose alternative soil remediation levels and obtain NMOCD approval before any backfilling of the excavation takes place. Additionally, no backfilling activities shall take place before NMOCD personnel have inspected the site."

Response/Clarification: This proposal is intended to apply only to the unexcavated in-situ impacted soil column from a depth of approximately 7-feet below ground surface (bgs) down to the groundwater at a depth of approximately 72-feet bgs. Impacted soils, down to a depth of approximately 7-feet bgs have been excavated and remediated to below the NMOCD site ranking remedial goals for the soil strata from the surface down to a depth of 22-feet bgs, (i.e., 1,000 mg/Kg TPH, 10 mg/Kg benzene and 50 mg/Kg BTEX). Plains is proposing a conservative risk-based closure supported by the installation of an impermeable barrier that will permanently isolate the crude oil source term below 7-feet bgs (current depth of excavation) and will eliminate the vertical migration pathway. The soils intended for use as backfill have been remediated to less than <1,000 mg/Kg TPH, <10 mg/Kg benzene and <50 mg/Kg BTEX. Plains will keep the NMOCD informed of site activities during implementation of the Abatement Plan and facilitate inspections prior to barrier installation and backfilling.

5. "Section 3.2 of the proposal is agreed to, in principle, contingent upon NMOCD inspection of the site before installation of the "oversized engineered barrier" and the NMOCD approval of the Plains' report showing the soil sample analyses."

Response: Plains will notify the NMOCD requesting inspection of the excavation prior to installation of the "oversized engineered barrier."

Response and Discussion: Per Section 3.2.1.1 – "3-foot Clean Buffer," On May 16, 2006, after notification of the NMOCD, discrete soil samples were collected from the sides and from the floor at points within 3-feet of the excavation wall and submitted to the laboratory for analysis of TPH and BTEX. BTEX was not detected in any of the 25 sidewall or 25 floor samples. TPH was detected in 2 of the 25 sidewall samples from locations in the northeast part of the excavation but were below the 1,000 mg/Kg remedial goal, (i.e., Sidewall S-24-3' = 210 mg/Kg and Bottom B-22-6' = 21.2 mg/Kg). These data support the conclusion that a 3-foot clean perimeter buffer has been established. Included as Attachment III is the "Sample location map 5/16/2006," Table 9 - the analytical results summary and the laboratory report.

Response and Discussion: Per Section 3.2.1.2 – "Attenuation Cell," Prior to using the attenuation cell soil as backfill, soil samples will be collected from each quadrant of the cell and submitted to the laboratory for TPH and BTEX analysis to supplement and confirm the acceptable data obtained in December 2004. (reference Table 3 of Abatement Plan)

6. "Plains shall not receive soil closure approval until the NMOCD is satisfied that soil contamination at the site will not pose a threat to fresh water, public health or the environment."

Response: When successfully implemented, the Stage 2 Abatement Plan will remediate the groundwater to acceptable levels, effectively isolate the hydrocarbon residuals allowing natural attenuation to occur and restore the surface to agricultural productivity.

7. "Vapor extraction and product recovery, will not deviate from the description of such activities shown in sections 3.2.6 and 3.3 of proposal."

Response: Phase separated hydrocarbon (PSH) recovery and vapor extraction is ongoing. Permanent well caps will be installed after the barrier is installed and the excavation backfilled and contoured.

8. "Groundwater remediation and a monitoring schedule will be accomplished according to sections 3.8 and 3.9 of the proposal respectively."

Response: Plains will continue PSH recovery and groundwater monitoring accordingly and submit the Annual Report(s) documenting status and progress.

Should there be any questions please call me at the office or Camille Reynolds at 505.441.0965. All official communication should be addressed to:

Camille Reynolds
Plains Pipeline, L.P.
3112 West US Highway 82
Lovington, New Mexico 88260
e-mail: CJReynolds@paalp.com

Sincerely,



Pat McCasland
Senior Consultant
(pmccasland@envplus.net)

cc: Larry Johnson, NMOCD Hobbs
Camille Reynolds, Plains Pipeline, L.P.
Jeff Dann, Plains Pipeline, L.P. (JPDann@paalp.com)
file

Enclosures: Attachment I

Engineered survey plat of the site groundwater monitoring wells
Table 3 – Summary of Groundwater Analytical Results
Figure 10 - Contaminant Concentration Map 8-14-06
Figure 11 - Groundwater Contour Map 8-14-06
Groundwater monitoring well construction diagrams (MW11 through MW17)
Figure 9a – Proposed Groundwater Monitoring Well Location Map
USGS Aerial Photograph (annotated) November 11, 1997

Attachment II

Tabel 1 – Soil Analytical Results Summary – MW11 through MW17
Laboratory report – MW11 through MW17

Attachment III

Figure 4 - Sample Location Map 5-16-06
Table 9 - Analytical Results Summary
Laboratory Report – Sidewalls and Floor

ATTACHMENT I

WELL	LATITUDE	LONGITUDE	CASING ELEV.	CONCRETE ELEV.	GROUND ELEV.
MW #1	32°52'03.10"N	103°17'16.83"W	3803.97	3800.47	3800.24
MW #2	32°52'03.41"N	103°17'17.39"W	3803.93	3801.13	3800.93
MW #3	32°52'03.71"N	103°17'16.70"W	3810.2	3807.44	3807.22
MW #4	32°52'03.28"N	103°17'16.16"W	3810.7	3807.63	3807.4
MW #5	32°52'02.39"N	103°17'16.87"W	3809.05	3806.01	3805.85
MW #6	32°52'02.77"N	103°17'16.32"W	3809.17	3806.54	3806.31
MW #7	32°52'03.75"N	103°17'18.34"W	3809.95	3807.41	3807.27
MW #8	32°52'04.70"N	103°17'17.93"W	3810.29	3807.72	3807.62
MW #9	32°52'04.34"N	103°17'15.50"W	3809.81	3807.34	3806.99
MW #10	32°52'03.09"N	103°17'14.98"W	3809.94	3806.95	3806.81
MW #11	33°52'02.20"N	103°17'14.18"W	3808.95	3808.95	3805.67
MW #12	32°52'02.03"N	103°17'15.95"W	3809.63	3806.52	3806.4
MW #13	32°52'01.93"N	103°17'18.07"W	3809.42	3806.26	3806.22
MW #14	33°52'02.58"N	103°17'19.48"W	3809.46	3806.38	3806.3
MW #15	33°52'03.55"N	103°17'19.48"W	3810.77	3807.61	3807.54
MW #16	32°52'04.47"N	103°17'19.06"W	3812.02	3808.78	3808.72
MW #17	32°52'05.52"N	103°17'18.32"W	3810.4	3807.22	3807.09

CP #122
SET 5/8" REBAR
LAT.=32°52'26.249"N
LONG.=103°17'34.550"W
ELEV.=3814.93

N38°52'11"W
2745.08

MW #17

MW #8

MW #16

MW #9

CP #123
CHISELED "X"
LAT.=32°52'04.362"N
LONG.=103°17'15.495"W
ELEV.=3807.29

MW #7

MW #3

MW #15

MW #2

MW #4

MW #1

MW #10

MW #6

MW #14

MW #5

MW #11

MW #12


MW #13

NOTE:

- COORDINATES ARE NAD 83

Basis of Bearings -

Bearings are referred to Grid North based on the New Mexico State Plane Coordinate System, East Zone as observed by the Global Positioning Satellite system.



LEGEND



CONTROL POINT



MONITOR WELL



SWING TIE

PETTIGREW AND ASSOCIATES

1110 N. GRIMES HOBBS, N.M. 88240
(505) 393-9827

0	07/24/2006	PLOTTED
00	07/24/2006	PRELIMINARY PLAT
		DATE OF SURVEY
REV	DATE	DESCRIPTION

PLAT OF MONITOR WELL SURVEY FOR
PLAINS PIPELINE, L.P.
CS CAYLER 2002-10250

PROJ. No.	2006.1068	DRN BY:	P. DAVIS
DWG	ACAD PPL CAYLER\dwg\Monitor Wells.dwg		
BOOK		SHT.	1 of 1

Table 3
Plains Marketing, L.P.
C. S. Cayler - Ref. #2002-10250
Summary of Groundwater Analytical Results

Monitoring Well #	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	m,p-Xylenes (µg/L)	o-Xylene (µg/L)	Total Xylenes (µg/L)	TPH	
								GRO (mg/L)	DRO (mg/L)
MW-5	22-Sep-04	<1	<1	<1	<2	<1	<3	<0.5	<0.5
	19-Nov-04	Not Sampled							
	31-Mar-05	3,140	49.8	142	7.63	125	133		
	12-May-05	4,250	8.93	313	<2	184	184		
	22-Aug-05	20,300	2,240	1,420	377	759	1,140		
	14-Nov-05	19,500	847	904	165	313	478		
	01-Mar-06	Not Sampled Due to the Presence of Phase Separated Hydrocabons							
	25-May-06	Not Sampled Due to the Presence of Phase Separated Hydrocabons							
	14-Aug-06	Not Sampled Due to the Presence of Phase Separated Hydrocabons							
MW-6	19-Nov-04	635	1.05	<1	9.81	<1	9.81		
	31-Mar-05	702	<1	<1	10.7	<1	10.7		
	12-May-05	468	1.39	<1	8.23	<1	8.23		
	22-Aug-05	158	<1	1.3	4.06	<1	4.06		
	14-Nov-05	231	5.74	1.97	7.89	1.07	8.96		
	01-Mar-06	90.9	3.82	<1	2.1	1.4	3.5		
	25-May-06	<1	<1	<1	<2	<1	<3		
	14-Aug-06	863	<100	<100	<200	<100	<300		
MW-7	19-Nov-04	Not Sampled Due to the Presence of Phase Separated Hydrocabons							
	31-Mar-05	Not Sampled Due to the Presence of Phase Separated Hydrocabons							
	12-May-05	Not Sampled Due to the Presence of Phase Separated Hydrocabons							
	22-Aug-05	Not Sampled Due to the Presence of Phase Separated Hydrocabons							
	14-Nov-05	Not Sampled Due to the Presence of Phase Separated Hydrocabons							
	01-Mar-06	Not Sampled Due to the Presence of Phase Separated Hydrocabons							
	25-May-06	Not Sampled Due to the Presence of Phase Separated Hydrocabons							
	14-Aug-06	Not Sampled Due to the Presence of Phase Separated Hydrocabons							
MW-8	19-Nov-04	1,440	141	29.8	62.6	15.6	78.2		
	31-Mar-05	915	59.6	4.08	25.9	5.78	31.7		
	12-May-05	737	87.8	5.88	23.1	8.37	31.5		
	22-Aug-05	Not Sampled Due to the Presence of Phase Separated Hydrocabons							
	14-Nov-05	Not Sampled Due to the Presence of Phase Separated Hydrocabons							
	01-Mar-06	Not Sampled Due to the Presence of Phase Separated Hydrocabons							
	25-May-06	Not Sampled Due to the Presence of Phase Separated Hydrocabons							
	14-Aug-06	Not Sampled Due to the Presence of Phase Separated Hydrocabons							
MW-9	19-Nov-04	42	<1	<1	2.33	<1	2.33		
	31-Mar-05	24	<1	<1	3.02	<1	3.02		
	12-May-05	11.5	<1	<1	2.01	<1	2.01		
	22-Aug-05	10.8	<1	<1	7.07	<1	7.07		
	14-Nov-05	8.55	<1	<1	<2	<1	<3		
	01-Mar-06	5.37	<1	<1	<2	<1	<3		
	25-May-06	28.9	<1	<1	<2	<1	<3		
	14-Aug-06	15.2	<1	<1	<2	<1	<3		

Table 3
Plains Marketing, L.P.
C. S. Cayler - Ref. #2002-10250
Summary of Groundwater Analytical Results

Monitoring Well #	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	m,p-Xylenes (µg/L)	o-Xylene (µg/L)	Total Xylenes (µg/L)	TPH	
								GRO (mg/L)	DRO (mg/L)
MW-10	19-Nov-04	7.25	1.26	<1	36.7	<1	36.7		
	31-Mar-05	1.28	<1	<1	24.7	<1	24.7		
	12-May-05	3.16	<1	<1	7.93	<1	7.93		
	22-Aug-05	2.76	<1	<1	<2	<1	<3		
	14-Nov-05	8.09	<1	<1	<2	<1	<3		
	01-Mar-06	3.78	<1	<1	<2	<1	<3		
	25-May-06	6.63	<1	<1	<2	<1	<3		
	14-Aug-06	7.10	<1	<1	<2	<1	<3		
MW-11	01-Mar-06	<1	<1	<1	<2	<1	<3		
	25-May-06	<1	<1	<1	<2	<1	<3		
	14-Aug-06	1.81	<1	<1	<2	<1	<3		
MW-12	01-Mar-06	4.48	<1	7.38	11.9	<1	11.9		
	25-May-06	750	5.32	55.3	105	1.83	107		
	14-Aug-06	10,700	1.16	567	646	<100	646		
MW-13	01-Mar-06	<1	<1	<1	<2	<1	<3		
	25-May-06	<1	<1	<1	<2	<1	<3		
	14-Aug-06	<1	<1	<1	<2	<1	<3		
MW-14	01-Mar-06	<1	1.15	<1	<2	<1	<3		
	25-May-06	<1	1.85	<1	<2	<1	<3		
	14-Aug-06	<1	<1	<1	<2	<1	<3		
MW-15	01-Mar-06	<1	<1	<1	<2	<1	<3		
	25-May-06	<1	2.02	<1	<2	<1	<3		
	14-Aug-06	<1	<1	<1	<2	<1	<3		
MW-16	01-Mar-06	6.91	11.0	5.74	11.2	4.69	15.9		
	25-May-06	1.18	24.8	2.78	6.16	<1	6.16		
	14-Aug-06	<1	<1	<1	<2	<1	<3		
MW-17	01-Mar-06	Not Analyzed							
	25-May-06	<1	<1	<1	<2	<1	<3		
	14-Aug-06	<1	<1	<1	<2	<1	<3		
NMWQCC Limits		10	750	750			620		

µg/L - micrograms per liter

mg/L - milligrams per liter


TPH - Total Petroleum Hydrocarbons EPA method 8015M


GRO - Gasoline Range Organics

DRO - Diesel Range Organics

Blank cells indicate that analysis was not performed.


NMWQCC - New Mexico Water Quality Control Commission





LEGEND

- Q Dirt Road -
- OIL-
- Monitoring Well
- Valve
- Fence
- Recovery System
- Groundwater Level
- Groundwater Contour
- Approximate Direction of Groundwater Flow



DWG By: Iain Olness
September 2004

REVIS
Aug. 2006

SHEET
1 of 1

Lea County, New Mexico
NW 1/4 of the NE 1/4, Sec. 6, T17S, R37E
N 32° 52' 2.45" W 103° 17' 17.7"
Elevation: 3,810 feet amsl

Figure 11
Groundwater Contour Map - 8/14/06
Plains Marketing, L.P.
C. S. Cayler

Client: Environmental Plus, Inc.

Attn: Pat McCasland

Address: 2100 Ave. O

Euine

NM 88231

Phone: (505) 394-3481

FAX: (505) 394-2601

Report# Lab ID#: 184225

Report Date: 08/24/06

Project ID: 2002-10250

Sample Name: MW-6

Sample Matrix: water

Date Received: 08/17/2006

Time: 09:45

Date Sampled: 08/14/2006

Time: 10:55


REPORT OF ANALYSIS

QUALITY ASSURANCE DATA 1

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual. ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX	---		---		08/21/06	8260b(5030/5035)	---	---	---	---	---
Benzene	863	µg/L	100	<100	08/21/06	8260b	---	2.4	100.1	100.3	96.9
Ethylbenzene	<100	µg/L	100	<100	08/21/06	8260b	---	4.6	102.3	93.6	99
m,p-Xylenes	<200	µg/L	200	<200	08/21/06	8260b	J	4	100.4	92.2	98.1
o-Xylene	<100	µg/L	100	<100	08/21/06	8260b	J	2.9	101.9	93.6	99.3
Toluene	<100	µg/L	100	<100	08/21/06	8260b	J	3.3	102.1	98.3	97.1

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2003, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,



Richard Elton

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than (" $<$ ") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S & S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 FAX (512) 385-7411

Client: Environmental Plus, Inc. Attn: Pat McCasland	Project ID: 2002-10250 Sample Name: MW-6	Report#/Lab ID#: 184225 Sample Matrix: water
---	---	---

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limits	Date Analyzed	Data Qualifiers
1,2-Dichloroethane-d4	8260b	104	70-130	08/21/06	---
Toluene-d8	8260b	105	80-125	08/21/06	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 184225 Matrix: water

Client: Environmental Plus, Inc. Attn: Pat McCasland

Project ID: 2002-10250

Sample Name: MW-6

Sample Temperature/Condition: <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation:

- ☒ Sample received in appropriate container(s) and appear to be appropriately preserved.
- ☐ Sample received in appropriate container(s). State of sample preservation unknown.
- ☐ Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion:

A J flag data qualifier indicates (as required under TCEQ-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
m,p-Xylenes	J	See J-flag discussion above.
o-Xylene	J	See J-flag discussion above.
Toluene	J	See J-flag discussion above.

Notes:

1. The following information was obtained from the laboratory report: The sample was analyzed for the following parameters: m,p-Xylenes, o-Xylene, Toluene. The results for these parameters are as follows: m,p-Xylenes: J, o-Xylene: J, Toluene: J. The J flag indicates that the results are below the detection limit but above the quantitation limit. The laboratory report also includes a section on the quality of the sample, which states that the sample was received in appropriate containers and appears to be appropriately preserved. The laboratory report also includes a section on the quality of the analysis, which states that the analysis was performed in accordance with the applicable methods and that the results are reliable.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Plus, Inc.

Attn: Pat McCasland

Address: 2100 Ave. O

Eunice

NM 88231

Phone: (505) 394-3481 **FAX:** (505) 394-2601

Report#/Lab ID#: 184226 **Report Date:** 08/24/06

Project ID: 2002-10250

Sample Name: MW-9

Sample Matrix: water

Date Received: 08/17/2006 **Time:** 09:45

Date Sampled: 08/14/2006 **Time:** 08:55

REPORT OF ANALYSIS

QUALITY ASSURANCE DATA 1


Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual. ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatiles organics-8260b/BTEX	---		---		08/22/06	8260b(5030/5035)	---	---	---	---	---
Benzene	15.2	µg/L	1	<1	08/22/06	8260b	S,M	4.1	78.6	98.5	98.5
Ethylbenzene	<1	µg/L	1	<1	08/22/06	8260b	J	0.7	94	99.3	98.4
m,p-Xylenes	<2	µg/L	2	<2	08/22/06	8260b	J	0.9	92.8	96.2	95.7
o-Xylene	<1	µg/L	1	<1	08/22/06	8260b	---	0	96.4	96.3	96.4
Toluene	<1	µg/L	1	<1	08/22/06	8260b	---	4	98.8	99.7	96

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2003, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Elton

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than (" $<$ ") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S & S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Plus, Inc. Attn: Pat McCasland	Project ID: 2002-10250 Sample Name: MW-9	Report#/Lab ID#: 184226 Sample Matrix: water
---	---	---

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limits	Date Analyzed	Data Qualifiers
1,2-Dichloroethane-d4	8260b	108	70-130	08/22/06	---
Toluene-d8	8260b	99.3	80-125	08/22/06	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 184226	Matrix: water	Attn: Pat McCasland
Client: Environmental Plus, Inc.		
Project ID: 2002-10250		
Sample Name: MW-9		

Sample Temperature/Condition: <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation:

- ☒ Sample received in appropriate container(s) and appear to be appropriately preserved.
- ☐ Sample received in appropriate container(s). State of sample preservation unknown.
- ☐ Sample received in inappropriate container(s) and/or with unknown state of preservation.


J flag Discussion:

A J flag data qualifier indicates (as required under TCEQ-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Benzene	S.M	MS and/or MSD recoveries outside target recov. limits. LCS recovery in-limits; indicative of potential matrix interference as evidenced by M-flag.
Benzene	S.M	Frequently indicative of high level of analyte in sample spiked, masking spike recovery or high spike recovery with no analyte found in sample.
Ethylbenzene	J	See J-flag discussion above.
m,p-Xylenes	J	See J-flag discussion above.

Notes:



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 2100 Ave. O
Emine NM 88231
Phone: (505) 394-3481 **FAX:** (505) 394-2601

Report# / Lab ID#: 184227 **Report Date:** 08/24/06
Project ID: 2002-10250
Sample Name: MW-10
Sample Matrix: water
Date Received: 08/17/2006 **Time:** 09:45
Date Sampled: 08/14/2006 **Time:** 08:35

REPORT OF ANALYSIS

QUALITY ASSURANCE DATA 1


Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual. ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatiles organics-8260b/BTEX	---		---		08/22/06	8260b(5030/5035)	---	---	---	---	---
Benzene	7.1	µg/L	1	<1	08/22/06	8260b	S,M	4.1	78.6	98.5	98.5
Ethylbenzene	<1	µg/L	1	<1	08/22/06	8260b	J	0.7	94	99.3	98.4
m,p-Xylenes	<2	µg/L	2	<2	08/22/06	8260b	J	0.9	92.8	96.2	95.7
o-Xylene	<1	µg/L	1	<1	08/22/06	8260b	J	0	96.4	96.3	96.4
Toluene	<1	µg/L	1	<1	08/22/06	8260b	---	4	98.8	99.7	96

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2003, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Elton

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than (" $<$ ") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S & S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5986 FAX (512) 395-7411

Client: Environmental Plus, Inc.	Project ID: 2002-10250	Report#/Lab ID#: 184227
Attn: Pat McCasland	Sample Name: MW-10	Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limits	Date Analyzed	Data Qualifiers
1,2-Dichloroethane-d4	8260b	110	70-130	08/22/06	---
Toluene-d8	8260b	99.1	80-125	08/22/06	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 184227 Matrix: water

Client: Environmental Plus, Inc. Attn: Pat McCasland

Project ID: 2002-10250

Sample Name: MW-10

Sample Temperature/Condition: <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation:

- ☒ Sample received in appropriate container(s) and appear to be appropriately preserved.
- ☐ Sample received in appropriate container(s). State of sample preservation unknown.
- ☐ Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion:

A J flag data qualifier indicates (as required under TCEQ-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Benzene	S.M	MS and/or MSD recoveries outside target recov. limits. LCS recovery in-limits; indicative of potential matrix interference as evidenced by M-flag.
Benzene	S.M	Frequently indicative of high level of analyte in sample spiked, masking spike recovery or high spike recovery with no analyte found in sample.
Ethylbenzene	J	See J-flag discussion above.
m,p-Xylenes	J	See J-flag discussion above.
o-Xylene	J	See J-flag discussion above.

Notes:

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 2100 Ave. O
Eunice NM 88231
Phone: (505) 394-3481 **FAX:** (505) 394-2601

Report#/Lab ID#: 184228 **Report Date:** 08/24/06
Project ID: 2002-10250
Sample Name: MW-11
Sample Matrix: water
Date Received: 08/17/2006 **Time:** 09:45
Date Sampled: 08/14/2006 **Time:** 08:15

REPORT OF ANALYSIS

QUALITY ASSURANCE DATA 1

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual. ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX	---		---		08/21/06	8260b(5030/5035)	---	---	---	---	---
Benzene	1.81	µg/L	1	<1	08/21/06	8260b	---	2.4	100.1	100.3	96.9
Ethylbenzene	<1	µg/L	1	<1	08/21/06	8260b	---	4.6	102.3	93.6	99
m,p-Xylenes	<2	µg/L	2	<2	08/21/06	8260b	J	4	100.4	92.2	98.1
o-Xylene	<1	µg/L	1	<1	08/21/06	8260b	---	2.9	101.9	93.6	99.3
Toluene	<1	µg/L	1	<1	08/21/06	8260b	---	3.3	102.1	98.3	97.1

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2003, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,


Richard Elton

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S & S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Plus, Inc. Attn: Pat McCasland	Project ID: 2002-10250 Sample Name: MW-11	Report#/Lab ID#: 184228 Sample Matrix: water
---	--	---

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limits	Date Analyzed	Data Qualifiers
1,2-Dichloroethane-d4	8260b	113	70-130	08/21/06	---
Toluene-d8	8260b	102	80-125	08/21/06	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 184228	Matrix: water	Attn: Pat McCasland
Client: Environmental Plus, Inc.		
Project ID: 2002-10250		
Sample Name: MW-11		

Sample Temperature/Condition: <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation:

- ☒ Sample received in appropriate container(s) and appear to be appropriately preserved.
- ☐ Sample received in appropriate container(s). State of sample preservation unknown.
- ☐ Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion:

A J flag data qualifier indicates (as required under TCEQ-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
m,p-Xylenes	J	See J-flag discussion above.

Notes:

1. The following information was obtained from the laboratory report: The sample was analyzed for m,p-Xylenes and the result was reported as J. The J flag indicates that the result is below the detection limit but above the quantitation limit. The laboratory report also states that the sample was analyzed for m,p-Xylenes and the result was reported as J. The J flag indicates that the result is below the detection limit but above the quantitation limit.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5986 • FAX (512) 385-7411

Client: Environmental Plus, Inc.

Attn: Pat McCasland

Address: 2100 Ave. O

Euinee

NM 88231

Phone: (505) 394-3481 **FAX:** (505) 394-2601

Report# / Lab ID#: 184229 **Report Date:** 08/24/06

Project ID: 2002-10250

Sample Name: MW-12

Sample Matrix: water

Date Received: 08/17/2006 **Time:** 09:45

Date Sampled: 08/14/2006 **Time:** 07:50

REPORT OF ANALYSIS

QUALITY ASSURANCE DATA 1

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual. ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX	---		---		08/23/06	8260b(5030/5035)	---	---	---	---	---
Benzene	10700	µg/L	100	<100	08/23/06	8260b	---	3.4	92.4	92.9	92.4
Ethylbenzene	567	µg/L	100	<100	08/23/06	8260b	---	7.7	99.2	110.8	101.7
m,p-Xylenes	646	µg/L	200	<200	08/23/06	8260b	---	8.4	98.7	109.9	100.9
o-Xylene	<100	µg/L	100	<100	08/23/06	8260b	J	7.9	101.4	113.3	100.1
Toluene	116	µg/L	100	<100	08/23/06	8260b	---	5.8	90.3	97.2	91.3

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2003, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Elton

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than (" $<$ ") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S & S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 FAX (512) 385-7411

Client: Environmental Plus, Inc.	Project ID: 2002-10250	Report#/Lab ID#: 184229
Attn: Pat McCasland	Sample Name: MW-12	Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limits	Date Analyzed	Data Qualifiers
1,2-Dichloroethane-d4	8260b	102	70-130	08/23/06	---
Toluene-d8	8260b	103	80-125	08/23/06	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 184229 Matrix: water

Client: Environmental Plus, Inc. Attn: Pat McCasland

Project ID: 2002-10250

Sample Name: MW-12

Sample Temperature/Condition: <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation:

- ☒ Sample received in appropriate container(s) and appear to be appropriately preserved.
- ☐ Sample received in appropriate container(s). State of sample preservation unknown.
- ☐ Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion:

A J flag data qualifier indicates (as required under TCEQ-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
o-Xylene	J	See J-flag discussion above.

Notes:



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 2100 Ave. O
Eunice NM 88231
Phone: (505) 394-3481 **FAX:** (505) 394-2601

Report#/Lab ID#: 184230 **Report Date:** 08/24/06
Project ID: 2002-10250
Sample Name: MW-13
Sample Matrix: water
Date Received: 08/17/2006 **Time:** 09:45
Date Sampled: 08/14/2006 **Time:** 07:30

REPORT OF ANALYSIS

QUALITY ASSURANCE DATA 1

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual. ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX	---		---		08/18/06	8260b(5030/5035)		---	---	---	---
Benzene	<1	µg/L	1	<1	08/18/06	8260b	J	2.7	94.8	93.6	92.6
Ethylbenzene	<1	µg/L	1	<1	08/18/06	8260b	---	4.6	105	104.7	103.6
m,p-Xylenes	<2	µg/L	2	<2	08/18/06	8260b	---	4.7	105	104.6	104.1
o-Xylene	<1	µg/L	1	<1	08/18/06	8260b	---	4.8	108.2	108.6	107.2
Toluene	<1	µg/L	1	<1	08/18/06	8260b	---	4.1	98.4	99.4	96.8

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2003, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,


Richard Elton

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than (" $<$ ") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S & S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Plus, Inc.	Project ID: 2002-10250	Report#/Lab ID#: 184230
Attn: Pat McCasland	Sample Name: MW-13	Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limits	Date Analyzed	Data Qualifiers
1,2-Dichloroethane-d4	8260b	110	70-130	08/18/06	---
Toluene-d8	8260b	101	80-125	08/18/06	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 184230	Matrix: water	Attn: Pat McCasland
Client: Environmental Plus, Inc.		
Project ID: 2002-10250		
Sample Name: MW-13		

Sample Temperature/Condition: <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation:

- ☒ Sample received in appropriate container(s) and appear to be appropriately preserved.
☐ Sample received in appropriate container(s). State of sample preservation unknown.
☐ Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion:

A J flag data qualifier indicates (as required under TCEQ-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Benzene	J	See J-flag discussion above.

Notes:

Notes section containing multiple lines of text, likely representing a list of notes or observations related to the sample analysis.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Plus, Inc.

Attn: Pat McCasland

Address: 2100 Ave. O

Eunice

NM 88231

Phone: (505) 394-3481 **FAX:** (505) 394-2601

Report# Lab ID#: 184231 **Report Date:** 08/24/06

Project ID: 2002-10250

Sample Name: MW-14

Sample Matrix: water

Date Received: 08/17/2006 **Time:** 09:45

Date Sampled: 08/14/2006 **Time:** 10:35

REPORT OF ANALYSIS

QUALITY ASSURANCE DATA 1


Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual. ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX	---		---		08/23/06	8260b(5030/5035)	---	---	---	---	---
Benzene	<1	µg/L	1	<1	08/23/06	8260b	---	0.8	95.6	94.3	96.1
Ethylbenzene	<1	µg/L	1	<1	08/23/06	8260b	---	2.1	97.2	93.3	94.6
m,p-Xylenes	<2	µg/L	2	<2	08/23/06	8260b	---	2.6	95.2	91	93.3
o-Xylene	<1	µg/L	1	<1	08/23/06	8260b	---	3	96.6	92.5	95.1
Toluene	<1	µg/L	1	<1	08/23/06	8260b	---	1.5	95.5	92.6	96.4

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2003, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Elton

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than (" $<$ ") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S & S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Plus, Inc. Attn: Pat McCasland	Project ID: 2002-10250 Sample Name: MW-14	Report#/Lab ID#: 184231 Sample Matrix: water
---	--	---

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limits	Date Analyzed	Data Qualifiers
1,2-Dichloroethane-d4	8260b	105	70-130	08/23/06	---
Toluene-d8	8260b	99.3	80-125	08/23/06	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Plus, Inc.

Attn: Pat McCasland

Address: 2100 Ave. O

Eunice

NM 88231

Phone: (505) 394-3481

FAX: (505) 394-2601

Report#/Lab ID#: 184232

Report Date: 08/24/06

Project ID: 2002-10250

Sample Name: MW-15

Sample Matrix: water

Date Received: 08/17/2006

Time: 09:45

Date Sampled: 08/14/2006

Time: 10:10

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual. ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX	---		---		08/23/06	8260b(5030/5035)	---	---	---	---	---
Benzene	<1	µg/L	1	<1	08/23/06	8260b	---	0.8	95.6	94.3	96.1
Ethylbenzene	<1	µg/L	1	<1	08/23/06	8260b	---	2.1	97.2	93.3	94.6
m,p-Xylenes	<2	µg/L	2	<2	08/23/06	8260b	---	2.6	95.2	91	93.3
o-Xylene	<1	µg/L	1	<1	08/23/06	8260b	---	3	96.6	92.5	95.1
Toluene	<1	µg/L	1	<1	08/23/06	8260b	---	1.5	95.5	92.6	96.4

QUALITY ASSURANCE DATA 1

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2003, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Elton

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than (" $<$ ") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S & S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.




3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Plus, Inc.	Project ID: 2002-10250	Report#/Lab ID#: 184232
Attn: Pat McCasland	Sample Name: MW-15	Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limits	Date Analyzed	Data Qualifiers
1,2-Dichloroethane-d4	8260b	102	70-130	08/23/06	---
Toluene-d8	8260b	99.2	80-125	08/23/06	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78403
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Plus, Inc.

Attn: Pat McCasland

Address: 2100 Ave. O

Eunice

NM 88231

Phone: (505) 394-3481 FAX: (505) 394-2601

Report#/Lab ID#: 184233 Report Date: 08/24/06

Project ID: 2002-10250

Sample Name: MW-16

Sample Matrix: water

Date Received: 08/17/2006 Time: 09:45

Date Sampled: 08/14/2006 Time: 09:45

REPORT OF ANALYSIS

QUALITY ASSURANCE DATA 1


Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual. ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX	---		---		08/23/06	8260b(5030/5035)	---	---	---	---	---
Benzene	<1	µg/L	1	<1	08/23/06	8260b	---	0.8	95.6	94.3	96.1
Ethylbenzene	<1	µg/L	1	<1	08/23/06	8260b	---	2.1	97.2	93.3	94.6
m,p-Xylenes	<2	µg/L	2	<2	08/23/06	8260b	---	2.6	95.2	91	93.3
o-Xylene	<1	µg/L	1	<1	08/23/06	8260b	---	3	96.6	92.5	95.1
Toluene	<1	µg/L	1	<1	08/23/06	8260b	---	1.5	95.5	92.6	96.4

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2003, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Elton

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than (" $<$ ") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S & S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2002-10250
Sample Name: MW-16

Report#/Lab ID#: 184233
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limits	Date Analyzed	Data Qualifiers
1,2-Dichloroethane-d4	8260b	104	70-130	08/23/06	---
Toluene-d8	8260b	98.7	80-125	08/23/06	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 2100 Ave. O
Eunice NM 88231
Phone: (505) 394-3481 **FAX:** (505) 394-2601

Report#/Lab ID#: 184234 **Report Date:** 08/24/06
Project ID: 2002-10250
Sample Name: MW-17
Sample Matrix: water
Date Received: 08/17/2006 **Time:** 09:45
Date Sampled: 08/14/2006 **Time:** 09:25

REPORT OF ANALYSIS

QUALITY ASSURANCE DATA 1

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual. ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
Volatile organics-8260b/BTEX	---		---		08/23/06	8260b(5030/5035)	---	---	---	---	---
Benzene	<1	µg/L	1	<1	08/23/06	8260b	J	0.8	95.6	94.3	96.1
Ethylbenzene	<1	µg/L	1	<1	08/23/06	8260b	---	2.1	97.2	93.3	94.6
m,p-Xylenes	<2	µg/L	2	<2	08/23/06	8260b	---	2.6	95.2	91	93.3
o-Xylene	<1	µg/L	1	<1	08/23/06	8260b	---	3	96.6	92.5	95.1
Toluene	<1	µg/L	1	<1	08/23/06	8260b	---	1.5	95.5	92.6	96.4

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2003, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,


Richard Elton

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than (" $<$ ") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S & S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.



3512 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Plus, Inc.	Project ID: 2002-10250	Report#/Lab ID#: 184234
Attn: Pat McCasland	Sample Name: MW-17	Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limits	Date Analyzed	Data Qualifiers
1,2-Dichloroethane-d4	8260b	105	70-130	08/23/06	---
Toluene-d8	8260b	99	80-125	08/23/06	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 184234	Matrix: water	Attn: Pat McCasland
Client: Environmental Plus, Inc.		
Project ID: 2002-10250		
Sample Name: MW-17		

Sample Temperature/Condition: <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation:

- ☒ Sample received in appropriate container(s) and appear to be appropriately preserved.
- ☐ Sample received in appropriate container(s). State of sample preservation unknown.
- ☐ Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion:

A J flag data qualifier indicates (as required under TCEQ-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Benzene	J	See J-flag discussion above.

Notes:

Notes: (This area is for additional comments or observations related to the sample analysis.)

Environmental Plus, Inc.

2100 Avenue O, Eunice, NM 88231
(505) 394-3481 FAX: (505) 394-2601

P.O. Box 1558, Eunice, NM 88231


Chain of Custody Form

LAB: Analysis

Company Name Environmental Plus, Inc. EPI Project Manager Pat McCasland Mailing Address P.O. BOX 1558 City, State, Zip Eunice New Mexico 88231 EPI Phone#/Fax# 505-394-3481 / 505-394-2601 Client Company Plains Pipeline Facility Name CS Cayler Gathering Location UL-B, Sec. 06, T 17 S, R 37 E Project Reference 2002-10250 EPI Sampler Name Jacob Melancon		Bill To:  Attn: ENV Accounts Payable PO Box 4648, Houston, TX 77210-4648		ANALYSIS REQUEST TPH 8015M BTX 8021B CHLORIDES (Cl) SULFATES (SO ₄) pH TCLP OTHER >> PAH									
LAB I.D.	SAMPLE I.D.	MATRIX				PRESERV.			SAMPLING			DATE	TIME
		WASTEWATER	GROUND WATER	# CONTAINERS	(G) RAB OR (C) OMP.	SOIL	CRUDE OIL	SLUDGE	OTHER:	ACID/BASE	ICE/COOL		
184225.1 MW-6			X	4					X	X		14-Aug-06	10:55
184226.2 MW-9			X	4					X	X		14-Aug-06	8:55
184227.3 MW-10			X	4					X	X		14-Aug-06	8:35
184228.4 MW-11			X	4					X	X		14-Aug-06	8:15
184229.5 MW-12			X	4					X	X		14-Aug-06	7:50
184230.6 MW-13			X	4					X	X		14-Aug-06	7:30
184231.7 MW-14			X	4					X	X		14-Aug-06	10:35
184232.8 MW-15			X	4					X	X		14-Aug-06	10:10
184233.9 MW-16			X	4					X	X		14-Aug-06	9:45
184234.0 MW-17			X	4					X	X		14-Aug-06	9:25
Sampler Relinquished: <i>Pat McCasland</i> Date: 8/14/06 Relinquished by: <i>Pat McCasland</i> Date: 8/14/06 Delivered by: <i>Pat McCasland</i> Date: 8/14/06 Received By: (lab staff) 8-17-06 9:45 Sample Cool & Intact: Yes ☒ No ☐ Checked By: <i>Pat McCasland</i> REMARKS: T: 4.5 C E-mail results to: pmccasland@envplus.net and cjreynolds@paalp.com													

Monitoring Well Construction Information Standard Well


Job No.: 2002-10250 Job Name: C.S. Caylor Gathering Boring / Well No. MW-11
Date: 06/28/06 Field Representative: EB State Unique Well No. NA



- 1) Protective Casing ☒ Yes ☐ No
Locking ☒ Yes ☐ No
Protective Posts Yes ☒ No
Concrete Pyramid Yes ☒ No
- 2) Concrete Seal ☒ Yes ☐ No
- 3) Type of Surface Seal if Installed Concrete
- 4) Solid Pipe Type PVC
Solid Pipe Length 70 ft.
Joint Type Slip/Glued or
Threaded
- 5) Type of Backfill 9 bags of 3/8 holeplug
- 6) Type of Lower Seal if Installed _____
- 7) Screen Type P.V.C.
Screen Length 20 ft.
Slot Size .010"
Length 20 ft.
Screen Diameter 2 in.
- 8) Type of Backfill around Screen 20/40 Sand
- 9) Type of Backfill Native Material
- 10) Drilling Method Straub-Air Rotary Drill
- 11) Additives Used if any _____
- 12) Borehole Diameter 5" O.D. in.

Monitoring Well Construction Information Standard Well

Job No.: 2002-10250 Job Name: C.S. Caylor Gathering Boring / Well No. MW-12
Date: 06/28/06 Field Representative: EB State Unique Well No. NA




- 1) Protective Casing ☒ Yes ☐ No
Locking ☒ Yes ☐ No
Protective Posts Yes ☒ No
Concrete Pyramid Yes ☒ No
- 2) Concrete Seal ☒ Yes ☐ No
- 3) Type of Surface Seal if Installed Concrete
- 4) Solid Pipe Type PVC
Solid Pipe Length 73 ft.
Joint Type Slip/Glued or Threaded Threaded
- 5) Type of Backfill 9 bags of 3/8 holeplug
- 6) Type of Lower Seal if Installed _____
- 7) Screen Type P.V.C.
Screen Length 15 ft.
Slot Size .010"
Length 20 ft.
Screen Diameter 2 in.
- 8) Type of Backfill around Screen 20/40 Sand
- 9) Type of Backfill Native Material
- 10) Drilling Method Straub-Air Rotary Drill
- 11) Additives Used if any _____
- 12) Borehole Diameter 5" O.D. in.

Monitoring Well Construction Information

Standard Well


Job No.: 2002-10250 Job Name: C.S. Caylor Gathering Boring / Well No. MW-13
Date: 06/28/06 Field Representative: EB State Unique Well No. NA



- 1) Protective Casing ☒ Yes ☐ No
Locking ☒ Yes ☐ No
Protective Posts ☐ Yes ☒ No
Concrete Pyramid ☐ Yes ☒ No
- 2) Concrete Seal ☒ Yes ☐ No
- 3) Type of Surface Seal if Installed Concrete
- 4) Solid Pipe Type PVC
Solid Pipe Length 70 ft.
Joint Type Slip/Glued or
Threaded
- 5) Type of Backfill 9 bags of 3/8 holeplug
- 6) Type of Lower Seal if Installed _____
- 7) Screen Type P.V.C.
Screen Length 20 ft.
Slot Size .010"
Length 20 ft.
Screen Diameter 2 in.
- 8) Type of Backfill around Screen Silica Sand
- 9) Type of Backfill Native Material
- 10) Drilling Method Straub-Air Rotary Drill
- 11) Additives Used if any _____
- 12) Borehole Diameter 5" O.D. in.

Monitoring Well Construction Information Standard Well


Job No.: 2002-10250 Job Name: C.S. Caylor Gathering Boring / Well No. MW-14
Date: 06/28/06 Field Representative: EB State Unique Well No. NA



- 1) Protective Casing ☒ Yes ☐ No
Locking ☒ Yes ☐ No
Protective Posts ☐ Yes ☒ No
Concrete Pyramid ☐ Yes ☒ No
- 2) Concrete Seal ☒ Yes ☐ No
- 3) Type of Surface Seal if Installed Concrete
- 4) Solid Pipe Type PVC
Solid Pipe Length 70 ft.
Joint Type Slip/Glued or
Threaded
- 5) Type of Backfill 10 bags of 3/8 holeplug
- 6) Type of Lower Seal if Installed _____
- 7) Screen Type P.V.C.
Screen Length 20 ft.
Slot Size .010"
Length 20 ft.
Screen Diameter 2 in.
- 8) Type of Backfill around Screen 6 bags of 20/40 sand
- 9) Type of Backfill _____
- 10) Drilling Method Straub-Air Rotary Drill
- 11) Additives Used if any _____
- 12) Borehole Diameter 5" O.D. in.

Monitoring Well Construction Information Standard Well


Job No.: 2002-10250 Job Name: C.S. Caylor Gathering Boring / Well No. MW-15
Date: 06/28/06 Field Representative: EB State Unique Well No. NA



- 1) Protective Casing ☒ Yes ☐ No
Locking ☒ Yes ☐ No
Protective Posts ☐ Yes ☒ No
Concrete Pyramid ☐ Yes ☒ No
- 2) Concrete Seal ☒ Yes ☐ No
- 3) Type of Surface Seal if Installed Concrete
- 4) Solid Pipe Type PVC
Solid Pipe Length 70 ft.
Joint Type Slip/Glued or
Threaded
- 5) Type of Backfill 10 bags of 3/8 holeplug
- 6) Type of Lower Seal if Installed _____
- 7) Screen Type P.V.C.
Screen Length 20 ft.
Slot Size .010"
Length 20 ft.
Screen Diameter 2 in.
- 8) Type of Backfill around Screen 5 bags of 20/40 sand
- 9) Type of Backfill _____
- 10) Drilling Method Straub-Air Rotary Drill
- 11) Additives Used if any _____
- 12) Borehole Diameter 5" O.D. in.

Monitoring Well Construction Information Standard Well


Job No.: 2002-10250 Job Name: C.S. Caylor Gathering Boring / Well No. MW-16
Date: 06/28/06 Field Representative: EB State Unique Well No. NA




- 1) Protective Casing ☒ Yes ☐ No
Locking ☒ Yes ☐ No
Protective Posts ☐ Yes ☒ No
Concrete Pyramid ☐ Yes ☒ No
- 2) Concrete Seal ☒ Yes ☐ No
- 3) Type of Surface Seal if Installed Concrete
- 4) Solid Pipe Type PVC
Solid Pipe Length 72 ft.
Joint Type Slip/Glued or Threaded Threaded
- 5) Type of Backfill 9.5 bags of 3/8 holeplug
- 6) Type of Lower Seal if Installed _____
- 7) Screen Type P.V.C.
Screen Length 20 ft.
Slot Size .010"
Length 20 ft.
Screen Diameter 2 in.
- 8) Type of Backfill around Screen 6.5 bags of 20/40 sand
- 9) Type of Backfill _____
- 10) Drilling Method Straub-Air Rotary Drill
- 11) Additives Used if any _____
- 12) Borehole Diameter 5" O.D. in.

Monitoring Well Construction Information Standard Well

Job No.: 2002-10250 Job Name: C.S. Caylor Gathering Boring / Well No. MW-17
Date: 06/28/06 Field Representative: EP State Unique Well No. NA



- 1) Protective Casing ☒ Yes ☐ No
Locking ☒ Yes ☐ No
Protective Posts ☐ Yes ☒ No
Concrete Pyramid ☐ Yes ☒ No
- 2) Concrete Seal ☒ Yes ☐ No
- 3) Type of Surface Seal if Installed Cement
- 4) Solid Pipe Type PVC
Solid Pipe Length 73 ft.
Joint Type Slip/Glued or Threaded
- 5) Type of Backfill 10 bags of 3/8 holeplug
- 6) Type of Lower Seal if Installed _____
- 7) Screen Type P.V.C.
Screen Length 20 ft.
Slot Size .010"
Length 20 ft.
Screen Diameter 2 in.
- 8) Type of Backfill around Screen 8 bags of 20/40 sand
- 9) Type of Backfill _____
- 10) Drilling Method Straub-Air Rotary Drill
- 11) Additives Used if any _____
- 12) Borehole Diameter 5" O.D. in.



LEGEND

- Q Dirt Road -
- OIL-
- Monitoring Well
- Valve
- Fence
- Recovery System
- Groundwater Level
- Groundwater Contour
- Approximate Direction of Groundwater Flow

Access Road
Oil Pipeline
Monitoring Well
Valve
Fence
Recovery System
Groundwater Level
Groundwater Contour
Approximate Direction of Groundwater Flow

REVISED
Aug. 2006

DWG By: Iain Olness
September 2004


SHEET
150
1 of 1

Feet
0 75 150

Lea County, New Mexico
NW 1/4 of the NE 1/4, Sec. 6, T17S, R37E
N 32° 52' 2.45" W 103° 17' 17.7"
Elevation: 3,810 feet amsl

Figure 9a
Proposed Monitor Well Location
Plains Marketing, L.P.
C. S. Caylor

Plains Pipeline
C.S. Caylor
#2002-10250
UL-B Sec 6
T17S R37E
Lea Co NM
(USGS 1997)



UTM
13 North
NAD 1983 (Conus)
CS Caylor Site Aug 2006.ssf
8/29/2006



ATTACHMENT II

TABLE 1

Plains Marketing, L.P.


C.S. Cayler - Ref. #2002-10250

Monitoring Well Soil Analytical Summary

Monitoring Well	Sampling Interval (ft)	Sample ID	Sample Date	Lithology & Description	VOC ^a (ppm)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Xylenes (m,p) (mg/kg)	Xylene (o) (mg/kg)	BTEX (mg/kg)	TPH ⁷ (GRO) ⁶ (mg/kg)	TPH (DRO) ⁵ (mg/kg)	Total TPH (mg/kg)
MW-11	30'-31'	MW-11 (30'-31')	2/21/2006	Tan fine sand - sandstone	0.2	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0
	40'-41'	MW-11 (40'-41')	2/21/2006	Tan fine sand	0.3	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0
	70'-71'	MW-11 (70'-71')	2/21/2006	Tan fine sand	0.1	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0
MW-12	30'-31'	MW-12 (30'-31')	2/23/2006	Tan fine sand - sandstone	2.3	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0
	50'-51'	MW-12 (50'-51')	2/23/2006	Tan fine sand	1.0	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0
	75'-76'	MW-12 (75'-76')	2/23/2006	Tan fine sand	1.2	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	99.2	<10.0
MW-13	30'-31'	MW-13 (30'-31')	2/22/2006	Tan fine sand - sandstone	0.0	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0
	50'-51'	MW-13 (50'-51')	2/22/2006	Tan fine sand - sandstone	0.2	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0
	70'-71'	MW-13 (70'-71')	2/22/2006	Tan fine sand - sandstone	0.4	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0
MW-14	30'-31'	MW-14 (30'-31')	2/21/2006	Tan fine sand - sandstone	0.1	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0
	50'-51'	MW-14 (50'-51')	2/21/2006	Tan fine sand - sandstone	0.3	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	12	<10.0
	70'-71'	MW-14 (70'-71')	2/21/2006	Tan fine sand - sandstone	0.1	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0
MW-15	30'-31'	MW-15 (30'-31')	2/22/2006	Tan fine sand - sandstone	0.0	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0
	50'-51'	MW-15 (50'-51')	2/22/2006	Tan fine sand - sandstone	0.6	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0
	70'-71'	MW-15 (70'-71')	2/22/2006	Tan fine sand - sandstone	0.8	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0
MW-16	30'-31'	MW-16 (30'-31')	2/23/2006	Tan fine sand - sandstone	0.7	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0
	50'-51'	MW-16 (50'-51')	2/23/2006	Tan fine sand - sandstone	2.0	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0
	70'-71'	MW-16 (70'-71')	2/23/2006	Tan fine sand	0.9	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0
MW-17	30'-31'	MW-17 (30'-31')	2/23/2006	Tan fine sand - sandstone	0.5	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0
	50'-51'	MW-17 (50'-51')	2/23/2006	Tan fine sand - sandstone	1.9	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0
	70'-71'	MW-17 (70'-71')	2/23/2006	Tan fine sand - sandstone	0.7	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0
NMOC Remedial Thresholds						10					50			100

¹ Bolded values are in excess of the NMOC Remedial Thresholds² N/A : Not Analyzed³ NS : Not Sampled⁴ fgs : feet below ground surface⁵ DRO : Diesel range organics⁶ GRO : Gasoline range organics⁷ TPH : Total Petroleum Hydrocarbons⁸ VOC : Volatile Organic Constituent vapor headspace

ATTACHMENT III



Note: Unless indicated, TPH and BTEX constituent concentrations were Non-Detect at or above laboratory MDL.

Figure 4 Sample Location Map 5/16/2006 Plains Marketing, L.P. C. S. Cayler	Lea County, New Mexico NW 1/4 of the NE 1/4, Sec. 6, T17S, R37E N 32° 52' 2.45" W 103° 17' 17.7" Elevation: 3,810 feet amsl	DWG By: Iain Olness September 2004	REVISED June 2006 SHEET 1 of 1	
--	---	--	--	--

Table 9

Plains Marketing, L.P.

C.S. Cayler - Ref. #2002-10250

Excavation Sidewalls and Floor Soil Sample Analytical Summary

Sample Location	Sample ID	Sampling Interval (bgs)	Sample Date	Lithology & Description	VOC ⁸ (ppm)	Benzene (mg/Kg)	Toluene (mg/Kg)	Ethylbenzene (mg/Kg)	Xylene (m,p) (mg/Kg)	Xylene (o) (mg/Kg)	BTEX (mg/Kg)	GRO ⁶ (C ₆ -C ₁₂) (mg/Kg)	DRO ⁵		TPH ⁷ (mg/Kg)
													(C ₁₂ -C ₂₀) (mg/Kg)	(C ₂₀ -C ₃₅) (mg/Kg)	
Southeast	Sidewall	3	5/16/2006	Caliche	1.6	--	--	--	--	--	--	--	--	--	--
	Bottom	6	5/16/2006	Caliche	2.4	--	--	--	--	--	--	--	--	--	--
	Sidewall	3	5/16/2006	Caliche	2.5	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Bottom	6	5/16/2006	Caliche	3.5	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Sidewall	3	5/16/2006	Caliche	3.0	--	--	--	--	--	--	--	--	--	--
	Bottom	6	5/16/2006	Caliche	3.4	--	--	--	--	--	--	--	--	--	--
	Sidewall	3	5/16/2006	Brown Sand	3.1	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Bottom	6	5/16/2006	Caliche	3.6	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Sidewall	3	5/16/2006	Caliche	2.6	--	--	--	--	--	--	--	--	--	--
	Bottom	6	5/16/2006	Caliche	3.7	--	--	--	--	--	--	--	--	--	--
	Sidewall	3	5/16/2006	Caliche	2.6	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Bottom	6	5/16/2006	Caliche	0.6	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Sidewall	3	5/16/2006	Caliche	2.9	--	--	--	--	--	--	--	--	--	--
	Bottom	6	5/16/2006	Brown Sand	26.3	--	--	--	--	--	--	--	--	--	--
	Sidewall	3	5/16/2006	Caliche	27.4	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
Southwest	Bottom	6	5/16/2006	Brown Sand	24.8	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Sidewall	3	5/16/2006	Caliche	24.9	--	--	--	--	--	--	--	--	--	--
	Bottom	6	5/16/2006	Caliche	24.7	--	--	--	--	--	--	--	--	--	--
	Sidewall	3	5/16/2006	Caliche	27.1	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Bottom	6	5/16/2006	Caliche	26.8	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Sidewall	3	5/16/2006	Caliche	26.3	--	--	--	--	--	--	--	--	--	--
	Bottom	6	5/16/2006	Caliche	26.1	--	--	--	--	--	--	--	--	--	--
	Sidewall	3	5/16/2006	Caliche	30.1	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Bottom	6	5/16/2006	Caliche	26.0	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Sidewall	3	5/16/2006	Caliche	32.2	--	--	--	--	--	--	--	--	--	--
	Bottom	6	5/16/2006	Caliche	32.0	--	--	--	--	--	--	--	--	--	--
	Sidewall	3	5/16/2006	Caliche	30.2	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Bottom	6	5/16/2006	Caliche	31.0	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Sidewall	3	5/16/2006	Caliche	31.6	--	--	--	--	--	--	--	--	--	--
	Bottom	6	5/16/2006	Caliche	31.4	--	--	--	--	--	--	--	--	--	--
	Sidewall	3	5/16/2006	Caliche	33.1	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Bottom	6	5/16/2006	Caliche	31.9	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0

Plains Marketing, L.P.

C.S. Cayler - Ref. #2002-10250

Excavation Sidewalls and Floor Soil Sample Analytical Summary

Sample Location	Sample ID	Sampling Interval (bgs) ⁴	Sample Date	Lithology & Description	VOC ⁸ (ppm)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Xylene (m.p.) (mg/kg)	Xylene (o.) (mg/kg)	BTEX (mg/kg)	GRO ⁶ (C ₆ -C ₁₂) (mg/kg)	DRO ⁵		TPH ⁷ (mg/kg)
													(C ₁₂ -C ₂₈) (mg/kg)	(C ₂₈ -C ₃₅) (mg/kg)	
Northwest	Sidewall	3	5/16/2006	Caliche	33.1	--	--	--	--	--	--	--	--	--	--
	Bottom	6	5/16/2006	Caliche	32.4	--	--	--	--	--	--	--	--	--	--
	Sidewall	3	5/16/2006	Caliche	30.9	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	8.13	<10.0	8.13
	Bottom	6	5/16/2006	Caliche	30.2	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Sidewall	3	5/16/2006	Caliche	7.5	--	--	--	--	--	--	--	--	--	--
	Bottom	6	5/16/2006	Caliche	27.3	--	--	--	--	--	--	--	--	--	--
	Sidewall	3	5/16/2006	Caliche	27.8	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Bottom	6	5/16/2006	Caliche	34.6	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Sidewall	3	5/16/2006	Caliche	27.8	--	--	--	--	--	--	--	--	--	--
	Bottom	6	5/16/2006	Caliche	27.2	--	--	--	--	--	--	--	--	--	--
Northeast	Sidewall	3	5/16/2006	Caliche	27.7	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Bottom	6	5/16/2006	Caliche	33.2	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	21.2	<10.0	21.2
	Sidewall	3	5/16/2006	Caliche	28.8	--	--	--	--	--	--	--	--	--	--
	Bottom	6	5/16/2006	Caliche	27.8	--	--	--	--	--	--	--	--	--	--
	Sidewall	3	5/16/2006	Caliche	30.0	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	173	36.5	210
	Bottom	6	5/16/2006	Caliche	30.5	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Sidewall	3	5/16/2006	Caliche	33.2	--	--	--	--	--	--	--	--	--	--
	Bottom	6	5/16/2006	Caliche	33.2	--	--	--	--	--	--	--	--	--	--
	NMOCD Remedial Thresholds														
					10						50				1,000

¹ Bolded values are in excess of the NMOCD Remediation Thresholds

² N/A: Not Analyzed

³ -- : Not Sampled


⁴ bgs : feet below ground surface

⁵ DRO : Diesel range organics

⁶ GRO : Gasoline range organics

⁷ TPH : Total Petroleum Hydrocarbons

⁸ VOC: Volatile Organic Constituent vapor headspace



12600 West I-20 East - Odessa, Texas 79765

Analytical Report

Prepared for:

Jimmy Bryant

Plains All American EH & S

1301 S. County Road 1150

Midland, TX 79706-4476

Project: C.S. Cayler Gathering

Project Number: 2002-10250

Location: UL-B, Sect. 06, T 17 S, R 37 E

Lab Order Number: 6E18010

Report Date: 06/01/06

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: C.S. Cayler Gathering
Project Number: 2002-10250
Project Manager: Jimmy Bryant

Fax: (432) 687-4914

Reported:
06/01/06 15:03

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
S2-3'	6E18010-01	Soil	05/16/06 08:36	05/18/06 10:56
B2-6'	6E18010-02	Soil	05/16/06 08:38	05/18/06 10:56
S4-3'	6E18010-03	Soil	05/16/06 08:45	05/18/06 10:56
B4-6'	6E18010-04	Soil	05/16/06 08:48	05/18/06 10:56
S6-3'	6E18010-05	Soil	05/16/06 08:57	05/18/06 10:56
B6-6'	6E18010-06	Soil	05/16/06 09:01	05/18/06 10:56
S8-3'	6E18010-07	Soil	05/16/06 09:36	05/18/06 10:56
B8-6'	6E18010-08	Soil	05/16/06 09:45	05/18/06 10:56
S10-3'	6E18010-09	Soil	05/16/06 09:47	05/18/06 10:56
B10-6'	6E18010-10	Soil	05/16/06 10:00	05/18/06 10:56
S12-3'	6E18010-11	Soil	05/16/06 10:00	05/18/06 10:56
B12-6'	6E18010-12	Soil	05/16/06 10:15	05/18/06 10:56
S14-3'	6E18010-13	Soil	05/16/06 11:15	05/18/06 10:56
B14-6'	6E18010-14	Soil	05/16/06 11:10	05/18/06 10:56
S16-3'	6E18010-15	Soil	05/16/06 11:35	05/18/06 10:56
B16-6'	6E18010-16	Soil	05/16/06 11:30	05/18/06 10:56
S18-3'	6E18010-17	Soil	05/16/06 11:55	05/18/06 10:56
B18-6'	6E18010-18	Soil	05/16/06 11:50	05/18/06 10:56
S20-3'	6E18010-19	Soil	05/16/06 12:15	05/18/06 10:56
B20-6'	6E18010-20	Soil	05/16/06 12:10	05/18/06 10:56
S22-3'	6E18010-21	Soil	05/16/06 12:35	05/18/06 10:56
B22-6'	6E18010-22	Soil	05/16/06 12:30	05/18/06 10:56
S24-3'	6E18010-23	Soil	05/16/06 13:45	05/18/06 10:56
B24-6'	6E18010-24	Soil	05/16/06 13:55	05/18/06 10:56

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: C.S. Cayler Gathering
Project Number: 2002-10250
Project Manager: Jimmy Bryant

Fax: (432) 687-4914

Reported:
06/01/06 15:03

Organics by GC
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
S2-3' (6E18010-01) Soil									
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EE61920	05/19/06	05/20/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon nC6-nC35	ND	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane		101 %	70-130		"	"	"	"	
Surrogate: 1-Chlorooctadecane		103 %	70-130		"	"	"	"	
B2-6' (6E18010-02) Soil									
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EE61920	05/19/06	05/20/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon nC6-nC35	ND	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane		84.0 %	70-130		"	"	"	"	
Surrogate: 1-Chlorooctadecane		85.0 %	70-130		"	"	"	"	
S4-3' (6E18010-03) Soil									
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EE61920	05/19/06	05/20/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon nC6-nC35	ND	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane		112 %	70-130		"	"	"	"	
Surrogate: 1-Chlorooctadecane		114 %	70-130		"	"	"	"	
B4-6' (6E18010-04) Soil									
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EE61920	05/19/06	05/20/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon nC6-nC35	ND	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane		87.8 %	70-130		"	"	"	"	
Surrogate: 1-Chlorooctadecane		89.0 %	70-130		"	"	"	"	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 2 of 27

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: C.S. Cayler Gathering
Project Number: 2002-10250
Project Manager: Jimmy Bryant

Fax: (432) 687-4914

Reported:
06/01/06 15:03

Organics by GC
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
S6-3' (6E18010-05) Soil									
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EE61920	05/19/06	05/20/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon nC6-nC35	ND	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane		99.8 %	70-130		"	"	"	"	
Surrogate: 1-Chlorooctadecane		101 %	70-130		"	"	"	"	
B6-6' (6E18010-06) Soil									
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EE61920	05/19/06	05/20/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon nC6-nC35	ND	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane		106 %	70-130		"	"	"	"	
Surrogate: 1-Chlorooctadecane		108 %	70-130		"	"	"	"	
S8-3' (6E18010-07) Soil									
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EE61920	05/19/06	05/20/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon nC6-nC35	ND	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane		87.2 %	70-130		"	"	"	"	
Surrogate: 1-Chlorooctadecane		89.4 %	70-130		"	"	"	"	
B8-6' (6E18010-08) Soil									
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EE61920	05/19/06	05/20/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon nC6-nC35	ND	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane		89.2 %	70-130		"	"	"	"	
Surrogate: 1-Chlorooctadecane		91.0 %	70-130		"	"	"	"	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 3 of 27

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: C.S. Cayler Gathering
Project Number: 2002-10250
Project Manager: Jimmy Bryant

Fax: (432) 687-4914

Reported:
06/01/06 15:03

Organics by GC
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
S10-3' (6E18010-09) Soil									
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EE61920	05/19/06	05/20/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon nC6-nC35	ND	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane		92.6 %	70-130		"	"	"	"	
Surrogate: 1-Chlorooctadecane		93.4 %	70-130		"	"	"	"	
B10-6' (6E18010-10) Soil									
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EE61920	05/19/06	05/20/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon nC6-nC35	ND	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane		101 %	70-130		"	"	"	"	
Surrogate: 1-Chlorooctadecane		102 %	70-130		"	"	"	"	
S12-3' (6E18010-11) Soil									
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EE61920	05/19/06	05/20/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon nC6-nC35	ND	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane		94.2 %	70-130		"	"	"	"	
Surrogate: 1-Chlorooctadecane		95.2 %	70-130		"	"	"	"	
B12-6' (6E18010-12) Soil									
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EE61920	05/19/06	05/20/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon nC6-nC35	ND	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane		104 %	70-130		"	"	"	"	
Surrogate: 1-Chlorooctadecane		105 %	70-130		"	"	"	"	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 4 of 27

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: C.S. Cayler Gathering
Project Number: 2002-10250
Project Manager: Jimmy Bryant

Fax: (432) 687-4914

Reported:
06/01/06 15:03

Organics by GC
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
S14-3' (6E18010-13) Soil									
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EE61920	05/19/06	05/20/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon nC6-nC35	ND	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane		104 %	70-130		"	"	"	"	
Surrogate: 1-Chlorooctadecane		105 %	70-130		"	"	"	"	
B14-6' (6E18010-14) Soil									
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EE61920	05/19/06	05/20/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon nC6-nC35	ND	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane		94.0 %	70-130		"	"	"	"	
Surrogate: 1-Chlorooctadecane		95.4 %	70-130		"	"	"	"	
S16-3' (6E18010-15) Soil									
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EE61920	05/19/06	05/20/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon nC6-nC35	ND	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane		87.6 %	70-130		"	"	"	"	
Surrogate: 1-Chlorooctadecane		87.6 %	70-130		"	"	"	"	
B16-6' (6E18010-16) Soil									
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EE61920	05/19/06	05/20/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon nC6-nC35	ND	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane		87.6 %	70-130		"	"	"	"	
Surrogate: 1-Chlorooctadecane		90.8 %	70-130		"	"	"	"	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 5 of 27

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: C.S. Cayler Gathering
Project Number: 2002-10250
Project Manager: Jimmy Bryant

Fax: (432) 687-4914

Reported:
06/01/06 15:03

Organics by GC
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
S18-3' (6E18010-17) Soil									
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EE61920	05/19/06	05/20/06	EPA 8015M	
Carbon Ranges C12-C28	J [8.13]	10.0	"	"	"	"	"	"	J
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon nC6-nC35	ND	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane		107 %	70-130		"	"	"	"	
Surrogate: 1-Chlorooctadecane		107 %	70-130		"	"	"	"	
B18-6' (6E18010-18) Soil									
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EE61920	05/19/06	05/20/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon nC6-nC35	ND	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane		86.8 %	70-130		"	"	"	"	
Surrogate: 1-Chlorooctadecane		87.6 %	70-130		"	"	"	"	
S20-3' (6E18010-19) Soil									
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EE61920	05/19/06	05/20/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon nC6-nC35	ND	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane		82.4 %	70-130		"	"	"	"	
Surrogate: 1-Chlorooctadecane		82.6 %	70-130		"	"	"	"	
B20-6' (6E18010-20) Soil									
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EE61920	05/19/06	05/20/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon nC6-nC35	ND	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane		96.2 %	70-130		"	"	"	"	
Surrogate: 1-Chlorooctadecane		96.2 %	70-130		"	"	"	"	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 6 of 27

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: C.S. Cayler Gathering
Project Number: 2002-10250
Project Manager: Jimmy Bryant

Fax: (432) 687-4914

Reported:
06/01/06 15:03

Organics by GC
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
S22-3' (6E18010-21) Soil									
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EE61921	05/19/06	05/19/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon nC6-nC35	ND	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane		97.4 %	70-130		"	"	"	"	
Surrogate: 1-Chlorooctadecane		101 %	70-130		"	"	"	"	
B22-6' (6E18010-22) Soil									
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EE61921	05/19/06	05/19/06	EPA 8015M	
Carbon Ranges C12-C28	21.2	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon nC6-nC35	21.2	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane		99.4 %	70-130		"	"	"	"	
Surrogate: 1-Chlorooctadecane		101 %	70-130		"	"	"	"	
S24-3' (6E18010-23) Soil									
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EE61921	05/19/06	05/19/06	EPA 8015M	
Carbon Ranges C12-C28	173	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	36.5	10.0	"	"	"	"	"	"	
Total Hydrocarbon nC6-nC35	210	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane		106 %	70-130		"	"	"	"	
Surrogate: 1-Chlorooctadecane		111 %	70-130		"	"	"	"	
B24-6' (6E18010-24) Soil									
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EE61921	05/19/06	05/19/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon nC6-nC35	ND	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane		98.2 %	70-130		"	"	"	"	
Surrogate: 1-Chlorooctadecane		98.8 %	70-130		"	"	"	"	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 7 of 27

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: C.S. Cayler Gathering
Project Number: 2002-10250
Project Manager: Jimmy Bryant

Fax: (432) 687-4914

Reported:
06/01/06 15:03

General Chemistry Parameters by EPA / Standard Methods
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
S2-3' (6E18010-01) Soil									
% Moisture	3.4	0.1	%	1	EE61910	05/18/06	05/19/06	% calculation	
B2-6' (6E18010-02) Soil									
% Moisture	8.1	0.1	%	1	EE61910	05/18/06	05/19/06	% calculation	
S4-3' (6E18010-03) Soil									
% Moisture	4.4	0.1	%	1	EE61910	05/18/06	05/19/06	% calculation	
B4-6' (6E18010-04) Soil									
% Moisture	4.6	0.1	%	1	EE61910	05/18/06	05/19/06	% calculation	
S6-3' (6E18010-05) Soil									
% Moisture	0.4	0.1	%	1	EE61910	05/18/06	05/19/06	% calculation	
B6-6' (6E18010-06) Soil									
% Moisture	5.1	0.1	%	1	EE61910	05/18/06	05/19/06	% calculation	
S8-3' (6E18010-07) Soil									
% Moisture	7.1	0.1	%	1	EE61910	05/18/06	05/19/06	% calculation	
B8-6' (6E18010-08) Soil									
% Moisture	6.7	0.1	%	1	EE61910	05/18/06	05/19/06	% calculation	
S10-3' (6E18010-09) Soil									
% Moisture	0.7	0.1	%	1	EE61910	05/18/06	05/19/06	% calculation	
B10-6' (6E18010-10) Soil									
% Moisture	5.7	0.1	%	1	EE61910	05/18/06	05/19/06	% calculation	
S12-3' (6E18010-11) Soil									
% Moisture	6.2	0.1	%	1	EE61910	05/18/06	05/19/06	% calculation	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 8 of 27

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: C.S. Cayler Gathering
Project Number: 2002-10250
Project Manager: Jimmy Bryant

Fax: (432) 687-4914

Reported:
06/01/06 15:03

General Chemistry Parameters by EPA / Standard Methods
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
B12-6' (6E18010-12) Soil									
% Moisture	9.7	0.1	%	1	EE61910	05/18/06	05/19/06	% calculation	
S14-3' (6E18010-13) Soil									
% Moisture	1.3	0.1	%	1	EE61910	05/18/06	05/19/06	% calculation	
B14-6' (6E18010-14) Soil									
% Moisture	8.1	0.1	%	1	EE61910	05/18/06	05/19/06	% calculation	
S16-3' (6E18010-15) Soil									
% Moisture	0.9	0.1	%	1	EE61910	05/18/06	05/19/06	% calculation	
B16-6' (6E18010-16) Soil									
% Moisture	1.8	0.1	%	1	EE61910	05/18/06	05/19/06	% calculation	
S18-3' (6E18010-17) Soil									
% Moisture	1.9	0.1	%	1	EE61910	05/18/06	05/19/06	% calculation	
B18-6' (6E18010-18) Soil									
% Moisture	4.0	0.1	%	1	EE61910	05/18/06	05/19/06	% calculation	
S20-3' (6E18010-19) Soil									
% Moisture	6.0	0.1	%	1	EE61910	05/18/06	05/19/06	% calculation	
B20-6' (6E18010-20) Soil									
% Moisture	7.4	0.1	%	1	EE61910	05/18/06	05/19/06	% calculation	
S22-3' (6E18010-21) Soil									
% Moisture	1.5	0.1	%	1	EE61910	05/18/06	05/19/06	% calculation	
B22-6' (6E18010-22) Soil									
% Moisture	5.5	0.1	%	1	EE61910	05/18/06	05/19/06	% calculation	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 9 of 27

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: C.S. Cayler Gathering
Project Number: 2002-10250
Project Manager: Jimmy Bryant

Fax: (432) 687-4914

Reported:
06/01/06 15:03

General Chemistry Parameters by EPA / Standard Methods

Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
S24-3' (6E18010-23) Soil									
% Moisture	3.3	0.1	%	1	EE61910	05/18/06	05/19/06	% calculation	
B24-6' (6E18010-24) Soil									
% Moisture	10.4	0.1	%	1	EE61910	05/18/06	05/19/06	% calculation	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 10 of 27

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: C.S. Cayler Gathering
Project Number: 2002-10250
Project Manager: Jimmy Bryant

Fax: (432) 687-4914

Reported:
06/01/06 15:03

Volatile Organic Compounds by EPA Method 8260B
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
S2-3' (6E18010-01) Soil									
Benzene	ND	25.0	ug/kg dry	25	EE62606	05/26/06	05/30/06	EPA 8260B	
Toluene	ND	25.0	"	"	"	"	"	"	
Ethylbenzene	ND	25.0	"	"	"	"	"	"	
Xylene (p/m)	ND	25.0	"	"	"	"	"	"	
Xylene (o)	ND	25.0	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		98.8 %	70-139		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		79.8 %	52-149		"	"	"	"	
Surrogate: Toluene-d8		87.6 %	76-125		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		79.4 %	66-145		"	"	"	"	
B2-6' (6E18010-02) Soil									
Benzene	ND	25.0	ug/kg dry	25	EE62606	05/26/06	05/30/06	EPA 8260B	
Toluene	ND	25.0	"	"	"	"	"	"	
Ethylbenzene	ND	25.0	"	"	"	"	"	"	
Xylene (p/m)	ND	25.0	"	"	"	"	"	"	
Xylene (o)	ND	25.0	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		103 %	70-139		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		84.0 %	52-149		"	"	"	"	
Surrogate: Toluene-d8		89.4 %	76-125		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		87.6 %	66-145		"	"	"	"	
S4-3' (6E18010-03) Soil									
Benzene	ND	25.0	ug/kg dry	25	EE62606	05/26/06	05/30/06	EPA 8260B	
Toluene	ND	25.0	"	"	"	"	"	"	
Ethylbenzene	ND	25.0	"	"	"	"	"	"	
Xylene (p/m)	ND	25.0	"	"	"	"	"	"	
Xylene (o)	ND	25.0	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		101 %	70-139		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		81.0 %	52-149		"	"	"	"	
Surrogate: Toluene-d8		90.2 %	76-125		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		85.0 %	66-145		"	"	"	"	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 11 of 27

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: C.S. Cayler Gathering
Project Number: 2002-10250
Project Manager: Jimmy Bryant

Fax: (432) 687-4914

Reported:
06/01/06 15:03

Volatile Organic Compounds by EPA Method 8260B
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
B4-6' (6E18010-04) Soil									
Benzene	ND	25.0	ug/kg dry	25	EE62606	05/26/06	05/30/06	EPA 8260B	
Toluene	ND	25.0	"	"	"	"	"	"	
Ethylbenzene	ND	25.0	"	"	"	"	"	"	
Xylene (p/m)	ND	25.0	"	"	"	"	"	"	
Xylene (o)	ND	25.0	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		104 %	70-139		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		88.0 %	52-149		"	"	"	"	
Surrogate: Toluene-d8		86.6 %	76-125		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		77.2 %	66-145		"	"	"	"	
S6-3' (6E18010-05) Soil									
Benzene	ND	25.0	ug/kg dry	25	EE62618	05/26/06	05/30/06	EPA 8260B	
Toluene	ND	25.0	"	"	"	"	"	"	
Ethylbenzene	ND	25.0	"	"	"	"	"	"	
Xylene (p/m)	ND	25.0	"	"	"	"	"	"	
Xylene (o)	ND	25.0	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		113 %	70-139		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		99.0 %	52-149		"	"	"	"	
Surrogate: Toluene-d8		92.4 %	76-125		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		85.4 %	66-145		"	"	"	"	
B6-6' (6E18010-06) Soil									
Benzene	ND	25.0	ug/kg dry	25	EE62618	05/26/06	05/30/06	EPA 8260B	
Toluene	ND	25.0	"	"	"	"	"	"	
Ethylbenzene	ND	25.0	"	"	"	"	"	"	
Xylene (p/m)	ND	25.0	"	"	"	"	"	"	
Xylene (o)	ND	25.0	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		107 %	70-139		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		91.4 %	52-149		"	"	"	"	
Surrogate: Toluene-d8		85.0 %	76-125		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		80.6 %	66-145		"	"	"	"	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 12 of 27

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: C.S. Cayler Gathering
Project Number: 2002-10250
Project Manager: Jimmy Bryant

Fax: (432) 687-4914

Reported:
06/01/06 15:03

Volatile Organic Compounds by EPA Method 8260B
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
S8-3' (6E18010-07) Soil									
Benzene	ND	25.0	ug/kg dry	25	EE62618	05/26/06	05/30/06	EPA 8260B	
Toluene	ND	25.0	"	"	"	"	"	"	
Ethylbenzene	ND	25.0	"	"	"	"	"	"	
Xylene (p/m)	ND	25.0	"	"	"	"	"	"	
Xylene (o)	ND	25.0	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		102 %	70-139		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		83.8 %	52-149		"	"	"	"	
Surrogate: Toluene-d8		86.4 %	76-125		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		81.2 %	66-145		"	"	"	"	
B8-6' (6E18010-08) Soil									
Benzene	ND	25.0	ug/kg dry	25	EE62618	05/26/06	05/30/06	EPA 8260B	
Toluene	ND	25.0	"	"	"	"	"	"	
Ethylbenzene	ND	25.0	"	"	"	"	"	"	
Xylene (p/m)	ND	25.0	"	"	"	"	"	"	
Xylene (o)	ND	25.0	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		106 %	70-139		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		86.0 %	52-149		"	"	"	"	
Surrogate: Toluene-d8		87.4 %	76-125		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		81.0 %	66-145		"	"	"	"	
S10-3' (6E18010-09) Soil									
Benzene	ND	25.0	ug/kg dry	25	EE62618	05/26/06	05/30/06	EPA 8260B	
Toluene	ND	25.0	"	"	"	"	"	"	
Ethylbenzene	ND	25.0	"	"	"	"	"	"	
Xylene (p/m)	ND	25.0	"	"	"	"	"	"	
Xylene (o)	ND	25.0	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		99.4 %	70-139		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		80.8 %	52-149		"	"	"	"	
Surrogate: Toluene-d8		86.4 %	76-125		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		81.6 %	66-145		"	"	"	"	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 13 of 27

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: C.S. Cayler Gathering
Project Number: 2002-10250
Project Manager: Jimmy Bryant

Fax: (432) 687-4914

Reported:
06/01/06 15:03

Volatile Organic Compounds by EPA Method 8260B
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
B10-6' (6E18010-10) Soil									
Benzene	ND	25.0	ug/kg dry	25	EE62618	05/26/06	05/30/06	EPA 8260B	
Toluene	ND	25.0	"	"	"	"	"	"	
Ethylbenzene	ND	25.0	"	"	"	"	"	"	
Xylene (p/m)	ND	25.0	"	"	"	"	"	"	
Xylene (o)	ND	25.0	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		94.6 %	70-139		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		77.6 %	52-149		"	"	"	"	
Surrogate: Toluene-d8		83.2 %	76-125		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		76.0 %	66-145		"	"	"	"	
S12-3' (6E18010-11) Soil									
Benzene	ND	25.0	ug/kg dry	25	EE62618	05/26/06	05/30/06	EPA 8260B	
Toluene	ND	25.0	"	"	"	"	"	"	
Ethylbenzene	ND	25.0	"	"	"	"	"	"	
Xylene (p/m)	ND	25.0	"	"	"	"	"	"	
Xylene (o)	ND	25.0	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		102 %	70-139		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		85.4 %	52-149		"	"	"	"	
Surrogate: Toluene-d8		88.0 %	76-125		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		82.0 %	66-145		"	"	"	"	
B12-6' (6E18010-12) Soil									
Benzene	ND	25.0	ug/kg dry	25	EE62618	05/26/06	05/30/06	EPA 8260B	
Toluene	ND	25.0	"	"	"	"	"	"	
Ethylbenzene	ND	25.0	"	"	"	"	"	"	
Xylene (p/m)	ND	25.0	"	"	"	"	"	"	
Xylene (o)	ND	25.0	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		91.2 %	70-139		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		74.6 %	52-149		"	"	"	"	
Surrogate: Toluene-d8		83.8 %	76-125		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		78.0 %	66-145		"	"	"	"	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 14 of 27

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: C.S. Cayler Gathering
Project Number: 2002-10250
Project Manager: Jimmy Bryant

Fax: (432) 687-4914

Reported:
06/01/06 15:03

Volatile Organic Compounds by EPA Method 8260B
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
S14-3' (6E18010-13) Soil									
Benzene	ND	25.0	ug/kg dry	25	EE62618	05/26/06	05/30/06	EPA 8260B	
Toluene	ND	25.0	"	"	"	"	"	"	
Ethylbenzene	ND	25.0	"	"	"	"	"	"	
Xylene (p/m)	ND	25.0	"	"	"	"	"	"	
Xylene (o)	ND	25.0	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		102 %	70-139		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		84.6 %	52-149		"	"	"	"	
Surrogate: Toluene-d8		88.2 %	76-125		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		87.0 %	66-145		"	"	"	"	
B14-6' (6E18010-14) Soil									
Benzene	ND	25.0	ug/kg dry	25	EE62618	05/26/06	05/30/06	EPA 8260B	
Toluene	ND	25.0	"	"	"	"	"	"	
Ethylbenzene	ND	25.0	"	"	"	"	"	"	
Xylene (p/m)	ND	25.0	"	"	"	"	"	"	
Xylene (o)	ND	25.0	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		86.2 %	70-139		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		68.0 %	52-149		"	"	"	"	
Surrogate: Toluene-d8		74.6 %	76-125		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		69.0 %	66-145		"	"	"	"	
S16-3' (6E18010-15) Soil									
Benzene	ND	25.0	ug/kg dry	25	EE62618	05/26/06	05/30/06	EPA 8260B	
Toluene	ND	25.0	"	"	"	"	"	"	
Ethylbenzene	ND	25.0	"	"	"	"	"	"	
Xylene (p/m)	ND	25.0	"	"	"	"	"	"	
Xylene (o)	ND	25.0	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		97.2 %	70-139		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		77.8 %	52-149		"	"	"	"	
Surrogate: Toluene-d8		85.6 %	76-125		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		80.0 %	66-145		"	"	"	"	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 15 of 27

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: C.S. Cayler Gathering
Project Number: 2002-10250
Project Manager: Jimmy Bryant

Fax: (432) 687-4914

Reported:
06/01/06 15:03

Volatile Organic Compounds by EPA Method 8260B
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
B16-6' (6E18010-16) Soil									
Benzene	ND	25.0	ug/kg dry	25	EE62618	05/26/06	05/30/06	EPA 8260B	
Toluene	ND	25.0	"	"	"	"	"	"	
Ethylbenzene	ND	25.0	"	"	"	"	"	"	
Xylene (p/m)	ND	25.0	"	"	"	"	"	"	
Xylene (o)	ND	25.0	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		96.4 %	70-139		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		77.4 %	52-149		"	"	"	"	
Surrogate: Toluene-d8		84.0 %	76-125		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		78.4 %	66-145		"	"	"	"	
S18-3' (6E18010-17) Soil									
Benzene	ND	25.0	ug/kg dry	25	EE62618	05/26/06	05/30/06	EPA 8260B	
Toluene	ND	25.0	"	"	"	"	"	"	
Ethylbenzene	ND	25.0	"	"	"	"	"	"	
Xylene (p/m)	ND	25.0	"	"	"	"	"	"	
Xylene (o)	ND	25.0	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		111 %	70-139		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		92.4 %	52-149		"	"	"	"	
Surrogate: Toluene-d8		89.2 %	76-125		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		80.8 %	66-145		"	"	"	"	
B18-6' (6E18010-18) Soil									
Benzene	ND	25.0	ug/kg dry	25	EE62618	05/26/06	05/30/06	EPA 8260B	
Toluene	ND	25.0	"	"	"	"	"	"	
Ethylbenzene	ND	25.0	"	"	"	"	"	"	
Xylene (p/m)	ND	25.0	"	"	"	"	"	"	
Xylene (o)	ND	25.0	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		112 %	70-139		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		89.0 %	52-149		"	"	"	"	
Surrogate: Toluene-d8		90.6 %	76-125		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		80.8 %	66-145		"	"	"	"	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 16 of 27

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: C.S. Cayler Gathering
Project Number: 2002-10250
Project Manager: Jimmy Bryant

Fax: (432) 687-4914
Reported:
06/01/06 15:03

Volatile Organic Compounds by EPA Method 8260B
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
S20-3' (6E18010-19) Soil									
Benzene	ND	25.0	ug/kg dry	25	EE62618	05/26/06	05/30/06	EPA 8260B	
Toluene	ND	25.0	"	"	"	"	"	"	
Ethylbenzene	ND	25.0	"	"	"	"	"	"	
Xylene (p/m)	ND	25.0	"	"	"	"	"	"	
Xylene (o)	ND	25.0	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		102 %	70-139		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		80.4 %	52-149		"	"	"	"	
Surrogate: Toluene-d8		86.8 %	76-125		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		78.4 %	66-145		"	"	"	"	
B20-6' (6E18010-20) Soil									
Benzene	ND	25.0	ug/kg dry	25	EE62618	05/26/06	05/30/06	EPA 8260B	
Toluene	ND	25.0	"	"	"	"	"	"	
Ethylbenzene	ND	25.0	"	"	"	"	"	"	
Xylene (p/m)	ND	25.0	"	"	"	"	"	"	
Xylene (o)	ND	25.0	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		113 %	70-139		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		91.2 %	52-149		"	"	"	"	
Surrogate: Toluene-d8		88.4 %	76-125		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		85.4 %	66-145		"	"	"	"	
S22-3' (6E18010-21) Soil									
Benzene	ND	25.0	ug/kg dry	25	EE62618	05/26/06	05/30/06	EPA 8260B	
Toluene	ND	25.0	"	"	"	"	"	"	
Ethylbenzene	ND	25.0	"	"	"	"	"	"	
Xylene (p/m)	ND	25.0	"	"	"	"	"	"	
Xylene (o)	ND	25.0	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		111 %	70-139		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		87.0 %	52-149		"	"	"	"	
Surrogate: Toluene-d8		87.4 %	76-125		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		80.2 %	66-145		"	"	"	"	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 17 of 27

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: C.S. Cayler Gathering
Project Number: 2002-10250
Project Manager: Jimmy Bryant

Fax: (432) 687-4914

Reported:
06/01/06 15:03

Volatile Organic Compounds by EPA Method 8260B
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
B22-6' (6E18010-22) Soil									
Benzene	ND	25.0	ug/kg dry	25	EE62618	05/26/06	05/30/06	EPA 8260B	
Toluene	ND	25.0	"	"	"	"	"	"	
Ethylbenzene	ND	25.0	"	"	"	"	"	"	
Xylene (p/m)	ND	25.0	"	"	"	"	"	"	
Xylene (o)	ND	25.0	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		115 %	70-139		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		88.2 %	52-149		"	"	"	"	
Surrogate: Toluene-d8		92.4 %	76-125		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		83.8 %	66-145		"	"	"	"	
S24-3' (6E18010-23) Soil									
Benzene	ND	25.0	ug/kg dry	25	EE62618	05/26/06	05/31/06	EPA 8260B	O-10
Toluene	ND	25.0	"	"	"	"	"	"	
Ethylbenzene	ND	25.0	"	"	"	"	"	"	
Xylene (p/m)	ND	25.0	"	"	"	"	"	"	
Xylene (o)	ND	25.0	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		104 %	70-139		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		81.4 %	52-149		"	"	"	"	
Surrogate: Toluene-d8		87.6 %	76-125		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		79.6 %	66-145		"	"	"	"	
B24-6' (6E18010-24) Soil									
Benzene	ND	25.0	ug/kg dry	25	EE62618	05/26/06	05/31/06	EPA 8260B	O-10
Toluene	ND	25.0	"	"	"	"	"	"	
Ethylbenzene	ND	25.0	"	"	"	"	"	"	
Xylene (p/m)	ND	25.0	"	"	"	"	"	"	
Xylene (o)	ND	25.0	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		104 %	70-139		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		81.6 %	52-149		"	"	"	"	
Surrogate: Toluene-d8		85.4 %	76-125		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		77.6 %	66-145		"	"	"	"	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 18 of 27

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: C.S. Cayler Gathering
Project Number: 2002-10250
Project Manager: Jimmy Bryant

Fax: (432) 687-4914

Reported:
06/01/06 15:03

Organics by GC - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch EE61920 - Solvent Extraction (GC)

Blank (EE61920-BLK1)

Prepared: 05/19/06 Analyzed: 05/20/06

Carbon Ranges C6-C12	ND	10.0	mg/kg wet							
Carbon Ranges C12-C28	ND	10.0	"							
Carbon Ranges C28-C35	ND	10.0	"							
Total Hydrocarbon nC6-nC35	ND	10.0	"							
Surrogate: 1-Chlorooctane	44.6		mg/kg	50.0		89.2	70-130			
Surrogate: 1-Chlorooctadecane	48.6		"	50.0		97.2	70-130			

LCS (EE61920-BS1)

Prepared: 05/19/06 Analyzed: 05/20/06

Carbon Ranges C6-C12	592	10.0	mg/kg wet	500		118	75-125			
Carbon Ranges C12-C28	572	10.0	"	500		114	75-125			
Total Hydrocarbon nC6-nC35	1160	10.0	"	1000		116	75-125			
Surrogate: 1-Chlorooctane	58.3		mg/kg	50.0		117	70-130			
Surrogate: 1-Chlorooctadecane	53.5		"	50.0		107	70-130			

Calibration Check (EE61920-CCV1)

Prepared: 05/19/06 Analyzed: 05/20/06

Carbon Ranges C6-C12	296		mg/kg	250		118	80-120			
Carbon Ranges C12-C28	263		"	250		105	80-120			
Total Hydrocarbon nC6-nC35	559		"	500		112	80-120			
Surrogate: 1-Chlorooctane	54.3		"	50.0		109	70-130			
Surrogate: 1-Chlorooctadecane	52.6		"	50.0		105	70-130			

Matrix Spike (EE61920-MS1)

Source: 6E18010-01

Prepared: 05/19/06 Analyzed: 05/20/06

Carbon Ranges C6-C12	501	10.0	mg/kg dry	518	ND	96.7	75-125			
Carbon Ranges C12-C28	517	10.0	"	518	ND	99.8	75-125			
Total Hydrocarbon nC6-nC35	1020	10.0	"	1040	ND	98.1	75-125			
Surrogate: 1-Chlorooctane	50.2		mg/kg	50.0		100	70-130			
Surrogate: 1-Chlorooctadecane	46.5		"	50.0		93.0	70-130			

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 19 of 27

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: C.S. Cayler Gathering
Project Number: 2002-10250
Project Manager: Jimmy Bryant

Fax: (432) 687-4914

Reported:
06/01/06 15:03

Organics by GC - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch EE61920 - Solvent Extraction (GC)

Matrix Spike Dup (EE61920-MSD1)

Source: 6E18010-01

Prepared: 05/19/06 Analyzed: 05/20/06

Carbon Ranges C6-C12	504	10.0	mg/kg dry	518	ND	97.3	75-125	0.597	20	
Carbon Ranges C12-C28	517	10.0	"	518	ND	99.8	75-125	0.00	20	
Total Hydrocarbon nC6-nC35	1020	10.0	"	1040	ND	98.1	75-125	0.00	20	
Surrogate: 1-Chlorooctane	50.5		mg/kg	50.0		101	70-130			
Surrogate: 1-Chlorooctadecane	46.8		"	50.0		93.6	70-130			

Batch EE61921 - Solvent Extraction (GC)

Blank (EE61921-BLK1)

Prepared: 05/19/06 Analyzed: 05/22/06

Carbon Ranges C6-C12	ND	10.0	mg/kg wet							
Carbon Ranges C12-C28	ND	10.0	"							
Carbon Ranges C28-C35	ND	10.0	"							
Total Hydrocarbon nC6-nC35	ND	10.0	"							
Surrogate: 1-Chlorooctane	53.6		mg/kg	50.0		107	70-130			
Surrogate: 1-Chlorooctadecane	55.4		"	50.0		111	70-130			

LCS (EE61921-BS1)

Prepared & Analyzed: 05/19/06

Carbon Ranges C6-C12	460	10.0	mg/kg wet	500		92.0	75-125			
Carbon Ranges C12-C28	513	10.0	"	500		103	75-125			
Total Hydrocarbon nC6-nC35	973	10.0	"	1000		97.3	75-125			
Surrogate: 1-Chlorooctane	51.4		mg/kg	50.0		103	70-130			
Surrogate: 1-Chlorooctadecane	46.5		"	50.0		93.0	70-130			

Calibration Check (EE61921-CCV1)

Prepared: 05/19/06 Analyzed: 05/20/06

Carbon Ranges C6-C12	261		mg/kg	250		104	80-120			
Carbon Ranges C12-C28	290		"	250		116	80-120			
Total Hydrocarbon nC6-nC35	551		"	500		110	80-120			
Surrogate: 1-Chlorooctane	48.2		"	50.0		96.4	70-130			
Surrogate: 1-Chlorooctadecane	46.6		"	50.0		93.2	70-130			

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 20 of 27

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: C.S. Cayler Gathering
Project Number: 2002-10250
Project Manager: Jimmy Bryant

Fax: (432) 687-4914

Reported:
06/01/06 15:03

Organics by GC - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch EE61921 - Solvent Extraction (GC)

Matrix Spike (EE61921-MS1)

Source: 6E18024-07

Prepared: 05/19/06 Analyzed: 05/22/06

Carbon Ranges C6-C12	725	10.0	mg/kg dry	636	ND	114	75-125			
Carbon Ranges C12-C28	730	10.0	"	636	ND	115	75-125			
Total Hydrocarbon nC6-nC35	1460	10.0	"	1270	ND	115	75-125			
Surrogate: 1-Chlorooctane	52.5		mg/kg	50.0		105	70-130			
Surrogate: 1-Chlorooctadecane	46.4		"	50.0		92.8	70-130			

Matrix Spike Dup (EE61921-MSD1)

Source: 6E18024-07

Prepared: 05/19/06 Analyzed: 05/22/06

Carbon Ranges C6-C12	728	10.0	mg/kg dry	636	ND	114	75-125	0.413	20	
Carbon Ranges C12-C28	720	10.0	"	636	ND	113	75-125	1.38	20	
Total Hydrocarbon nC6-nC35	1450	10.0	"	1270	ND	114	75-125	0.687	20	
Surrogate: 1-Chlorooctane	52.4		mg/kg	50.0		105	70-130			
Surrogate: 1-Chlorooctadecane	45.8		"	50.0		91.6	70-130			

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: C.S. Cayler Gathering
Project Number: 2002-10250
Project Manager: Jimmy Bryant

Fax: (432) 687-4914

Reported:
06/01/06 15:03

General Chemistry Parameters by EPA / Standard Methods - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch EE61910 - General Preparation (Prep)										
Blank (EE61910-BLK1)		Prepared: 05/18/06 Analyzed: 05/19/06								
% Solids	100		%							
Duplicate (EE61910-DUP1)		Source: 6E12001-21		Prepared: 05/18/06 Analyzed: 05/19/06						
% Solids	92.1		%		92.0			0.109	20	
Duplicate (EE61910-DUP2)		Source: 6E18006-02		Prepared: 05/18/06 Analyzed: 05/19/06						
% Solids	90.0		%		90.3			0.333	20	
Duplicate (EE61910-DUP4)		Source: 6E18008-29		Prepared: 05/18/06 Analyzed: 05/19/06						
% Solids	95.5		%		95.2			0.315	20	
Duplicate (EE61910-DUP5)		Source: 6E18009-14		Prepared: 05/18/06 Analyzed: 05/19/06						
% Solids	89.7		%		89.9			0.223	20	
Duplicate (EE61910-DUP6)		Source: 6E18010-11		Prepared: 05/18/06 Analyzed: 05/19/06						
% Solids	93.8		%		93.8			0.00	20	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 22 of 27

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: C.S. Cayler Gathering
Project Number: 2002-10250
Project Manager: Jimmy Bryant

Fax: (432) 687-4914

Reported:
06/01/06 15:03

Volatile Organic Compounds by EPA Method 8260B - Quality Control

Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch EE62606 - EPA 5030C (GCMS)

Blank (EE62606-BLK1)

Prepared & Analyzed: 05/26/06

Benzene	ND	25.0	ug/kg wet							
Toluene	ND	25.0	"							
Ethylbenzene	ND	25.0	"							
Xylene (p/m)	ND	25.0	"							
Xylene (o)	ND	25.0	"							
Surrogate: Dibromofluoromethane	53.0		ug/kg	50.0		106	70-139			
Surrogate: 1,2-Dichloroethane-d4	43.7		"	50.0		87.4	52-149			
Surrogate: Toluene-d8	41.3		"	50.0		82.6	76-125			
Surrogate: 4-Bromofluorobenzene	37.5		"	50.0		75.0	66-145			

LCS (EE62606-BS1)

Prepared & Analyzed: 05/26/06

Benzene	568	25.0	ug/kg wet	625		90.9	70-130			
Toluene	589	25.0	"	625		94.2	70-130			
Ethylbenzene	627	25.0	"	625		100	70-130			
Xylene (p/m)	1200	25.0	"	1250		96.0	70-130			
Xylene (o)	640	25.0	"	625		102	70-130			
Surrogate: Dibromofluoromethane	47.5		ug/kg	50.0		95.0	70-139			
Surrogate: 1,2-Dichloroethane-d4	41.7		"	50.0		83.4	52-149			
Surrogate: Toluene-d8	42.8		"	50.0		85.6	76-125			
Surrogate: 4-Bromofluorobenzene	40.7		"	50.0		81.4	66-145			

Calibration Check (EE62606-CCV1)

Prepared & Analyzed: 05/26/06

Toluene	42.9		ug/kg	50.0		85.8	70-130			
Ethylbenzene	40.5		"	50.0		81.0	70-130			
Surrogate: Dibromofluoromethane	50.6		"	50.0		101	70-139			
Surrogate: 1,2-Dichloroethane-d4	43.9		"	50.0		87.8	52-149			
Surrogate: Toluene-d8	45.7		"	50.0		91.4	76-125			
Surrogate: 4-Bromofluorobenzene	43.9		"	50.0		87.8	66-145			

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 23 of 27

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: C.S. Cayler Gathering
Project Number: 2002-10250
Project Manager: Jimmy Bryant

Fax: (432) 687-4914
Reported:
06/01/06 15:03

Volatile Organic Compounds by EPA Method 8260B - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch EE62606 - EPA 5030C (GCMS)

Matrix Spike (EE62606-MS1)

Source: 6E25028-02

Prepared & Analyzed: 05/26/06

Benzene	642	25.0	ug/kg dry	666	ND	96.4	70-130			
Toluene	670	25.0	"	666	ND	101	70-130			
Ethylbenzene	699	25.0	"	666	ND	105	70-130			
Xylene (p/m)	1330	25.0	"	1330	ND	100	70-130			
Xylene (o)	713	25.0	"	666	ND	107	70-130			
Surrogate: Dibromofluoromethane	46.8		ug/kg	50.0		93.6	70-139			
Surrogate: 1,2-Dichloroethane-d4	41.6		"	50.0		83.2	52-149			
Surrogate: Toluene-d8	41.1		"	50.0		82.2	76-125			
Surrogate: 4-Bromofluorobenzene	39.4		"	50.0		78.8	66-145			

Matrix Spike Dup (EE62606-MSD1)

Source: 6E25028-02

Prepared & Analyzed: 05/26/06

Benzene	631	25.0	ug/kg dry	666	ND	94.7	70-130	1.78	20	
Toluene	655	25.0	"	666	ND	98.3	70-130	2.71	20	
Ethylbenzene	613	25.0	"	666	ND	92.0	70-130	13.2	20	
Xylene (p/m)	1220	25.0	"	1330	ND	91.7	70-130	8.66	20	
Xylene (o)	654	25.0	"	666	ND	98.2	70-130	8.58	20	
Surrogate: Dibromofluoromethane	49.8		ug/kg	50.0		99.6	70-139			
Surrogate: 1,2-Dichloroethane-d4	48.8		"	50.0		97.6	52-149			
Surrogate: Toluene-d8	42.7		"	50.0		85.4	76-125			
Surrogate: 4-Bromofluorobenzene	39.8		"	50.0		79.6	66-145			

Batch EE62618 - EPA 5030C (GCMS)

Blank (EE62618-BLK1)

Prepared: 05/26/06 Analyzed: 05/30/06

Benzene	ND	25.0	ug/kg wet							
Toluene	ND	25.0	"							
Ethylbenzene	ND	25.0	"							
Xylene (p/m)	ND	25.0	"							
Xylene (o)	ND	25.0	"							
Surrogate: Dibromofluoromethane	57.8		ug/kg	50.0		116	70-139			
Surrogate: 1,2-Dichloroethane-d4	48.5		"	50.0		97.0	52-149			
Surrogate: Toluene-d8	50.4		"	50.0		101	76-125			
Surrogate: 4-Bromofluorobenzene	45.7		"	50.0		91.4	66-145			

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 24 of 27

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: C.S. Cayler Gathering
Project Number: 2002-10250
Project Manager: Jimmy Bryant

Fax: (432) 687-4914

Reported:
06/01/06 15:03

Volatile Organic Compounds by EPA Method 8260B - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch EE62618 - EPA 5030C (GCMS)

LCS (EE62618-BS1)

Prepared: 05/26/06 Analyzed: 05/30/06

Benzene	601	25.0	ug/kg wet	625		96.2	70-130			
Toluene	618	25.0	"	625		98.9	70-130			
Ethylbenzene	643	25.0	"	625		103	70-130			
Xylene (p/m)	1230	25.0	"	1250		98.4	70-130			
Xylene (o)	642	25.0	"	625		103	70-130			
Surrogate: Dibromofluoromethane	44.5		ug/kg	50.0		89.0	70-139			
Surrogate: 1,2-Dichloroethane-d4	39.5		"	50.0		79.0	52-149			
Surrogate: Toluene-d8	42.3		"	50.0		84.6	76-125			
Surrogate: 4-Bromofluorobenzene	40.3		"	50.0		80.6	66-145			

Calibration Check (EE62618-CCV1)

Prepared: 05/26/06 Analyzed: 05/30/06

Toluene	45.6		ug/kg	50.0		91.2	70-130			
Ethylbenzene	42.4		"	50.0		84.8	70-130			
Surrogate: Dibromofluoromethane	46.0		"	50.0		92.0	70-139			
Surrogate: 1,2-Dichloroethane-d4	40.8		"	50.0		81.6	52-149			
Surrogate: Toluene-d8	44.1		"	50.0		88.2	76-125			
Surrogate: 4-Bromofluorobenzene	39.7		"	50.0		79.4	66-145			

Matrix Spike (EE62618-MS1)

Source: 6E18010-05

Prepared: 05/26/06 Analyzed: 05/31/06

Benzene	599	25.0	ug/kg dry	628	ND	95.4	70-130			
Toluene	631	25.0	"	628	ND	100	70-130			
Ethylbenzene	691	25.0	"	628	ND	110	70-130			
Xylene (p/m)	1250	25.0	"	1260	ND	99.2	70-130			
Xylene (o)	657	25.0	"	628	ND	105	70-130			
Surrogate: Dibromofluoromethane	48.9		ug/kg	50.0		97.8	70-139			
Surrogate: 1,2-Dichloroethane-d4	43.2		"	50.0		86.4	52-149			
Surrogate: Toluene-d8	43.9		"	50.0		87.8	76-125			
Surrogate: 4-Bromofluorobenzene	41.1		"	50.0		82.2	66-145			

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 25 of 27

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: C.S. Cayler Gathering
Project Number: 2002-10250
Project Manager: Jimmy Bryant

Fax: (432) 687-4914

Reported:
06/01/06 15:03

Volatile Organic Compounds by EPA Method 8260B - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch EE62618 - EPA 5030C (GCMS)

Matrix Spike Dup (EE62618-MSD1)		Source: 6E18010-05		Prepared: 05/26/06		Analyzed: 05/31/06				
Benzene	580	25.0	ug/kg dry	628	ND	92.4	70-130	3.19	20	
Toluene	608	25.0	"	628	ND	96.8	70-130	3.25	20	
Ethylbenzene	680	25.0	"	628	ND	108	70-130	1.83	20	
Xylene (p/m)	1230	25.0	"	1260	ND	97.6	70-130	1.63	20	
Xylene (o)	647	25.0	"	628	ND	103	70-130	1.92	20	
Surrogate: Dibromofluoromethane	46.8		ug/kg	50.0		93.6	70-139			
Surrogate: 1,2-Dichloroethane-d4	41.5		"	50.0		83.0	52-149			
Surrogate: Toluene-d8	42.2		"	50.0		84.4	76-125			
Surrogate: 4-Bromofluorobenzene	40.4		"	50.0		80.8	66-145			

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 26 of 27

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: C.S. Cayler Gathering
Project Number: 2002-10250
Project Manager: Jimmy Bryant

Fax: (432) 687-4914

Reported:
06/01/06 15:03

Notes and Definitions

O-10 The original analysis of this sample yielded QC recoveries outside acceptance limits. The re-analysis was analyzed outside the recommended hold time.

J Detected but below the Reporting Limit; therefore, result is an estimated concentration (CLP J-Flag).

DET Analyte DETECTED

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

dry Sample results reported on a dry weight basis

RPD Relative Percent Difference

LCS Laboratory Control Spike

MS Matrix Spike

Dup Duplicate

Report Approved By:

Raland K. Tuttle

Date:

6/1/2006

Raland K. Tuttle, Lab Manager
Celey D. Keene, Lab Director, Org. Tech Director
Peggy Allen, QA Officer

Jeanne Mc Murrey, Inorg. Tech Director
LaTasha Cornish, Chemist
Sandra Sanchez, Lab Tech.

This material is intended only for the use of the individual (s) or entity to whom it is addressed, and may contain information that is privileged and confidential.

If you have received this material in error, please notify us immediately at 432-563-1800.

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 27 of 27

Environmental Plus, Inc.

2100 Avenue O, Eunice, NM 88231
(505) 394-3481 FAX: (505) 394-2601

P.O. Box 1558, Eunice, NM 88231

Chain of Custody Form

LAB: ELT

Company Name Environmental Plus, Inc.		Bill To		ANALYSIS REQUEST											
EPI Project Manager Iain Olness		PRESERV.		PH											
Mailing Address P.O. BOX 1558		ACID/BASE		TCLP											
City, State, Zip Eunice New Mexico 88231		OTHER:		SULFATES (SO ₄)											
EPI Phone#/Fax# 505-394-3481 / 505-394-2601		SLUDGE		CHLORIDES (Cl)											
Client Company Plains Pipeline, L.P.		CRUDE OIL		TPH 8015M											
Facility Name C.S. Cayler Gathering		WASTEWATER		BTEX 8021B											
Location UL-B, Sect. 06, T 17 S, R 37 E		GROUND WATER		DATE											
Project Reference 2002-10250		# CONTAINERS		TIME											
EPI Sampler Name George Blackburn		(G)RAB OR (C)OMP.		OTHER											
LAB I.D.	SAMPLE I.D.														
6E1B610		G 1		16-May-06 10:00											
-11 S12-3'		G 1		16-May-06 10:15											
-12 B12-6'		G 1		16-May-06 11:15											
-13 S14-3'		G 1		16-May-06 11:10											
-14 B14-6'		G 1		16-May-06 11:35											
-15 S18-3'		G 1		16-May-06 11:30											
-16 B16-6'		G 1		16-May-06 11:55											
-17 S18-3'		G 1		16-May-06 11:50											
-18 B18-6'		G 1		16-May-06 12:15											
-19 S20-3'		G 1		16-May-06 12:10											
-20 B20-6'		G 1													
Sampler Relinquished: George Blackburn III		Date 5-18-06		Received By: Jawn Boone											
Relinquished by: Jawn Boone		Date 5-18-06		Received By: (lab staff) Lab. 26720											
Delivered by:		Sample Cool & Intact Yes		Checked By:											

E-mail results to: iolness@envplus.net

NOTES: Labels w/ serials

Environmental Plus, Inc.

2100 Avenue O, Eunice, NM 88231
(505) 394-3481 FAX: (505) 394-2601

P.O. Box 1558, Eunice, NM 88231

Chain of Custody Form

LAB: ELT

Company Name Environmental Plus, Inc.		Bill To		ANALYSIS REQUEST	
EPI Project Manager Iain Olness					
Mailing Address P.O. BOX 1558					
City, State, Zip Eunice New Mexico 88231					
EPI Phone#/Fax# 505-394-3481 / 505-394-2601					
Client Company Plains Pipeline, L.P.					
Facility Name C.S. Cayler Gathering					
Location UL-B, Sect. 06, T 17 S, R 37 E					
Project Reference 2002-10250					
EPI Sampler Name George Blackburn					

Attn: ENV Accounts Payable PO Box 4648, Houston, TX 77210-4648			
--	--	---	--



LAB I.D.	SAMPLE I.D.	MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST								
		GROUND WATER	WASTEWATER	SOIL	CRUDE OIL	SLUDGE	OTHER:	ACID/BASE	ICE/COOL	OTHER	DATE	TIME	BTEX 8021B	TPH 8015M	CHLORIDES (Cl)	SULFATES (SO ₄)	PH	TCLP	OTHER >>>	PAH	
6E1B010	-21 S22-3'			X								X	X								
	-22 B22-6'			X								X	X								
	-23 S24-3'			X								X	X								
	24 B24-6'			X								X	X								
	5																				
	6																				
	7																				
	8																				
	9																				
	10																				

Sampler Relinquished: George Blackburn III		Received By: Aron Boone	
Relinquished By:		Received By: (lab staff)	
Delivered By:		Sample-Cool & Intact	
		No	

E-mail results to: iolness@envplus.net
NOTES: Labels w/ seals



0 50 100
Scale in Feet



C.S. Cayler (PLAINS044SPL)

SRS # 2002-10250

Lea County, New Mexico




Site Plan

Date: 02/04/2008

Scale: 1" = 100'

Drawn By: SJA





Date: 02/04/2008

Scale: 1" = 100'

Drawn By: SJA

C.S. Cayler (PLAINS044SPL)

SRS # 2002-10250


Lea County, New Mexico

Figure 2d - Groundwater Gradient Map, (12/03/2007)



0 50 100
Scale in Feet

- Legend**
- Monitor Well
 - Pipeline
 - Fence line
 - Railroad Tracks
 - Contour Line
 - PSH Thickness Contour 8.39



Date: 02/04/2008

Scale: 1" = 100'

Drawn By: SJA

C.S. Cayler (PLAINS044SPL)



SRS # 2002-10250

Lea County, New Mexico

Figure 3d - PSH Plume Map, (12/03/2007)



0 50 100
Scale in Feet



C.S. Cayler (PLAINS044SPL)

SRS # 2002-10250

Lea County, New Mexico

Figure 4d - Groundwater Concentration Map, (12/03/2007)

Date: 02/04/2008

Scale: 1" = 100'

Drawn By: SJA



TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
PLAINS PIPELINE, L.P.
CS CAYLER
LEA COUNTY, NEW MEXICO - SRS# 2002-10250
Talon/LPE Project Number PLAINS044SPL

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Ethyl-benzene	m,p-Xylenes	o-Xylene	Toluene
MW-1	03/29/07	Not sampled Due to Presence of Phase Separated Hydrocarbons				
	06/13/07	Not sampled Due to Presence of Phase Separated Hydrocarbons				
	09/14/07	Not sampled Due to Presence of Phase Separated Hydrocarbons				
	12/03/07	Not sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	03/29/07	Not sampled Due to Presence of Phase Separated Hydrocarbons				
	06/13/07	Not sampled Due to Presence of Phase Separated Hydrocarbons				
	09/14/07	Not sampled Due to Presence of Phase Separated Hydrocarbons				
	12/03/07	Not sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	03/29/07	Not sampled Due to Presence of Phase Separated Hydrocarbons				
	06/13/07	Not sampled Due to Presence of Phase Separated Hydrocarbons				
	09/14/07	Not sampled Due to Presence of Phase Separated Hydrocarbons				
	12/03/07	Not sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	03/29/07	Not sampled Due to Presence of Phase Separated Hydrocarbons				
	06/13/07	Not sampled Due to Presence of Phase Separated Hydrocarbons				
	09/14/07	Not sampled Due to Presence of Phase Separated Hydrocarbons				
	12/03/07	Not sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	03/29/07	Not sampled Due to Presence of Phase Separated Hydrocarbons				
	06/13/07	Not sampled Due to Presence of Phase Separated Hydrocarbons				
	09/14/07	Not sampled Due to Presence of Phase Separated Hydrocarbons				
	12/03/07	Not sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	03/29/07	0.112	0.00184	0.00841	0.00302	0.0220
	06/13/07	0.101	<0.001	0.00655	0.00264	0.0206
	09/14/07	0.0968	0.0013	0.0051	0.0029	0.0104
	12/03/07	0.1491	0.0011	0.0086	0.0046	0.0209
MW-7	03/29/07	Not sampled Due to Presence of Phase Separated Hydrocarbons				
	06/13/07	Not sampled Due to Presence of Phase Separated Hydrocarbons				
	09/14/07	Not sampled Due to Presence of Phase Separated Hydrocarbons				
	12/03/07	Not sampled Due to Presence of Phase Separated Hydrocarbons				
MW-8	03/29/07	Not sampled Due to Presence of Phase Separated Hydrocarbons				
	06/13/07	Not sampled Due to Presence of Phase Separated Hydrocarbons				
	09/14/07	Not sampled Due to Presence of Phase Separated Hydrocarbons				
	12/03/07	Not sampled Due to Presence of Phase Separated Hydrocarbons				

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
PLAINS PIPELINE, L.P.
CS CAYLER
LEA COUNTY, NEW MEXICO - SRS# 2002-10250
Talon/LPE Project Number PLAINS044SPL

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Ethyl-benzene	m,p-Xylenes	o-Xylene	Toluene
MW-9	03/29/07	0.0186	<0.001	0.00157	<0.001	<0.001
	06/13/07	0.00910	<0.001	0.00504	<0.001	<0.001
	09/14/07	0.0081	<0.001	0.0045	<0.001	<0.001
	12/03/07	0.0049	<0.001	0.0100	<0.001	<0.002
MW-10	03/29/07	0.00696	<0.001	0.00151	<0.001	0.00140
	06/13/07	0.00362	<0.001	0.00237	<0.001	0.00137
	09/14/07	0.0056	<0.001	0.0023	<0.001	<0.001
	12/03/07	0.0046	<0.001	<0.002	<0.001	<0.002
MW-11	03/29/07	<0.001	<0.001	<0.001	<0.001	<0.001
	06/13/07	<0.001	<0.001	<0.001	<0.001	<0.001
	09/14/07	0.0013	<0.001	<0.002	<0.001	<0.001
	12/03/07	0.0010	<0.001	<0.002	<0.001	<0.002
MW-12	03/29/07	18.4	1.46	1.71	0.745	4.65
	06/13/07	27.6	1.16	1.05	<1.00	4.87
	09/14/07	18.66	0.7570	0.8450	0.2950	1.490
	12/03/07	24.91	0.6060	0.7080	0.2020	1.080
MW-13	03/29/07	0.0313	0.00508	0.00824	0.00304	0.00911
	06/13/07	0.0122	0.00207	0.00255	0.00102	0.00427
	09/14/07	<0.001	<0.001	<0.002	<0.001	<0.001
	12/03/07	0.0021	<0.001	<0.002	<0.001	<0.002
MW-14	03/29/07	0.00402	<0.001	<0.001	<0.001	0.00139
	06/13/07	0.00794	<0.001	0.00122	<0.001	0.00235
	09/14/07	0.0016	<0.001	<0.002	<0.001	<0.001
	12/03/07	<0.001	<0.001	<0.002	<0.001	<0.002
MW-15	03/29/07	0.00291	<0.001	<0.001	<0.001	<0.001
	06/13/07	0.00171	<0.001	<0.001	<0.001	<0.001
	09/14/07	0.0123	<0.001	<0.002	<0.001	0.0012
	12/03/07	0.0013	<0.001	<0.002	<0.001	<0.002
MW-16	03/29/07	0.0665	0.00154	0.00636	<0.001	0.0132
	06/13/07	0.0198	<0.001	0.00290	<0.001	0.00494
	09/14/07	0.0240	<0.001	<0.002	<0.001	0.0032
	12/03/07	0.2048	0.0015	0.0060	<0.001	0.0040

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
PLAINS PIPELINE, L.P.
CS CAYLER
LEA COUNTY, NEW MEXICO - SRS# 2002-10250
Talon/LPE Project Number PLAINS044SPL

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Ethyl-benzene	m,p-Xylenes	o-Xylene	Toluene
MW-17	03/29/07	0.00177	<0.001	<0.001	<0.001	<0.001
	06/13/07	<0.001	<0.001	<0.001	<0.001	<0.001
	09/14/07	<0.001	<0.001	<0.002	<0.001	<0.001
	12/03/07	0.0022	<0.001	<0.002	<0.001	<0.002
NMWQCC Remedial Limits		0.010	0.750	Total Xylenes 0.620		0.750

¹ **Bolded** values are in excess of the NMWQCC Remediation Thresholds