

3R - 113

**ANNUAL
MONITORING
REPORT**

03/07/2008



March 7, 2008

Mr. Glenn von Gonten
Hydrologist-Groundwater Remediation
New Mexico Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

RE: Annual Groundwater Remediation Reports

Dear Mr. von Gonten,

XTO Energy Inc. (XTO) is submitting the Annual Groundwater Remediation Reports in accordance with the NMOCD approved Groundwater Management Plan (GMP). Enclosed are summary reports with analytical data, summary tables, site maps, potentiometric surface diagrams and recommendations/proposed actions for:

- Bruington Gas Com #1- 3RP106
- Carson Gas Com #1E
- EJ Johnson C #1E- 3RP385
- Federal Gas Com #H1 3R 110
- Frost, Jack B #2
- McCoy GC D #1E
- OH Randel #7- 3RP386
- PO Pipken #3E 3R 409
- Rowland Gas Com #1- 3RP124
- Snyder Gas Com #1A- 3RP126
- Sullivan Gas Com D #1- 3RP131
- Valdez A #1E- 3RP134

We have also enclosed an Annual Report for ten sites that meet the closure requirements outlined in the GMP. XTO respectfully requests closure of:


- Baca Gas Com A #1A- 3RP104
- Garcia Gas Com B #1- 3RP111
- Haney Gas Com B #1E- 3RP113
- Hare Gas Com B #1
- Hare Gas Com B #1E- 3RP384
- Hare Gas Com I #1
- Masden Gas Com #1E- 3RP120
- McDaniel Gas Com B #1E- 3RP121
- Stedje Gas Com #1- 3RP128
- Sullivan Frame A #1E- 3RP130

In previously submitted reports five sites met the closure requirements outlined in the GMP and XTO requested closure on those sites in 2006 and 2007. The reports for the below listed sites are being submitted again for your review.

- Abrams J #1- 3RP100
- Armenta Gas Com C #1E- 3RP394
- Bergin Gas Com #1E- 3RP105
- Romero Gas Com A #1- 3RP123
- State Gas Com BS #1- 3RP127

Thank you for your review of the reports. XTO looks forward to hearing from you regarding closure requests and proposed remediation actions. If you have any questions please do not hesitate to contact me at (505) 333-3100.

Respectfully,



Lisa Winn
EH & S Manager
San Juan Division

cc: Mr. Brandon Powell, Environmental, NMOCD District III Office, Aztec, NM
Mr. Martin Nee, Lodestar Services Inc.
File- San Juan Groundwater

3R113

XTO ENERGY INC.

ANNUAL GROUNDWATER REPORT

2007

**HANEY GAS COM B #1E
(M) SECTION 20 – T29N – R10W, NMPM
SAN JUAN COUNTY, NEW MEXICO**

**PREPARED FOR:
MR. GLENN VON GONTEN
NEW MEXICO OIL CONSERVATION DIVISION**

January 2008

TABLE OF CONTENTS

Site Details	3
Previous Activities	3
Site Map	3
Summary Tables	3
Potentiometric Surface Diagrams	3
Annual Groundwater Remediation Reports	3
2007 Activities	3
Geologic Logs and Well Completion Diagrams	3
Disposition of Generated Wastes	4
Conclusions	4
Recommendations	4

Appendices

Table 1:	Summary Groundwater Laboratory Results
Table 2:	General Water Chemistry (12/18/97)
Table 3:	General Water Chemistry (05/25/99)
Figure 1:	Site Map
Figures 2 - 4:	Potentiometric Surface Diagrams
Figures 5 - 11:	Geologic Logs and Well Completion Diagrams
Attachment 1:	2006 & 2007 Laboratory Reports
Attachment 2:	Pit Assessment Report (06/92)
Attachment 3:	Pit Closure Report (02/96)

2007 XTO GROUNDWATER REPORT

HANEY GAS COM B #1E

SITE DETAILS

LEGALS - TWN: 29N
LAND TYPE: FEE

RNG: 10W

SEC: 20

UNIT: M

PREVIOUS ACTIVITIES

Excavation: Feb-96 (3000 cy)
Monitoring Wells: Dec-97

Air Sparge System Installed: Feb-96
Quarterly Sampling Initiated: Dec-97

SITE MAP

A site map is presented as Figure 1.

SUMMARY TABLES

A summary of laboratory results from historic and current groundwater monitoring is presented as Table 1. Summaries of general water chemistry from 1997 and 1999 are presented as Tables 2 and 3. Copies of the laboratory data sheets and associated quality assurance/quality control data for 2006 and 2007 are presented as Attachment 1.

POTENTIOMETRIC SURFACE DIAGRAMS

Field data collected during site monitoring activities indicate a groundwater gradient that trends towards the north with a northwest component. Figures 2 - 4 illustrate the estimated groundwater gradients for 2006 and 2007.

ANNUAL GROUNDWATER REMEDIATION REPORTS

The 2005 annual groundwater report was submitted to New Mexico Oil Conservation Division (NMOCD) in April 2006 proposing installation of a fourth monitoring well to confirm gradient and continued quarterly sampling of the groundwater monitoring wells.

The 2006 annual groundwater report was submitted to NMOCD in February 2007. The proposed activities for 2007 include repair/replace monitoring well MW-1R and continued quarterly sampling of the groundwater monitoring wells, in accordance with the NMOCD approved Groundwater Management Plan.

2007 ACTIVITIES

In May 2007 MW-1R was repaired. Quarterly groundwater samples were collected from monitoring wells MW-1R, MW-2 and MW-4 in 2006 and 2007 and submitted for laboratory analysis of benzene, toluene, ethyl benzene and total xylenes (BTEX). Laboratory results indicate BTEX constituents are below standards or not detectable for four quarters.

GEOLOGIC LOGS AND WELL COMPLETION DIAGRAMS

Bore/Test Hole Reports are presented as Figures 5 - 11 representing drilling that occurred on site in December 1997 and September 2006.

DISPOSITION OF GENERATED WASTES

Waste generated (groundwater) during monitoring well sampling and development was placed in the produced water tank located on the well site.

2007 XTO GROUNDWATER REPORT

CONCLUSIONS

January 1998 XTO Energy Inc. (XTO) acquired the Haney Gas Com B #1E from Amoco Production Company. XTO understands the initial evaluation of groundwater impact came from samples of groundwater collected in test holes during the assessment phase (Attachment 2). Additional groundwater samples were collected from the bottom of the pit following excavation of hydrocarbon impacted soil in 1996 (Attachment 3). Laboratory analysis of the initial samples indicated elevated levels of dissolved phase BTEX constituents in groundwater. In 1997 three groundwater monitoring wells were installed to delineate the extent of hydrocarbon impact to groundwater (Figure 1). Monitoring well numbered MW-2 was installed within the area excavated and backfilled during closure activities. Monitoring well numbered MW-1 was installed up to cross gradient of MW-2 and monitoring well numbered MW-3 was located down gradient of the source area. Samples collected from groundwater monitoring wells in 1997 exhibit trace levels or levels below the detection limits of laboratory equipment (0.2 ug/L). Sampling was terminated and site closure requests were submitted. NMOCD correspondence dated April 22, 1999 denied closure until four (4) consecutive quarters of groundwater samples demonstrated BTEX levels below New Mexico Water Quality Control Commission (NMWQCC) standards.

Groundwater analytical data from MW-1R, MW-2, and MW-4 for four (4) consecutive quarters have demonstrated no detectable levels of BTEX constituents and NMWQCC standards have been met. The quarterly sampling has confirmed no rebound of BTEX constituents has occurred, therefore, XTO requests closure of this site.

RECOMMENDATIONS

- XTO requests closure of this site.
- Following OCD approval for closure, all monitoring well locations will be abandoned in accordance with the monitoring well abandonment plan.

TABLE 1

XTO ENERGY INC. GROUNDWATER LAB RESULTS

HANEY GC B #1E- SEPARATOR PIT
 UNIT M, SEC. 20, T29N, R10W

Sample Date	Monitor Well No.	DTW (ft)	TD (ft)	Product (ft)	BTEX EPA Method 801 (PPB)			
					Benzene (ug/L)	Toluene (ug/L)	Ethyl Benzene (ug/L)	Total Xylene (ug/L)
18-Dec-97	MW #1	6.75	9		ND	ND	ND	0.1
26-Sep-06	MW #1R	8.75	11.77		ND	ND	ND	ND
6-Dec-06					ND	ND	ND	ND
12-Jun-07		7.86	11.72		ND	ND	ND	ND
18-Dec-97	MW #2	9.07	15		ND	ND	1.5	0.4
26-Sep-06		9.67	12.07		ND	ND	ND	ND
6-Dec-06					ND	ND	ND	ND
8-Mar-07		8.45	12.02		ND	ND	ND	ND
12-Jun-07		8.48	12.02		ND	ND	ND	ND
18-Dec-97	MW #3	10.34	15		ND	0.7	2.4	10.6
26-Sep-06	MW #4	11.86	14.8		ND	ND	ND	ND
6-Dec-06					ND	ND	ND	ND
8-Mar-07		10.93	14.8		ND	ND	ND	ND
12-Jun-07		10.92	14.8		ND	ND	ND	ND
NMWQCC GROUNDWATER STANDARDS					10	750	750	620

TABLE 2

XTO ENERGY INC. GROUNDWATER LAB RESULTS

HANEY GC B #1E- SEPARATOR PIT UNIT M, SEC. 20, T29N, R10W
--

Sample Date: December 18, 1997

PARAMETERS	MW #1	MW #2	MW #3	UNITS
LAB Ph	7.27	7.07	7.07	s.u.
LAB CONDUCTIVITY @ 25 C	5,584	3,280	3,092	umhos/cm
TOTAL DISSOLVED SOLIDS @ 180 C	2,792	1,636	1,544	mg/L
TOTAL DISSOLVED SOLIDS (Calc)	2,807	1,620	1,544	mg/L
SODIUM ABSORPTION RATIO	0.1	0.4	0.3	ratio
TOTAL ALKALINITY AS CaCO ₃	620	400	438	mg/L
TOTAL HARDNESS AS CaCO ₃	2,704	1,378	1,332	mg/L
BICARBONATE AS HCO ₃	620	400	438	mg/L
CARBONATE AS CO ₃	< 1	< 1	< 1	mg/L
HYDROXIDE AS OH	< 1	< 1	< 1	mg/L
NITRATE NITROGEN	0.4	0.3	0.2	mg/L
NITRITE NITROGEN	0.013	0.001	0.007	mg/L
CHLORIDE	1546	755	719	mg/L
FLUORIDE	1.75	4.4	1.14	mg/L
PHOSPHATE	0.8	0.2	0.1	mg/L
SULFATE	47	55	23	mg/L
IRON				mg/L
CALCIUM	402	476	448	mg/L
MAGNESIUM	415	46	51.8	mg/L
POTASSIUM	7.0	4.7	5.7	mg/L
SODIUM	11	36	29	mg/L
CATION/ANION DIFFERENCE	0	0	0	%

TABLE 3

XTO ENERGY INC. GROUNDWATER LAB RESULTS

HANEY GC B #1E- SEPARATOR PIT UNIT M, SEC. 20, T29N, R10W
--

Sample Date: May 25, 1999

PARAMETERS	MW #1	MW #2	MW #3	UNITS
LAB Ph	7.57	7.06	7.24	s.u.
LAB CONDUCTIVITY @ 25 C	6,500	6,680	7,830	umhos/cm
TOTAL DISSOLVED SOLIDS @ 180 C	3,225	3,330	3,910	mg/L
TOTAL DISSOLVED SOLIDS (Calc)	3,202	3,296	3,851	mg/L
SODIUM ABSORPTION RATIO	8.3	7.6	8.9	ratio
TOTAL ALKALINITY AS CaCO ₃	652	622	480	mg/L
TOTAL HARDNESS AS CaCO ₃	1,052	1,130	1,250	mg/L
BICARBONATE AS HCO ₃	652	622	480	mg/L
CARBONATE AS CO ₃	< 1	< 1	< 1	mg/L
HYDROXIDE AS OH	< 1	< 1	< 1	mg/L
NITRATE NITROGEN	0.1	0.2	0.4	mg/L
NITRITE NITROGEN	0.001	0.004	0.003	mg/L
CHLORIDE	5.6	6	4.8	mg/L
FLUORIDE	1.07	1.06	1.18	mg/L
PHOSPHATE	23.6	< 0.1	18.2	mg/L
SULFATE	1,760	1,860	2,320	mg/L
IRON	0.1	1.65	1.63	mg/L
CALCIUM	331	373	413	mg/L
MAGNESIUM	54.7	47.9	52.7	mg/L
POTASSIUM	10.0	40.0	30.0	mg/L
SODIUM	62	590	720	mg/L
CATION/ANION DIFFERENCE	0.10	0.17	0.13	%



TO SAN JUAN RIVER

MW-3

MW-4




TREES AND SCRUBS

TREES AND SCRUBS

ORIGINAL SEP PIT EXCAVATION


MW-2

FENCE



TREES AND SCRUBS

MW-1R



WELL HEAD

METER RUN


NOTES:
 1. Monitoring well locations are only as accurate as the instruments used in obtaining the footage and bearing from the well head (Brunton Compass and Laser Range Finder). All other structures displayed on the site map are solely for reference and may not be to scale.

Lodestar Services, Inc
 PO Box 3861
 Farmington, NM 87499

HANEY GAS COM #1E
 SW/4 SW/4 SEC. 20, T29N, R10W
 SAN JUAN COUNTY, NEW MEXICO

PROJECT: XTO GROUND WATER
 DRAWN BY: ALA
 REVISED: 01/24/07


FIGURE 1
 SITE MAP



TOC = TOP OF CASING ELEVATION
 GWEL = GROUNDWATER ELEVATION
 - - - = INFERRED GROUNDWATER CONTOUR LINE

NOTES:
 1. Groundwater elevations from MW-2 and MW-4 were used to draw contour lines. Flow direction was inferred based on the proximity to and influence of the San Juan River and previous groundwater maps that used elevations from MW-1, MW-2 and MW-3 (12/97).
 2. Monitoring well locations are only as accurate as the instruments used in obtaining the footage and bearing from the well head (Brunton Compass and Laser Range Finder). All other structures displayed on the site map are solely for reference and may not be to scale.

<p>Lodestar Services, Inc PO Box 3861 Farmington, NM 87499</p>	<p>HANEY GAS COM #1E SW/4 SW/4 SEC. 20, T29N, R10W SAN JUAN COUNTY, NEW MEXICO</p>	<p>PROJECT: XTO GROUND WATER DRAWN BY: ALA REVISED: 12/04/06</p>	<p>GROUNDWATER GRADIENT MAP FIGURE 2 09/26/2006</p>
--	--	--	--



Lodestar Services, Inc
PO Box 3861
Farmington, NM 87499

HANEY GAS COM #1E
SW/4 SW/4 SEC. 20, T29N, R10W
SAN JUAN COUNTY, NEW MEXICO

PROJECT: XTO GROUND WATER
DRAWN BY: ALA
REVISED: 01/05/07

GROUNDWATER GRADIENT
MAP
FIGURE 3
12/06/2006



TO SAN JUAN RIVER

MW-3
TOC = 5475.08
GWEL = SILTED IN

MW-4
TOC = 5476.26
GWEL = 5465.34

TREES AND SCRUBS

TREES AND SCRUBS

FLOW = 0.02

ORIGINAL SEP PIT EXCAVATION

FENCE

MW-2
TOC = 5474.23
GWEL = 5465.75

FENCE

TANK PIT

BERM

COMP

PROD TANK

PROD TANK

SEP

TREES AND SCRUBS

MW-1R
TOC = 5474.03
GWEL = 5466.17

1 INCH = 30 FEET

0 30 60 FT.

METER RUN

WELL HEAD

NOTES:

1. Monitoring well locations are only as accurate as the instruments used in obtaining the footage and bearing from the well head (Brunton Compass and Laser Range Finder). All other structures displayed on the site map are solely for reference and may not be to scale.

TOC = TOP OF CASING ELEVATION
GWEL = GROUNDWATER ELEVATION
- - - = INFERRED GROUNDWATER CONTOUR LINE

Lodestar Services, Inc
Box 3861
Farmington, NM 87499

HANEY GAS COM #1E
SW/4 SW/4 SEC. 20, T29N, R10W
SAN JUAN COUNTY, NEW MEXICO

PROJECT: XTO GROUND WATER
DRAWN BY: ALA
REVISED: 06/21/07

GROUNDWATER GRADIENT
MAP 06/13/2007
FIGURE 4

FIGURE 6

BLAGG ENGINEERING, Inc.

P.O. BOX 87
 BLOOMFIELD, NM 87413
 (505) 632-1199

BORE / TEST HOLE REPORT

BORING #..... **BH - 2**
 MW #..... **2**
 PAGE #..... **2**
 DATE STARTED **12/17/97**
 DATE FINISHED **12/17/97**
 OPERATOR..... **GG**
 PREPARED BY **NJV**

LOCATION NAME: **HANEY GC B # 1E**
 CLIENT: **XTO ENERGY INC.**
 CONTRACTOR: **BLAGG ENGINEERING, INC. / PAUL & SONS**
 EQUIPMENT USED: **MOBILE DRILL RIG / PAUL & SONS**
 BORING LOCATION: **N40.5W, 192 FEET FROM WELL HEAD.**




FIGURE 7

BLAGG ENGINEERING, Inc.

P.O. BOX 87
 BLOOMFIELD, NM 87413
 (505) 632-1199

BORE / TEST HOLE REPORT

BORING #..... BH - 3
 MW #..... 3
 PAGE #..... 3
 DATE STARTED 12/17/97
 DATE FINISHED 12/17/97
 OPERATOR..... GG
 PREPARED BY NJV

LOCATION NAME: HANEY GC B # 1E
 CLIENT: XTO ENERGY INC.
 CONTRACTOR: BLAGG ENGINEERING, INC. / PAUL & SONS
 EQUIPMENT USED: MOBILE DRILL RIG / PAUL & SONS
 BORING LOCATION: N35W, 258 FEET FROM WELL HEAD.

DEPTH FEET	INTERVAL	LITHOLOGY INTERVAL	MW SCHEMATIC	FIELD CLASSIFICATION AND REMARKS
				GROUND SURFACE TOP OF CASING APPROX. 2.00 FT. ABOVE GROUND SURFACE.
1		SAND	TOS 3.0 TD 13.0	<p style="text-align: center;"> DARK YELLOWISH BROWN SAND THROUGHOUT ENTIRE BORING, NON COHESIVE, SLIGHTLY MOIST, LOOSE TO FIRM, NO APPARENT HYDROCARBON ODOR OR DISCOLORATION DETECTED (0.0 - 13.0 FT. INTERVAL). </p> <p style="text-align: center;"> ▼ GW DEPTH ON 12/18/97 = 8.34 FT. (APPROX.) FROM GROUND SURFACE. </p> <p style="margin-top: 20px;"> NOTES: - SAND. TOS - TOP OF SCREEN FROM GROUND SURFACE. TD - TOTAL DEPTH OF MONITOR WELL FROM GROUND SURFACE. GW - GROUND WATER. </p>
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				
31				

**FIGURE 9
MONITORING WELL INSTALLATION RECORD**

Lodestar Services, Inc
PO Box 3861
Farmington, New Mexico 87499
(505) 334-2791


Borehole # 1
Well # MW-1R
Page 1 of 1

Project Name XTO Ground Water
Project Number _____ Cost Code _____
Project Location Haney Gas Com #1E

Elevation 5482'
Well Location 36° 42.404' N, 107° 54.814' W
GWL Depth 7.15'
Installed By Envirotech

On-Site Geologist Ashley Ager
Personnel On-Site _____
Contractors On-Site Kelly Padilla and assistant
Client Personnel On-Site _____

Date/Time Started 09/01/06, 07:15
Date/Time Completed 09/01/06, 08:22



Comments: 50 lb bags of sand used: 4 ea., 50 lb bags of bentontie used: 1 ea.

Cannot install bumper posts b/c of cobbles. Will flag protective casing.

Geologist Signature Ashley L. Ager

FIGURE 10

RECORD OF SUBSURFACE EXPLORATION

LodeStar Services
 P.O. Box 4465
 Durango, CO 81302
 303-917-6288

Borehole #: 1
 Well #: MW-4
 Page: 1 of 1

Project Number: _____
 Project Name: XTO Ground Water
 Project Location: Haney Gas Com B #1E

Borehole Location: 36° 42.441' N, 107° 54.834' W
 GWL Depth: 12'
 Drilled By: Envirotech
 Well Logged By: Ashley Ager
 Date Started: 9/1/2006
 Date Completed: 9/1/2006

Drilling Method: Hollow Stem Auger
 Air Monitoring Method: PID

Depth (feet)	Sample Number	Sample Interval	Sample Type & Recovery (inches)	Sample Description	Air Monitoring	Drilling Conditions
0		0-8'	cuttings	tan, poorly sorted coarse sand, dry, various mineralogies, sub-rounded to subangular	0	Easy
5		8-14'	cuttings	brown, coarse, silty sand, damp, subangular to sub-rounded; wet at 12'	0	Easy
10						
15		14-15'	cuttings	Grayish brown, silty sand w/gravel and cobbles; wet, poorly sorted, roots	0	Easy
20						

Comments: Unable to put well in preferred location b/c of terrain and tree branches on existing trees.
Put as far to the northeast as possible. No steel casing or bumper posts installed since well is outside of well pad.

Geologist Signature: Ashley L. Ager

**FIGURE 11
MONITORING WELL INSTALLATION RECORD**

Lodestar Services, Inc
PO Box 3861
Farmington, New Mexico 87499
(505) 334-2791


Borehole # 1
Well # MW-4
Page 1 of 1

Project Name XTO Ground Water
Project Number _____ Cost Code _____
Project Location Haney Gas Com #1E

Elevation 5482'
Well Location 36° 42.441' N, 107° 54.834' W
GWL Depth 12'
Installed By Envirotech

On-Site Geologist Ashley Ager
Personnel On-Site _____
Contractors On-Site Kelly Padilla and assistant
Client Personnel On-Site _____

Date/Time Started 09/01/06, 08:40
Date/Time Completed 09/01/06, 09:45



Comments: 50 lb bags of sand used: 5 ea.
50 lb bags of bentonite used: 1 ea.

Geologist Signature Ashley L. Ager

Hall Environmental Analysis Laboratory, Inc.

Date: 06-Oct-06

CLIENT: XTO Energy	Client Sample ID: Haney Gas Com B1E MW-1R
Lab Order: 0609347	Collection Date: 9/26/2006 8:28:00 AM
Project: XTO Groundwater	Date Received: 9/27/2006
Lab ID: 0609347-05	Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	1.0		µg/L	1	10/5/2006 2:20:07 AM
Toluene	ND	1.0		µg/L	1	10/5/2006 2:20:07 AM
Ethylbenzene	ND	1.0		µg/L	1	10/5/2006 2:20:07 AM
Xylenes, Total	ND	3.0		µg/L	1	10/5/2006 2:20:07 AM
Surr: 4-Bromofluorobenzene	92.3	72.2-125		%REC	1	10/5/2006 2:20:07 AM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	MCL Maximum Contaminant Level
	ND Not Detected at the Reporting Limit	RL Reporting Limit
	S Spike recovery outside accepted recovery limits	

Hall Environmental Analysis Laboratory, Inc.

Date: 06-Oct-06

CLIENT: XTO Energy	Client Sample ID: Haney Gas Com B1E MW-2
Lab Order: 0609347	Collection Date: 9/26/2006 9:20:00 AM
Project: XTO Groundwater	Date Received: 9/27/2006
Lab ID: 0609347-06	Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	1.0		µg/L	1	10/5/2006 2:49:10 AM
Toluene	ND	1.0		µg/L	1	10/5/2006 2:49:10 AM
Ethylbenzene	ND	1.0		µg/L	1	10/5/2006 2:49:10 AM
Xylenes, Total	ND	3.0		µg/L	1	10/5/2006 2:49:10 AM
Surr: 4-Bromofluorobenzene	90.5	72.2-125		%REC	1	10/5/2006 2:49:10 AM

- | | | |
|--------------------|---|--|
| Qualifiers: | * Value exceeds Maximum Contaminant Level | B Analyte detected in the associated Method Blank |
| | E Value above quantitation range | H Holding times for preparation or analysis exceeded |
| | J Analyte detected below quantitation limits | MCL Maximum Contaminant Level |
| | ND Not Detected at the Reporting Limit | RL Reporting Limit |
| | S Spike recovery outside accepted recovery limits | |

Hall Environmental Analysis Laboratory, Inc.

Date: 06-Oct-06

CLIENT:	XTO Energy	Client Sample ID:	Haney Gas Com B1E MW-4
Lab Order:	0609347	Collection Date:	9/26/2006 9:28:00 AM
Project:	XTO Groundwater	Date Received:	9/27/2006
Lab ID:	0609347-07	Matrix:	AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	1.0		µg/L	1	10/5/2006 3:38:34 PM
Toluene	ND	1.0		µg/L	1	10/5/2006 3:38:34 PM
Ethylbenzene	ND	1.0		µg/L	1	10/5/2006 3:38:34 PM
Xylenes, Total	ND	3.0		µg/L	1	10/5/2006 3:38:34 PM
Surr: 4-Bromofluorobenzene	101	72.2-125		%REC	1	10/5/2006 3:38:34 PM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	MCL Maximum Contaminant Level
	ND Not Detected at the Reporting Limit	RL Reponing Limit
	S Spike recovery outside accepted recovery limits	

Hall Environmental Analysis Laboratory, Inc.

Date: 06-Oct-06

CLIENT: XTO Energy
 Lab Order: 0609347
 Project: XTO Groundwater
 Lab ID: 0609347-11

Client Sample ID: 25092006TB01
 Collection Date:
 Date Received: 9/27/2006
 Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	1.0		µg/L	1	10/5/2006 6:16:33 AM
Toluene	ND	1.0		µg/L	1	10/5/2006 6:16:33 AM
Ethylbenzene	ND	1.0		µg/L	1	10/5/2006 6:16:33 AM
Xylenes, Total	ND	3.0		µg/L	1	10/5/2006 6:16:33 AM
Surr: 4-Bromofluorobenzene	97.5	72.2-125		%REC	1	10/5/2006 6:16:33 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 ND Not Detected at the Reporting Limit
 S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 MCL Maximum Contaminant Level
 RL Reporting Limit

QA/QC SUMMARY REPORT

Client: XTO Energy
 Project: XTO Groundwater

Work Order: 0609347

Analyte	Result	Units	PQL	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Method: SW8021									
Sample ID: 5ML REAGENT BLA		MBLK							
Batch ID: R20938									
Analysis Date:	10/4/2006 11:00:33 AM								
Benzene	ND	µg/L	1.0						
Toluene	ND	µg/L	1.0						
Ethylbenzene	ND	µg/L	1.0						
Xylenes, Total	ND	µg/L	3.0						
Sample ID: 5ML REAGENT BLA		MBLK							
Batch ID: R20958									
Analysis Date:	10/5/2006 10:03:16 AM								
Benzene	ND	µg/L	1.0						
Toluene	ND	µg/L	1.0						
Ethylbenzene	ND	µg/L	1.0						
Xylenes, Total	ND	µg/L	3.0						
Sample ID: 100NG BTEX LCS		LCS							
Batch ID: R20938									
Analysis Date:	10/4/2006 9:28:27 PM								
Benzene	20.90	µg/L	1.0	105	85	115			
Toluene	20.64	µg/L	1.0	103	85	118			
Ethylbenzene	20.83	µg/L	1.0	104	85	116			
Xylenes, Total	63.36	µg/L	3.0	106	85	119			
Sample ID: 100NG BTEX LCS		LCS							
Batch ID: R20958									
Analysis Date:	10/5/2006 1:42:53 PM								
Benzene	20.96	µg/L	1.0	105	85	115			
Toluene	20.53	µg/L	1.0	103	85	118			
Ethylbenzene	20.82	µg/L	1.0	104	85	116			
Xylenes, Total	63.12	µg/L	3.0	105	85	119			
Sample ID: 100NG BTEX LCSD		LCSD							
Batch ID: R20958									
Analysis Date:	10/5/2006 9:31:35 PM								
Benzene	21.14	µg/L	1.0	106	85	115	0.855	27	
Toluene	20.72	µg/L	1.0	104	85	118	0.892	19	
Ethylbenzene	20.79	µg/L	1.0	104	85	116	0.173	10	
Xylenes, Total	63.10	µg/L	3.0	105	85	119	0.0317	13	

Method: SW7470									
Sample ID: 0609347-04A msd		MSD							
Batch ID: 11395									
Analysis Date:	9/27/2006								
Mercury	0.005070	mg/L	0.00020	101	75	125	7.36	20	
Sample ID: MB-11395		MBLK							
Batch ID: 11395									
Analysis Date:	9/27/2006								
Mercury	ND	mg/L	0.00020						
Sample ID: LCS-11395		LCS							
Batch ID: 11395									
Analysis Date:	9/27/2006								
Mercury	0.005070	mg/L	0.00020	101	80	120			
Sample ID: 0609347-04A ms		MS							
Batch ID: 11395									
Analysis Date:	9/27/2006								
Mercury	0.004710	mg/L	0.00020	94.2	75	125			

Qualifiers:

- Value above quantitation range
- Analyte detected below quantitation limits
- R RPD outside accepted recovery limits
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Date: 15-Dec-06

CLIENT: XTO Energy Lab Order: 0612121
 Project: Ground Water

Lab ID: 0612121-01 Collection Date: 12/6/2006 9:00:00 AM
 Client Sample ID: Haney Gas Com 1E MW-1R Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	1.0		µg/L	1	12/13/2006 12:00:00 PM
Toluene	ND	1.0		µg/L	1	12/13/2006 12:00:00 PM
Ethylbenzene	ND	1.0		µg/L	1	12/13/2006 12:00:00 PM
Xylenes, Total	ND	3.0		µg/L	1	12/13/2006 12:00:00 PM
Surr: 4-Bromofluorobenzene	80.3	70.2-105		%REC	1	12/13/2006 12:00:00 PM

Lab ID: 0612121-02 Collection Date: 12/6/2006 9:50:00 AM
 Client Sample ID: Haney Gas Com 1E MW-2 Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	1.0		µg/L	1	12/13/2006 12:30:04 PM
Toluene	ND	1.0		µg/L	1	12/13/2006 12:30:04 PM
Ethylbenzene	ND	1.0		µg/L	1	12/13/2006 12:30:04 PM
Xylenes, Total	ND	3.0		µg/L	1	12/13/2006 12:30:04 PM
Surr: 4-Bromofluorobenzene	82.2	70.2-105		%REC	1	12/13/2006 12:30:04 PM

Lab ID: 0612121-03 Collection Date: 12/6/2006 9:44:00 AM
 Client Sample ID: Haney Gas Com 1E MW-4 Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	1.0		µg/L	1	12/13/2006 1:00:09 PM
Toluene	ND	1.0		µg/L	1	12/13/2006 1:00:09 PM
Ethylbenzene	ND	1.0		µg/L	1	12/13/2006 1:00:09 PM
Xylenes, Total	ND	3.0		µg/L	1	12/13/2006 1:00:09 PM
Surr: 4-Bromofluorobenzene	82.8	70.2-105		%REC	1	12/13/2006 1:00:09 PM

Qualifiers: * Value exceeds Maximum Contaminant Level B Analyte detected in the associated Method Blank
 E Value above quantitation range H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits MCL Maximum Contaminant Level
 ND Not Detected at the Reporting Limit RL Reporting Limit
 S Spike recovery outside accepted recovery limits

QA/QC SUMMARY REPORT

Client: XTO Energy
 Project: Ground Water

Work Order: 0612121

Analyte	Result	Units	PQL	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
---------	--------	-------	-----	------	----------	-----------	------	----------	------

Method: SW8021

Sample ID: 0612121-01A MSD MSD Batch ID: R21800 Analysis Date: 12/13/2006 4:33:06 PM

Benzene	18.11	µg/L	1.0	90.6	85.9	113	2.89	27
Toluene	18.24	µg/L	1.0	91.2	86.4	113	1.16	19
Ethylbenzene	17.68	µg/L	1.0	88.4	83.5	118	1.39	10
Xylenes, Total	53.06	µg/L	3.0	88.4	83.4	122	0.923	13

Sample ID: 5ML REAGENT BLA MBLK Batch ID: R21800 Analysis Date: 12/13/2006 4:26:25 AM

Benzene	ND	µg/L	1.0
Toluene	ND	µg/L	1.0
Ethylbenzene	ND	µg/L	1.0
Xylenes, Total	ND	µg/L	3.0

Sample ID: 100NG BTEX LCS LCS Batch ID: R21800 Analysis Date: 12/13/2006 4:33:03 PM

Benzene	18.09	µg/L	1.0	90.4	85.9	113
Toluene	17.99	µg/L	1.0	89.9	86.4	113
Ethylbenzene	17.55	µg/L	1.0	87.7	83.5	118
Xylenes, Total	52.58	µg/L	3.0	87.6	83.4	122

Sample ID: 0612121-01A MS MS Batch ID: R21800 Analysis Date: 12/13/2006 5:03:05 PM

Benzene	18.65	µg/L	1.0	93.2	85.9	113
Toluene	18.45	µg/L	1.0	92.2	86.4	113
Ethylbenzene	17.93	µg/L	1.0	89.6	83.5	118
Xylenes, Total	53.56	µg/L	3.0	89.3	83.4	122

Qualifiers:

- E Value above quantitation range
- J Analyte detected below quantitation limits
- R RPD outside accepted recovery limits
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- S $\frac{7}{4/5}$ recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Date: 13-Mar-07

CLIENT: XTO Energy
Project: Ground Water

Lab Order: 0703123

Lab ID: 0703123-04
Client Sample ID: Haney GC 1E MW-2

Collection Date: 3/8/2007 10:22:00 AM
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	1.0		µg/L	1	3/12/2007 3:58:54 PM
Toluene	ND	1.0		µg/L	1	3/12/2007 3:58:54 PM
Ethylbenzene	ND	1.0		µg/L	1	3/12/2007 3:58:54 PM
Xylenes, Total	ND	2.0		µg/L	1	3/12/2007 3:58:54 PM
Surr: 4-Bromofluorobenzene	85.4	70.2-105		%REC	1	3/12/2007 3:58:54 PM

Lab ID: 0703123-05
Client Sample ID: Haney GC 1E MW-4

Collection Date: 3/8/2007 10:39:00 AM
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	1.0		µg/L	1	3/12/2007 4:28:57 PM
Toluene	ND	1.0		µg/L	1	3/12/2007 4:28:57 PM
Ethylbenzene	ND	1.0		µg/L	1	3/12/2007 4:28:57 PM
Xylenes, Total	ND	2.0		µg/L	1	3/12/2007 4:28:57 PM
Surr: 4-Bromofluorobenzene	88.5	70.2-105		%REC	1	3/12/2007 4:28:57 PM

Lab ID: 0703123-06
Client Sample ID: McDaniel GC B1E MW-1

Collection Date: 3/8/2007 11:34:00 AM
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	1.0		µg/L	1	3/12/2007 4:59:01 PM
Toluene	ND	1.0		µg/L	1	3/12/2007 4:59:01 PM
Ethylbenzene	ND	1.0		µg/L	1	3/12/2007 4:59:01 PM
Xylenes, Total	ND	2.0		µg/L	1	3/12/2007 4:59:01 PM
Surr: 4-Bromofluorobenzene	86.8	70.2-105		%REC	1	3/12/2007 4:59:01 PM

- Qualifiers:
- * Value exceeds Maximum Contaminant Level
 - E Value above quantitation range
 - J Analyte detected below quantitation limits
 - ND Not Detected at the Reporting Limit
 - S Spike recovery outside accepted recovery limits
 - B Analyte detected in the associated Method Blank
 - H Holding times for preparation or analysis exceeded
 - MCL Maximum Contaminant Level
 - RL Reporting Limit

QA/QC SUMMARY REPORT

Client: XTO Energy
 Project: Ground Water

Work Order: 0703123

Analyte	Result	Units	PQL	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
---------	--------	-------	-----	------	----------	-----------	------	----------	------

Method: SW8021

Sample ID: 0703123-10A MSD MSD Batch ID: R22791 Analysis Date: 3/12/2007 5:59:11 PM

Benzene	20.46	µg/L	1.0	102	85.9	113	0.726	27
Toluene	20.45	µg/L	1.0	102	86.4	113	0.156	19
Ethylbenzene	20.55	µg/L	1.0	103	83.5	118	0.553	10
Xylenes, Total	62.34	µg/L	2.0	104	83.4	122	0.115	13

Sample ID: 5ML REAGENT BLA MBLK Batch ID: R22791 Analysis Date: 3/12/2007 7:48:15 AM

Benzene	ND	µg/L	1.0					
Toluene	ND	µg/L	1.0					
Ethylbenzene	ND	µg/L	1.0					
Xylenes, Total	ND	µg/L	2.0					

Sample ID: 100NG BTEX LCS LCS Batch ID: R22791 Analysis Date: 3/12/2007 6:29:11 PM

Benzene	20.59	µg/L	1.0	103	85.9	113		
Toluene	20.69	µg/L	1.0	103	86.4	113		
Ethylbenzene	20.53	µg/L	1.0	103	83.5	118		
Xylenes, Total	62.49	µg/L	2.0	104	83.4	122		

Sample ID: 0703123-10A MS MS Batch ID: R22791 Analysis Date: 3/12/2007 5:29:09 PM

Benzene	20.31	µg/L	1.0	102	85.9	113		
Toluene	20.49	µg/L	1.0	102	86.4	113		
Ethylbenzene	20.67	µg/L	1.0	103	83.5	118		
Xylenes, Total	62.41	µg/L	2.0	104	83.4	122		

Qualifiers:

- V Value above quantitation range
- J Analyte detected below quantitation limits
- R RPD outside accepted recovery limits
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Date: 21-Jun-07

CLIENT: XTO Energy
Project: Ground Water

Lab Order: 0706237

Lab ID: 0706237-07

Collection Date: 6/13/2007 9:04:00 AM

Client Sample ID: Haney GC DIEMW-1R

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	1.0		µg/L	1	6/19/2007 5:28:31 PM
Toluene	ND	1.0		µg/L	1	6/19/2007 5:28:31 PM
Ethylbenzene	ND	1.0		µg/L	1	6/19/2007 5:28:31 PM
Xylenes, Total	ND	2.0		µg/L	1	6/19/2007 5:28:31 PM
Surr: 4-Bromofluorobenzene	82.1	70.2-105		%REC	1	6/19/2007 5:28:31 PM

Lab ID: 0706237-08

Collection Date: 6/13/2007 9:38:00 AM

Client Sample ID: Haney GCDIE MW-2

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	1.0		µg/L	1	6/19/2007 6:28:46 PM
Toluene	ND	1.0		µg/L	1	6/19/2007 6:28:46 PM
Ethylbenzene	ND	1.0		µg/L	1	6/19/2007 6:28:46 PM
Xylenes, Total	ND	2.0		µg/L	1	6/19/2007 6:28:46 PM
Surr: 4-Bromofluorobenzene	82.0	70.2-105		%REC	1	6/19/2007 6:28:46 PM

Lab ID: 0706237-09

Collection Date: 6/13/2007 10:03:00 AM

Client Sample ID: Haney GCDIE MW-4

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	1.0		µg/L	1	6/19/2007 6:58:51 PM
Toluene	ND	1.0		µg/L	1	6/19/2007 6:58:51 PM
Ethylbenzene	ND	1.0		µg/L	1	6/19/2007 6:58:51 PM
Xylenes, Total	ND	2.0		µg/L	1	6/19/2007 6:58:51 PM
Surr: 4-Bromofluorobenzene	85.9	70.2-105		%REC	1	6/19/2007 6:58:51 PM

- Qualifiers:
- * Value exceeds Maximum Contaminant Level
 - E Value above quantitation range
 - J Analyte detected below quantitation limits
 - ND Not Detected at the Reporting Limit
 - S Spike recovery outside accepted recovery limits
 - B Analyte detected in the associated Method Blank
 - H Holding times for preparation or analysis exceeded
 - MCL Maximum Contaminant Level
 - RL Reporting Limit

QA/QC SUMMARY REPORT

Client: XTO Energy
Project: Ground Water

Work Order: 0706237

Analyte	Result	Units	PQL	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Method: SW8021									
Sample ID: 0706237-12A MSD			MSD	Batch ID: R24017		Analysis Date: 6/18/2007 12:21:32 PM			
Benzene	18.72	µg/L	1.0	93.6	85.9	113	4.52	27	
Toluene	18.79	µg/L	1.0	94.0	86.4	113	4.64	19	
Ethylbenzene	18.60	µg/L	1.0	93.0	83.5	118	4.77	10	
Xylenes, Total	55.68	µg/L	2.0	92.8	83.4	122	3.58	13	
Sample ID: 0706237-25A MSD			MSD	Batch ID: R24049		Analysis Date: 6/20/2007 9:23:49 PM			
Benzene	19.29	µg/L	1.0	96.5	85.9	113	2.88	27	
Toluene	18.77	µg/L	1.0	93.9	86.4	113	2.82	19	
Ethylbenzene	18.77	µg/L	1.0	93.8	83.5	118	2.60	10	
Xylenes, Total	54.62	µg/L	2.0	91.0	83.4	122	2.24	13	
Sample ID: 5ML REAGENT BLA			MBLK	Batch ID: R24013		Analysis Date: 6/15/2007 8:56:45 AM			
Benzene	ND	µg/L	1.0						
Toluene	ND	µg/L	1.0						
Ethylbenzene	ND	µg/L	1.0						
Xylenes, Total	ND	µg/L	2.0						
Sample ID: 5ML REAGENT BLA			MBLK	Batch ID: R24017		Analysis Date: 6/18/2007 10:56:56 AM			
Benzene	ND	µg/L	1.0						
Toluene	ND	µg/L	1.0						
Ethylbenzene	ND	µg/L	1.0						
Xylenes, Total	ND	µg/L	2.0						
Sample ID: 5ML REAGENT BLA			MBLK	Batch ID: R24036		Analysis Date: 6/19/2007 9:56:41 AM			
Benzene	ND	µg/L	1.0						
Toluene	ND	µg/L	1.0						
Ethylbenzene	ND	µg/L	1.0						
Xylenes, Total	ND	µg/L	2.0						
Sample ID: 5ML REAGENT BLA			MBLK	Batch ID: R24049		Analysis Date: 6/20/2007 10:05:12 AM			
Benzene	ND	µg/L	1.0						
Toluene	ND	µg/L	1.0						
Ethylbenzene	ND	µg/L	1.0						
Xylenes, Total	ND	µg/L	2.0						
Sample ID: 100NG BTEX LCS			LCS	Batch ID: R24013		Analysis Date: 6/15/2007 11:42:55 PM			
Benzene	19.24	µg/L	1.0	96.2	85.9	113			
Toluene	18.67	µg/L	1.0	93.4	86.4	113			
Ethylbenzene	18.36	µg/L	1.0	91.8	83.5	118			
Xylenes, Total	54.32	µg/L	2.0	90.5	83.4	122			
Sample ID: 100NG BTEX LCS			LCS	Batch ID: R24017		Analysis Date: 6/18/2007 12:51:39 PM			
Benzene	18.99	µg/L	1.0	94.9	85.9	113			
Toluene	19.05	µg/L	1.0	95.3	86.4	113			
Ethylbenzene	18.69	µg/L	1.0	93.4	83.5	118			
Xylenes, Total	56.17	µg/L	2.0	93.6	83.4	122			
Sample ID: 100NG BTEX LCS			LCS	Batch ID: R24036		Analysis Date: 6/19/2007 11:27:18 AM			
Benzene	19.95	µg/L	1.0	99.7	85.9	113			
Toluene	20.29	µg/L	1.0	101	86.4	113			

Qualifiers:

V Value above quantitation range
J Analyte detected below quantitation limits
R RPD outside accepted recovery limits
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

QA/QC SUMMARY REPORT

Client: XTO Energy
 Project: Ground Water

Work Order: 0706237

Analyte	Result	Units	PQL	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Method: SW8021									
Sample ID: 100NG BTEX LCS		<i>LCS</i>			Batch ID: R24036		Analysis Date: 6/19/2007 11:27:18 AM		
Ethylbenzene	20.10	µg/L	1.0	101	83.5	118			
Xylenes, Total	59.83	µg/L	2.0	99.7	83.4	122			
Sample ID: 100NG BTEX LCS		<i>LCS</i>			Batch ID: R24049		Analysis Date: 6/20/2007 9:54:18 PM		
Benzene	18.97	µg/L	1.0	94.9	85.9	113			
Toluene	18.46	µg/L	1.0	92.3	86.4	113			
Ethylbenzene	18.62	µg/L	1.0	93.1	83.5	118			
Xylenes, Total	54.86	µg/L	2.0	91.4	83.4	122			
Sample ID: 0706237-12A MS		<i>MS</i>			Batch ID: R24017		Analysis Date: 6/18/2007 11:51:22 AM		
Benzene	19.59	µg/L	1.0	98.0	85.9	113			
Toluene	19.68	µg/L	1.0	98.4	86.4	113			
Ethylbenzene	19.51	µg/L	1.0	97.5	83.5	118			
Xylenes, Total	57.71	µg/L	2.0	96.2	83.4	122			
Sample ID: 0706237-25A MS		<i>MS</i>			Batch ID: R24049		Analysis Date: 6/20/2007 8:53:24 PM		
Benzene	18.74	µg/L	1.0	93.7	85.9	113			
Toluene	18.25	µg/L	1.0	91.2	86.4	113			
Ethylbenzene	18.29	µg/L	1.0	91.4	83.5	118			
Xylenes, Total	53.41	µg/L	2.0	89.0	83.4	122			

Qualifiers:

- V Value above quantitation range
- H Holding times for preparation or analysis exceeded
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike recovery outside accepted recovery limits

ENVIROTECH Inc.

5798 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0815

1359

FIELD REPORT: SITE ASSESSMENT

JOB No: 92140
PAGE No: 1 of 1

PROJECT: PIT ASSESSMENTS & CLOSURE
CLIENT: AMOCO PRODUCTION COMPANY
CONTRACTOR: ENVIROTECH INC.
EQUIPMENT USED: EXTENDAHOE

DATE STARTED: 6-3-92
DATE FINISHED: 6-3-92
ENVIRO. SPCLT: J.W.
OPERATOR: G.S.
ASSISTANT: T.C.



LOCATION: ISE: HANEY Gas Conv. 'B' WELL: No. 1E OD: SW 1/4 SW 1/4 (M)
SEC: 20 TWP: 29N RNG: 10W PM: N.M CNTY: S.J. ST: N.M PIT: Separator

LAND USE: River Bottom Federal Com. No. 94000208


SURFACE CONDITIONS: Steel tank 12'x5'

FIELD NOTES & REMARKS: Pit is located approx. 115' North and 95' west of well head. Most of the contamination seems to be on North side of pit area.

SAMPLE INVENTORY:		
SNPL ID:	SNPL TYPE:	LABORATORY ANALYSIS:
T-1@5'	Soil	TPH
T-1@5'	WATER	TPH
T-1@5'	WATER	BETEX -(BOD)
T-1@5'	WATER	BETEX -(BOD)
T-2@5'	WATER	HEADSPACE Betex
T-3@5'	WATER	HEADSPACE Betex
T-4@8'	WATER	HEADSPACE Betex




SITE DIAGRAM



TEST HOLE LOGS:

TH#:	SOIL TYPE:	SNPL TYPE:	QVM/TPH
TH# 1	SP	Soil	235
		H2o	319
TH# 2	SC	SOIL	875
		H2o	724
TH# 3		H2o	26.9
TH# 4	SC	Soil	3.6
		H2o	5.3

SOIL TYPE: C - Clay, M - Silty, S - Sand, C - Carbonaceous



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	AMOCO	Project #:	92140
Sample ID:	T-1 @ 5'	Date Reported:	07-16-92
Laboratory Number:	1074	Date Sampled:	06-03-92
Sample Matrix:	Soil	Date Received:	06-03-92
Preservative:	Cool	Date Analyzed:	07-15-92
Condition:	Cool & Intact	Analysis Needed:	TPH

Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
-----	-----	-----
Total Petroleum Hydrocarbons	2,790	5.0


Method: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No.4551, 1978

ND - Parameter not detected at the stated detection limit.

Comments: Haney Gas Com. 'B' #1E Separator Pit 94238

Vanessa Ransom
Analyst

Neil Ransom
Review



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

EPA METHOD 8020 AROMATIC VOLATILE ORGANICS

Client:	Amoco	Project #:	92140
Sample ID:	T1 @ 5'	Date Reported:	10-05-92
Laboratory Number:	1074	Date Sampled:	06-03-92
Sample Matrix:	Soil	Date Received:	06-03-92
Preservative:	Cool	Date Extracted:	07-15-92
Condition:	Cool & Intact	Date Analyzed:	10-01-92
		Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	20,800	19.6
Toluene	326,100	79
Ethylbenzene	118,700	29.5
p,m-Xylene	444,600	59
o-Xylene	225,200	39.3

SURROGATE RECOVERIES:	Parameter	Percent Recovery
	Bromfluorobenzene	101 %

Method: Method 5030, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, Sept. 1986.


Method 8020, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, Sept. 1986.

ND - Parameter not detected at the stated detection limit.

Comments: Haney Gas Com B 1E---Separator Pit---94238.

Robert M Young
Analyst

Monica D Young
Review



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	AMOCO	Project #:	92140
Sample ID:	T-1 @ 5'	Date Reported:	06-18-92
Laboratory Number:	1075	Date Sampled:	06-03-92
Sample Matrix:	Water	Date Received:	06-03-92
Preservative:	Cool	Date Analyzed:	06-04-92
Condition:	Cool & Intact	Analysis Needed:	TPH

Parameter	Concentration (mg/L)	Det. Limit (mg/L)
-----	-----	-----
TPH	2,630	10.0


Method: Method 418.1, Total Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No.4551, 1978

ND - Parameter not detected at the stated detection limit.

Comments: Haney Gas Com. 'B' 1E Separator Pit 94238

Analyst

Review



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

EPA METHOD 8020 AROMATIC VOLATILE ORGANICS

Client:	Amoco	Project #:	92140
Sample ID:	T1 @ 5'	Date Reported:	09-15-92
Laboratory Number:	1076	Date Sampled:	06-03-92
Sample Matrix:	Water	Date Received:	06-03-92
Preservative:	HgCl & Cool	Date Analyzed:	07-22-92
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/L)	Det. Limit (ug/L)
Benzene	8,000	40.0
Toluene	12,900	100
Ethylbenzene	740	40.0
p,m-Xylene	5,100	60
o-Xylene	1,810	60

SURROGATE RECOVERIES:	Parameter	Percent Recovery
	Trifluorotoluene	80.8 %

Method: Method 5030, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, Sept. 1986


Method 8020, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, Sept. 1986

ND - Parameter not detected at the stated detection limit.

Comments: Haney Gas Com 'B' No.1E---Separator Pit---94238

Al Chaharley
Analyst

Janis Young
Review



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

EPA METHOD 8020 AROMATIC VOLATILE ORGANICS HEADSPACE EXTRACTION

Client:	Amoco	Project #:	92140
Sample ID:	T2 @ 5'	Date Reported:	09-03-92
Laboratory Number:	1077	Date Sampled:	06-03-92
Sample Matrix:	Water	Date Received:	06-03-92
Preservative:	Cool	Date Analyzed:	08-13-92
Condition:	Cool and Intact	Analysis Requested:	BTEX


Parameter	Concentration (ug/L)	Det. Limit (ug/L)
Benzene	9.0	6.4
Toluene	16.0	1.6
Ethylbenzene	6.4	5.6
p,m-Xylene	ND	6.4
o-Xylene	33.9	4.0

Method: Method 3810, Headspace, Test Methods for Evaluating
Solid Waste, SW-846, USEPA, Sept. 1986


Method 8020, Aromatic Volatile Organics, Test Methods for
Evaluating Solid Waste, SW-846, USEPA, Sept. 1986

ND - Parameter not detected at the stated detection limit.

Comments: Haney Gas Com 'B' No. 1E Separator Pit 94238


Analyst


Review



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

EPA METHOD 8020
AROMATIC VOLATILE ORGANICS
HEADSPACE EXTRACTION

Client:	AMOCO	Project #:	92140
Sample ID:	T4 @ 8'	Date Reported:	11-02-92
Laboratory Number:	1079	Date Sampled:	06-03-92
Sample Matrix:	Soil	Date Received:	06-03-92
Preservative:	Cool	Date Analyzed:	08-17-92
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/L)	Det. Limit (ug/L)
Benzene	ND	1.6
Toluene	ND	4.8
Ethylbenzene	ND	10.4
p,m-Xylene	ND	6.4
o-Xylene	ND	4.8

Method: Method 3810, Headspace, Test Methods for Evaluating
Solid Waste, SW-846, USEPA, Sept. 1986

Method 8020, Aromatic Volatile Organics, Test Methods for
Evaluating Solid Waste, SW-846, USEPA, Sept. 1986

ND - Parameter not detected at the stated detection limit.

Comments: Haney GC B 1E---Separator Pit---94238.

Robert M Young
Analyst

Maris D Young
Review

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

Amoco Production Company

3. Address and Telephone No.

200 Amoco Court, Farmington, N.M. 87401 Tel: (505) 326-9200

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SW/SW SEC. 20, T29N, R10W. NMPM,

5. Lease Designation and Serial No.

FED. COM # 94000208

6. If Indian, Allottee or Tribe Name

7. If Unit of (CA) Agreement Designation

SW 208

8. Well Name and No.

HANEY GC B IE

9. API Well No.

3004524646

10. Field and Pool, or Exploratory Area

DAKOM

11. County or Parish, State

SAN JUAN, N.M.

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

Notice of Intent
 Subsequent Report
 Final Abandonment Notice

TYPE OF ACTION

Abandonment
 Recompletion
 Plugging Back
 Casing Repair
 Altering Casing
 Other Pit closure
 Change of Plans
 New Construction
 Non-Routine Fracturing
 Water Shut-Off
 Conversion to Injection
 Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Pit closure verification - see attached documentation.

SEPARATOR PIT - ABANDONED, GROUNDWATER IMPACTED.

14. I hereby certify that the foregoing is true and correct

Signed B. Shaw

Title Enviro. Coordinator

Date 4-9-96

(This space for Federal or State office use)

Approved by _____
Conditions of approval, if any:

Title _____

Date _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

District I
P.O. Box 1980, Hobbs, NM
District II
Drawer DD, Artesia, NM 88211
District III
1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

80332
SUBMIT 1 COPY TO
APPROPRIATE
DISTRICT OFFICE
AND 1 COPY TO
SANTA FE OFFICE

PIT REMEDIATION AND CLOSURE REPORT

Operator: Amoco Production Company Telephone: (505) - 326-9200

Address: 200 Amoco Court, Farmington, New Mexico 87401

Facility Or: HANEY GC B IE
Well Name

Location: Unit or Qtr/Qtr Sec M Sec 20 T 29N R 10W County SAN JUAN

Pit Type: Separator X Dehydrator Other

Land Type: BLM , State , Fee , Other com. AGMT.

Pit Location: Pit dimensions: length 110', width 100', depth 8'
(Attach diagram)

Reference: wellhead X, other

Footage from reference: 150

Direction from reference: 45 Degrees East North X
of
X West South

Depth To Ground Water: Less than 50 feet (20 points)
(Vertical distance from 50 feet to 99 feet (10 points)
contaminants to seasonal Greater than 100 feet (0 Points) 20
high water elevation of
ground water)

Wellhead Protection Area: Yes (20 points)
(Less than 200 feet from a private No (0 points) 20
domestic water source, or; less than
1000 feet from all other water sources)

Distance To Surface Water: Less than 200 feet (20 points)
Horizontal distance to perennial 200 feet to 1000 feet (10 points)
lakes, ponds, rivers, streams, creeks, Greater than 1000 feet (0 points) 10
irrigation canals and ditches)

RANKING SCORE (TOTAL POINTS): 50

Date Remediation Started: _____ Date Completed: IN PROGRESS

Remediation Method: Excavation X Approx. cubic yards 3000
(Check all appropriate sections) Landfarmed _____ Insitu Bioremediation _____
Other Compost

Remediation Location: Onsite X Offsite _____
(ie. landfarmed onsite, name and location of offsite facility)

General Description Of Remedial Action: _____
Excavation OF SOILS - PUMP CONTAMINATED WATER.
GROUNDWATER CONTAMINATION EXIST DEFUSED - SOIL EXCAVATION LIMITED BY EQUIPMENT ON LOCATION. AIR SYSTEM INSTALLED TO REMEDIATE REMAINING SOIL + WATER CONTAMINATION.

Ground Water Encountered: No _____ Yes X Depth 8'

Final Pit: Sample location see Attached Documents - MULTIPLE SAMPLES
Closure Sampling: (if multiple samples, attach sample results and diagram of sample locations and depths)
Sample depth ~ 8'
Sample date 2/12 - 2/16 Sample time _____

Sample Results
Benzene (ppm) _____
Total BTEX (ppm) _____
Field headspace (ppm) _____
TPH _____

Ground Water Sample: Yes X No _____ (If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF

DATE 4-9-96
SIGNATURE B. Shaw


PRINTED NAME AND TITLE Buddy D. Shaw Environmental Coordinator

AMCO



B0332

HAWK GC BIE

2-16-96



TO
SUN JUNK RIVER



PURGEABLE AROMATICS

Blagg Engineering, Inc.

Project ID: Haney GC B1E
Sample ID: Pit water
Lab ID: 2615
Sample Matrix: Water
Preservative: Cool, HgCl₂
Condition: Intact

Report Date: 02/13/96
Date Sampled: 02/12/96
Date Received: 02/12/96
Date Analyzed: 02/12/96

Target Analyte	Concentration (ug/L)	Detection Limit (ug/L)
Benzene	195	40.0
Toluene	720	40.0
Ethylbenzene	127	40.0
m,p-Xylenes	1,350	80.0
o-Xylene	287	40.0

Total BTEX	2,680
-------------------	--------------

ND - Analyte not detected at the stated detection limit.

Quality Control: Surrogate Percent Recovery Acceptance Limits
Trifluorotoluene 100 88 - 110%

Reference: Method 602.2, Purgeable Aromatics; Federal Register, Vol. 49, No. 209, Oct. 1984.

Comments:


Analyst


Review

PURGEABLE AROMATICS

Blagg Engineering, Inc.

Project ID: Haney GC B1E
Sample ID: TH - 3 @ 5'
Lab ID: 2616
Sample Matrix: Water
Preservative: Cool, HgCl₂
Condition: Intact

Report Date: 02/13/96
Date Sampled: 02/12/96
Date Received: 02/12/96
Date Analyzed: 02/12/96

Target Analyte	Concentration (ug/L)	Detection Limit (ug/L)
Benzene	3.77	0.20
Toluene	15.2	0.20
Ethylbenzene	13.4	0.20
m,p-Xylenes	95.0	4.00
o-Xylene	21.8	0.20
Total BTEX	168	


ND - Analyte not detected at the stated detection limit.

Quality Control: Surrogate Percent Recovery Acceptance Limits
Trifluorotoluene 102 88 - 110%

Reference: Method 602.2, Purgeable Aromatics; Federal Register, Vol. 49, No. 209, Oct. 1984.

Comments:


Analyst


Review

PURGEABLE AROMATICS

Blagg Engineering, Inc.

Project ID: Haney GC B 1E
Sample ID: TH - 4
Lab ID: 2691
Sample Matrix: Water
Preservative: Cool, HgCl₂
Condition: Intact

Report Date: 02/23/96
Date Sampled: 02/16/96
Date Received: 02/16/96
Date Analyzed: 02/19/96

Target Analyte	Concentration (ug/L)	Detection Limit (ug/L)
Benzene	ND	0.50
Toluene	ND	0.50
Ethylbenzene	ND	0.50
m,p-Xylenes	2.21	1.00
o-Xylene	ND	0.50


Total BTEX	2.21
-------------------	-------------

ND - Analyte not detected at the stated detection limit.

Quality Control:	<u>Surrogate</u>	<u>Percent Recovery</u>	<u>Acceptance Limits</u>
	Trifluorotoluene	98	88 - 110%

Reference: Method 602.2, Purgeable Aromatics; Federal Register, Vol. 49, No. 209, Oct. 1984.

Comments:


Analyst


Review

PURGEABLE AROMATICS

Blagg Engineering, Inc.

Project ID:	Haney GC B 1E	Report Date:	02/22/96
Sample ID:	TH - 6	Date Sampled:	02/16/96
Lab ID:	2692	Date Received:	02/16/96
Sample Matrix:	Water	Date Analyzed:	02/19/96
Preservative:	Cool, HgCl ₂		
Condition:	Intact		

Target Analyte	Concentration (ug/L)	Detection Limit (ug/L)
Benzene	ND	0.50
Toluene	ND	0.50
Ethylbenzene	ND	0.50
m,p-Xylenes	ND	1.00
o-Xylene	ND	0.50
Total BTEX		ND

ND - Analyte not detected at the stated detection limit.

Quality Control:	<u>Surrogate</u>	<u>Percent Recovery</u>	<u>Acceptance Limits</u>
	Trifluorotoluene	98	88 - 110%

Reference: Method 602.2, Purgeable Aromatics; Federal Register, Vol. 49, No. 209, Oct. 1984.

Comments:

Tania Carman
Analyst

Denise P. B.
Review

General Water Quality Blagg Engineering, Inc.

Project ID:	Haney GC B1E	Date Reported:	02/15/96
Sample ID:	Pit Water	Date Sampled:	02/12/96
Laboratory ID:	2615	Time Sampled:	8:30
Sample Matrix:	Water	Date Received:	02/12/96

Parameter	Analytical Result	Units
General		
Lab pH.....	7.3	s.u.
Lab Conductivity @ 25° C.....	5,090	µmhos/cm
Total Dissolved Solids @ 180°C.....	4,650	mg/L
Total Dissolved Solids (Calc).....	4,330	mg/L
Anions		
Total Alkalinity as CaCO ₃	503	mg/L
Bicarbonate Alkalinity as CaCO ₃	503	mg/L
Carbonate Alkalinity as CaCO ₃	NA	mg/L
Hydroxide Alkalinity as CaCO ₃	NA	mg/L
Chloride.....	5.50	mg/L
Sulfate.....	2,740	mg/L
Nitrate + Nitrite - N.....	NA	
Nitrate - N.....	NA	
Nitrite - N.....	NA	
Cations		
Total Hardness as CaCO ₃	1,560	mg/L
Calcium.....	424	mg/L
Magnesium.....	121	mg/L
Potassium.....	13	mg/L
Sodium.....	720	mg/L

Data Validation		Acceptance Level
Cation/Anion Difference.....	3.53	+/- 5 %
TDS (180):TDS (calculated).....	1.1	1.0 - 1.2

Reference U.S.E.P.A. 600/4-79-020, Methods for Chemical Analysis of Water and Wastes, 1983.
Standard Methods For The Examination Of Water And Wastewater, 18th ed., 1992.


 Review

