

**GW – 391**

**GENERAL  
CORRESPONDENCE**

**YEAR(S): 2008 - 2013**

## **Lowe, Leonard, EMNRD**

---

**From:** Cory Smith [CSmith@elmridge.net]  
**Sent:** Thursday, August 13, 2009 10:19 AM  
**To:** Lowe, Leonard, EMNRD  
**Subject:** RE: Waste stream

Mr. Lowe

Here is the information for that you asked for. For the H2S information regarding NMAC 19.15.11 we are not over the regulatory threshold. Contaminated soil at all sites we use Envirotech Inc for testing and disposal. As always if you have any questions feel free to call or email me.

### Marcus Compressor Station GW-392

Waste Oil: Mesa Environmental  
Produced Water/Skid wash: B&B Vacuum Services Inc.  
Drained Oil Filters: Safety Kleen  
Domestic Trash: B&B Vacuum Services Inc.  
Barrels: Returned to Vendor When Emptied

### Kenny Compressor Station GW-391

Waste Oil: Mesa Environmental  
Produced Water/Skid wash: B&B Vacuum Service Inc.  
Drained Oil Filters: Safety Kleen  
Barrels: Returned to Vendor When Emptied  
Domestic Trash: B&B Vacuum Services Inc.

### South Lybrook Compressor Station GW-394

Waste Oil: Mesa Environmental  
Produced Water/Skid wash: B&B Vacuum Service Inc.  
Drained Oil Filters: Safety Kleen  
Barrels: Returned to Vendor When Emptied  
Domestic Trash: B&B Vacuum Services Inc.

### Otero Compressor Station. GW-393

Waste Oil: Mesa Environmental  
Produced Water/Skid wash: B&B Vacuum Service Inc.  
Drained Oil Filters: Safety Kleen  
Barrels: Returned to Vendor When Emptied  
Domestic Trash: B&B Vacuum Services Inc.

### Buena Suerte Compressor Station GW-387

Waste Oil: Mesa Environmental  
Produced Water/Skid wash: Key Energy  
Drained Oil Filters: Safety Kleen  
Domestic Trash: Four-Four Construction

### Bisti Compressor Station GW-386

Waste Oil: Mesa Environmental  
Produced Water/Skid Wash: Key Energy  
Drained Oil Filters: Safety Kleen  
Domestic Trash: Four-Four Construction

Huerfano Mountain Gas Plant GW-390

Waste Oil: Industrial Ecosystems  
Produced Water/ Skid wash: Industrial Ecosystems  
Drained Oil Filters: Safety Kleen  
Domestic Trash: Four-Four Construction

Cory Smith  
BeeLine Gas Systems  
(505)634-1144

---

From: Lowe, Leonard, EMNRD [Leonard.Lowe@state.nm.us]  
Sent: Monday, August 10, 2009 4:06 PM  
To: Lowe, Leonard, EMNRD; Cory Smith  
Subject: RE: Waste stream

Cory,  
Any updates on my requested stated below?

From: Lowe, Leonard, EMNRD  
Sent: Thursday, August 06, 2009 4:43 PM  
To: 'Cory Smith'  
Subject: Waste stream

Cory,

Do you have a list of vendors that take your waste from your compressor stations?

Example:

Used oil goes to SAID vendor on a month basis.

I am working GW-386, Bisti Compressor Station and the application notes the following fluids on site:

Waste Oil  
Ethylene Glycol & Water  
Produced water

Where do these fluids go?

Also, do you have any filters generated from this facility? If so what type and where do they go?

Does this facility have an H2S contingency plan? Please refer to NMAC 19.15.11 to verify if this facility falls in this category.

Reflect these questions to the rest of your permits.

llowe

Leonard Lowe  
Environmental Engineer  
Oil Conservation Division/EMNRD  
1220 S. St. Francis Drive  
Santa Fe, N.M. 87505  
Office: 505-476-3492  
Fax: 505-476-3462  
E-mail: [leonard.lowe@state.nm.us](mailto:leonard.lowe@state.nm.us)<mailto:leonard.lowe@state.nm.us>  
Website: <http://www.emnrd.state.nm.us/ocd/>

Confidentiality Notice: This e-mail, including all attachments is for the sole use of the intended recipient(s) and may contain confidential and privileged information. Any unauthorized review, use, disclosure or distribution is prohibited unless specifically provided under the New Mexico Inspection of Public Records Act. If you are not the intended recipient, please contact the sender and destroy all copies of this message. -- This email has been scanned by the Sybari - Antigen Email System.

Confidentiality Notice: This e-mail, including all attachments is for the sole use of the intended recipient(s) and may contain confidential and privileged information. Any unauthorized review, use, disclosure or distribution is prohibited unless specifically provided under the New Mexico Inspection of Public Records Act. If you are not the intended recipient, please contact the sender and destroy all copies of this message. -- This email has been scanned by the MessageLabs Email Security System.

---

This inbound email has been scanned by the MessageLabs Email Security System.

---



COPY

## **Beeline Gas Systems**

2001 E. Blanco Blvd.  
P. O. Box 1280  
Bloomfield, NM 87413  
(505) 634-1144

June 9, 2009

New Mexico State Land Office  
Attn: Joe Mraz  
P.O. Box 1148  
Santa Fe, New Mexico 87504

Subject: Beeline Gas Systems WQCC Discharge Permits

Dear Mr. Mraz:

This is a follow up to the letters you received dated April 29, 2009. The previous letters did not contain all the information required by the state. On the attachment you will find the public notice for the existing facilities. The Buena Suerte Compressor is located on New Mexico State land; the Marcus Compressor, and Huerfano Mountain Gas Plant are located on Bureau of Land Management land.

As required by NMAC 20.6.2.3108 (B) (2), we must notify land owners within 1/3 of a mile or the next adjacent land owner from the purposed discharge site.

Sincerely,

Cory Smith  
Regulatory Compliance

Attachment: Public Notice

# PUBLIC NOTICE

Elm Ridge Exploration Co., LLC, d.b.a Beeline Gas Systems has submitted several applications to the New Mexico Energy, Minerals and Natural Resources Department, Oil Conservation Division (OCD) for new discharge plan permits. General activities at the sites may include gas compression, gas dehydration, gas measurement, and gas treatment. Listed below you will find site name, permit number, location, approximate generated materials, approximate depth to groundwater (Depth), approximate Total Dissolved Solids (TDS) for each site.

**Buena Suerte Compressor Station (GW-387)** Located in the NW $\frac{1}{4}$ , SE $\frac{1}{4}$  Sec.32, T-26-N, R-11-W in San Juan County approximately 1 mile NW of Huerfano Reservation Dormitory. Produced water: 400 bbl/mo; used motor oil: 50 gal/mo; are generated at the facility. Depth 130'-210'; TDS 1,400 mg/l.

**Huerfano Mountain Gas Plant (GW-390)** located in the SE $\frac{1}{4}$ , NE $\frac{1}{4}$  Sec.5, T-25-N, R-10-W in San Juan County, approximately 22 miles S of Bloomfield, NM. Used motor oil: 75 gal/mo; condensate: 1,500 bbl/mo are generated at the facility. Depth 60'-500'; TDS 2,500 mg/l.

**Marcus Compressor Station (GW-392)** located in the NE $\frac{1}{4}$ , NE $\frac{1}{4}$  Sec.11, T-23-N, R-7-W in Rio Arriba County, approximately 2 miles N of Lybrook, NM. Used motor oil: 30 gal/mo; condensate: 400 bbl/mo; produced water 400 bbl/mo are generated at the facility. Depth to GW 900'; TDS 1,078 mg/l.

Any interested person may obtain more information, submit comments, or request to be placed on a facility specific mailing list for future notices by contacting Leonard Lowe at the New Mexico OCD at 1220 South St. Francis Drive, Santa Fe, New Mexico 87505 or by telephone at (505)-476-3492.

# NOTA PUBLICA

La Exploración de la Arista del olmo S.a., LLC, D. B. un Derecho Sistemas de Gas se han sometido varias aplicaciones a la Energía de Nuevo México, los Minerales y el Departamento Natural de Recursos. Conservación de Petróleo División (OCD) para nuevos permisos de plan de descarga. Las actividades generales en los sitios pueden incluir compresión de gas, deshidratación de gas, medida de gas, y tratamiento de gas. Listó debajo de usted encontrará nombre de sitio, número de permiso, la ubicación, se aproxima materias engendradas, se aproximan profundidad a la agua subterránea (Profundidad), Suma aproximado Sólidos Disueltos (PD) para cada sitio.

**Estación de Compresor de Buena Suerte (GW-387)** Situó en el NO $\frac{1}{4}$ , sudeste $\frac{1}{4}$  la Sec. 32, T-26-N, R-11-W en San Condado de Juan aproximadamente 1 milla NO de Dormitorio de Reservación de Huerfano. El agua producida: 400 bbl/mo; utilizó aceite para motores: 50 gal/mo; son engendrados en la facilidad. La profundidad 130'-210'; PD 1,400 mg/L.

**La Planta de gas de la Montaña de Huerfano (GW-390)** situó en el sudeste $\frac{1}{4}$ , NE $\frac{1}{4}$  la Sec. 5, T-25-N, R-10-W en San Condado de Juan, aproximadamente 22 S de millas de Bloomfield, NM. El aceite para motores utilizado: 75 gal/mo; condensate: 1,500 bbl/mo es engendrado en la facilidad. La profundidad 60'-500'; PD 2,500 mg/L.

**La Estación del Compresor de Marcus (GW-392)** situó en el NE $\frac{1}{4}$ , NE $\frac{1}{4}$  la Sec. 11, T-23-N, R-7-W en el Condado de Rio Arriba, aproximadamente 2 millas N de Lybrook, NM. El aceite para motores utilizado: 30 gal/mo; condensate: 400 bbl/mo; produjo agua que 400 bbl/mo es engendrado en la facilidad. La profundidad a GW 900'; PD 1,078 mg/L.

Alguna persona interesada puede obtener más información, se somele comentarios, o la petición para ser colocada en una facilidad lista de envío específica para futuras notas contactando Leonard Lowe en el Nuevo México OCD en 1220 S. del sur. Francis Camino, Santa Fe, Nuevo México 87505 o por teléfono en (505)-476-3492.

## SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

New Mexico State Land Office  
Attn: Soc Wraz  
P.O. Box 1148  
Santa Fe, NM 87504

## COMPLETE THIS SECTION ON DELIVERY

- Signature ☒ Agent ☐ Addressee
- Received by (Printed Name) ☐ Date of Delivery ☐
- Is delivery address different from item 1? ☐ Yes ☒ No

JUN 10 2009

- Service Type ☐ Certified Mail ☐ Express Mail ☐ Registered Mail ☐ Return Receipt for Merchandise ☐ Insured Mail ☐ C.O.D.
- Restricted Delivery? (Extra Fee) ☐ Yes ☐ No

2. Article Number (Transfer from service label) 7008 1300 0001 3401 2844

PS Form 3817 February 2002

Postnet Delivery Barcode

POSTNET MAIL MARK

7008 1300 0001 3401 2844


## U.S. Postal Service CERTIFIED MAIL, RECEIPT (Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at [www.usps.com](http://www.usps.com)

SANTA FE, NM 87504

0413

|                                                 |    |        |
|-------------------------------------------------|----|--------|
| Postage                                         | \$ | \$0.44 |
| Certified Fee                                   | \$ | \$2.80 |
| Return Receipt Fee (if delivery not required)   | \$ | \$2.30 |
| Restricted Delivery Fee (if insurance required) | \$ | \$0.00 |
| Total Postage & Fees                            | \$ | \$5.54 |



COPY

Sent to:  
New Mexico State Land Office  
Attn: Soc Wraz  
P.O. Box 1148  
Santa Fe, NM 87504



COPY

**Beeline Gas Systems**

2001 E. Blanco Blvd.  
P. O. Box 1280  
Bloomfield, NM 87413  
(505) 634-1144

June 9, 2009

Federal Indian Minerals Office  
Attn: Jeffery Henry  
1235-B LaPlata Highway  
Farmington, New Mexico 87401

Subject: Buena Suerte Compressor Station WQCC Discharge Permit

Dear Mr. Henry,

This is a follow up to the letter you received dated April 29, 2009. The previous letter did not contain all the information required by the state. On the attachment you will find the public notice for the existing facility that is located on New Mexico state land.

As required by NMAC 20.6.2.3108 (B) (2), we must notify land owners within 1/3 of a mile or the next adjacent land owner from the purposed discharge site.

Sincerely,

Cory Smith,  
Regulatory Compliance

Attachment: Public Notice

# PUBLIC NOTICE

Elm Ridge Exploration Co., LLC, d.b.a. Beeline Gas Systems has submitted several applications to the New Mexico Energy, Minerals and Natural Resources Department, Oil Conservation Division (OCD) for new discharge plan permits. General activities at the sites may include gas compression, gas dehydration, gas measurement, and gas treatment. Listed below you will find site name, permit number, location, approximate generated materials, approximate depth to groundwater (Depth), approximate Total Dissolved Solids (TDS) for each site.

**Buena Suerte Compressor Station (GW-387)** Located in the NW¼, SE¼ Sec. 32, T-26-N, R-11-W in San Juan County approximately 1 mile NW of Huerfano Reservation Dormitory. Produced water: 400 bbl/mo; used motor oil: 50 gal/mo; are generated at the facility. Depth 130'-210'; TDS 1,400 mg/L.

Any interested person may obtain more information, submit comments, or request to be placed on a facility specific mailing list for future notices by contacting Leonard Lowe at the New Mexico OCD at 1220 South St. Francis Drive, Santa Fe, New Mexico 87505 or by telephone at (505)-476-3492.

# NOTA PUBLICA

La Exploración de la Arista del olmo S.a., LLC, D. B. un Derecho Sistemas de Gas se han sometido varias aplicaciones a la Energía de Nuevo México, los Minerales y el Departamento Natural de Recursos, Conservación de Petróleo División (OCD) para nuevos permisos de plan de descarga. Las actividades generales en los sitios pueden incluir compresión de gas, deshidratación de gas, medida de gas, y tratamiento de gas. Listó debajo de usted encontrará nombre de sitio, número de permiso, la ubicación, se aproxima materias engendradas, se aproximan profundidad a la agua subterránea (Profundidad), Suma aproximado Sólidos Disueltos (PD) para cada sitio.

**Estación de Compresor de Buena Suerte (GW-387)** Situó en el NO¼, sudeste¼ la Sec. 32, T-26-N, R-11-W en San Condado de Juan aproximadamente 1 milla NO de Dormitorio de Reservación de Huerfano. El agua producida: 400 bbl/mo; utilizó aceite para motores: 50 gal/mo; son engendrados en la facilidad. La profundidad 130'-210'; PD 1,400 mg/L.

Alguna persona interesada puede obtener más información, se somete comentarios, o la petición para ser colocada en una facilidad lista de envío especifica para futuras notas contactando Leonard Lowe en el Nuevo México OCD en 1220 S. del sur. Francis Camino, Santa Fe, Nuevo México 87505 o por teléfono en (505)-476-3492.

| SENDER: COMPLETE THIS SECTION                                                                                                                                                                                                                                                                                                           |  | COMPLETE THIS SECTION ON DELIVERY                                                                                                                                                                                                                                                                                                                                                       |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <input type="checkbox"/> Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.<br><input type="checkbox"/> Print your name and address on the reverse so that we can return the card to you.<br><input type="checkbox"/> Attach this card to the back of the mailpiece, or on the front if space permits. |  | <input checked="" type="checkbox"/> A. Signature <input type="checkbox"/> Agent<br><input checked="" type="checkbox"/> B. Received by (Printed Name) <input type="checkbox"/> Addressee<br><input type="checkbox"/> C. Date of Delivery<br><input type="checkbox"/> D. Is delivery address different from item 1? <input type="checkbox"/> Yes<br>If YES, enter delivery address below: |  |
| 1. Article Addressed to:<br>Federal Indian Minerals Office<br>Attn: Seton Henry<br>1235-B La Plata Highway<br>Farmington, NM 87401                                                                                                                                                                                                      |  | 3. Service Type<br><input type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail<br><input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise<br><input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.<br>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes                                            |  |
| 2. Article Number<br>(Transfer from service label) 7008 1300 0001 3401 2868                                                                                                                                                                                                                                                             |  |                                                                                                                                                                                                                                                                                                                                                                                         |  |

PS Form 3811, February 2004 Domestic Return Receipt 102595-02-M-15-0

| U.S. Postal Service™<br>CERTIFIED MAIL, RECEIPT<br>(Domestic Mail Only. No Insurance Coverage Provided)                                                                                      |        |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| For delivery information visit our website at <a href="http://www.usps.com">www.usps.com</a>                                                                                                 |        |
| FARMINGTON NM 87401                                                                                                                                                                          |        |
| Postage                                                                                                                                                                                      | \$0.44 |
| Certified Fee                                                                                                                                                                                | \$2.80 |
| Return Receipt Fee (Endorsement Required)                                                                                                                                                    | \$2.30 |
| Restricted Delivery Fee (Endorsement Required)                                                                                                                                               | \$0.00 |
| Total Postage & Fees                                                                                                                                                                         | \$5.54 |
| 06/09/2009                                                                                                                                                                                   |        |
| Sent To: Federal Indian Minerals Office Attn: Seton Henry<br>Street, Apt. No.: 1235-B La Plata Highway<br>or PO Box No.: Farmington, NM 87401<br>City, State, ZIP+4: 1235-B La Plata Highway |        |

PS Form 3811, August 2005 See Back for Instructions

COPY



**Beeline Gas Systems**



**COPY**

2001 E. Blanco Blvd.  
P. O. Box 1280  
Bloomfield, NM 87413  
(505) 634-1144

June 9, 2009

Jicarilla Apache Nation  
Attn: Annette Torivio  
P.O. Box 146  
Dulce, New Mexico 87528

Subject: Otero Compressor Station WQCC Discharge Permit

Dear Ms. Torivio,

This is a follow up to the letter you received dated April 29, 2009. The previous letter did not contain all the information required by the state. On the attachment you will find the public notice for the existing facility that is located on Bureau of Land Management land.

As required by NMAC 20.6.2.3108 (B) (2), we must notify land owners within 1/3 of a mile or the next adjacent land owner from the proposed discharge site.

Sincerely,

Cory Smith  
Regulatory Compliance

Attachment: Public Notice

# PUBLIC NOTICE

Elm Ridge Exploration Co., LLC, d.b.a. Beeline Gas Systems has submitted several applications to the New Mexico Energy, Minerals and Natural Resources Department, Oil Conservation Division (OCD) for new discharge plan permits. General activities at the sites may include gas compression, gas dehydration, gas measurement, and gas treatment. Listed below you will find site name, permit number, location, approximate generated materials, approximate depth to groundwater (Depth), approximate Total Dissolved Solids (TDS) for each site.

**Otero Compressor Station** (GW-393) located in the SE 1/4, SE 1/4 of Sec. 13, T-24-N, R-6-W in Rio Arriba County, approximately 9 miles SE of Counselors, NM. Produced water: 15 gal/mo; used motor oil: 35 gal/mo; condensate: 400 bbl/mo are generated at the facility. Depth 200'-350'; TDS 1,430 mg/l. Depth 200'-900'; TDS 3,500 mg/l.

Any interested person may obtain more information, submit comments, or request to be placed on a facility specific mailing list for future notices by contacting Leonard Lowe at the New Mexico OCD at 1220 South St. Francis Drive, Santa Fe, New Mexico 87505 or by telephone at (505)-476-3492.

# NOTA PUBLICA

La Exploración de la Arista del olmo S.a., LLC, D. B. un Derecho Sistemas de Gas se han sometido varias aplicaciones a la Energía de Nuevo México, los Minerales y el Departamento Natural de Recursos, Conservación de Petróleo División (OCD) para nuevos permisos de plan de descarga. Las actividades generales en los sitios pueden incluir compresión de gas, deshidratación de gas, medida de gas, y tratamiento de gas. Listó debajo de usted encontrará nombre de sitio, número de permiso, la ubicación, se aproxima materias engendradas, se aproximan profundidad a la agua subterránea (Profundidad). Suma aproximado Sólidos Disueltos (PD) para cada sitio.

**La Estación del Compresor de Otero** (GW-393) situó en el sudeste 1/4, sudeste 1/4 de la Sec. 13, T-24-N, R-6-W en el Condado de Rio Arriba, aproximadamente 9 sudeste de millas de Counselors, NM. El agua producida: 15 gal/mo; utilizó aceite para motores: 35 gal/mo; condensate: 400 bbl/mo es engendrado en la facilidad. La profundidad 200'-350'; PD 1,430 mg/L.

, se somele comentarios, o la petición para ser colocada en una facilidad lista de envío específica para futuras notas contactando Leonard Lowe en el Nuevo México OCD en 1220 S. del sur. Francis Camino, Santa Fe, Nuevo México 87505 o por teléfono en (505)-476-3492.

|                                                                                                                                                                                                                                                                                                                                         |  |                                                                                                                                                                                                                                                                                                                                              |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <b>SENDER: COMPLETE THIS SECTION</b>                                                                                                                                                                                                                                                                                                    |  | <b>COMPLETE THIS SECTION ON DELIVERY</b>                                                                                                                                                                                                                                                                                                     |  |
| <input type="checkbox"/> Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.<br><input type="checkbox"/> Print your name and address on the reverse so that we can return the card to you.<br><input type="checkbox"/> Attach this card to the back of the mailpiece, or on the front if space permits. |  | A. Signature <i>[Signature]</i><br>B. Received by (Printed Name) <i>[Name]</i><br>C. Date of Delivery <i>[Date]</i><br>D. Is delivery address different from item 1? <input type="checkbox"/> Yes <input type="checkbox"/> No<br>If YES, enter delivery address below:                                                                       |  |
| 1. Article Addressed to:<br><i>Sicacilla Apache Nation</i><br><i>Attn: Annette Toriwo</i><br><i>P.O. Box 146</i><br><i>Dulce, NM 87528</i>                                                                                                                                                                                              |  | 3. Service Type<br><input type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail<br><input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise<br><input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.<br>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes |  |
| 2. Article Number<br>(Transfer from service label) <b>7008 1300 0001 3401 2875</b><br>PS Form 3811, February 2004 Domestic Return Receipt: 102505-02-M-15-0                                                                                                                                                                             |  |                                                                                                                                                                                                                                                                                                                                              |  |

|                                                                                                                                                                                                                                                                            |                                                   |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|
| <b>U.S. Postal Service</b><br><b>CERTIFIED MAIL™ RECEIPT</b><br>(Domestic Mail Only; No Insurance coverage Provided)<br>For delivery information visit our website at <a href="http://www.usps.com">www.usps.com</a>                                                       |                                                   |
| INCLUDE MP# 875281 001 3 1 0 0 1 5<br>Postage \$ <b>\$0.44</b><br>Certified Fee \$ <b>\$2.80</b><br>Return Receipt Fee (Enforcement Required) \$ <b>\$2.30</b><br>Restricted Delivery Fee (Enforcement Required) \$ <b>\$0.00</b><br>Total Postage & Fees \$ <b>\$5.54</b> | 0613<br>05<br>Postmark<br>Dulce, NM<br>06/09/2009 |
| Sent to:<br>SICACILLA, Attn: Annette Toriwo<br>P.O. Box 146<br>Dulce, NM 87528<br>PS Form 3820, August 2008 See instructions for restrictions                                                                                                                              |                                                   |

COPY



**Beeline Gas Systems**

2001 E. Blanco Blvd.  
P. O. Box 1280  
Bloomfield, NM 87413  
(505) 634-1144

June 9, 2009

Bureau of Land Management  
Attn: Scott Hall  
1235 LaPlata Highway  
Farmington, New Mexico 87401

Subject: Beeline Gas Systems WQCC Discharge Permits

Dear Mr. Hall,

This is a follow up to the letters you received dated April 29, 2009. The previous letters did not contain all the information required by the state. On the attachment you will find the public notice for the existing facilities that are all located on Bureau of Land Management land.

As required by NMAC 20.6.2.3108 (B) (2), we must notify land owners within 1/3 of a mile or the next adjacent land owner from the purposed discharge site.

Sincerely,

Cory Smith  
Regulatory Compliance

Attachment: Public Notice

Elm Ridge Exploration Co., LLC, d.b.a BeeLine Gas Systems has submitted several applications to the New Mexico Energy, Minerals and Natural Resources Department, Oil Conservation Division (OCD) for new discharge plan permits. General activities at the sites may include gas compression, gas dehydration, gas measurement, and gas treatment. Listed below you will find site name, permit number, location, approximate generated materials, approximate depth to groundwater (Depth), approximate Total Dissolved Solids (TDS) for each site.

**Bisti Compressor Station** (GW-386) Located in the SW $\frac{1}{4}$ , NE $\frac{1}{4}$  Sec. 14, T-25-N, R-12-W in San Juan County approximately 5 miles SE of Chaco Gas Plant. Wash down water: 20 gal/mo; used motor oil: 15 gal/mo; produced water: 40 bbl/mo; are generated at the facility. Depth 8'-18"; TDS 2,100 mg/l.

**Huerfano Mountain Gas Plant** (GW-390) located in the SE $\frac{1}{4}$ , NE $\frac{1}{4}$  Sec. 5, T-25-N, R-10-W in San Juan County, approximately 22 miles S of Bloomfield, NM. Used motor oil: 75 gal/mo; condensate: 1,500 bbl/mo are generated at the facility. Depth 60'-500"; TDS 2,500 mg/l.

**Marcus Compressor Station** (GW-392) located in the NE $\frac{1}{4}$ , NE $\frac{1}{4}$  Sec. 11, T-23-N, R-7-W in Rio Arriba County, approximately 2 miles N of Lybrook, NM. Used motor oil: 30 gal/mo; condensate: 400 bbl/mo; produced water 400 bbl/mo are generated at the facility. Depth to GW 900'; TDS 1,078 mg/l.

**Kenny Compressor Station** (GW-391) located in the NE $\frac{1}{4}$ , SE $\frac{1}{4}$  of Sec. 23, T-24-N, R-7-W in Rio Arriba County, approximately 12 miles N of Lybrook, NM. Produced water: 10 gal/mo; used motor oil: 20 gal/mo; condensate: 400 bbl/mo are generated at the facility. Depth 400'-500'; TDS 1,078 mg/l.

**Otero Compressor Station** (GW-393) located in the SE $\frac{1}{4}$ , SE $\frac{1}{4}$  of Sec. 13, T-24-N, R-6-W in Rio Arriba County, approximately 9 miles SE of Counselors, NM. Produced water: 15 gal/mo; used motor oil: 35 gal/mo; condensate: 400 bbl/mo are generated at the facility. Depth 200'-350'; TDS 1,430 mg/l.

**South Lybrook Compressor Station** (GW-394) located in the SW $\frac{1}{4}$ , SE $\frac{1}{4}$  of Sec. 14, T-23-N, R-7-W in Rio Arriba County, approximately 1 mile SW of Lybrook, NM. Used motor oil: 30 gal/mo; produced water: 20 bbl/mo are generated at the facility. Depth 200'-900'; TDS 3,500 mg/l.

Any interested person may obtain more information, submit comments, or request to be placed on a facility specific mailing list for future notices by contacting Leonard Lowe at the New Mexico OCD at 1220 South St. Francis Drive, Santa Fe, New Mexico 87505 or by telephone at (505)-476-3492.

La Exploración de la Arista del olmo S.a., LLC, D. B. un Derecho Sistemas de Gas se han sometido varias aplicaciones a la Energía de Nuevo México, los Minerales y el Departamento Natural de Recursos, Conservación de Petróleo División (OCD) para nuevos permisos de plan de descarga. Las actividades generales en los sitios pueden incluir compresión de gas, deshidratación de gas, medida de gas, y tratamiento de gas. Listó debajo de usted encontrará nombre de sitio, número de permiso, la ubicación, se aproxima materias engendradas, se aproximan profundidad a la agua subterránea (Profundidad), Suma aproximado Sólidos Disueltos (PD) para cada sitio.

**Estación de Compresor de Bisti** (GW-386) Situó en el SW $\frac{1}{4}$ , NE $\frac{1}{4}$  la Sec. 14, T-25-N, R-12-W en San Condado de Juan aproximadamente 5 sudeste de millas de Planta de gas de Chaco. Lave abajo agua: 20 gal/mo; utilizó aceite para motores: 15 gal/mo; produjo agua: 40 bbl/mo; son engendrados en la facilidad. La profundidad 8'-18"; PD 2,100 mg/L.

**La Planta de gas de la Montaña de Huerfano** (GW-390) situó en el sudeste $\frac{1}{4}$ , NE $\frac{1}{4}$  la Sec. 5, T-25-N, R-10-W en San Condado de Juan, aproximadamente 22 S de millas de Bloomfield, NM. El aceite para motores utilizado: 75 gal/mo; condensate: 1,500 bbl/mo es engendrado en la facilidad. La profundidad 60'-500"; PD 2,500 mg/L.

**La Estación del Compresor de Marcus** (GW-392) situó en el NE $\frac{1}{4}$ , NE $\frac{1}{4}$  la Sec. 11, T-23-N, R-7-W en el Condado de Rio Arriba, aproximadamente 2 millas N de Lybrook, NM. El aceite para motores utilizado: 30 gal/mo; condensate: 400 bbl/mo; produjo agua que 400 bbl/mo es engendrado en la facilidad. La profundidad a GW 900'; PD 1,078 mg/L.

**La Estación del Compresor de Kenny** (GW-391) situó en el NE $\frac{1}{4}$ , sudeste $\frac{1}{4}$  de la Sec. 23, T-24-N, R-7-W en el Condado de Rio Arriba, aproximadamente 12 millas N de Lybrook, NM. El agua producida: 10 gal/mo; utilizó aceite para motores: 20 gal/mo; condensate: 400 bbl/mo es engendrado en la facilidad. La profundidad 400'-500"; PD 1,078 mg/L.

**La Estación del Compresor de Otero** (GW-393) situó en el sudeste $\frac{1}{4}$ , sudeste $\frac{1}{4}$  de la Sec. 13, T-24-N, R-6-W en el Condado de Rio Arriba, aproximadamente 9 sudeste de millas de Counselors, NM. El agua producida: 15 gal/mo; utilizó aceite para motores: 35 gal/mo; condensate: 400 bbl/mo es engendrado en la facilidad. La profundidad 200'-350"; PD 1,430 mg/L.

**La Estación del sur del Compresor de Lybrook** (GW-394) situó en el SW $\frac{1}{4}$ , sudeste $\frac{1}{4}$  de la Sec. 14, T-23-N, R-7-W en el Condado de Rio Arriba, aproximadamente 1 SW de milla de Lybrook, NM. El aceite para motores utilizado: 30 gal/mo; produjo agua: 20 bbl/mo es engendrado en la facilidad. La Profundidad 200'-900"; PD 3,500 mg/L.

Alguna persona interesada puede obtener más información, se somete comentarios, o la petición para ser colocada en una facilidad lista de envío específica para futuras notas contactando Leonard Lowe en el Nuevo México OCD en 1220 S. del sur. Francis Camino, Santa Fe, Nuevo México 87505 o por teléfono en (505)-476-3492.

 COPY

**SENDER COMPLETE THIS SECTION**

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Bureau of Land Management  
Attn: Scott Hall  
1235 LaPlata Highway  
Farmington, NM 87401

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature

*[Signature]*

☐ Agent

☐ Addressee

B. Received By (Printed Name)

*[Signature]*

C. Date of Delivery

D. Is delivery address different from item 1? ☐ Yes ☐ No  
If YES, enter delivery address below:

3. Service Type

☐ Certified Mail ☐ Express Mail

☐ Registered ☐ Return Receipt for Merchandise

☐ Insured Mail ☐ C.O.D.

4. Restricted Delivery? (Extra Fee) ☐ Yes

2. Article Number

(Transfer from service label)

7008 1300 0001 3401 2851

PS Form 3811, February 2004

Domestic Return Receipt

102595-02-M-1540

7008 1300 0001 3401 2851

**U.S. Postal Service<sup>TM</sup> RECEIPT**

(Domestic Mail Only, No Insurance Coverage Provided)

For delivery information visit our website at [www.usps.com](http://www.usps.com)

FARMINGTON NM 87401 1235 LaPlata Highway

Package \$ 0413

Certified Fee \$2.80

Return Receipt Fee (Endorsement Required) \$2.30

Restricted Delivery Fee (Endorsement Required) \$0.00

Total Postage & Fees \$ 45.54



Scanned to

Bureau of Land Management Attn: Scott Hall

Special Act No.

or PO box No.

City, State, ZIP+4

PS Form 3800 August 2008

See instructions for instructions



COPY

**Beeline Gas Systems**

2001 E. Blanco Blvd.  
P. O. Box 1280  
Bloomfield, NM 87413  
(505) 634-1144

June 9, 2009

Bureau of Indian Affairs  
Attn: George Loretto  
P.O. Box 167  
Dulce, New Mexico 87528

Subject: Otero Compressor Station WQCC Discharge Permit

Dear Mr. Loretto,

This is a follow up to the letter you received dated April 29, 2009. The previous letter did not contain all the information required by the state. On the attachment you will find the public notice for the existing facility that is located on Bureau of Land Management land.

As required by NMAC 20.6.2.3108 (B) (2), we must notify land owners within 1/3 of a mile or the next adjacent land owner from the purposed discharge site.

Sincerely,

Cory Smith  
Regulatory Compliance

Attachment: Public Notice

# PUBLIC NOTICE

Elm Ridge Exploration Co., LLC, d.b.a. Beeline Gas Systems has submitted several applications to the New Mexico Energy, Minerals and Natural Resources Department, Oil Conservation Division (OCD) for new discharge plan permits. General activities at the sites may include gas compression, gas dehydration, gas measurement, and gas treatment. Listed below you will find site name, permit number, location, approximate generated materials, approximate depth to groundwater (Depth), approximate Total Dissolved Solids (TDS) for each site.

**Otero Compressor Station** (GW-393) located in the SE¼, SE¼ of Sec. 13, T-24-N, R-6-W in Rio Arriba County, approximately 9 miles SE of Counselors, NM. Produced water: 15 gal/mo; used motor oil: 35 gal/mo; condensate: 400 bbl/mo are generated at the facility. Depth 200'-350'; TDS 1,430 mg/l. Depth 200'-900'; TDS 3,500 mg/l.

Any interested person may obtain more information, submit comments, or request to be placed on a facility specific mailing list for future notices by contacting Leonard Lowe at the New Mexico OCD at 1220 South St. Francis Drive, Santa Fe, New Mexico 87505 or by telephone at (505)-476-3492.

# NOTA PUBLICA

La Exploración de la Arista del olmo S.a., LLC, D. B. un Derecho Sistemas de Gas se han sometido varias aplicaciones a la Energía de Nuevo México, los Minerales y el Departamento Natural de Recursos, Conservación de Petróleo División (OCD) para nuevos permisos de plan de descarga. Las actividades generales en los sitios pueden incluir compresión de gas, deshidratación de gas, medida de gas, y tratamiento de gas. Listó debajo de usted encontrará nombre de sitio, número de permiso, la ubicación, se aproxima materias engendradas, se aproximan profundidad a la agua subterránea (Profundidad). Suma aproximado Sólidos Disueltos (PD) para cada sitio.

**La Estación del Compresor de Otero** (GW-393) situó en el sudeste¼, sudeste¼ de la Sec. 13, T-24-N, R-6-W en el Condado de Rio Arriba, aproximadamente 9 sudeste de millas de Consejeros, NM. El agua producida: 15 gal/mo; utilizó aceite para motores: 35 gal/mo; condensate: 400 bbl/mo es engendrado en la facilidad. La profundidad 200'-350'; PD 1,430 mg/l.

se somele comentarios, o la petición para ser colocada en una facilidad lista de envío específica para futuras notas contactando Leonard Lowe en el Nuevo México OCD en 1220 S. del sur, Francis Camino, Santa Fe, Nuevo México 87505 o por teléfono en (505)-476-3492.

| SENDER, COMPLETE THIS SECTION                                                                                                                                              |  | COMPLETE THIS SECTION ON DELIVERY                                                                                                                                                                                                                                                                                                                                                                                               |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <p>1. Article Addressed to:</p> <p><b>Bureau of Indian Affairs</b><br/> <b>Attn: George Loretho</b><br/> <b>P.O. Box 167</b><br/> <b>Dulce, NM 87528</b></p>               |  | <p>A. Signature <input checked="" type="checkbox"/> <i>George Loretho</i> <input type="checkbox"/> Agent</p> <p>B. Received by (Printed Name) <input type="checkbox"/> Addressed</p> <p><i>George Loretho</i> <i>06/09</i></p> <p>C. Date of Delivery</p> <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>If YES, enter delivery address below:</p> |  |
| <p>2. Article Number</p> <p>(Transfer from service label) <b>7008 1300 0001 3401 2882</b></p> <p>PS Form 3811, February 2004 Domestic Return Receipt 102595-02-M-15-10</p> |  | <p>3. Service Type</p> <p><input type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail</p> <p><input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise</p> <p><input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p> <p>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes</p>                                                             |  |

| U.S. Postal Service™                                                                                                                        |        |
|---------------------------------------------------------------------------------------------------------------------------------------------|--------|
| <b>CERTIFIED MAIL™ RECEIPT</b>                                                                                                              |        |
| (Domestic Mail Only, No Insurance Coverage Provided)                                                                                        |        |
| For delivery information visit our website at <a href="http://www.usps.com">www.usps.com</a>                                                |        |
| ECCN NO. 87528101AL USE                                                                                                                     |        |
| Postage                                                                                                                                     | \$0.44 |
| Carriage Fee                                                                                                                                | \$2.80 |
| Return Receipt Fee (Endorsement Required)                                                                                                   | \$2.30 |
| Restricted Delivery Fee (Endorsement Required)                                                                                              | \$0.00 |
| Total Package & Fees                                                                                                                        | \$5.54 |
| 06/09/2009                                                                                                                                  |        |
| <p>3811 To: <b>Bureau of Indian Affairs, Attn: George Loretho</b></p> <p>PS Form 3811, February 2004</p> <p>PS Form 3811, February 2004</p> |        |

COPY



**Beeline Gas Systems**

2001 E. Blanco Blvd.  
P. O. Box 1280  
Bloomfield, NM 87413  
(505) 634-1144

June 9, 2009

Christ for All Nations Inc.  
P.O. Box 63  
Counselors, New Mexico 87018

Subject: South Lybrook Compressor Station WQCC Discharge Permit

To Whom It May Concern:

This is a follow up to the letter you received dated April 29, 2009. The previous letter did not contain all the information required by the state. On the attachment you will find the public notice for the existing facility that is located on Bureau of Land Management land.

As required by NMAC 20.6.2.3108 (B) (2), we must notify land owners within 1/3 of a mile or the next adjacent land owner from the purposed discharge site.

Sincerely,

Cory Smith  
Regulatory Compliance

Attachment: Public Notice



# PUBLIC NOTICE

Elm Ridge Exploration Co., LLC, d.b.a Beeline Gas Systems has submitted several applications to the New Mexico Energy, Minerals and Natural Resources Department, Oil Conservation Division (OCD) for new discharge plan permits. General activities at the sites may include gas compression, gas dehydration, gas measurement, and gas treatment. Listed below you will find site name, permit number, location, approximate generated materials, approximate depth to groundwater (Depth), approximate Total Dissolved Solids (TDS) for each site.

**South Lybrook Compressor Station** (GW-394) located in the SW $\frac{1}{4}$ , SE $\frac{1}{4}$  of Sec. 14, T-23-N, R-7-W in Rio Arriba County, approximately 1 mile SW of Lybrook, NM. Used motor oil: 30 gal/mo; produced water: 20 bbl/mo are generated at the facility; Depth 200'-900'; TDS 3,500 mg/l.

Any interested person may obtain more information, submit comments, or request to be placed on a facility specific mailing list for future notices by contacting Leonard Lowe at the New Mexico OCD at 1220 South St. Francis Drive, Santa Fe, New Mexico 87505 or by telephone at (505)-476-3492.

# NOTIA PUBLICA

La Exploración de la Arista del olmo S.a., LLC, D. B. un Derecho Sistemas de Gas se han sometido varias aplicaciones a la Energía de Nuevo México, los Minerales y el Departamento Natural de Recursos, Conservación de Petróleo División (OCD) para nuevos permisos de plan de descarga. Las actividades generales en los sitios pueden incluir compresión de gas, deshidratación de gas, medida de gas, y tratamiento de gas. Listó debajo de usted encontrará nombre de sitio, número de permiso, la ubicación, se aproxima materias engendradas, se aproximan profundidad a la agua subterránea (Profundidad), Suma aproximado Sólidos Disueltos (PD) para cada sitio.

**La Estación del sur del Compresor de Lybrook** (GW-394) situado en el SW $\frac{1}{4}$ , sudeste $\frac{1}{4}$  de la Sec. 14, T-23-N, R-7-W en el Condado de Rio Arriba, aproximadamente 1 SW de milla de Lybrook, NM. El aceite para motores utilizado: 30 gal/mo; produjo agua: 20 bbl/mo es engendrado en la facilidad, la Profundidad 200'-900'; PD 3,500 mg/L.

Alguna persona interesada puede obtener más información, se somete comentarios, o la petición para ser colocada en una facilidad lista de envío específica para futuras notas contactando Leonard Lowe en el Nuevo México OCD en 1220 S. del sur, Francis Camino, Santa Fe, Nuevo México 87505 o por teléfono en (505)-476-3492.

## SENDER: COMPLETE THIS SECTION

1. Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
2. Print your name and address on the reverse so that we can return the card to you.
3. Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Christ For All Nations Inc.

P.O. Box 63

Counseleers, Nm 87018

## COMPLETE THIS SECTION ON DELIVERY

A. Signature

X

Agent

B. Received by (Printed Name)

David Spiller

C. Date of Delivery

6/10/09

D. Is delivery address different from item 1? ☐ Yes ☒ No

If YES, enter delivery address below:

3. Service Type

☐ Certified Mail ☐ Express Mail

☐ Registered ☐ Return Receipt for Merchandise

☐ Insured Mail ☐ C.O.D.

4. Restricted Delivery? (Extra Fee) ☐ Yes ☒ No

2. Article Number

(Transit time 1-2 days)

7008 1300 0001 3401 2699

PS Form 3811, February 2008

Domestic Return Receipt

102595-02-M-15-0

## US Postal Service® CERTIFIED MAIL® RECEIPT (Domestic Mail Only, No Insurance Coverage Provided)

For delivery information visit our website at [www.usps.com](http://www.usps.com)

COUNSELEERS NM 87018

Postage

\$0.44

0413

Certified Fee

\$2.80

Return Receipt Fee (endorsement required)

\$2.30

Restricted Delivery Fee (endorsement required)

\$0.00

Total Postage & Fees

\$5.54

06/09/2009

05

Postmark Here

Sent To: Christ For All Nations

Special Agent No: P.O. Box 63

City State ZIP+4: Counseleers, Nm 87018

PS Form 3800, August 2008

See Reverse for instructions

COPY



COPY

**Beeline Gas Systems**

2001 E. Blanco Blvd.  
P. O. Box 1280  
Bloomfield, NM 87413  
(505) 634-1144

June 9, 2009

Navajo Nation Land Management  
Attn: Howard Draper  
P.O. Box 2249  
Window Rock, Arizona 86515

Subject: Bisti Compressor Station WQCC Discharge Permit

Dear Mr. Draper,

This is a follow up to the letter you received dated April 29, 2009. The previous letter did not contain all the information required by the state. On the attachment you will find the public notice for the existing facility that is located on Bureau of Land Management land.

As required by NMAC 20.6.2.3108 (B) (2), we must notify land owners within 1/3 of a mile or the next adjacent land owner from the purposed discharge site.

Sincerely,

Cory Smith  
Regulatory Compliance

Attachment: Public Notice

## PUBLIC NOTICE

Elm Ridge Exploration Co., LLC, d.b.a Beeline Gas Systems has submitted several applications to the New Mexico Energy, Minerals and Natural Resources Department, Oil Conservation Division (OCD) for new discharge plan permits. General activities at the sites may include gas compression, gas denhydration, gas measurement, and gas treatment. Listed below you will find site name, permit number, location, approximate generated materials, approximate depth to groundwater (Depth), approximate Total Dissolved Solids (TDS) for each site.

**Bisti Compressor Station (GW-386)** Located in the SW $\frac{1}{4}$ , NE $\frac{1}{4}$  Sec. 14, T-25-N, R-12-W in San Juan County approximately 5 miles SE of Chaco Gas Plant. Wash down water: 20 gal/mo; used motor oil: 15 gal/mo; produced water: 40 bbl/mo; are generated at the facility. Depth 8'-18"; TDS 2,100 mg/L.

Any interested person may obtain more information, submit comments, or request to be placed on a facility specific mailing list for future notices by contacting Leonard Lowe at the New Mexico OCD at 1220 South St. Francis Drive, Santa Fe, New Mexico 87505 or by telephone at (505)-476-3492.

## NOTA PUBLICA

La Exploración de la Arista del olmo S.a., LLC, D. B. un Derecho Sistemas de Gas se han sometido varias aplicaciones a la Energía de Nuevo México, los Minerales y el Departamento Natural de Recursos, Conservación de Petróleo División (OCD) para nuevos permisos de plan de descarga. Las actividades generales en los sitios pueden incluir compresión de gas, deshidratación de gas, medida de gas, y tratamiento de gas. Listó debajo de usted encontrará nombre de sitio, número de permiso, la ubicación, se aproxima materias engendradas, se aproximan profundidad a la agua subterránea (Profundidad), Suma aproximado Sólidos Disueltos (PD) para cada sitio.

**Estación de Compresor de Bisti (GW-386)** Situó en el SW $\frac{1}{4}$ , NE $\frac{1}{4}$  la Sec. 14, T-25-N, R-12-W en San Condado de Juan aproximadamente 5 sudeste de millas de Planta de gas de Chaco. Lave abajo agua: 20 gal/mo, utilizó aceite para motores: 15 gal/mo; produjo agua: 40 bbl/mo; son engendrados en la facilidad. La profundidad 8'-18"; PD 2,100 mg/L.

Alguna persona interesada puede obtener más información, se somete comentarios, o la petición para ser colocada en una facilidad lista de envío especifica para futuras notas contactando Leonard Lowe en el Nuevo México OCD en 1220 S. del sur, Francis Camino, Santa Fe, Nuevo México 87505 o por teléfono en (505)-476-3492.

# U.S. Postal Service<sup>®</sup>

## CERTIFIED MAIL<sup>®</sup>, RECEIPT

(Domestic Mail Only, No Insurance Coverage Provided)

For delivery information visit our website at [www.usps.com](http://www.usps.com)

WINNOM ROCK-AZ 86515 1 A.M. 03FE

|                                               |    |        |
|-----------------------------------------------|----|--------|
| Postage                                       | \$ | \$0.44 |
| Certified Fee                                 | \$ | \$2.80 |
| Return Receipt Fee (Endorsment Required)      | \$ | \$2.30 |
| Restricted Delivery Fee (Endorsment Required) | \$ | \$0.00 |
| Total Postage & Fees                          | \$ | \$5.54 |



Start To  
 Return Receipt No.  
 or PD Box No.  
 P.O. Box 2249  
 Winnom Rock, AZ 86515  
 Send this card to the addressee

## SENDER, COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Nuevo Mexico Land Office  
 Attn: Howard Dwyer  
 P.O. Box 2249  
 Winnom Rock, AZ 86515

## COMPLETE THIS SECTION ON DELIVERY

- A. Signature ☒ Signature ☐ Agent
- B. Received by (Printed Name) ☐ Addressee
- C. Date of Delivery
- D. Is delivery address different from item 1? ☐ Yes ☐ No

If YES, enter delivery address below:

## 3. Service Type

- ☒ Certified Mail
- ☐ Registered
- ☐ Insured Mail
- ☐ Express Mail
- ☐ Return Receipt for Merchandise
- ☐ C.O.D.

## 4. Restricted Delivery? (Extra Fee)

☐ Yes

## 2. Article Number

(Transfer from service label)

7006 1300 0001 3401 2929

PS Form 3811, February 2004

Domestic Return Receipt

102595-02-14-15-40

COPY



COPY

**Beeline Gas Systems**

2001 E. Blanco Blvd.  
P. O. Box 1280  
Bloomfield, NM 87413  
(505) 634-1144

June 9, 2009

Bureau of Indian Affairs  
Attn: Bertha Spencer  
P.O. Box 1060  
Gallup, New Mexico 87305

Subject: Bisti Compressor Station WQCC Discharge Permit

Dear Ms. Spencer,

This is a follow up to the letter you received dated April 29, 2009. The previous letter did not contain all the information required by the state. On the attachment you will find the public notice for the existing facility that is located on Bureau of Land Management land.

As required by NMAC 20.6.2.3108 (B) (2), we must notify land owners within 1/3 of a mile or the next adjacent land owner from the purposed discharge site.

Sincerely,

Cory Smith  
Regulatory Compliance

Attachment: Public Notice

# PUBLIC NOTICE

Elm Ridge Exploration Co., LLC, d.b.a Beeline Gas Systems has submitted several applications to the New Mexico Energy, Minerals and Natural Resources Department, Oil Conservation Division (OCD) for new discharge plan permits. General activities at the sites may include gas compression, gas dehydration, gas measurement, and gas treatment. Listed below you will find site name, permit number, location, approximate generated materials, approximate depth to groundwater (Depth), approximate Total Dissolved Solids (TDS) for each site.

**Bisti Compressor Station (GW-386)** Located in the SW $\frac{1}{4}$ , NE $\frac{1}{4}$  Sec. 14, T-25-N-R-12-W in San Juan County approximately 5 miles SE of Chaco Gas Plant. Wash down water: 20 gal/mo; used motor oil: 15 gal/mo; produced water: 40 bbl/mo; are generated at the facility. Depth 8'-18'; TDS 2,100 mg/L.

Any interested person may obtain more information, submit comments, or request to be placed on a facility specific mailing list for future notices by contacting Leonard Lowe at the New Mexico OCD at 1220 South St. Francis Drive, Santa Fe, New Mexico 87505 or by telephone at (505)-476-3492.

# NOTA PUBLICA

La Exploración de la Arista del olmo S.a., LLC, D. B. un Derecho Sistemas de Gas se han sometido varias aplicaciones a la Energía de Nuevo México, los Minerales y el Departamento Natural de Recursos, Conservación de Petróleo División (OCD) para nuevos permisos de plan de descarga. Las actividades generales en los sitios pueden incluir compresión de gas, deshidratación de gas, medida de gas, y tratamiento de gas. Listo debajo de usted encontrará nombre de sitio, número de permiso, la ubicación, se aproxima materias engendradas, se aproximan profundidad a la agua subterránea (Profundidad), Suma aproximado Sólidos Disueltos (PD) para cada sitio.

**Estación de Compresor de Bisti (GW-386)** Situó en el SW $\frac{1}{4}$ , NE $\frac{1}{4}$  la Sec. 14, T-25-N, R-12-W en San Condado de Juan aproximadamente 5 sudeste de millas de Planta de gas de Chaco. Lave abajo agua: 20 gal/mo; utilizó aceite para motores: 15 gal/mo; produjo agua: 40 bbl/mo; son engendrados en la facilidad. La profundidad 8'-18'; PD 2,100 mg/L.

Alguna persona interesada puede obtener más información, se somete comentarios, o la petición para ser colocada en una facilidad lista de envío específica para futuras notas contactando Leonard Lowe en el Nuevo México OCD en 1220 S. del sur. Francis Camino, Santa Fe, Nuevo México 87505 o por teléfono en (505)-476-3492.

|                                                                                                                                                                                                                                                                                      |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <b>SENDER: COMPLETE THIS SECTION</b>                                                                                                                                                                                                                                                 |  | <b>COMPLETE THIS SECTION ON DELIVERY</b>                                                                                                                                                                                                                                                                                                                                                                                                                  |  |
| <p>1. Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.</p> <p>2. Print your name and address on the reverse so that we can return the card to you.</p> <p>3. Attach this card to the back of the mailpiece, or on the front if space permits.</p> |  | <p>A. Signature <i>[Signature]</i> <input checked="" type="checkbox"/> Agent <input type="checkbox"/> Addressee</p> <p>B. Received by (Printed Name) <i>OKINOBILE</i> <input type="checkbox"/> Agent <input type="checkbox"/> Addressee</p> <p>C. Date of Delivery <i>4-1-2009</i></p> <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No<br/>If YES, enter delivery address below:</p> |  |
| <p>1. Article Addressed to:</p> <p><i>Bureau of Indian Affairs</i><br/><i>Attn: Bisti Station</i><br/><i>P.O. Box 1060</i><br/><i>Gallup, NM 87305</i></p>                                                                                                                           |  | <p>3. Service Type</p> <p><input type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail</p> <p><input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise</p> <p><input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p> <p>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p>                                                |  |
| <p>2. Article Number (Transfer from service label)</p> <p><i>7008 1300 0001 3401 2912</i></p>                                                                                                                                                                                        |  | <p>PS Form 3811, February 2004 Domestic Return Receipt 102595-02-M-1540</p>                                                                                                                                                                                                                                                                                                                                                                               |  |

|                                                                                                                                                                      |    |        |            |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|--------|------------|
| <b>U.S. Postal Service®</b>                                                                                                                                          |    |        |            |
| <b>CERTIFIED MAIL® RECEIPT</b>                                                                                                                                       |    |        |            |
| <i>(Domestic Mail Only, No Insurance Coverage Provided)</i>                                                                                                          |    |        |            |
| For delivery information visit our website at <a href="http://www.usps.com">www.usps.com</a>                                                                         |    |        |            |
| Gallup NM 87305 <i>01AL US</i>                                                                                                                                       |    |        |            |
| Postage                                                                                                                                                              | \$ | \$0.44 | 0413       |
| Certified Fee                                                                                                                                                        | \$ | \$2.80 | 05         |
| Return Receipt Fee (Endorsement Required)                                                                                                                            | \$ | \$2.30 |            |
| Restricted Delivery Fee (Endorsement Required)                                                                                                                       | \$ | \$0.00 |            |
| Total Postage & Fees                                                                                                                                                 | \$ | \$5.54 | 06/09/2009 |
| <p>Sent to: <i>Bureau of Indian Affairs, Attn: Bisti Station</i></p> <p>Street, Apt. No.: <i>P.O. Box 1060</i></p> <p>City, State, ZIP+4: <i>Gallup NM 87305</i></p> |    |        |            |

COPY



COPY

## *Beeline Gas Systems*

2001 E. Blanco Blvd.  
P. O. Box 1280  
Bloomfield, NM 87413  
(505) 634-1144

June 9, 2009

Harold and Bernice Hughes  
P.O. Box 301  
West River, Maryland 20778-0301

Subject: South Lybrook Compressor Station WQCC Discharge Permit

Dear Mr. and Mrs. Hughes,

This is a follow up to the letter you received dated April 29, 2009. The previous letter did not contain all the information required by the state. On the attachment you will find the public notice for the existing facility that is located on Bureau of Land Management land.

As required by NMAC 20.6.2.3108 (B) (2), we must notify land owners within 1/3 of a mile or the next adjacent land owner from the purposed discharge site.

Sincerely,

Cory Smith  
Regulatory Compliance

Attachment: Public Notice

# PUBLIC NOTICE

Elm Ridge Exploration Co., LLC, d.b.a BeeLine Gas Systems has submitted several applications to the New Mexico Energy, Minerals and Natural Resources Department, Oil Conservation Division (OCD) for new discharge plan permits. General activities at the sites may include gas compression, gas dehydration, gas measurement, and gas treatment. Listed below you will find site name, permit number, location, approximate generated materials, approximate depth to groundwater (Depth), approximate Total Dissolved Solids (TDS) for each site.

**South Lybrook Compressor Station** (GW-394) located in the SW¼, SE¼ of Sec.14, T-23-N, R-7-W in Rio Arriba County, approximately 1 mile SW of Lybrook, NM. Used motor oil: 30 gal/mo; produced water: 20 bbl/mo are generated at the facility. Depth 200'-900'; TDS 3,500 mg/l.

Any interested person may obtain more information, submit comments, or request to be placed on a facility specific mailing list for future notices by contacting Leonard Lowe at the New Mexico OCD at 1220 South St. Francis Drive, Santa Fe, New Mexico 87505 or by telephone at (505)-476-3492.

# NOIA PUBLICA

La Exploración de la Arista del olmo S.a., LLC, D. B. un Derecho Sistemas de Gas se han sometido varias aplicaciones a la Energía de Nuevo México, los Minerales y el Departamento Natural de Recursos, Conservación de Petróleo División (OCD) para nuevos permisos de plan de descarga. Las actividades generales en los sitios pueden incluir compresión de gas, deshidratación de gas, medida de gas, y tratamiento de gas. Listó debajo de usted encontrará nombre de sitio, número de permiso, la ubicación, se aproxima materias engendradas, se aproximan profundidad a la agua subterránea (Profundidad). Suma aproximado Sólidos Disueltos (PD) para cada sitio.

**La Estación del sur del Compresor de Lybrook** (GW-394) situó en el SW¼, sudeste¼ de la Sec. 14, T-23-N, R-7-W en el Condado de Rio Arriba, aproximadamente 1 SW de milla de Lybrook, NM. El aceite para motores utilizado: 30 gal/mo; produjo agua: 20 bbl/mo es engendrado en la facilidad, la Profundidad 200'-900'; PD 3,500 mg/L.

Alguna persona interesada puede obtener más información, se somete comentarios, o la petición para ser colocada en una facilidad lista de envío específica para futuras notas contactando Leonard Lowe en el Nuevo México OCD en 1220 S. del sur. Francis Camino, Santa Fe, Nuevo México 87505 o por teléfono en (505)-476-3492.

| SENDER: COMPLETE THIS SECTION                                                                                                                                                                    |  | COMPLETE THIS SECTION ON DELIVERY                                                                                                                                                                                                                                                                                                                                                                          |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <p>1. Article Addressed to:</p> <p><b>Sicari, Apache Nation</b></p> <p><b>018 Gcs Admin istraction</b></p> <p><b>Attn: Ken Scott</b></p> <p><b>P.O. Box 146</b></p> <p><b>Puke, NM 87529</b></p> |  | <p>A. Signature</p> <p><i>[Signature]</i></p> <p><input type="checkbox"/> Agent</p> <p>B. Received by <i>[Signature]</i> <input type="checkbox"/> Addressee</p> <p>C. Date of Delivery</p> <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>If YES, enter delivery address below:</p>                                                      |  |
| <p>2. Article Number</p> <p>(Transfer from service label) <b>7006 1300 0001 3401 2837</b></p> <p>PS Form 3811, February 2004 Domestic Return Receipt 102595-02 MA-1540</p>                       |  | <p>3. Service Type</p> <p><input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail</p> <p><input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise</p> <p><input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p> <p>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes <input type="checkbox"/> No</p> |  |

| U.S. Postal Service <sup>TM</sup>                                                            |        |
|----------------------------------------------------------------------------------------------|--------|
| <b>CERTIFIED MAIL<sup>TM</sup> RECEIPT</b>                                                   |        |
| (Domestic Mail Only; No Insurance Coverage Provided)                                         |        |
| For delivery information visit our website at <a href="http://www.usps.com">www.usps.com</a> |        |
| <b>WEST RIVER, NM 87078 1 A L U S E</b>                                                      |        |
| Postage                                                                                      | \$0.44 |
| Certified Fee                                                                                | \$2.80 |
| Return Receipt Fee (Endorsement Required)                                                    | \$2.30 |
| Restricted Delivery Fee (Endorsement Required)                                               | \$0.00 |
| Total Postage & Fees                                                                         | \$5.54 |
| 06/09/2009                                                                                   |        |
| Start to                                                                                     |        |
| Street, Apt. No.,                                                                            |        |
| or PO Box No. <b>P.O. Box 301</b>                                                            |        |
| City, State, Zip+4 <sup>®</sup> <b>West River, NM 87078-301</b>                              |        |
| PS Form 3800, August 2005 See Back for Instructions                                          |        |

COPY

## **Lowe, Leonard, EMNRD**

---

**From:** Cory Smith [CSmith@elmridge.net]  
**Sent:** Monday, June 29, 2009 2:49 PM  
**To:** Lowe, Leonard, EMNRD  
**Cc:** Allen Lain  
**Subject:** Beeline Gas Systems Land Owners Letters Return's  
**Attachments:** Beeline Gas Land Owner Letters.pdf

Mr. Lowe,

The follow .pdf is the scan's of the original signed copy's that were mailed out to the land owners along with the certified mail return receipt.

You should now have received the pictures for the Public Notices Posted at the Huerfano Chapter House, Counselors Trading Post, Signs posted at Each Location, The Affidavit and Posting for the Farmington Daily Times and the land owner letters.

If you are missing anything just let me know and i will resend you the email asap.. As awlays if you have any questions please feel free to give me a call.

Cory Smith  
BeeLine Gas Systems  
(505)634-1144

---

This inbound email has been scanned by the MessageLabs Email Security System.

---



# AFFIDAVIT OF PUBLICATION

Ad No. 680193 / Elm Ridge

## STATE OF NEW MEXICO County of San Juan:

CONNIE PRUITT, being duly sworn says:  
That she is the ADVERTISING DIRECTOR of  
THE DAILY TIMES, a daily newspaper of  
general circulation published in English at  
Farmington, said county and state, and that  
the hereto attached Legal Notice was  
published in a regular and entire issue of the  
said DAILY TIMES, a daily newspaper duly  
qualified for the purpose within the meaning of  
Chapter 167 of the 1937 Session Laws of the  
State of New Mexico for publication and  
appeared in The Daily Times on the following  
June 11, 2009

And the cost of the publication is 456.89

*Connie Pruitt*

ON 6/11/09 CONNIE PRUITT  
appeared before me, whom I know personally  
to be the person who signed the above  
document.

*Christine Delmar*  
My Commission Expires 7/1/05

## COPY OF PUBLICATION

### PUBLIC NOTICE

Elm Ridge Exploration Co., LLC, d.b.a. Beclor Gas Systems has submitted several applications to the New Mexico Energy, Minerals and Natural Resources Department, Oil Conservation Division (OCD) for new discharge plan permits. General activities at the sites may include gas compression, gas dehydration, gas measurement, and gas treatment. Listed below you will find site name, permit number, location, approximate generated materials, approximate depth to groundwater, (Depth), approximate Total Dissolved Solids (TDS) for each site.

**Bisti Compressor Station** (GW-386) Located in the SW $\frac{1}{4}$ , NE $\frac{1}{4}$  Sec. 14, T-25-N, R-12-W in San Juan County approximately 5 miles SE of Chaco Gas Plant. Wash down water: 20 gal/mo; used motor oil: 15 gal/mo; produced water: 40 bbl/mo; are generated at the facility. Depth 8'-18"; TDS 2,100 mg/L.

**Buena Suerta Compressor Station** (GW-387) Located in the NW $\frac{1}{4}$ , SE $\frac{1}{4}$  Sec. 32, T-26-N, R-11-W in San Juan County approximately 1 mile NW of Huertano Reservation Dormitory. Produced water: 400 bbl/mo; used motor oil: 50 gal/mo; are generated at the facility. Depth 130'-210'; TDS 1,400 mg/L.

**Huertano Mountain Gas Plant** (GW-390) Located in the SE $\frac{1}{4}$ , NE $\frac{1}{4}$  Sec. 5, T-25-N, R-10-W in San Juan County, approximately 22 miles S of Bloomfield, NM. Used motor oil: 75 gal/mo; condensate: 1,500 bbl/mo are generated at the facility; Depth 60'-500'; TDS 2,500 mg/L.

**Marcus Compressor Station** (GW-392) Located in the NE $\frac{1}{4}$ , NE $\frac{1}{4}$  Sec. 11, T-23-N, R-7-W in Rio Arriba County, approximately 2 miles N of Lybrook, NM. Used motor oil: 30 gal/mo; condensate: 400 bbl/mo; produced water 400 bbl/mo are generated at the facility. Depth in GW 900'; TDS 1,078 mg/L.

**Kenny Compressor Station** (GW-391) Located in the NE $\frac{1}{4}$ , SE $\frac{1}{4}$  of Sec. 23, T-24-N, R-7-W in Rio Arriba County, approximately 12 miles N of Lybrook, NM. Produced water: 10 gal/mo; used motor oil: 20 gal/mo; condensate: 400 bbl/mo are generated at the facility. Depth 400'-500'; TDS 1,078 mg/L.

**Otero Compressor Station** (GW-393) Located in the SE $\frac{1}{4}$ , SE $\frac{1}{4}$  of Sec. 13, T-24-N, R-6-W in Rio Arriba County, approximately 9 miles SE of Counselors, NM. Produced water: 15 gal/mo; used motor oil: 35 gal/mo; condensate: 400 bbl/mo are generated at the facility. Depth 200'-350'; TDS 1,430 mg/L.

**South Lybrook Compressor Station** (GW-394) Located in the SW $\frac{1}{4}$ , SE $\frac{1}{4}$  of Sec. 14, T-23-N, R-7-W in Rio Arriba County, approximately 1 mile SW of Lybrook, NM. Used motor oil: 30 gal/mo; produced water: 20 bbl/mo are generated at the facility; Depth 200'-900'; TDS 3,500 mg/L.

Any interested person may obtain more information, submit comments, or request to be placed on a facility-specific mailing list for future notices by contacting Leonard Lowe at the New Mexico OCD at 1220 South St. Francis Drive, Santa Fe, New Mexico 87505 or by telephone at (505)-476-3492.

### NOTA PUBLICA

La Exploración de la Activa del oleo S.A., LLC, d.b.a. un Proveedor Sistemas de Gas se han sometido a varias aplicaciones a la Energía de Nuevo México, los Minerales y el Departamento Natural de Recursos. Conservación de Petróleo División (OCD) para nuevos permisos de plan de descarga. Las actividades generales en los sitios pueden incluir: compresión de gas, deshidratación de gas, medida de gas, y tratamiento de gas. Esto debajo de usted encontrará nombre de sitio, número de permiso, la ubicación, se aproximó materias engendradas, se aproximó profundidad a la agua subterránea (Profundidad), Suma aproximado Sólidos Disueltos (PD) para cada sitio.

**Estación de Compresor de Bisti** (GW-386) Situó en el SW $\frac{1}{4}$ , NE $\frac{1}{4}$  la Sec. 14, T-25-N, R-12-W en San Condado de Juan aproximadamente 5 sudeste de millas de Plaza de Gas de Chaco. Lave abajo agua: 20 gal/mo; utilizó aceite para motores: 15 gal/mo; produjo agua: 40 bbl/mo; son engendrados en la facilidad. La profundidad 8'-18"; PD 2,100 mg/L.

**Estación de Compresor de Buena Suerta** (GW-387) Situó en el NW $\frac{1}{4}$ , sudeste $\frac{1}{4}$  la Sec. 32, T-26-N, R-11-W en San Condado de Juan aproximadamente 1 milla NO de Dormitorio de Reservación de Huertano. El agua producida: 400 bbl/mo; utilizó aceite para motores: 50 gal/mo; son engendrados en la facilidad. La profundidad 130'-210"; PD 1,400 mg/L.

**La Planta de gas de la Montaña de Huertano** (GW-390) Situó en el sudeste $\frac{1}{4}$ , NE $\frac{1}{4}$  la Sec. 5, T-25-N, R-10-W en San Condado de Juan, aproximadamente 22 S de millas de Bloomfield, NM. El aceite para motores utilizado: 75 gal/mo; condensate: 1,500 bbl/mo es engendrado en la facilidad. La profundidad 60'-500"; PD 2,500 mg/L.

**La Estación del Compresor de Marcus** (GW-392) Situó en el NE $\frac{1}{4}$ , NE $\frac{1}{4}$  la Sec. 11, T-23-N, R-7-W en el Condado de Río Arriba, aproximadamente 2 millas N de Lybrook, NM. El aceite para motores utilizado: 30 gal/mo; condensate: 400 bbl/mo; produjo agua que 400 bbl/mo es engendrado en la facilidad. La profundidad a GW 900'; PD 1,078 mg/L.

**La Estación del Compresor de Kenny** (GW-391) Situó en el NE $\frac{1}{4}$ , sudeste $\frac{1}{4}$  de la Sec. 23, T-24-N, R-7-W en el Condado de Río Arriba, aproximadamente 12 millas N de Lybrook, NM. El agua producida: 10 gal/mo; utilizó aceite para motores: 20 gal/mo; condensate: 400 bbl/mo es engendrado en la facilidad. La profundidad 400'-500"; PD 1,078 mg/L.

**La Estación del Compresor de Otero** (GW-393) Situó en el sudeste $\frac{1}{4}$ , sudeste $\frac{1}{4}$  de la Sec. 13, T-24-N, R-6-W en el Condado de Río Arriba, aproximadamente 9 sudeste de millas de Counselors, NM. El agua producida: 15 gal/mo; utilizó aceite para motores: 35 gal/mo; condensate: 400 bbl/mo es engendrado en la facilidad. La profundidad 200'-350"; PD 1,430 mg/L.

**La Estación del sur del Compresor de Lybrook** (GW-394) Situó en el SW $\frac{1}{4}$ , sudeste $\frac{1}{4}$  de la Sec. 14, T-23-N, R-7-W en el Condado de Río Arriba, aproximadamente 1 SW de milla de Lybrook, NM. El aceite para motores utilizado: 30 gal/mo; produjo agua: 20 bbl/mo es engendrado en la facilidad, la Profundidad 200'-900"; PD 3,500 mg/L.

Alguna persona interesada puede obtener más información, se somete comentarios, o la petición para ser cobrada en una facilidad lista de envío específica para futuras noticias contactando Leonard Lowe en el Nuevo México OCD en 1220 S. del sur, Francis Camino, Santa Fe, Nuevo México 87505 o por teléfono en (505)-476-3492.

✓ ① PUBLIC NOTICE

Elm Ridge Exploration Co., LLC, d.b.a Beeline Gas Systems has submitted several applications to the New Mexico Energy, Minerals and Natural Resources Department, Oil Conservation Division (OCD) for new discharge plan permits. General activities at the sites may include gas compression, gas dehydration, gas measurement, and gas treatment. Listed below you will find site name, permit number, location, approximate generated materials, approximate depth to groundwater (Depth), approximate Total Dissolved Solids (TDS) for each site.

✓ ② **Bisti Compressor Station (GW-386)** Located in the SW $\frac{1}{4}$ , NE $\frac{1}{4}$  Sec.14, T-25-N, R-12-W in San Juan County approximately 5 miles SE of Chaco Gas Plant. Wash down water: 20 gal/mo; used motor oil: 15 gal/mo; produced water: 40 ✓ ④ bbl/mo; are generated at the facility. Depth 8'-18'; TDS 2,100 mg/l. ⑤

✓ ② **Buena Suerta Compressor Station (GW-387)** Located in the NW $\frac{1}{4}$ , SE $\frac{1}{4}$  Sec.32, T-26-N, R-11-W in San Juan County approximately 1 mile NW of Huerfano Reservation Dormitory. Produced water: 400 bbl/mo; used motor oil: 50 ✓ ④ gal/mo; are generated at the facility. Depth 130'-210'; TDS 1,400 mg/l. ⑤

✓ ② **Huerfano Mountain Gas Plant (GW-390)** located in the SE $\frac{1}{4}$ , NE $\frac{1}{4}$  Sec.5, T-25-N, R-10-W in San Juan County, approximately 22 miles S of Bloomfield, NM. Used motor oil: 75 gal/mo; condensate: 1,500 bbl/mo are generated at the facility. Depth 60'-500'; TDS 2,500 mg/l. ✓ ④

✓ ② **Marcus Compressor Station (GW-392)** located in the NE $\frac{1}{4}$ , NE $\frac{1}{4}$  Sec.11, T-23-N, R-7-W in Rio Arriba County, approximately 2 miles N of Lybrook, NM. Used motor oil: 30 gal/mo; condensate: 400 bbl/mo; produced water 400 bbl/mo are generated at the facility. Depth to GW 900'; TDS 1,078 mg/l. ⑤

✓ ② **Kenny Compressor Station (GW-391)** located in the NE $\frac{1}{4}$ , SE $\frac{1}{4}$  of Sec.23, T-24-N, R-7-W in Rio Arriba County, approximately 12 miles N of Lybrook, NM. Produced water: 10 gal/mo; used motor oil: 20 gal/mo; condensate: 400 ✓ ④ bbl/mo are generated at the facility. Depth 400'-500'; TDS 1,078 mg/l. ⑤

✓ ② **Otero Compressor Station (GW-393)** located in the SE $\frac{1}{4}$ , SE $\frac{1}{4}$  of Sec.13, T-24-N, R-6-W in Rio Arriba County, approximately 9 miles SE of Counselors, NM. Produced water: 15 gal/mo; used motor oil: 35 gal/mo; condensate: 400 bbl/mo ✓ ④ are generated at the facility. Depth 200'-350'; TDS 1,430 mg/l. ⑤

✓ ② **South Lybrook Compressor Station (GW-394)** located in the SW $\frac{1}{4}$ , SE $\frac{1}{4}$  of Sec.14, T-23-N, R-7-W in Rio Arriba County, approximately 1 mile SW of Lybrook, NM. Used motor oil: 30 gal/mo; produced water: 20 bbl/mo are generated at the ✓ ④ facility, Depth 200'-900'; TDS 3,500 mg/l. ⑤

Any interested person may obtain more information, submit comments, or request to be placed on a facility specific mailing list for future notices by contacting Leonard Lowe at the New Mexico OCD at 1220 South St. Francis Drive, Santa Fe, New Mexico 87505 or by telephone at (505)-476-3492.

APPROVED 5/26/09  
FOR PUBLISHING

THE SANTA FE  
**NEW MEXICAN**  
Founded 1849

RECEIVED

2009 APR 28 PM 1 42

*Jim Snyder*  
NM EMNRD OIL CONSERV  
1220 S ST FRANCIS DR  
SANTA FE NM 87505

ALTERNATE ACCOUNT: 56689  
AD NUMBER: 00283899 ACCOUNT: 00002212  
LEGAL NO: 87071 P.O. #: 52100-00000137  
606 LINES 1 TIME(S) 528.08  
AFFIDAVIT: 7.00  
TAX: 42.47  
TOTAL: 577.55

**NOTICE OF  
PUBLICATION**

**STATE OF NEW  
MEXICO  
ENERGY, MINERALS  
AND NATURAL  
RESOURCES  
DEPARTMENT  
OIL CONSERVATION  
DIVISION**

Notice is hereby given that pursuant to New Mexico Water Quality Control Commission Regulations (20.6.2.3106 NMAC), the following discharge permit application(s) has been submitted to the Director of the New Mexico Oil Conservation Division ("NMOCD"), 1220 S. Saint Francis Drive, Santa Fe, New Mexico 87505, Telephone (505) 476-3440:

Elm Ridge Exploration LLC DBA, 6501 2001 E. Blanco BLVD, Bloomfield, New Mexico has submitted discharge plan applications for the following:

(GW-386) Bisti Compressor Station facility located in the SW/4 of the NE/4 of Section 14, Township 25 North, Range 12 West, NMPM, San Juan County, New Mexico, approxi-

**AFFIDAVIT OF PUBLICATION**


**STATE OF NEW MEXICO  
COUNTY OF SANTA FE**

I, L. Paquin, being first duly sworn declare and say that I am Legal Advertising Representative of THE SANTA FE NEW MEXICAN, a daily newspaper published in the English language, and having a general circulation in the Counties of Santa Fe and Los Alamos, State of New Mexico and being a newspaper duly qualified to publish legal notices and advertisements under the provisions of Chapter 167 on Session Laws of 1937; that the publication # 87071 a copy of which is hereto attached was published in said newspaper 1 day(s) between 04/09/2009 and 04/09/2009 and that the notice was published in the newspaper proper and not in any supplement; the first date of publication being on the 9th day of April, 2009 and that the undersigned has personal knowledge of the matter and things set forth in this affidavit.

/s/ *L. Paquin*  
LEGAL ADVERTISEMENT REPRESENTATIVE

Subscribed and sworn to before me on this 9th day of April, 2009

Notary *Mary Margaret Vigil-Weldeman*  
Commission Expires: *11-13-2012*



of Bloomfield, New Mexico. The Bisti Compressor Station is the central facility for the collection of natural gas from the Bisti gas field. The compressor station is site rated for 637 HP. Processes at the compressor station include inlet separation; gas compression; used engine slop oil collection and gas volume measurement. Engine lube oil, triethylene glycol, and ethylene glycol are stored in above ground tanks. The compressed gas is then sent via pipeline to a gas plant. Approximately 2000 gallons/year/engine of engine oil will be stored onsite in a closed top steel tank within a bermed area. Approximately 13,650 gallons of liquids will be stored on site and in secondary containment, those materials are: 12,600 gallons of produced water; 500 gallons of 'jacket water' (50% ethylene glycol and water); 550 gallons of skid drain pit liquids (used motor oil, jacket water, soap, and rain water). Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approximately 20 feet, with a total dissolved solids concentration of approximately 2100 mg/l.

(GW-387) Buena Suerte Compressor Station facility located in the NW/4 of the SE/4 of Section 32, Township 26 North, Range 11 West, NMPM, San Juan County, New Mexico, approximately 20 miles south of Bloomfield, New Mexico. The Buena Suerte Compressor Station is the central facility for the collection of natural gas from the Buena Suerte gas field. The compressor station is site rated for 2019 HP. Processes at the compressor station include inlet separation; gas compression; used engine slop oil collection and gas volume measurement. Engine lube oil, triethylene glycol, and ethylene glycol are stored in above ground tanks. The compressed gas is then sent via pipeline to a gas plant. Approximately 3000 gallons/year/engine of engine oil will be stored onsite in a closed top steel tank within a bermed area. Approximately 8650 gallons of liquids will be stored on site and in secondary containment, those materials are: 7150 gallons of produced water; 1000

(50% ethylene glycol and water); 500 gallons of TEG (triethylene glycol). Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approximately 100 feet or greater, with a total dissolved solids concentration of approximately 1400 mg/l.

(GW-390) Huerfano Mountain Gas Plant facility located in the SE/4 of the NE/4 of Section 5, Township 25 North, Range 10 West, NMPM, San Juan County, New Mexico, approximately 22 miles south of Bloomfield, New Mexico. The Huerfano Mountain Gas Plant facility is a refrigerated J-T natural gas plant that separates natural gas liquids from raw 'wet' gas, and then compresses 'dry' residue gas back into the pipeline. The gas plant has four (4) compressors and two (2) generators site rated for a total of 3098 HP. Processes at the compressor station include inlet separation; gas compression; used engine slop oil collection and gas volume measurement; liquid volume measurement; gas

dehydration; and methanol injection. Approximately 56,540 gallons/year/engine of engine oil will be stored onsite in a closed top steel tank within a bermed area. Approximately 9315 gallons of liquids will be stored on site and in secondary containment, those materials are: 375 gallons of produced water; 2000 gallons of 'jacket water' (50% ethylene glycol and water); 1500 gallons of methanol; 500 gallons of ethylene glycol (80% ethylene glycol & water); 500 gallons of soap; and 240 gallons of glycol and water. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approximately 100 feet or greater, with a total dissolved solids concentration of approximately 2500 mg/l.

(GW-391) Kenny Compressor Station facility located in the NE/4 of the SE/4 of Section 23, Township 24 North, Range 7 West, NMPM, Rio Arriba County, New Mexico, approximately 38 miles south of Bloomfield, New Mexico. The Kenny Compressor Station is the central facility for the collection of natural gas from the area

compressor station is site rated for 350 HP. Processes at the compressor station include inlet separation; gas compression; used engine slop oil collection and gas volume measurement. Engine lube oil, triethylene glycol, and ethylene glycol are stored in above ground tanks. The compressed gas is then sent via pipeline to a gas plant. Approximately 15,550 gallons/year/engine of engine oil will be stored onsite in a closed top steel tank within a bermed area. Approximately 12,600 gallons of produced liquid will be stored in a condensate tank. Approximately 5570 gallons of liquids will be stored on site and in secondary containment, those materials are: 3570 gallons of produced liquids stored in a below grade tank; 500 gallons of 'jacket water' (50% ethylene glycol and water); 500 gallons of glycol; 500 gallons of methanol into two (2) tanks for a total of 1000 gallons. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approximately 100 feet or greater, with a total dissolved solids concentration of approximately 1078 mg/l.

(GW-392) Marcus Compressor Station facility located in the NE/4 of the NE/4 of Section 11, Township 23 North, Range 7 West, NMPM, Rio Arriba County, New Mexico, approximately 45 miles south of Bloomfield, New Mexico. The Marcus Compressor Station is the central facility for the collection of natural gas from the Marcus Gathering gas field. The compressor station is site rated for 2275 HP. Processes at the compressor station include inlet separation; gas compression; used engine slop oil collection; and gas volume measurement. Engine lube oil, triethylene glycol, and ethylene glycol are stored in above ground tanks. The compressed gas is then sent via pipeline to a gas plant. Approximately 2650 gallons/year/engine of engine oil will be stored onsite in a secondary containment system. Approximately 26,400 gallons of produced liquid will be stored in condensate tanks. Approximately 25,810 gallons of liquids will be stored on site and

in secondary containment systems, those materials are: 6030 gallons of produced liquids stored onsite; 550 gallons of 'jacket water' (50% ethylene glycol and water); 500 gallons of TEG (triethylene glycol); 18605 gallons of methanol into five (5) tanks. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approximately 100 feet or greater, with a total dissolved solids concentration of approximately 1078 mg/l.

(GW-393) Otero Compressor Station facility located in the SE/4 of the SE/4 of Section 13, Township 24 North, Range 6 West, NMPM, Rio Arriba County, New Mexico, approximately 64 miles south of Bloomfield, New Mexico. The Otero Compressor Station is the central facility for the collection of natural gas from the Jicarilla gas field. The compressor station is site rated for 1274 HP. Processes at the compressor station include inlet separation; gas compression; used engine slop oil collection and gas volume measurement. Engine lube oil, triethylene glycol, and ethylene glycol are stored in above ground tanks. The compressed gas is then sent via pipeline to a gas plant. Approximately 10,145 gallons/year/engine of engine oil will be stored onsite in secondary containment systems. Approximately 8200 gallons of liquids will be stored on site and in secondary containment, those materials are: 6700 gallons of produced water; 500 gallons of 'jacket water' (50% ethylene glycol and water); 500 gallons of TEG (triethylene glycol); and 500 gallons of methanol. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approximately 100 feet or greater, with a total dissolved solids concentration of approximately 1430 mg/l.

(GW-394) South Lybrook Compressor Station facility located in the SW/4 of the SE/4 of Section 14, Township 23 North, Range 7 West, NMPM, Rio Arriba County, New Mexico, approximately 45 miles south of Bloomfield, New Mexico. The South Lybrook Compressor Station is the central facility for the collection of natural gas from the South Ly-

brook Compressor Station is site rated for 65 HP. Processes at the compressor station include inlet separation; gas compression; used engine slop oil collection and gas volume measurement. Engine lube oil, triethylene glycol, and ethylene glycol are stored in above ground tanks. The compressed gas is then sent via pipeline to a gas plant. Approximately 725 gallons/year/engine of engine oil will be stored onsite in secondary containment systems. Approximately 3360 gallons of liquids will be stored on site and in secondary containment, that material is produced water. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approximately 100 feet or greater, with a total dissolved solids concentration of approximately 3500 mg/l. The discharge plan addresses how oilfield products and waste will be properly handled, stored, and disposed of, including how spills, leaks, and other accidental discharges to the surface will be managed in order to protect fresh water.

The NMOCD has determined that the application is administratively complete and has prepared a draft permit. The NMOCD will accept comments and statements of interest regarding this application and will create a facility-specific mailing list for persons who wish to receive future notices. Persons interested in obtaining further information, submitting comments or requesting to be on a facility-specific mailing list for future notices may contact the Environmental Bureau Chief of the Oil Conservation Division at the address given above. The administrative completeness determination and draft permit may be viewed at the above address between 8:00 a.m. and 4:00 p.m., Monday through Friday, or may also be viewed at the NMOCD web site <http://www.emnrd.state.nm.us/ocd/>. Persons interested in obtaining a copy of the application and draft permit may contact the NMOCD at the address given above. Prior to ruling on any proposed discharge permit or major modification, the Director shall allow a period of at least thirty (30) days after the date of

publication of this notice, during which interested persons may submit comments or request that NMOCD hold a public hearing. Requests for a public hearing shall set forth the reasons why a hearing should be held. A hearing will be held if the Director determines that there is significant public interest.

If no public hearing is held, the Director will approve or disapprove the proposed permit based on information available, including all comments received. If a public hearing is held, the director will approve or disapprove the proposed permit based on information in the permit application and information submitted at the hearing.

Para obtener más información sobre esta solicitud en español, sírvase comunicarse por favor: New Mexico Energy, Minerals and Natural Resources Department (Depto. Del Energía, Minerals y Recursos Naturales de Nuevo México), Oil Conservation Division (Depto. Conservación Del Petróleo), 1220 South St. Francis Drive, Santa Fe, New Mexico. (Contacto: Dorothy Phillips, 505-476-3461)

GIVEN under the Seal of New Mexico Oil Conservation Commission at Santa Fe, New Mexico, on this 3rd day of April, 2009.

STATE OF NEW MEXICO  
OIL CONSERVATION  
DIVISION

S E A L  
Mark Fesmire,  
Director  
Legal No. 87071  
Pub. Apr. 9, 2009