

NSL 5/5/99

VANDIVER & BOWMAN, P.C.

Attorneys at Law

611 West Mahone, Suite E
Artesia, New Mexico 88210-2075
(505) 746-9841

FAX
(505) 746-4208

DAVID R. VANDIVER
JEFFREY L. BOWMAN

April 14, 1999

APR 15 1999

MAIL ROOM
OIL CONSERVATION DIVISION

Energy, Minerals and Natural
Resources Department
Oil Conservation Division
2040 South Pacheco Street
Santa Fe, New Mexico 87505

*Re: Spurck 16 State Com. No. 1 Well
Township 17 South, Range 28 East, NMPM
Section 16: S/2
Eddy County, New Mexico*

Gentlemen:


Enclosed for filing, please find three copies of the Application of Yates Drilling Company for Administrative Approval of an Unorthodox Well Location, Eddy County, New Mexico. Also enclosed is an extra copy of the Application which we would appreciate your returning to us in the enclosed stamped self-addressed envelope after inserting the docket number.

Rule 104.F does not require the Applicant to give notice to the operator of any adjoining spacing unit under the circumstances presented in the Application, and the Applicant would like to commence its proposed well as soon as possible. Accordingly, we respectfully request the Division to enter an order approving the Application as soon as possible.

Thank you.

Very truly yours,

VANDIVER & BOWMAN, P.C.



David R. Vandiver

DRV:pvw
Enclosures

cc w/enclosure: Mr. Doug Hurlbut

STATE OF NEW MEXICO
ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT
OIL CONSERVATION DIVISION

**IN THE MATTER OF THE APPLICATION OF YATES
DRILLING COMPANY FOR ADMINISTRATIVE
APPROVAL OF AN UNORTHODOX WELL LOCATION,
EDDY COUNTY, NEW MEXICO**

CASE NO. _____

APPLICATION

COMES NOW Yates Drilling Company, by its attorneys, and in support hereof, respectfully states:

1. Applicant is the operator of the following lands in Eddy County, New Mexico:

Township 17 South, Range 28 East, N.M.P.M.

Section 16: S/2

containing 320 acres, more or less,

and proposes to drill its Spurck 16 State Com. No. 1 Well at a point located 1,344 feet from the south line and 1,650 feet from the east line of said Section 16 to a depth sufficient to test the Morrow formation, at approximately 10,300 feet. The proposed well is in the Red Lake Morrow Northeast Pool.

2. The Applicant seeks an exception, pursuant to Rule 104.F, to the well location requirements of Rule 104.C of the Oil Conservation Division to permit the drilling of the well at the above-mentioned unorthodox location for all formations which may be developed on 320-acre spacing.

3. A standard 320-acre proration unit comprising S/2 of said Section 16 should be dedicated to such well. A plat depicting the proposed spacing and proration unit and the proposed well location is attached hereto as Exhibit "A" and by reference made a part of this Application.

4. The optimum location for a Morrow gas well in S/2 of said Section 16 is in NW/4 SE/4 of said Section 16.

5. The proposed location for the Spurck 16 State Com. No. 1 Well is unorthodox by virtue of its being closer than 330 feet to the quarter-quarter section boundary between NW/4 SE/4 and SW/4 SE/4 of said Section 16.

6. The proposed unorthodox location is necessary because there are producing shallow oil wells located 1,650 feet from the south line and 1,650 feet from the east line of said Section 16, and 990 feet from the south line and 1,650 feet from the east line of said Section 16, and there are a number of pipelines located in NW/4 SE/4 of said Section 16 which preclude the Applicant from locating the well at an orthodox location in NW/4 SE/4 of said Section 16. A plat depicting the SE/4 of said Section 16, the existing producing wells in W/2 SE/4 of said Section 16 and the existing pipelines in NW/4 SE/4 Section 16 is attached hereto as Exhibit "B" and by reference made a part of this Application.

7. The proposed unorthodox well location does not encroach towards any adjoining or diagonal spacing units in the same pool, and there are no affected parties, as defined in Rule 104.F, whose wells or interests will be affected by the location of the well at the proposed unorthodox location. The Applicant therefore has not given notice to the operators of any spacing units adjacent to the proposed spacing unit for the Spurck 16 State Com. No. 1 Well.

8. The approval of this Application will afford the Applicant the opportunity to produce its just and equitable share of oil and gas, will prevent economic loss caused by the drilling of unnecessary wells, avoid the augmentation of risk arising from the drilling of an excessive number of wells, and will otherwise prevent waste and protect correlative rights.

WHEREFORE, Applicant prays that the Division enter its Order granting the Applicant administrative approval of its proposed unorthodox well location and thereby grant Applicant permission to drill its well at a point 1,344 feet from the south line and 1,650 feet from the east line of said Section 16, and to dedicate S/2 of said Section 16 to said well for production from all formations that may be developed on 320-acre spacing, and for such other and further relief as may be just in the premises.

YATES DRILLING COMPANY

By:


David R. Vandiver
Vandiver & Bowman, P.C.
611 West Mahone, Suite E
Artesia, New Mexico 88210-2075
(505) 746-9841

Attorneys for Applicant

EXHIBIT "A"

EXHIBIT "A"

Spurck 16 State Com. #1
1344' FSL & 1650' FEL
Section 16, T17S-R28E


Communitized Tract

SE 1/4 SECTION 16, TOWNSHIP 17 SOUTH, RANGE 28 EAST, NMPM, EDDY COUNTY, NEW MEXICO.

R. 28 E.

EXHIBIT "B"

16



T.
17
S.
N. 1° 40' W.
2647.92

Brass Cap (Typical)

Spurck 16 State Com. #1

ATTN: MR. TOBY RHODES

500' 0' 500' 1000'

Scale 1" = 500'

YATES DRILLING COMPANY

THE PREPARATION OF THIS PLAT AND THE PERFORMANCE OF THE SURVEY UPON WHICH IT IS BASED WERE DONE UNDER MY DIRECTION AND THE PLAT ACCURATELY DEPICTS THE RESULTS OF SAID SURVEY AND MEET THE REQUIREMENTS OF THE STANDARDS FOR LAND SURVEYS IN NEW MEXICO AS ADOPTED BY THE NEW MEXICO STATE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.

SE 1/4 OF SECTION 16, TOWNSHIP 17 SOUTH,
RANGE 28 EAST, NMPM, EDDY COUNTY, NEW MEXICO
SHOWING EXISTING PIPELINES, PRODUCING WELLS AND
PROPOSED YATES DRILLING SPURCK 16 STATE COM.
#1 LOCATIONS.

HERSCHEL L JONES R.L.S. No. 3640

GENERAL SURVEYING COMPANY P.O. BOX 1928
LOVINGTON, NEW MEXICO 88260

Survey Date:	4/07/99	Sheet of	Sheets
Drawn By:	Ed Blewings	W.D. Number	
Date:	Scale 1" = 500'		


COUNTY Eddy

POOL South Empire - Morrow Gas

TOWNSHIP 17 South

RANGE 29 East

NMPM



Ext: $\frac{5}{2}$ Sec 31 (R-4734, 3-1-74) Ext: $\frac{N}{2}$ Sec 31 (R-4969, 4-1-75)

Ext: $\frac{5}{2}$ Sec 30 (R-5511, 9-1-77) Ext: $\frac{N}{2}$ Sec 30 (R-5838, 11-1-78)

Ext: $\frac{5}{2}$ Sec 19 (R-6033, 7-1-79) Ext: $\frac{N}{2}$ Sec. 19 (R-6170, 11-1-79)

Ext: All Sec. 18, (R-6536, 12-1-80) Ext: $\frac{5}{2}$ sec 7, (R-6890, 1-2-82)

Ext: $\frac{N}{2}$ sec 17 (R-6994, 5-28-82)

Ext: $\frac{5}{2}$ Sec. 17, $\frac{W}{2}$ Sec. 20 (R-8065, 10-31-85) Ext: $\frac{E}{2}$ Sec. 20 (R-9545, 7-1-91)

Ext: $\frac{5}{2}$ Sec. 16 (R-9884, 4-26-93) Ext: $\frac{E}{2}$ Sec. 5, $\frac{E}{2}$ Sec. 8 (R-10844, 7-16-92).

County Eddy

Pool Empire-Atoka Gas

TOWNSHIP

17 South

Range

28 East

NMPM

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

Description: $\frac{5}{8}$ sec. 23 (R-7323, 10-20-93) Ext: All Sec. 26 (R-8391, 1-2287)
Ext: $\frac{w}{2}$ Sec. 23 (R-10713, 11-26-96)

COUNTY Eddy

POOL Empire-Pennsylvanian Gas

TOWNSHIP 17-South

RANGE 28-East

NMPM

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

Description: $\frac{5}{8}$ Sec. 19, $\frac{5}{8}$ Sec. 20, $\frac{5}{8}$ Sec. 21, $\frac{5}{8}$ Sec. 22, $\frac{15}{8}$ Secs. 27 thru 34 (R-391, 11-25-53). Special rules rescinded, pool now on statewide spacing (R-5809, 9-20-78) EXT: $\frac{1}{2}$ sec 20 (R-7009, 6-19-82)

17-28

Aid-Morrow Gas 320
Aid Yates-Seven Rivers 40
Artesia Queen-Grayburg-San Andres 40
Grayburg Jackson Queen-Grayburg-San Andres-Seven Rivers 40
West Cave-San Andres 40
Dog Canyon-Strawn Gas 320
Empire-Abo 40
Empire-Atoka Gas 320
South Empire-Morrow Gas 320
Empire-Pennsylvanian Gas 320
Empire-Wolfcamp 40
South Empire-Wolfcamp 80
Empire Yates-Seven Rivers 40
East Empire Yates-Seven Rivers 40
Red Lake-Upper Pennsylvanian 40
Red Lake Queen-Grayburg-San Andres 40
East Red Lake Queen-Grayburg 40
Red Lake-Seven Rivers 40
South Red Lake-Seven Rivers 40
~~Wandagriff~~ Keyes-Queen Gas 160
North Empire-Atoka Gas 320

Date:

Order No. P

Empire-Yeso	40
North Empire-Abo	40
Red Lake-Morrow Gas	320
Anderson-Wolfcamp	40

CMD :
OG6C101

ONGARD
C101-APPLICATION FOR PERMIT TO DRILL

04/16/99 08:45:40
OGOMES -TPWC

OGRID Idn : 25513 API Well No: 30 15 30561 APD Status(A/C/P) : A
Opr Name, Addr: YATES DRILLING CO Aprv1/Cncl Date : 01-22-1995
105 S 4TH ST
ARTESIA, NM 88210

Prop Idn: 24127 SPURCK 16 STATE COM Well No: 1

U/L	Sec	Township	Range	Lot	Idn	North/South	East/West
---	---	-----	-----	-----	-----	-----	-----
Surface Locn : J	16	17S	28E			FTG 1980 F S	FTG 2180 F E
OCD U/L : J		API County :	15				

Work typ(N/E/D/P/A) : N Well typ(O/G/M/I/S/W/C) : G Cable/Rotary (C/R) : F
Lease typ(F/S/P/N/J/U/I) : S Ground Level Elevation : 3571

State Lease No: Multiple Comp (Y/N) : N
Prpsd Depth : 10300 Prpsd Frmtn : MORROW

E0009: Enter data to modify record

PF01 HELP	PF02	PF03 EXIT	PF04 GoTo	PF05	PF06 CONFIRM
PF07	PF08	PF09 PRINT	PF10 C102	PF11 HISTORY	PF12

CMD :
OG5SECTONGARD
INQUIRE LAND BY SECTION04/16/99 08:44:39
OGOMES -TPWC
PAGE NO: 1

Sec : 16 Twp : 17S Rng : 28E Section Type : NORMAL

D	C	B	A
40.00	40.00	40.00	40.00
CS	CS	CS	CS
B08617 0001 04/50	B08617 0001 04/50	X02029 0062 12/34	X02029 0062 12/34
GOLD FIELDS MININ	GOLD FIELDS MININ	OXY USA INC	OXY USA INC
	A		
E	F	G	H
40.00	40.00	40.00	40.00
CS	CS	CS	CS
B08617 0001 04/50	B08617 0001 04/50	X02029 0067 12/34	X02029 0067 12/34
GOLD FIELDS MININ	GOLD FIELDS MININ	MACK C. CHASE, TR	MACK C. CHASE, TR
			P

PF01 HELP PF02 PF03 EXIT PF04 GoTo PF05 PF06
 PF07 BKWD PF08 FWD PF09 PRINT PF10 SDIV PF11 PF12

CMD :
OG5SECTONGARD
INQUIRE LAND BY SECTION04/16/99 08:44:45
OGOMES -TPWC
PAGE NO: 2

Sec : 16 Twp : 17S Rng : 28E Section Type : NORMAL

L	K	J	I
40.00	40.00	40.00	40.00
CS	CS	CS	CS
B08617 0001 04/50	B08617 0001 04/50	B08617 0001 04/50	B08617 0001 04/50
GOLD FIELDS MININ	GOLD FIELDS MININ	GOLD FIELDS MININ	GOLD FIELDS MININ
A		A A	
M	N	O	P
40.00	40.00	40.00	40.00
CS	CS	CS	CS
B08617 0001 04/50	B08617 0001 04/50	E09359 0000 09/65	E09359 0000 09/65
GOLD FIELDS MININ	GOLD FIELDS MININ	ATLANTIC RICHFIEL	ATLANTIC RICHFIEL
A		A A A	

PF01 HELP PF02 PF03 EXIT PF04 GoTo PF05 PF06
 PF07 BKWD PF08 FWD PF09 PRINT PF10 SDIV PF11 PF12