

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

JUN 22 2009

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

30-015-26895 Release Notification and Corrective Action

OPERATOR

Initial Report Final Report

Name of Company: Sandlot Energy	Contact: Jackie Brewer
Address: PO Box 711; Lovington, NM 88260	Telephone No. 575-631-4592
Facility Name LEVERS A STATE 2	Facility Type ACTIVE PRODUCTION WELLHEAD/TANK BATTERY

Surface Owner NMSLO	Mineral Owner	Lease No. 30-015-26895
---------------------	---------------	------------------------

LOCATION OF RELEASE

Unit Letter B	Section 8	Township 18S	Range 28E	Feet from the 330	North/South Line NORTH	Feet from the 2310	East/West Line EAST	County EDDY
------------------	--------------	-----------------	--------------	----------------------	---------------------------	-----------------------	------------------------	----------------

Latitude _____ Longitude _____

NATURE OF RELEASE

Type of Release HISTORICAL	Volume of Release N/A	Volume Recovered N/A
Source of Release ACCUMULATED RELEASE FROM ACTIVE WH	Date and Hour of Occurrence	Date and Hour of Discovery
Was Immediate Notice Given? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom?	
By Whom?	Date and Hour	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.*
N/A

Describe Cause of Problem and Remedial Action Taken.*
HISTORICAL LEAKS - SITE WAS SAMPLED AND REMEDIATED

Describe Area Affected and Cleanup Action Taken.*
AREA AROUND WELLHEAD AND BATTERY - REMEDIATED

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 	OIL CONSERVATION DIVISION	
Printed Name: JACKIE BREWER	Approved by: 	Signature: _____
Title: OPERATOR	Approval Date: SEP 29 2009	Expiration Date: N/A
E-mail Address: BREWER212@AOL.COM	Conditions of Approval: N/A	Attached <input type="checkbox"/>
Date: _____	Phone: 575-631-4592	

* Attach Additional Sheets If Necessary

PMCB0927239428

2BP-342



ENVIRONMENTAL PLUS, INC.
CONSULTING AND ENVIRONMENTAL REMEDIATION

ENVIRONMENTAL PLUS, INC.

May 11, 2009

JUN 22 2009

Mr. Mike Bratcher
Environmental Field Technician
New Mexico Oil Conservation Division
1301 W. Grand Ave
Artesia, New Mexico 88210

RE: **Remediation Plan Letter**

Operator: Sandlot Energy/Cantera
Lease: Levers A State #2
API: 30-015-26895
Legal: UL-B (NW ¼ of the NE ¼) of Section 8, T18S, R28E
Eddy County, New Mexico
Coordinates Latitude: N32° 46' 05.66"; Longitude: W104° 11' 48.79"
EPI Ref No.: 455002

Dear Mr. Bratcher:

On behalf of Sandlot Energy/Cantera, Environmental Plus, Inc. (EPI) submits the following *Remediation Plan Letter* to address remediation of the aforementioned location. Soil impacts are historical in nature with no data indicating release date(s), volume and nature of release fluid(s) or efforts to remediate the release area(s).

Remediation Proposal – Sandlot Energy/Cantera proposes to delineate and collect samples from location. Submit samples to an independent laboratory for analysis. Contact the NMOCD in regards to the analytical results and remediate per NMOCD guidelines and instruction.

Official communications should be directed to Mr. Jackie Brewer at (575) 631-4592 (mobile) with correspondence addressed to:

Mr. Jackie Brewer
Sandlot Energy/Cantera
P.O. Box 711
Lovington, New Mexico 88260

Sincerely,

Shelly J Tucker
Environmental Consultant

Cc: Jackie Brewer, Sandlot Energy
Al Nasser, Cantera

Encl: none



May 11, 2009

Mr. Mike Bratcher
Environmental Field Technician
New Mexico Oil Conservation Division
1301 W. Grand Ave
Artesia, New Mexico 88210

RE: **Closure Report**

Operator: Sandlot Energy/Cantera
Lease: Levers A State #2
API: 30-015-26895
Legal: UL-B (NW ¼ of the NE ¼) of Section 8, T18S, R28E
Eddy County, New Mexico
Coordinates Latitude: N32° 46' 05.66"; Longitude: W104° 11' 48.79"
EPI Ref No.: 455002

Dear Mr. Bratcher:

On behalf of Sandlot Energy/Cantera, Environmental Plus, Inc. (EPI) submits the following *Closure Report Letter* to address remediation of the aforementioned location. Soil impacts are historical in nature with no data indicating release date(s), volume and nature of release fluid(s) or efforts to remediate the release area(s). For clarity and cross reference elimination purposes, the *Closure Report Letter* offers Site Background history, Site Delineation, Remedial Activities, Analytical Data and Conclusion.

- A. **Site Background** - The Site is located in UL-B (NW ¼ of the NE ¼) of Section 8, T18S, R28E at an elevation of approximately 3,633 feet above mean sea level (amsl). A search for water wells was completed utilizing the New Mexico Office of the State Engineers website and a database maintained by the United States Geological Survey (USGS). No water wells exist within a 1,000 foot radius of the release site. No surface water exists within a 1,000-foot radius of the release area (reference *Figure 2*). Groundwater data taken from domestic and USGS water wells within a one (1) mile radius indicates an average water depth of approximately 107 feet below ground surface (bgs). Utilizing this information, New Mexico Oil Conservation Division (NMOCD) Remedial Goals for this Site were determined as follows:

Parameter	Remedial Goal
Benzene	10 parts per million
BTEX	50 parts per million
TPH	5000 parts per million

* Chloride residuals may not be capable of impacting local groundwater above NMWQCC Ground Water Standards of 250 mg/L



May 11, 2009

Mr. Mike Bratcher
Environmental Field Technician
New Mexico Oil Conservation Division
1301 W. Grand Ave
Artesia, New Mexico 88210

RE: **Closure Report**

Operator: Sandlot Energy/Cantera
Lease: Levers A State #2
API: 30-015-26895
Legal: UL-B (NW ¼ of the NE ¼) of Section 8, T18S, R28E
Eddy County, New Mexico
Coordinates Latitude: N32° 46' 05.66"; Longitude: W104° 11' 48.79"
EPI Ref No.: 455002

Dear Mr. Bratcher:

On behalf of Sandlot Energy/Cantera, Environmental Plus, Inc. (EPI) submits the following *Closure Report Letter* to address remediation of the aforementioned location. Soil impacts are historical in nature with no data indicating release date(s), volume and nature of release fluid(s) or efforts to remediate the release area(s). For clarity and cross reference elimination purposes, the *Closure Report Letter* offers Site Background history, Site Delineation, Remedial Activities, Analytical Data and Conclusion.

- A. **Site Background** - The Site is located in UL-B (NW ¼ of the NE ¼) of Section 8, T18S, R28E at an elevation of approximately 3,633 feet above mean sea level (amsl). A search for water wells was completed utilizing the New Mexico Office of the State Engineers website and a database maintained by the United States Geological Survey (USGS). No water wells exist within a 1,000 foot radius of the release site. No surface water exists within a 1,000-foot radius of the release area (reference *Figure 2*). Groundwater data taken from domestic and USGS water wells within a one (1) mile radius indicates an average water depth of approximately 107 feet below ground surface (bgs). Utilizing this information, New Mexico Oil Conservation Division (NMOCD) Remedial Goals for this Site were determined as follows:

Parameter	Remedial Goal
Benzene	10 parts per million
BTEX	50 parts per million
TPH	5000 parts per million

* Chloride residuals may not be capable of impacting local groundwater above NMWQCC Ground Water Standards of 250 mg/L



Please address questions, concerns and/or needs for additional technical information to Shelly J. Tucker at (575) 394-3481 (office), (575) 706-9121 (cellular) or via e-mail at stucker@envplus.net. Official communications should be directed to Mr. Jackie Brewer at (575) 631-4592 (mobile) with correspondence addressed to:

Mr. Jackie Brewer
Sandlot Energy/Cantera
P.O. Box 711
Lovington, New Mexico 88260

Sincerely,

Shelly J Tucker
Environmental Consultant

Cc: Jackie Brewer, Sandlot Energy
Al Nasser, Cantera
David Duncan, Civil Engineer
File

Encl: Figure 1 – Area Map
Figure 2 – Site Location Map
Figure 3 – Groundwater Gradient Map
Figure 4 – Site Map
Figure 5 – Excavation and Sample Location Map
Table 1 – Well Data
Table 2 – Summary of Excavation Soil Sample Laboratory Analytical Results
Attachment I – Site Photographs
Attachment II – Laboratory Analytical Results and Chain-of-Custody Forms
Attachment III – Initial NMOCD Form C-141
Final NMOCD Form C-141

FIGURES





Figure 1
 Area Map
 Sandlot Energy
 Levers A State #2


Eddy County, New Mexico
 NW 1/4 of the NE 1/4, Sec. 8, T18S, R28E
 N 32° 46' 05.66" W 104° 11' 48.79"
 Elevation: 3,633 feet amsl

DWG By: D Dominguez
 May 2009

REVISED:



SHEET
 1 of 1







Figure 2
 Site Location Map
 Sandlot Energy
 Levers A State #2


Eddy County, New Mexico
 NW 1/4 of the NE 1/4, Sec. 8, T18S, R28E
 N 32° 46' 05.66" W 104° 11' 48.79"
 Elevation: 3,633 feet amsl

DWG By: D Dominguez
 May 2009

REVISED:



SHEET
 1 of 1







Figure 3
Groundwater Gradient Map
Sandlot Energy
Levers A State #2


Eddy County, New Mexico
NW 1/4 of the NE 1/4, Sec. 8, T18S, R28E
N 32° 46' 05.66" W 104° 11' 48.79"
Elevation: 3,633 feet amsl


DWG By: D Dominguez
May 2009

REVISED:



SHEET
1 of 1





LEGEND


Ⓜ Oil Well

Figure 4
Site Map
Sandlot Energy
Levers A State #2


Eddy County, New Mexico
NW 1/4 of the NE 1/4, Sec. 8, T18S, R28E
N 32° 46' 05.66" W 104° 11' 48.79"
Elevation: 3,633 feet amsl


DWG By: D Dominguez
May 2009

REVISED:



SHEET
1 of 1





LEGEND


- ⊙ Oil Well
- Sample Point

Figure 5
 Sample Location Map
 Sandlot Energy
 Levers A State #2


Eddy County, New Mexico
 NW 1/4 of the NE 1/4, Sec. 8, T18S, R28E
 N 32° 46' 05.66" W 104° 11' 48.79"
 Elevation: 3,633 feet amsl

DWG By: D Dominguez
 May 2009

REVISED:



SHEET
 1 of 1



TABLES

TABLE 1

Well Data

Sandlot Energy - Levers A State #2 (Ref. #455002)

Well Number	Diversion ^A	Owner	Use	Twsp	Rng	Sec q q q	Latitude	Longitude	Date Measured	Surface Elevation ^B	Depth to Water
											(ft bgs)
RA 08235	1.43	BOGLE FARMS	STK	18S	28E	7	N32° 45' 41.85"	W104° 12' 53.69"		3,610	
RA 08236	1	BOGLE FARMS	STK	18S	28E	8 3 3	N32° 45' 23.07"	W104° 12' 14.66"		3,612	
RA 08237	1.47	BOGLE FARMS	STK	18S	28E	8 3 3	N32° 45' 23.07"	W104° 12' 14.66"		3,612	
USGS #1				18S	28E	4 3 2 4			09-Mar-94	3,665	100.78
USGS #2				18S	28E	4 1 3 1			09-Mar-94	3,645	107.65
USGS #3				18S	28E	7 4 3 1			09-Mar-94	3,594	48.92
USGS #4				18S	28E	17 1 1 1			09-Mar-94	3,599	88.21
USGS #5				18S	28E	17 1 1 1			02-Dec-48	3,599	81.55

* = Data obtained from the New Mexico Office of the State Engineer Website (http://iwaters.ose.state.nm.us:7001/iWATERS/wr_RegisServlet1) and USGS Database.

^A = In acre feet per annum

^B = Elevation interpolated from USGS topographical map based on referenced location.

STK = 72-12-1 Livestock watering

quarters are 1=NW, 2=NE, 3=SW, 4=SE; quarters are biggest to smallest

Shaded area indicates wells not shown in Figure 2

TABLE 2

Summary of Soil Boring Soil Sample Analytical Results

Sandlot Energy/Cantera

Levers A State 2

API # 30-015-26895; EPI Ref. #455002

Sample I.D.	Depth (feet)	Soil Status	Sample Date	PID Field Analysis (ppm)	Field Chloride Analyses (mg/Kg)	Benzene (mg/Kg)	Toluene (mg/Kg)	Ethylbenzene (mg/Kg)	Total Xylenes (mg/Kg)	Total BTEX (mg/Kg)	TPH (as gasoline) (mg/Kg)	TPH (as diesel) (mg/Kg)	Total TPH (mg/Kg)	Chloride (mg/Kg)
L-A2-1	1	In-Situ	16-Jul-08								<10	94		9,120
L-A2-3	3	In-situ	16-Jul-08								42	<10		7,440
LATB 1	1	In-Situ	16-Jul-08								<0	1,530		11,900
5' WH	5	In-Situ	17-Apr-09											2,120
5' LOC	5	In-situ	17-Apr-09											2,200
TB	3	In-Situ	17-Apr-09								<10	<10		4,880
		In-Situ												
NMOCD Remedial Threshold Goals				100		10				50			5,000	250 ¹

Bolded values are in excess of NMOCD Remediation Thresholds

¹ Chloride residuals may not be capable of impacting groundwater above NMWQCC Ground Water Standards of 250 mg/L

J = Detected, but below Reporting Limits. Therefore, result is an estimated concentration (CLP J-


-- = Not Analyzed


ND = Not Detected

SB = Soil Boring Hole

ATTACHMENTS

**ATTACHMENT I
SITE PHOTOGRAPHS**





**ATTACHMENT II
LABORATORY ANALYTICAL RESULTS
AND
CHAIN-OF-CUSTODY FORM**



ARDINAL LABORATORIES

PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

ANALYTICAL RESULTS FOR

PPI (Canterra)

ATTN: AL NASSER

800 GESSNER

HOUSTON, TX 77024

FAX TO: (575) 396-0063

cell # 832-326-4719

Receiving Date: 07/16/08

Reporting Date: 07/18/08

Project Owner: Canterra

Project Name: OCUPOOPER

Project Location: SEC 32 Sandlott Oper

Sampling Date: 07/16/08

Sample Type: SOIL

Sample Condition: COOL-INTACT

Sample Received By: ML

Analyzed By: ZL/AB/KS

LAB NUMBER	SAMPLE ID	GRO (C ₆ -C ₁₀) (mg/kg)	DRO (>C ₁₀ -C ₂₈) (mg/kg)	CI* (mg/kg)
	ANALYSIS DATE	07/17/08	07/17/08	07/17/08
H15176-1	367-1'	<10.0	14.9	624
H15176-2	381-1'	467	25,400	3,440
H15176-3	381 TB	<10.0	1,090	1,630
H15176-4	D-1'	<10.0	1,100	208
H15176-5	DTB 2'	<10.0	57.4	336
H15176-6	T # 1	<10.0	672	2,220
H15176-7	TTB 2'	23.2	3,770	3,200
H15176-8	LEVERTB 2'	<10.0	628	14,400
H15176-9	L-A2 1'	<10.0	94.2	9,120
H15176-10	L-A2 3'	41.6	<10.0	7,440
H15176-11	LATB 1'	<10.0	1,530	11,900
H15176-12	317-3'	<10.0	138	1,520
H15176-13	317-1'	19.6	296	640
H15176-14	322-1'	<10.0	<10.0	1,330
H15176-15	322-3'	<10.0	117	4,000
H15176-16	WD 18 3'	<10.0	1,220	2,600
H15176-17	WD 18 1'	54.1	193	2,640
H15176-18	370-3'	186	3,140	496
H15176-19	370-1'	41.9	2,530	528
H15176-20	367-3'	<10.0	56.8	832
H15176-21	367 Flowline	131	5,510	5,720
Quality Control		550	555	500
True Value QC		500	500	500
% Recovery		110	111	100
Relative Percent Difference		9.6	10.4	<0.1

METHODS: TPH GRO & DRO: EPA SW-846 8015 Std. Methods 4500-CFB

*Analyses performed on 1:4 w:v aqueous extracts.

ZL
Chemist

7/18/08
Date

H15176TCL PPI

DISCLAIMER NOTE Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. Claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



CARDINAL LABORATORIES

101 East Marland, Hobbs, NM 88240 2111 Beechwood, Abilene, TX 79603

(505) 393-2326 FAX (505) 393-2476 (325) 673-7001 FAX (325) 673-7020

Company Name: PPI (Canterra)		BILL TO		ANALYSIS REQUEST											
Project Manager: Al Nasser		P.O. #:													
Address: 800 Gessner		Company: PPI													
City: Houston State: TX Zip: 77024		Attn: Sandra													
Phone #: 832 326 4719 Fax #: 575-396-0063		Address: 800 Gessner													
Project #: 001 Project Owner: Canterra		City: Houston													
Project Name: OCU POOPER		State: TX Zip: 77024													
Project Location: SEC 32 (Sandlott Oper)		Phone #: 713 464 2200													
Sampler Name: Al Nasser		Fax #:													

FOR LAB USE ONLY		G/RAB OR (C)OMP	# CONTAINERS	MATRIX						PRESERV.		SAMPLING		DATE	TIME	REMARKS
Lab I.D.	Sample I.D.			GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER	ACID/BASE	ICE/COOL	OTHER				
H15176-1	367-1'															BTEX TPH CHC (ALL SAMPLES) (ALL SAMPLES) (ALL SAMPLES)
-2	381-1'	G							X				7-16			
-3	381 TB	G							X							
-4	D-1'															
15-5	DTB 2'															
17-6	#1															
-7	TB 2'															
-8	LEVERTB 2'															
-9	LAZ 1'															
-10	LAZ 3'															
-11	LATB 1'															

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, or its successors or assigns or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	Date: 7/16/08	Received By:	Phone Result: <input type="checkbox"/> Yes <input type="checkbox"/> No	Add'l Phone #:
Relinquished By:	Date: sp.	Received By:	Fax Result: <input type="checkbox"/> Yes <input type="checkbox"/> No	Add'l Fax #:
Delivered By: (Circle One)	Sample Condition	CHECKED BY: (Initials)	REMARKS:	
Sampler - UPS - Bus - Other:	<input checked="" type="checkbox"/> Cool <input type="checkbox"/> Intact <input type="checkbox"/> Yes <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> No		Email Mike Bratcher Brewer 212@aol.com * oilgasdietician.alb@gmail.com	

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476

CARDINAL LABORATORIES

101 East Marland, Hobbs, NM 88240 2111 Beechwood, Abilene, TX 79603
 (505) 393-2326 FAX (505) 393-2476 (325) 673-7001 FAX (325) 673-7020

Company Name: PPE (Canterra)	BILL TO	ANALYSIS REQUEST
Project Manager: Al Nasser	P.O. #:	
Address: 800 Gessner	Company: PPE	
City: Houston State: TX Zip: 77024	Attn: Sandra	
Phone #: 832 326 4719 Fax #: 575-394-0063	Address: 800 Gessner	
Project #: 001 Project Owner: Canterra	City: Houston	
Project Name: OCUPOOPER	State: TX Zip: 77024	
Project Location: 32 SEC - (Sandlot Oper)	Phone #: 713-464-1200	
Sampler Name: Al Nasser	Fax #: ?	

call before unloading for signature

FOR LAB USE ONLY		(S)RAB OR (C)OMP	# CONTAINERS	MATRIX						PRESERV.		SAMPLING		DATE	TIME	REMARKS
Lab I.D.	Sample I.D.			GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER	ACID/BASE	ICE/COOL	OTHER				
HIS7072	317-3															
HIS70-12	317-3	G				X				X			11-16	8:30		
-13	317-1	G				X				X				8:30		
-14	322-1					X				X				9:00		
4-15	322-3					X				X						
5-16	WD 18 3'					X				X						
-17	WD 18 1'					X				X				10:00		
-18	370-3					X				X						
-19	370-1					X				X						
-20	367-3					X				X						
10-21	367 Fluorine					X				X						

BTEX #
TPH
CHK
(ALL SAMPLES)
(ALL SAMPLES)
(ALL SAMPLES)

PLEASE NOTE: Liability and Damages: Cardinal's liability and clients exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the services rendered. This limitation shall not apply to incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, or affiliates. This limitation shall not apply to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: <i>[Signature]</i>	Date: 11/16/08	Received By: <i>[Signature]</i>	Phone Result: <input type="checkbox"/> Yes <input type="checkbox"/> No Add'l Phone #:
Relinquished By:	Date:	Received By:	Fax Result: <input type="checkbox"/> Yes <input type="checkbox"/> No Add'l Fax #:
Delivered By: (Circle One) Sampler - UPS - Bus - Other:	Sample Condition Cool Intact <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> No <input type="checkbox"/> No	CHECKED BY: (Initials) <i>[Signature]</i>	REMARKS: <i>Email Mike Bratcher * Ange Brewer 212@aol.com (Record Sample Temp on arrival.)</i>

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476



ARDINAL LABORATORIES

PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

ANALYTICAL RESULTS FOR
ENVIRONMENTAL PLUS, INC.
ATTN: SHELLY TUCKER
P.O. BOX 1558
EUNICE, NM 88231
FAX TO: (575) 394-2601

Receiving Date: 04/30/09
Reporting Date: 04/30/09
Project Owner: PPI (SANDLOT ENERGY/CANTERA)
(EPI 45501-455013)
Project Name: SANDLOT WELLS - SEC 32
Project Location: NOT GIVEN

Analysis Date: 04/30/09
Sampling Date: 04/14/09, 04/17/09 & 04/21/09
Sample Type: SOIL
Sample Condition: COOL & INTACT
Sample Received By: AB
Analyzed By: HM

LAB NUMBER	SAMPLE ID	Cl ⁻ (mg/kg)
H17330-1	RESLER YATES ST 317 - 4' WH	1,600
H17330-2	RESLER YATES ST 317 - 4' LOC	320
H17330-3	RESLER YATES ST 322 - 4' WH	560
H17330-4	RESLER YATES ST 367 - 4' WH	848
H17330-5	RESLER YATES ST 367 - 3' FL	112
H17330-6	RESLER YATES ST 370 - 4' WH	704
H17330-7	RESLER YATES ST 381 - 3' WH	1,150
H17330-8	RESLER YATES ST 381 - 5' TB	2,040
H17330-9	LEVERS A2 - 5' WH	2,120
H17330-10	LEVERS A2 - 5' LOC	2,200
H17330-11	LEVERS A STATE 2 - 3' TB	4,880
H17330-12	LEVERS A STATE - 4' TB	1,120
H17330-13	THOMAS ST 1 - 4' WH	752
H17330-14	THOMAS ST 1 - 5' TB	5,200
H17330-15	WELCH DUKE ST 18 - 10' WH	768
Quality Control		500
True Value QC		500
% Recovery		100
Relative Percent Difference		< 0.1

*rock
rock*

METHOD: Standard Methods 4500-Cl⁻B

Note: Analyses performed on 1:4 w:v aqueous extracts.


Cheryl Keene
Chemist

05/10/09
Date

H17330 EPI

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



ARDINAL LABORATORIES

PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240


ANALYTICAL RESULTS FOR
ENVIRONMENTAL PLUS, INC.
ATTN: SHELLY TUCKER
P.O. BOX 1558
EUNICE, NM 88231
FAX TO: (575) 394-2601

Receiving Date: 04/30/09
Reporting Date: 05/04/09
Project Owner: PPI (SANDLOT ENERGY/CANTERA)
Project Name: SANDLOT WELLS - SEC 32
Project Location: NOT GIVEN


Sampling Date: 04/17/09 & 04/21/09
Sample Type: SOIL
Sample Condition: COOL & INTACT
Sample Received By: ML
Analyzed By: AB

LAB NUMBER	SAMPLE ID	GRO (C ₆ -C ₁₀) (mg/kg)	DRO (>C ₁₀ -C ₂₈) (mg/kg)
ANALYSIS DATE		05/02/09	05/02/09
H17330-8	RESLER YATES ST 381-5' TB	<10.0	<10.0
H17330-11	LEVERS A STATE 2 - 3' TB	<10.0	<10.0
H17330-12	LEVERS A STATE - 4' TB	<10.0	19.2
H17330-14	THOMAS ST 1 - 5' TB	<10.0	<10.0
Quality Control		485	530
True Value QC		500	500
% Recovery		97.0	106
Relative Percent Difference		9.1	6.3

METHODS: TPH GRO & DRO: EPA SW-846 8015 M



Chemist



Date

H17330 T EPI

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the analytical service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Environmental Plus, Inc.

2100 Avenue O, Eunice, NM 88231
 (505) 394-3481 FAX: (505) 394-2601

P.O. Box 1558, Eunice, NM 88231

Chain of Custody Form

LAB: Cardinal

Company Name		Environmental Plus, Inc.		Bill To:				ANALYSIS REQUEST																							
EPI Project Manager		Shelly Tucker		PPI (Cantera) ATTN: Accounts Payable 800 Gessner Houston, TX 77024																											
Mailing Address		P.O. BOX 1558																													
City, State, Zip		Eunice New Mexico 88231																													
EPI Phone#/Fax#		575-394-3481 / 575-394-2601																													
Client Company		PPI (Sandlot Energy/Cantera)																													
Facility Name		Sandlot Wells - Sec 32																													
Location																															
Project Reference		EPI 45501-455013																													
EPI Sampler Name		Shelly Tucker																													
LAB I.D.	SAMPLE I.D.	(GRAB OR (C)OMP.	# CONTAINERS	MATRIX						PRESERV.			SAMPLING		BTEX 8021B	TPH 8015M	CHLORIDES (Cl ⁻)	SULFATES (SO ₄ ²⁻)	pH	TCLP	OTHER >>>	PAH									
				GROUND WATER	WASTEWATER	SOIL	CRUDE OIL	SLUDGE	OTHER:	ACID/BASE	ICE/COOL	OTHER	DATE	TIME																	
H17330-	1 Resler Yates St 317 - 4' WH	C	1			X					X				17-Apr-09	9:20			X												
	2 Resler Yates St 317 - 4' LOC	C	1			X					X				17-Apr-09	9:45			X												
	3 Resler Yates St 322 - 4' WH	C	1			X					X				17-Apr-09	10:45			X												
	4 Resler Yates St 367 - 4' WH	C	1			X					X				21-Apr-09	9:30			X												
	5 Resler Yates St 367 - 3' FL	C	1			X					X				21-Apr-09	9:45			X												
	6 Resler Yates St 370 - 4' WH	C	1			X					X				21-Apr-09	12:30			X												
	7 Resler Yates St 381 - 3' WH	C	1			X					X				21-Apr-09	10:45			X												
	8 Resler Yates St 381 - 5' TB	C	1			X					X				21-Apr-09	11:30	X	X													
	9 Levers A2 - 5' WH	C	1			X					X				17-Apr-09	12:30			X												
	10 Levers A2 - 5' LOC	C	1			X					X				17-Apr-09	12:50			X												
Sampler Relinquished:		04/22/09		Received By:				E-mail results to: stucker@envplus.net																							
Relinquished by:		Time: 9:55a		Received By: (lab staff)				REMARKS:																							
Delivered by:		Sample Cool & Intact		Checked By:																											
		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		AB																											

ATTACHMENT III
INITIAL NMOCD FORM C-141
FINAL NMOCD FORM C-141

District I
1625 N French Dr, Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr, Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr. **OCD-ARTESIA**
Santa Fe, NM 87505

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

OCT 20 2008

Release Notification and Corrective Action

30-015-26895

OPERATOR

Initial Report Final Report

Name of Company SANDLOTT ENERGY	Contact JACKIE BREWER
Address P.O BOX 711 LOVINGTON NM 88260	Telephone No. 575-631-4592
Facility Name LEVERS A STATE # 2	Facility Type ACTIVE PRODUCTION WELLHEAD/ BATTERY

Surface Owner NMSLO	Mineral Owner	Lease No. 30-015-26895
---------------------	---------------	------------------------

LOCATION OF RELEASE

Unit Letter B	Section 8	Township 18S	Range 28E	Feet from the 330	North/South Line NORTH	Feet from the 2310	East/West Line EAST	County EDDY
------------------	--------------	-----------------	--------------	----------------------	---------------------------	-----------------------	------------------------	----------------

Latitude _____ Longitude _____

NATURE OF RELEASE

Type of Release HISTORICAL.	Volume of Release N/A	Volume Recovered N/A
Source of Release ACCUMULATED RELEASE FROM ACTIVE WH	Date and Hour of Occurrence	Date and Hour of Discovery
Was Immediate Notice Given? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom?	
By Whom?	Date and Hour	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.*

NOT APPLICABLE

Describe Cause of Problem and Remedial Action Taken.*
WELL HEAD LEAK AT STUFFING BOX LESS THAN 5BBLs 3FT BY 3FT RADIUS
LEAK AT BACK OF BATTERY

Describe Area Affected and Cleanup Action Taken.*
DUG AROUND WELLHEAD 3FT BY 6FT RADIUS APPROX. 3FT IN DEPTH HAULED SOIL TO CRI REFILLED WITH CLEAN SOIL
BATTERY - DUG DOWN APPROX. 3FT TO 4 FT 1/2 PIE AREA 20FT BY 10 FT RADIUS HAULED TO CRI REPLACED W/ CLEAN SOIL

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 	OIL CONSERVATION DIVISION	
Printed Name: JACKIE BREWER	Approved by District Supervisor:	
Title: OPERATOR	Approval Date:	Expiration Date:
E-mail Address: brewer212@aol.com	Conditions of Approval:	Attached <input type="checkbox"/>
Date: 10-14 2008 Phone: 575-631-4592		

* Attach Additional Sheets If Necessary

Accepted for record
NMOCD

Handwritten initials

OCT 22 2008