


AP - 54

**QUARTERLY
MONITORING
REPORT**

Fourth/2009



PLAINS
PIPELINE, L.P.

RECEIVED

2010 FEB 2 PM 1 37

January 28, 2010

Mr. Edward Hansen
New Mexico Oil Conservation Division
Environmental Bureau
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

RE: Plains Pipeline, L.P. Hobbs Junction Mainline Release Site
NMOCD Reference # AP-054
Unit Letter M of Section 26, Township 18 South, Range 37 East
Lea County, New Mexico

Dear Mr. Hansen:

Plains Pipeline, L.P. is pleased to submit the attached Quarterly Report, dated January 19, 2010, for the Hobbs Junction Mainline release site located in Section 26 of Township 18 South, and Range 37 East of Lea County, New Mexico. This document summarizes the status of recent activities performed during the fourth quarter of 2009.

Should you have any questions or comments, please contact me at (575) 441-1099.

Sincerely,

Jason Henry
Remediation Coordinator
Plains All American

CC: Larry Johnson, NMOCD, Hobbs Office

Enclosure



January 19, 2010

AMARILLO
921 North Bivins
Amarillo, Texas 79107
Phone 806.467.0607
Fax 806.467.0622

AUSTIN
911 W. Anderson Lane,
Suite 202
Austin, TX 78757
Phone 512.989.3428
Fax 512.989.3487

HOBBS
318 East Taylor Street
Hobbs, New Mexico 88241
Phone 505.393.4261
Fax 505.393.4658

MIDLAND
2901 State Highway 349
Midland, Texas 79706
Phone 432.522.2133
Fax 432.522.2180

SAN ANTONIO
17170 Jordan Road
Suite 102
Selma, Texas 78154
Phone 210.579.0235
Fax 210.568.2191

TULSA
9906 East 43rd Street
Suite G
Tulsa, Oklahoma 74146
Phone 918.742.0871
Fax 918.742.0876

TYLER
719 West Front Street
Suite 255
Tyler, Texas 75702
Phone 903.531.9971
Fax 903.531.9979

**ENVIRONMENTAL CONSULTING
ENGINEERING
DRILLING
CONSTRUCTION
EMERGENCY RESPONSE**

Toll Free: 866.742.0742
www.talonlpe.com

Mr. Edward Hansen
New Mexico Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

Re: Plains Pipeline, L.P. Hobbs Junction Mainline (Plains SRS#2003-00017)
Fourth Quarter 2009 Summary
NMOCD Reference # AP-054
UL-M (SW¼ of the SW¼) of Section 26, T18S, R37E
Latitude: 32° 42' 40.85"N and Longitude: 103° 13' 42.01"W
Landowners: State of New Mexico and Ms. Faye Klein
Lea County, New Mexico

Dear Mr. Hansen:

Talon/LPE (Talon), on behalf of Plains Pipeline, L.P. (Plains) submits this letter summarizing the 2009, fourth quarter activities.

Remediation Activities

During the fourth quarter of 2009, six specific gravity skimmers with bladder pumps were operating in monitoring wells MW-2, MW-6, MW-11, MW-14, MW-15, and MW-17, and five total fluids pumps were operating in monitoring wells MW-1, MW-3, MW-4, MW-5, and MW-12. The pumps were utilized to recover phase separated hydrocarbons (PSH) and inhibit the migration of the PSH and dissolved-phase plumes. The recovery system is inspected and maintained biweekly to optimize recovery rates.

During the fourth quarter, approximately 2,256 barrels of water was recovered by the system and 2,283 barrels of water was transferred to Occidental Permian's North Hobbs Satellite disposal facility. In addition, approximately 36 barrels of crude oil was recovered by the system. No crude oil was removed from the recovery tank during the fourth quarter.

Quarterly Sampling Event

On November 18, 2009, the fourth quarter groundwater sampling event was conducted at the site. During the sampling event, all monitor wells were measured with an interface probe to determine static water levels and the presence and/or absence of PSH. Groundwater samples from monitor wells MW-10, MW-16, and MW-18 through MW-24 were collected and submitted to the laboratory for quantification of benzene, toluene, ethylbenzene, and xylene (BTEX) using EPA SW-846 Method 8021B. Samples were not collected from monitor wells MW-7 through MW-9 and MW-13 because they were not scheduled to be sampled during this event. In addition, samples were not collected from eleven monitor wells that were impacted with PSH (MW-1 through, MW-6, MW-11, MW-12, MW-14, MW-15, and MW-17).

Groundwater Monitoring Event Results

During the November 2009 groundwater monitoring event, groundwater samples were collected from a total of nine monitor wells not impacted with PSH (MW-10, MW-16, and MW-18 through MW-24). Data collected from the groundwater monitoring event exhibited the following results:

- Benzene concentrations ranged from <0.00100 mg/L to 23.9 mg/L. Benzene concentrations exceeded the New Mexico Water Quality Control Commission (NMWQCC) remediation threshold of 0.010 mg/L in groundwater samples collected from monitor wells MW-10, MW-20, and MW-21.
- Toluene concentrations ranged from <0.00100 mg/L to 2.22 mg/L. Toluene concentrations exceeded the NMWQCC remediation threshold of 0.750 mg/L in the groundwater samples collected from monitor wells MW-10 and MW-20.
- Ethylbenzene concentrations ranged from <0.00100 mg/L to 1.48 mg/L. Ethylbenzene concentrations exceeded the NMWQCC remediation threshold of 0.750 mg/L in the groundwater samples collected from monitor wells MW-10 and MW-20.
- Xylene concentrations ranged from <0.00100 mg/L to 1.14 mg/L. Xylene concentrations exceeded the NMWQCC remediation threshold of 0.620 mg/L in the groundwater sample collected from monitor well MW-20.
- Compared to the third quarter analytical results, dissolved-phase concentrations remained relatively stable during the fourth quarter.
- Compared to the third quarter, groundwater levels exhibited a continued declining trend with an average drop of 0.78 feet during the fourth quarter.
- PSH thicknesses exhibited a decline in wells located in the eastern portion of the plume and exhibited an increase in wells located in the western portion of the plume.

Groundwater elevations and PSH thicknesses are summarized in Table 1 in Appendix B, groundwater analytical results are summarized in Tables 2 in Appendix B and the laboratory analytical report and chain of custody documentation are provided in Appendix C.

If you have any questions or require further information, please contact me at (432) 522-2133 or Mr. Jeff Dann at (713) 646-4657.

Sincerely,



Steven R. Killingsworth, P.G.
Senior Project Manager

Cc: Mr. Jeffery P. Dann, Plains Pipeline, L.P.

Appendices:

Appendix A **Figures**

Appendix B **Tables**

Appendix C **Laboratory Analytical Data Reports and Chain of Custody Documentation**

Appendix A

Figures


Figure 1 - Site Layout and Monitor Well Location Map

Figure 2 - Groundwater Gradient Map - 11/18/2009

Figure 3 - Groundwater Concentration and PSH Plume Map - 11/18/2009



0 55 110
Scale in Feet



Legend

- Monitor Well
- Fence Line
- Overhead Powerline
- Natural Gas Line
- Crude Pipeline
- Power Pole W/Transformer
- Compressor Shed
- Controls
- Recovery System Tank and Containment

Project # PLAINS047SPL



Date: 04/09/2009

Scale: 1" = 110'


Drawn By: SIA

Hobbs Junction Mainline

SRS # 2003-00017, NMOCD REF. # AP-054

SW 1/4, SW 1/4, of Sec. 26, T18S, R37E, Lea County, New Mexico

Figure 1 - Site Plan



Project = 700376.018.01



Date: 12/16/2009

Scale: 1" = 110'

Drawn By: TJS

Hobbs Junction Mainline

SRS # 2003-00017, NMOCD REF. # AP-054

SW 1/4, SW 1/4, of Sec. 26, T18S, R37E, Lea County, New Mexico


Figure 2d- Groundwater Gradient Map - (11/18/2009)



0 60 120
Scale in Feet

Legend

- Monitor Well
- Fence Line
- Overhead Powerline
- Natural Gas Line
- Crude Pipeline
- Power Pole W/Transformer
- Compressor Shed
- Controls
- Recovery System Tank and Containment
- PSH Thickness Contour Line
- PSH Thickness
- 2.0'
- B = Benzene
- T = Toluene
- E = Ethylbenzene
- X = Xylenes



Project # 700376.018.01



Date: 12/07/2009

Scale: 1" = 120'

Drawn By: TJS

Hobbs Junction Mainline

SRS # 2003-00017, NMOCD REF. # AP-054

SW 1/4, SW 1/4, of Sec. 26, T18S, R37E, Lea County, New Mexico

Figure 3a - PSH Thickness & Groundwater Concentration Map, (11/18/2009)

Appendix B

Tables

Table 1 - Summary of Historical Fluid Level Measurements

Table 2 - Summary of BTEX Groundwater Analytical Data



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-1	06/23/03	3,678.50	38.49	45.43	6.94	3,639.32
MW-1	06/25/03		38.48	45.43	6.95	3,639.33
MW-1	07/01/03		36.64	48.25	11.61	3,640.70
MW-1	07/07/03		38.73	45.55	6.82	3,639.09
MW-1	07/22/03		37.32	48.05	10.73	3,640.11
MW-1	07/23/03		37.33	48.06	10.73	3,640.10
MW-1	07/24/03		37.40	47.90	10.50	3,640.05
MW-1	07/30/03		37.41	47.90	10.49	3,640.04
MW-1	10/13/03		36.81	47.34	10.53	3,640.64
MW-1	12/11/03		37.79	46.85	9.06	3,639.80
MW-1	12/15/03		37.75	46.77	9.02	3,639.85
MW-1	02/18/04		38.42	47.64	9.22	3,639.16
MW-1	03/29/04		37.45	45.35	7.90	3,640.26
MW-1	04/29/04		38.26	42.18	3.92	3,639.85
MW-1	05/03/04		37.44	46.11	8.67	3,640.19
MW-1	07/12/04		38.34	45.66	7.32	3,639.43
MW-1	12/09/04		35.90	43.54	7.64	3,641.84
MW-1	02/16/05		35.15	42.54	7.39	3,642.61
MW-1	03/31/05		35.27	42.81	7.54	3,642.48
MW-1	05/13/05		35.31	42.60	7.29	3,642.46
MW-1	05/26/05		35.41	42.61	7.20	3,642.37
MW-1	06/28/05		35.48	42.65	7.17	3,642.30
MW-1	08/15/05		35.72	42.16	6.44	3,642.14




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-1	11/14/05		36.26	41.80	5.54	3,641.69
MW-1	01/23/06		36.71	42.14	5.43	3,641.25
MW-1	03/02/06		36.36	41.41	5.05	3,641.64
MW-1	06/01/06		37.58	42.01	4.43	3,640.48
MW-1	08/14/06		37.63	43.68	6.05	3,640.27
MW-1	11/28/06		37.27	42.50	5.23	3,640.71
MW-1	12/12/06		37.25	41.49	4.24	3,640.83
MW-1	01/09/07		37.31	42.71	5.40	3,640.65
MW-1	02/08/07		37.25	42.78	5.53	3,640.70
MW-1	02/27/07		37.34	42.88	5.54	3,640.61
MW-1	03/09/07		37.30	42.74	5.44	3,640.66
MW-1	03/13/07		37.28	42.78	5.50	3,640.67
MW-1	03/15/07		37.31	42.79	5.48	3,640.64
MW-1	03/23/07		37.32	42.80	5.48	3,640.63
MW-1	03/28/07		37.30	42.78	5.48	3,640.65
MW-1	04/12/07		38.03	42.40	4.37	3,640.03
MW-1	04/18/07		37.47	42.61	5.14	3,640.52
MW-1	05/23/07		38.28	42.24	3.96	3,639.82
MW-1	06/20/07		37.90	41.74	3.84	3,640.22
MW-1	06/28/07		37.87	41.69	3.82	3,640.25
MW-1	07/18/07		37.95	41.63	3.68	3,640.18
MW-1	08/15/07		37.74	42.62	4.88	3,640.27
MW-1	08/22/07		38.41	39.20	0.79	3,640.01



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCDF REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-1	08/28/07		38.76	39.08	0.32	3,639.71
MW-1	09/19/07		37.99	40.99	3.00	3,640.21
MW-1	09/25/07		39.30	39.93	0.63	3,639.14
MW-1	10/09/07		38.52	38.90	0.38	3,639.94
MW-1	10/17/07		38.51	38.88	0.37	3,639.95
MW-1	10/26/07		38.49	38.91	0.42	3,639.97
MW-1	11/05/07		38.16	42.11	3.95	3,639.95
MW-1	11/12/07		38.51	38.96	0.45	3,639.95
MW-1	12/05/07		38.12	40.88	2.76	3,640.10
MW-1	01/03/08		38.12	41.04	2.92	3,640.09
MW-1	01/30/08		38.03	41.94	3.91	3,640.08
MW-1	02/04/08		38.02	41.97	3.95	3,640.09
MW-1	02/12/08		38.04	41.96	3.92	3,640.07
MW-1	03/11/08		38.26	41.29	3.03	3,639.94
MW-1	03/26/08		38.82	39.06	0.24	3,639.66
MW-1	04/02/08		39.21	39.42	0.21	3,639.27
MW-1	04/16/08		38.87	39.24	0.37	3,639.59
MW-1	04/29/08		38.87	39.66	0.86	3,639.61
MW-1	05/07/08		38.94	42.34	3.40	3,639.22
MW-1	06/11/08		38.57	42.36	3.79	3,639.55
MW-1	06/20/08		38.59	42.58	3.99	3,639.51
MW-1	07/22/08		38.54	42.37	3.83	3,639.58
MW-1	07/24/08		39.94	40.41	0.47	3,638.51



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-1	08/19/08		38.76	39.88	1.12	3,639.63
MW-1	08/20/08		38.74	43.89	5.15	3,639.25
MW-1	11/18/08		38.17	43.12	4.95	3,639.84
MW-1	12/18/08		38.21	43.15	4.94	3,639.80
MW-1	01/13/09		38.30	42.81	4.51	3,639.75
MW-1	03/03/09		38.33	43.25	4.92	3,639.68
MW-1	06/24/09		38.49	43.51	5.02	3,639.51
MW-1	08/11/09		38.60	43.79	5.19	3,639.38
MW-1	11/18/09		39.04	43.84	4.80	3,638.67
MW-2	06/26/03	3,679.47	38.72	44.93	6.21	3,640.13
MW-2	07/01/03		38.65	45.42	6.77	3,640.14
MW-2	07/22/03		38.63	45.63	7.00	3,640.14
MW-2	07/23/03		38.64	45.63	6.99	3,640.13
MW-2	07/24/03		39.20	43.57	4.37	3,639.83
MW-2	07/30/03		39.21	43.58	4.37	3,639.82
MW-2	12/11/03		38.88	45.51	6.63	3,639.93
MW-2	12/15/03		38.84	45.41	6.57	3,639.97
MW-2	03/23/04		38.36	44.52	6.16	3,640.49
MW-2	03/29/04		38.47	44.04	5.57	3,640.44
MW-2	04/29/04		38.16	48.06	9.90	3,640.32
MW-2	05/03/04		38.39	44.27	5.88	3,640.49
MW-2	07/12/04		39.42	44.67	5.25	3,639.53




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-2	12/09/04		37.00	42.52	5.52	3,641.92
MW-2	02/16/05		36.87	44.03	7.16	3,641.88
MW-2	03/31/05		36.17	41.85	5.68	3,642.73
MW-2	05/13/05		36.27	42.10	5.83	3,642.62
MW-2	05/26/05		36.84	39.29	2.45	3,642.39
MW-2	06/28/05		36.39	41.57	5.18	3,642.56
MW-2	08/15/05		37.15	38.92	1.77	3,642.14
MW-2	11/14/05		37.56	39.16	1.60	3,641.75
MW-2	01/23/06		38.01	39.54	1.53	3,641.31
MW-2	03/02/06		37.60	38.93	1.33	3,641.74
MW-2	06/01/06		38.48	41.05	2.57	3,640.73
MW-2	08/14/06		39.23	41.24	2.01	3,640.04
MW-2	11/28/06		38.33	40.73	2.40	3,640.90
MW-2	12/12/06		37.80	44.10	6.30	3,641.04
MW-2	01/09/07		38.20	42.21	4.01	3,640.87
MW-2	02/08/07		37.94	42.60	4.66	3,641.06
MW-2	02/27/07		38.15	43.34	5.19	3,640.80
MW-2	03/09/07		38.07	42.24	4.17	3,640.98
MW-2	03/13/07		38.07	42.32	4.25	3,640.98
MW-2	03/15/07		38.09	42.39	4.30	3,640.95
MW-2	03/23/07		38.16	42.00	3.84	3,640.93
MW-2	03/28/07		38.13	42.22	4.09	3,640.93
MW-2	04/12/07		38.51	41.93	3.42	3,640.62




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCDF REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-2	04/18/07		38.97	39.73	0.76	3,640.42
MW-2	05/23/07		38.98	39.50	0.52	3,640.44
MW-2	06/20/07		38.94	39.90	0.96	3,640.43
MW-2	06/28/07		38.66	40.88	2.22	3,640.59
MW-2	07/18/07		38.53	41.85	3.32	3,640.61
MW-2	08/15/07		38.50	42.11	3.61	3,640.61
MW-2	08/28/07		38.40	42.21	3.81	3,640.69
MW-2	09/19/07		38.41	42.18	3.77	3,640.68
MW-2	09/25/07		38.41	42.20	3.79	3,640.68
MW-2	10/09/07		38.86	40.37	1.51	3,640.46
MW-2	10/17/07		38.93	40.07	1.14	3,640.43
MW-2	10/26/07		38.68	41.27	2.59	3,640.53
MW-2	11/05/07		38.80	40.64	1.84	3,640.49
MW-2	11/12/07		38.91	40.23	1.32	3,640.43
MW-2	12/05/07		38.72	41.51	2.79	3,640.47
MW-2	01/03/08		39.87	41.11	1.24	3,639.48
MW-2	01/30/08		38.76	41.78	3.02	3,640.41
MW-2	02/04/08		38.81	41.82	3.01	3,640.36
MW-2	02/12/08		38.78	41.80	3.02	3,640.39
MW-2	03/11/08		39.28	39.79	0.51	3,640.14
MW-2	03/26/08		39.38	39.65	0.27	3,640.06
MW-2	04/02/08		39.44	39.67	0.23	3,640.01
MW-2	04/29/08		39.11	41.58	2.47	3,640.11



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-2	04/16/08		39.28	40.63	1.35	3,640.06
MW-2	05/07/08		39.08	42.88	3.80	3,640.01
MW-2	06/11/08		39.74	39.91	0.17	3,639.71
MW-2	06/20/08		39.78	40.21	0.43	3,639.65
MW-2	07/24/08		40.33	41.46	1.13	3,639.03
MW-2	08/19/08		40.05	41.19	1.14	3,639.31
MW-2	09/02/08		39.25	40.76	1.51	3,640.07
MW-2	11/18/08		39.19	41.72	2.53	3,640.03
MW-2	12/18/08		39.11	42.19	3.08	3,640.05
MW-2	01/13/09		39.14	42.24	3.10	3,640.02
MW-2	03/03/09		39.22	42.45	3.23	3,639.93
MW-2	06/24/09		39.36	42.76	3.40	3,639.77
MW-2	08/11/09		39.43	43.15	3.72	3,639.67
MW-2	11/18/09		39.77	44.18	4.41	3,638.97
MW-3	10/13/03	3,679.81	39.21	48.75	9.54	3,639.65
MW-3	12/11/03		39.15	48.95	9.80	3,639.68
MW-3	12/15/03		39.08	50.91	11.83	3,639.55
MW-3	02/18/04		38.72	48.26	9.54	3,640.14
MW-3	03/12/04		39.82	48.49	8.67	3,639.12
MW-3	03/29/04		38.81	46.32	7.51	3,640.25
MW-3	04/29/04		39.49	44.11	4.62	3,639.86
MW-3	05/03/04		38.77	46.51	7.74	3,640.27



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-3	07/12/04		39.68	46.81	7.13	3,639.42
MW-3	12/09/04		37.21	45.06	7.85	3,641.82
MW-3	02/16/05		36.70	42.67	5.97	3,642.51
MW-3	03/31/05		38.17	38.20	0.03	3,641.64
MW-3	05/13/05		36.67	44.45	7.78	3,642.36
MW-3	05/26/05		36.92	42.88	5.96	3,642.29
MW-3	06/28/05		36.72	44.05	7.33	3,642.36
MW-3	08/15/05		37.12	43.17	6.05	3,642.09
MW-3	11/14/05		37.69	42.67	4.98	3,641.62
MW-3	01/23/06		38.08	43.31	5.23	3,641.21
MW-3	03/02/06		37.80	42.37	4.57	3,641.55
MW-3	06/01/06		38.50	42.53	4.03	3,640.91
MW-3	08/14/06		39.27	44.64	5.37	3,640.00
MW-3	11/28/06		38.61	43.75	5.14	3,640.69
MW-3	12/12/06		38.56	43.91	5.35	3,640.72
MW-3	01/09/07		38.36	43.21	4.85	3,640.97
MW-3	02/08/07		38.50	44.15	5.65	3,640.75
MW-3	02/27/07		38.67	44.25	5.58	3,640.58
MW-3	03/09/07		38.89	44.13	5.24	3,640.40
MW-3	03/13/07		38.58	44.19	5.61	3,640.67
MW-3	03/15/07		38.62	44.23	5.61	3,640.63
MW-3	03/23/07		38.61	44.12	5.51	3,640.65
MW-3	03/28/07		38.61	44.23	5.62	3,640.64




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-3	04/12/07		39.88	39.93	0.05	3,639.93
MW-3	04/18/07		39.64	41.30	1.66	3,640.00
MW-3	05/23/07		39.96	40.32	0.36	3,639.81
MW-3	06/20/07		39.86	40.20	0.34	3,639.92
MW-3	06/28/07		39.86	40.12	0.26	3,639.92
MW-3	07/18/07		39.89	40.19	0.30	3,639.89
MW-3	08/15/07		39.12	43.68	4.56	3,640.23
MW-3	08/22/07		39.11	43.56	4.45	3,640.26
MW-3	08/28/07		39.30	43.09	3.79	3,640.13
MW-3	09/19/07		39.12	43.20	4.08	3,640.28
MW-3	09/25/07		39.17	42.94	3.77	3,640.26
MW-3	10/09/07		39.07	41.74	2.67	3,640.47
MW-3	10/17/07		39.12	43.44	4.32	3,640.26
MW-3	10/26/07		39.24	42.99	3.75	3,640.20
MW-3	11/05/07		39.19	43.10	3.91	3,640.23
MW-3	11/12/07		39.90	40.21	0.31	3,639.88
MW-3	12/05/07		39.64	41.52	1.88	3,639.98
MW-3	01/03/08		39.68	41.72	2.04	3,639.93
MW-3	01/30/08		39.65	41.53	1.88	3,639.97
MW-3	02/04/08		39.70	41.59	1.89	3,639.92
MW-3	02/12/08		39.65	41.59	1.94	3,639.97
MW-3	03/11/08		39.46	41.82	2.36	3,640.11
MW-3	03/26/08		40.15	40.41	0.26	3,639.63




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCDF REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-3	04/02/08		41.21	41.47	0.26	3,638.57
MW-3	04/16/08		40.21	40.55	0.34	3,639.57
MW-3	04/29/08		40.22	40.69	0.47	3,639.54
MW-3	05/07/08		40.29	43.96	3.67	3,639.15
MW-3	06/11/08		39.89	44.65	4.76	3,639.44
MW-3	06/20/08		39.90	43.91	4.01	3,639.51
MW-3	07/22/08		40.41	41.58	1.17	3,639.28
MW-3	07/24/08		40.51	45.03	4.52	3,638.85
MW-3	08/19/08		40.08	46.33	6.25	3,639.11
MW-3	08/20/08		40.08	45.33	5.25	3,639.21
MW-3	11/18/08		39.46	44.64	5.18	3,639.83
MW-3	12/18/08		39.51	44.63	5.12	3,639.79
MW-3	01/13/09		39.64	44.17	4.53	3,639.72
MW-3	03/03/09		39.65	44.62	4.97	3,639.66
MW-3	06/24/09		39.94	44.25	4.31	3,639.44
MW-3	08/11/09		39.91	45.05	5.14	3,639.39
MW-3	11/18/09		40.51	44.79	4.28	3,638.59
MW-4	10/13/03	3,679.64	39.01	48.75	9.74	3,639.66
MW-4	12/11/03		38.92	47.32	8.40	3,639.88
MW-4	12/15/03		38.84	47.16	8.32	3,639.97
MW-4	02/18/04		38.48	46.62	8.14	3,640.35
MW-4	03/12/04		39.09	47.51	8.42	3,639.71



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-4	03/29/04		38.59	45.62	7.03	3,640.35
MW-4	04/29/04		39.94	44.23	4.29	3,639.27
MW-4	05/03/04		38.55	46.33	7.78	3,640.31
MW-4	07/12/04		39.49	46.24	6.75	3,639.48
MW-4	12/09/04		37.03	44.15	7.12	3,641.90
MW-4	02/16/05		36.28	43.01	6.73	3,642.69
MW-4	03/31/05		36.45	42.62	6.17	3,642.57
MW-4	05/13/05		36.37	43.25	6.88	3,642.58
MW-4	05/26/05		36.51	42.79	6.28	3,642.50
MW-4	06/28/05		36.47	43.26	6.79	3,642.49
MW-4	08/15/05		36.79	42.80	6.01	3,642.25
MW-4	11/14/05		37.35	42.24	4.89	3,641.80
MW-4	01/23/06		37.80	42.66	4.86	3,641.35
MW-4	03/02/06		37.43	41.97	4.54	3,641.76
MW-4	06/01/06		38.16	43.90	5.74	3,640.91
MW-4	08/14/06		39.01	44.12	5.11	3,640.12
MW-4	11/28/06		38.37	43.91	5.54	3,640.72
MW-4	12/12/06		38.35	43.06	4.71	3,640.82
MW-4	01/09/07		37.86	44.18	6.32	3,641.15
MW-4	02/08/07		38.28	44.93	6.65	3,640.70
MW-4	02/27/07		38.40	44.38	5.98	3,640.64
MW-4	03/09/04		38.34	43.32	4.98	3,640.80
MW-4	03/13/07		38.34	43.35	5.01	3,640.80



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-4	03/15/07		38.30	43.38	5.08	3,640.83
MW-4	03/23/07		38.38	43.37	4.99	3,640.76
MW-4	03/28/07		38.37	43.42	5.05	3,640.77
MW-4	04/12/07		38.71	42.96	4.25	3,640.51
MW-4	04/18/07		38.00	43.14	5.14	3,641.13
MW-4	05/23/07		39.87	42.73	2.86	3,639.48
MW-4	06/20/07		38.90	42.52	3.62	3,640.38
MW-4	06/28/07		38.92	42.34	3.42	3,640.38
MW-4	07/18/07		38.99	42.36	3.37	3,640.31
MW-4	08/15/07		39.00	42.33	3.33	3,640.31
MW-4	08/22/07		38.97	42.27	3.30	3,640.34
MW-4	08/28/07		39.12	41.89	2.77	3,640.24
MW-4	09/19/07		38.89	42.32	3.43	3,640.41
MW-4	09/25/07		39.07	41.64	2.57	3,640.31
MW-4	10/09/07		39.12	41.74	2.62	3,640.26
MW-4	10/17/07		39.12	41.66	2.54	3,640.27
MW-4	10/26/07		39.10	41.42	2.32	3,640.31
MW-4	11/05/07		38.94	42.60	3.66	3,640.33
MW-4	11/12/07		39.27	41.09	1.82	3,640.19
MW-4	12/05/07		39.04	41.98	2.94	3,640.31
MW-4	01/03/08		39.26	41.74	2.48	3,640.13
MW-4	01/30/08		39.08	41.55	2.47	3,640.31
MW-4	02/04/08		39.15	41.61	2.46	3,640.24




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOC D REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-4	02/12/08		39.10	41.62	2.52	3,640.29
MW-4	03/11/08		39.36	41.86	2.50	3,640.03
MW-4	03/26/08		39.18	42.99	3.81	3,640.08
MW-4	04/02/08		39.24	43.07	3.83	3,640.02
MW-4	04/16/08		39.69	41.09	1.40	3,639.81
MW-4	04/29/08		39.77	41.04	1.27	3,639.74
MW-4	05/07/08		40.07	43.59	3.52	3,639.22
MW-4	06/11/08		39.69	42.97	3.28	3,639.62
MW-4	06/20/08		39.65	43.07	3.42	3,639.65
MW-4	07/22/08		39.51	43.35	3.84	3,639.75
MW-4	07/24/08		40.98	41.16	0.18	3,638.64
MW-4	08/19/08		39.88	44.41	4.53	3,639.31
MW-4	08/20/08		39.97	44.42	4.45	3,639.23
MW-4	11/18/08		39.27	43.72	4.45	3,639.93
MW-4	12/18/08		39.29	43.75	4.46	3,639.90
MW-4	01/13/09		39.42	43.25	3.83	3,639.84
MW-4	03/03/09		39.45	43.71	4.26	3,639.76
MW-4	06/24/09		39.71	43.35	3.64	3,639.57
MW-4	08/11/09		39.68	44.24	4.56	3,639.50
MW-4	11/18/09		40.20	44.29	4.09	3,638.77
MW-5	10/13/03	3,679.26	40.35	43.02	2.67	3,638.64
MW-5	12/11/03		38.95	47.81	8.86	3,639.42




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-5	12/15/03		38.91	47.72	8.81	3,639.47
MW-5	02/18/04		38.61	47.44	8.83	3,639.77
MW-5	03/29/04		38.76	46.15	7.39	3,639.76
MW-5	04/29/04		38.55	47.41	8.86	3,639.82
MW-5	05/03/04		38.52	47.46	8.94	3,639.85
MW-5	07/12/04		39.24	47.72	8.48	3,639.17
MW-5	12/09/04		36.99	45.01	8.02	3,641.47
MW-5	02/16/05		36.24	44.48	8.24	3,642.20
MW-5	02/22/05		36.20	44.50	8.30	3,642.23
MW-5	03/31/05		36.38	44.38	8.00	3,642.08
MW-5	05/13/05		36.43	44.29	7.86	3,642.04
MW-5	05/26/05		36.66	43.50	6.84	3,641.92
MW-5	06/28/05		36.58	44.45	7.87	3,641.89
MW-5	08/15/05		36.93	43.52	6.59	3,641.67
MW-5	11/14/05		37.45	43.27	5.82	3,641.23
MW-5	01/23/06		37.85	43.90	6.05	3,640.81
MW-5	03/02/06		37.46	43.41	5.95	3,641.21
MW-5	06/01/06		38.74	43.32	4.58	3,640.06
MW-5	08/14/06		38.92	45.05	6.13	3,639.73
MW-5	11/28/06		38.39	44.35	5.96	3,640.27
MW-5	12/12/06		38.32	44.91	6.59	3,640.28
MW-5	01/09/07		38.47	43.56	5.09	3,640.28
MW-5	02/08/07		38.28	44.42	6.14	3,640.37




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-5	02/27/07		38.36	45.29	6.93	3,640.21
MW-5	03/09/07		38.44	45.22	6.78	3,640.14
MW-5	03/13/07		38.36	45.08	6.72	3,640.23
MW-5	03/15/07		38.37	45.09	6.72	3,640.22
MW-5	03/23/07		38.33	45.15	6.82	3,640.25
MW-5	03/28/07		38.35	45.17	6.82	3,640.23
MW-5	04/12/07		39.69	41.87	2.18	3,639.35
MW-5	04/18/07		40.31	42.84	2.53	3,638.70
MW-5	05/23/07		39.96	40.60	0.64	3,639.24
MW-5	06/20/07		39.38	42.16	2.78	3,639.60
MW-5	06/28/07		39.87	40.41	0.54	3,639.34
MW-5	07/18/07		39.95	40.35	0.40	3,639.27
MW-5	08/22/07		39.85	40.20	0.35	3,639.38
MW-5	08/28/07		39.20	42.98	3.78	3,639.68
MW-5	09/19/07		38.97	43.67	4.70	3,639.82
MW-5	09/25/07		39.14	42.87	3.73	3,639.75
MW-5	10/09/07		40.07	40.29	0.22	3,639.17
MW-5	10/17/07		39.01	43.06	4.05	3,639.85
MW-5	11/05/07		39.07	43.02	3.95	3,639.80
MW-5	12/05/07		39.13	42.26	3.13	3,639.82
MW-5	01/30/08		38.94	44.87	5.93	3,639.73
MW-5	02/04/08		39.05	44.96	5.91	3,639.62
MW-5	02/12/08		38.97	44.90	5.93	3,639.70




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-5	03/11/08		39.54	42.71	3.17	3,639.40
MW-5	03/26/08		40.10	40.31	0.21	3,639.14
MW-5	04/02/08		40.19	40.39	0.20	3,639.05
MW-5	04/16/08		40.03	40.65	0.62	3,639.17
MW-5	04/29/08		39.14	42.99	3.85	3,639.74
MW-5	06/11/08		40.49	40.67	0.18	3,638.75
MW-5	06/20/08		40.53	40.76	0.23	3,638.71
MW-5	07/22/08		40.31	40.85	0.54	3,638.90
MW-5	07/24/08		41.25	41.39	0.14	3,638.00
MW-5	08/19/08		39.82	40.25	0.43	3,639.40
MW-5	08/20/08		39.82	40.29	0.47	3,639.39
MW-5	11/18/08		39.20	45.62	6.42	3,639.42
MW-5	12/18/08		39.24	45.71	6.47	3,639.37
MW-5	01/13/09		39.36	45.23	5.87	3,639.31
MW-5	03/03/09		39.36	45.66	6.30	3,639.27
MW-5	06/24/09		39.55	45.65	6.10	3,639.10
MW-5	08/11/09		39.69	45.79	6.10	3,638.96
MW-5	12/18/09		40.28	45.51	5.23	3,638.12
MW-6	10/13/03	3,680.63	40.04	50.12	10.08	3,639.58
MW-6	12/11/03		40.01	48.43	8.42	3,639.78
MW-6	12/15/03		39.92	48.33	8.41	3,639.87
MW-6	02/18/04		39.63	47.81	8.18	3,640.18




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-6	03/12/04		39.68	47.51	7.83	3,640.17
MW-6	03/29/04		39.67	46.50	6.83	3,640.28
MW-6	04/29/04		40.18	44.76	4.58	3,639.99
MW-6	05/03/04		39.66	46.63	6.97	3,640.27
MW-6	07/12/04		40.52	47.68	7.16	3,639.39
MW-6	12/09/04		38.11	45.06	6.95	3,641.83
MW-6	02/16/05		36.25	44.44	8.19	3,643.56
MW-6	02/22/05		37.25	44.44	7.19	3,642.66
MW-6	03/31/05		37.52	44.15	6.63	3,642.45
MW-6	05/13/05		37.46	44.75	7.29	3,642.44
MW-6	05/26/05		37.71	43.31	5.60	3,642.36
MW-6	06/28/05		37.62	44.18	6.56	3,642.35
MW-6	08/15/05		38.09	42.77	4.68	3,642.07
MW-6	11/14/05		38.64	43.31	4.67	3,641.52
MW-6	01/23/06		39.08	42.67	3.59	3,641.19
MW-6	03/02/06		38.85	41.45	2.60	3,641.52
MW-6	06/01/06		40.06	41.84	1.78	3,640.39
MW-6	08/14/06		40.19	44.64	4.45	3,640.00
MW-6	11/28/06		39.36	44.31	4.95	3,640.78
MW-6	12/12/06		39.32	43.81	4.49	3,640.86
MW-6	01/09/07		39.71	42.41	2.70	3,640.65
MW-6	02/08/07		39.30	44.49	5.19	3,640.81
MW-6	02/27/07		39.41	44.54	5.13	3,640.71




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-6	03/09/07		39.40	44.47	5.07	3,640.72
MW-6	03/13/07		39.40	44.47	5.07	3,640.72
MW-6	03/15/07		39.40	44.50	5.10	3,640.72
MW-6	03/23/07		39.41	44.42	5.01	3,640.72
MW-6	03/28/07		39.45	44.80	5.35	3,640.65
MW-6	04/12/07		40.33	41.37	1.04	3,640.20
MW-6	04/18/07		40.61	40.83	0.22	3,640.00
MW-6	05/23/07		40.50	40.90	0.40	3,640.09
MW-6	06/20/07		40.58	41.25	0.67	3,639.98
MW-6	06/28/07		40.24	42.01	1.77	3,640.21
MW-6	07/18/07		39.94	43.74	3.80	3,640.31
MW-6	08/15/07		40.51	41.06	0.55	3,640.07
MW-6	08/22/07		40.56	40.81	0.25	3,640.05
MW-6	08/28/07		40.30	42.31	2.01	3,640.13
MW-6	09/19/07		39.78	44.04	4.26	3,640.42
MW-6	09/25/07		39.84	44.15	4.31	3,640.36
MW-6	10/09/07		39.82	44.15	4.33	3,640.38
MW-6	10/17/07		40.55	40.83	0.28	3,640.05
MW-6	10/26/07		39.98	43.54	3.56	3,640.29
MW-6	11/05/07		39.88	43.98	4.10	3,640.34
MW-6	11/12/07		39.91	43.99	4.08	3,640.31
MW-6	12/05/07		39.98	43.97	3.99	3,640.25
MW-6	01/03/08		39.66	40.44	0.78	3,640.89




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-6	01/30/08		40.11	43.81	3.70	3,640.15
MW-6	02/04/08		40.23	43.96	3.73	3,640.03
MW-6	02/12/08		40.15	43.90	3.75	3,640.11
MW-6	03/11/08		39.64	41.79	2.15	3,640.78
MW-6	03/26/08		40.38	43.19	2.81	3,639.97
MW-6	04/02/08		40.90	41.15	0.25	3,639.71
MW-6	04/16/08		40.91	41.23	0.32	3,639.69
MW-6	04/29/08		39.96	41.28	1.32	3,640.54
MW-6	05/07/08		40.60	43.17	2.57	3,639.77
MW-6	06/11/08		41.22	41.47	0.25	3,639.39
MW-6	06/20/08		41.27	41.54	0.27	3,639.33
MW-6	07/24/08		41.98	42.18	0.20	3,638.63
MW-6	08/19/08		41.19	44.28	3.09	3,639.13
MW-6	08/20/08		41.17	44.44	3.27	3,639.13
MW-6	09/02/08		40.95	41.17	0.22	3,639.66
MW-6	11/18/08		40.33	44.63	4.30	3,639.87
MW-6	12/18/08		40.35	44.80	4.45	3,639.84
MW-6	01/13/09		40.45	44.37	3.92	3,639.79
MW-6	03/03/09		40.51	44.65	4.14	3,639.71
MW-6	06/24/09		40.90	43.77	2.87	3,639.44
MW-6	08/11/09		40.86	46.41	5.55	3,639.22
MW-6	11/18/09		40.28	45.51	5.23	3,639.49



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-7	01/23/04	3,679.85		39.64		3,640.21
MW-7	04/29/04			39.29		3,640.56
MW-7	05/12/04			39.29		3,640.56
MW-7	06/03/04			39.27		3,640.58
MW-7	07/12/04			40.42		3,639.43
MW-7	07/19/04			40.68		3,639.17
MW-7	11/08/04			38.66		3,641.19
MW-7	03/31/05			37.07		3,642.78
MW-7	05/13/05			37.10		3,642.75
MW-7	05/23/05			37.09		3,642.76
MW-7	05/26/05			37.13		3,642.69
MW-7	06/28/05			37.16		3,642.69
MW-7	08/15/05			37.32		3,642.45
MW-7	08/17/05			37.26		3,642.59
MW-7	11/14/05			37.40		3,642.45
MW-7	01/23/06			38.12		3,641.73
MW-7	03/02/06			37.49		3,642.36
MW-7	06/01/06			38.40		3,641.45
MW-7	08/14/06			39.50		3,640.35
MW-7	11/28/06			38.61		3,641.24
MW-7	12/12/06			38.62		3,641.23
MW-7	01/09/07			38.22		3,641.63
MW-7	02/08/07			38.43		3,641.42



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOC D REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-7	02/27/07			38.67		3,641.18
MW-7	03/09/07			38.67		3,641.18
MW-7	03/13/07			38.65		3,641.20
MW-7	03/15/07			38.64		3,641.21
MW-7	03/23/07			38.51		3,641.34
MW-7	03/28/07			38.60		3,641.25
MW-7	04/12/07			38.75		3,641.10
MW-7	04/18/07			38.73		3,641.12
MW-7	05/23/07			38.70		3,641.15
MW-7	06/20/07			38.81		3,641.04
MW-7	07/18/07			38.90		3,640.95
MW-7	09/19/07			38.87		3,640.98
MW-7	11/02/07			38.96		3,640.89
MW-7	11/16/07			38.90		3,640.95
MW-7	12/05/07			38.99		3,640.86
MW-7	01/30/08			39.03		3,640.82
MW-7	03/11/08			39.13		3,640.72
MW-7	04/29/08			39.13		3,640.72
MW-7	05/09/08			39.16		3,640.69
MW-7	06/11/08			39.19		3,640.66
MW-7	06/20/08			39.29		3,640.56
MW-7	08/19/08			39.31		3,640.54
MW-7	08/20/08			39.30		3,640.55




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-7	12/18/08			39.48		3,640.37
MW-7	01/13/09			39.47		3,640.38
MW-7	03/03/09			39.58		3,640.27
MW-7	06/24/09			39.77		3,640.08
MW-7	08/11/09			39.90		3,639.95
MW-7	11/18/09			40.20		3,639.65
MW-8	01/23/04	3,679.07		39.56		3,639.51
MW-8	04/29/04			39.33		3,639.74
MW-8	05/12/04			39.34		3,639.73
MW-8	06/03/04			39.32		3,639.75
MW-8	07/12/04			40.13		3,638.94
MW-8	07/19/04			40.32		3,638.75
MW-8	11/08/04			39.60		3,639.47
MW-8	03/31/05			37.11		3,641.96
MW-8	05/13/05			37.16		3,641.91
MW-8	05/23/05			37.16		3,641.91
MW-8	05/26/05			37.19		3,641.88
MW-8	06/28/05			37.23		3,641.84
MW-8	08/15/05			37.40		3,641.67
MW-8	08/17/05			37.34		3,641.73
MW-8	11/14/05			37.52		3,641.55
MW-8	01/23/06			38.23		3,640.84



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-8	03/02/06			37.63		3,641.44
MW-8	06/01/06			38.90		3,640.17
MW-8	08/14/06			39.34		3,639.73
MW-8	11/28/06			38.71		3,640.36
MW-8	12/12/06			38.73		3,640.34
MW-8	01/09/07			38.71		3,640.36
MW-8	02/08/07			38.55		3,640.52
MW-8	02/21/07			38.78		3,640.29
MW-8	02/27/07			38.79		3,640.28
MW-8	03/09/07			38.78		3,640.29
MW-8	03/13/07			38.78		3,640.29
MW-8	03/15/07			38.76		3,640.31
MW-8	03/23/07			38.62		3,640.45
MW-8	03/28/07			38.74		3,640.33
MW-8	04/12/07			38.90		3,640.17
MW-8	04/18/07			38.88		3,640.19
MW-8	05/23/07			38.86		3,640.21
MW-8	06/20/07			38.96		3,640.11
MW-8	07/18/07			39.05		3,640.02
MW-8	09/19/07			38.99		3,640.08
MW-8	11/02/07			39.06		3,640.01
MW-8	11/16/07			39.06		3,640.01
MW-8	12/05/07			39.09		3,639.98



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-8	01/30/08			39.11		3,639.96
MW-8	03/11/08			39.24		3,639.83
MW-8	04/29/08			39.27		3,639.80
MW-8	05/09/08			39.26		3,639.81
MW-8	06/11/08			39.30		3,639.77
MW-8	06/20/08			39.40		3,639.67
MW-8	08/19/08			39.41		3,639.66
MW-8	08/20/08			39.41		3,639.66
MW-8	12/18/08			39.57		3,639.50
MW-8	01/13/09			39.58		3,639.49
MW-8	03/03/09			39.68		3,639.39
MW-8	06/24/09			39.85		3,639.22
MW-8	08/11/09			39.99		3,639.08
MW-8	11/18/09			40.25		3,638.82
MW-9	01/23/04	3,678.76		39.91		3,638.85
MW-9	04/29/04			39.68		3,639.08
MW-9	05/12/04			39.69		3,639.07
MW-9	06/03/04			39.67		3,639.09
MW-9	07/12/04			40.34		3,638.42
MW-9	07/19/04			40.44		3,638.32
MW-9	11/08/04			38.84		3,639.92
MW-9	03/31/05			37.48		3,641.28



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOC D REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-9	05/13/05			37.54		3,641.22
MW-9	05/23/05			37.55		3,641.21
MW-9	05/26/05			37.59		3,641.17
MW-9	06/28/05			37.64		3,641.12
MW-9	08/15/05			37.82		3,640.94
MW-9	08/17/05			37.77		3,640.99
MW-9	11/14/05			37.95		3,640.81
MW-9	01/23/06			38.65		3,640.11
MW-9	03/02/06			38.05		3,640.71
MW-9	06/01/06			38.73		3,640.03
MW-9	08/14/06			39.57		3,639.19
MW-9	11/28/06			39.12		3,639.64
MW-9	12/12/06			53.10		3,625.66
MW-9	01/09/07			39.14		3,639.62
MW-9	02/08/07			38.97		3,639.79
MW-9	02/21/07			39.22		3,639.54
MW-9	02/27/07			39.21		3,639.55
MW-9	03/09/07			39.21		3,639.55
MW-9	03/13/07			39.20		3,639.56
MW-9	03/15/07			39.20		3,639.56
MW-9	03/23/07			39.04		3,639.72
MW-9	03/28/07			39.16		3,639.60
MW-9	04/12/07			39.36		3,639.40




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-9	04/18/07			39.30		3,639.46
MW-9	05/22/07			39.31		3,639.45
MW-9	06/20/07			39.40		3,639.36
MW-9	07/18/07			39.49		3,639.27
MW-9	09/19/07			39.45		3,639.31
MW-9	11/02/07			39.51		3,639.25
MW-9	11/16/07			39.48		3,639.28
MW-9	12/05/07			39.51		3,639.25
MW-9	01/30/08			39.54		3,639.22
MW-9	03/11/08			39.66		3,639.10
MW-9	04/29/08			39.58		3,639.18
MW-9	05/09/08			39.68		3,639.08
MW-9	06/11/08			39.73		3,639.03
MW-9	06/20/08			39.81		3,638.95
MW-9	08/19/08			39.95		3,638.81
MW-9	08/20/08			39.84		3,638.92
MW-9	12/18/08			40.02		3,638.74
MW-9	01/13/09			40.02		3,638.74
MW-9	03/03/09			40.10		3,638.66
MW-9	06/24/09			40.28		3,638.48
MW-9	08/11/09			40.38		3,638.38
MW-9	11/18/09			40.65		3,638.11




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-10	01/23/04	3,678.36		39.89		3,638.47
MW-10	04/29/04			39.74		3,638.62
MW-10	05/12/04			39.74		3,638.62
MW-10	06/03/04			39.74		3,638.62
MW-10	07/12/04			40.24		3,638.12
MW-10	07/19/04			40.33		3,638.03
MW-10	11/08/04			38.76		3,639.60
MW-10	03/31/05			37.46		3,640.90
MW-10	05/13/05			37.58		3,640.78
MW-10	05/23/05			37.58		3,640.78
MW-10	05/26/05			37.62		3,640.74
MW-10	06/28/05			37.70		3,640.66
MW-10	08/15/05			37.87		3,640.49
MW-10	08/17/05			37.02		3,641.34
MW-10	11/14/05			38.02		3,640.34
MW-10	01/23/06			38.73		3,639.63
MW-10	03/02/06			38.16		3,640.20
MW-10	06/01/06			38.81		3,639.55
MW-10	08/14/06			39.51		3,638.85
MW-10	11/28/06			39.19		3,639.17
MW-10	12/12/06			39.21		3,639.15
MW-10	01/09/07			39.21		3,639.15
MW-10	02/08/07			39.10		3,639.26



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-10	02/21/07			39.33		3,639.03
MW-10	02/27/07			39.29		3,639.07
MW-10	03/09/07			39.24		3,639.12
MW-10	03/13/07			39.29		3,639.07
MW-10	03/15/07			39.30		3,639.06
MW-10	03/23/07			39.11		3,639.25
MW-10	03/28/07			39.24		3,639.12
MW-10	04/12/07			39.46		3,638.90
MW-10	04/18/07			39.41		3,638.95
MW-10	04/18/07			39.31		3,639.05
MW-10	06/20/07			39.48		3,638.88
MW-10	07/18/07			39.59		3,638.77
MW-10	09/19/07			39.51		3,638.85
MW-10	11/02/07			39.50		3,638.86
MW-10	11/16/07			39.91		3,638.45
MW-10	12/05/07			39.52		3,638.84
MW-10	01/30/08			39.57		3,638.79
MW-10	03/11/08			39.78		3,638.58
MW-10	04/29/08			39.81		3,638.55
MW-10	05/09/08			39.80		3,638.56
MW-10	06/11/08			39.89		3,638.47
MW-10	06/20/08			39.93		3,638.43
MW-10	08/19/08			39.96		3,638.40



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCDF REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-10	08/20/08			39.96		3,638.40
MW-10	11/18/08			40.08		3,638.28
MW-10	12/18/08			40.10		3,638.26
MW-10	01/13/09			40.13		3,638.23
MW-10	03/03/09			40.21		3,638.15
MW-10	06/24/09			40.39		3,637.97
MW-10	08/11/09			40.49		3,637.87
MW-10	11/18/09			40.72		3,637.64
MW-11	01/23/04	3,678.03		41.40		3,636.63
MW-11	04/29/04			41.07		3,636.96
MW-11	05/12/04			39.57		3,638.46
MW-11	06/03/04			39.61		3,638.42
MW-11	07/12/04			40.04		3,637.99
MW-11	07/19/04			40.10		3,637.93
MW-11	11/08/04			38.66		3,639.37
MW-11	03/31/05			37.25		3,640.78
MW-11	05/13/05			37.40		3,640.63
MW-11	05/23/05			37.34		3,640.69
MW-11	05/26/05			31.45		3,646.58
MW-11	06/28/05			37.54		3,640.49
MW-11	08/15/05			37.60		3,640.43
MW-11	08/17/05			37.61		3,640.42




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-11	11/14/05			37.80		3,640.23
MW-11	01/23/06			38.58		3,639.45
MW-11	03/02/06			37.97		3,640.06
MW-11	06/01/06			39.15		3,638.88
MW-11	08/14/06			39.33		3,638.70
MW-11	11/28/06			39.00		3,639.03
MW-11	12/12/06			39.06		3,638.97
MW-11	01/09/07			39.06		3,638.97
MW-11	02/08/07			38.91		3,639.12
MW-11	02/21/07			39.11		3,638.92
MW-11	02/27/07			44.87		3,633.16
MW-11	03/09/07			39.17		3,638.86
MW-11	03/13/07			39.13		3,638.90
MW-11	03/15/07			39.16		3,638.87
MW-11	03/23/07			39.01		3,639.02
MW-11	03/28/07			39.05		3,638.98
MW-11	04/12/07			39.34		3,638.69
MW-11	04/18/07			39.25		3,638.78
MW-11	05/22/07			39.24		3,638.79
MW-11	06/20/07			39.30		3,638.73
MW-11	07/18/07			39.42		3,638.61
MW-11	09/19/07			39.55		3,638.48
MW-11	11/02/07			39.37		3,638.66




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-11	11/16/07			39.46		3,638.57
MW-11	12/05/07			39.47		3,638.56
MW-11	01/30/08			39.51		3,638.52
MW-11	03/11/08			39.56		3,638.47
MW-11	04/29/08			39.63		3,638.40
MW-11	05/09/08			39.66		3,638.37
MW-11	06/11/08		40.01	40.49	0.48	3,637.97
MW-11	06/20/08		40.04	40.64	0.60	3,637.93
MW-11	07/22/08		39.61	40.88	1.27	3,638.29
MW-11	08/19/08		40.42	41.04	0.62	3,637.55
MW-11	08/20/08		40.42	41.09	0.67	3,637.54
MW-11	09/02/08		39.78	39.96	0.18	3,638.23
MW-11	11/18/08		39.35	42.46	3.11	3,638.37
MW-11	12/18/08		39.25	43.07	3.82	3,638.40
MW-11	01/13/09		39.45	42.41	2.96	3,638.28
MW-11	03/03/09		39.50	42.67	3.17	3,638.21
MW-11	06/24/09		39.44	43.74	4.30	3,638.16
MW-11	08/11/09		39.65	43.61	3.96	3,637.98
MW-11	11/18/09		40.21	42.95	2.74	3,637.37
MW-12	01/23/04	3,679.63	39.49	45.30	5.81	3,639.56
MW-12	03/23/04		38.89	47.39	8.50	3,639.89
MW-12	03/29/04		38.86	47.33	8.47	3,639.92




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCDF REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-12	04/29/04		38.86	48.57	9.71	3,639.80
MW-12	05/03/04		38.83	46.63	7.80	3,640.02
MW-12	07/12/04		39.58	47.53	7.95	3,639.26
MW-12	12/09/04		37.50	44.28	6.78	3,641.45
MW-12	02/16/05		36.68	43.87	7.19	3,642.23
MW-12	03/31/05		36.95	42.97	6.02	3,642.08
MW-12	05/13/05		36.83	43.97	7.14	3,642.09
MW-12	05/26/05		36.95	43.71	6.76	3,642.00
MW-12	06/28/05		36.97	44.14	7.17	3,641.94
MW-12	08/15/05		37.25	43.60	6.35	3,641.75
MW-12	11/14/05		37.73	43.51	5.78	3,641.32
MW-12	01/23/06		38.08	44.34	6.26	3,640.92
MW-12	03/02/06		37.71	43.82	6.11	3,641.31
MW-12	06/01/06		38.87	44.25	5.38	3,640.22
MW-12	08/14/06		39.11	45.85	6.74	3,639.85
MW-12	11/28/06		38.64	44.91	6.27	3,640.36
MW-12	12/12/06		38.63	44.92	6.29	3,640.37
MW-12	01/09/07		38.41	44.87	6.46	3,640.57
MW-12	02/08/07		nd	42.02	na	3,636.01
MW-12	03/09/07		38.67	45.13	6.46	3,640.31
MW-12	03/13/07		38.64	45.14	6.50	3,640.34
MW-12	03/15/07		38.64	45.16	6.52	3,640.34
MW-12	03/23/07		38.68	45.14	6.46	3,640.30



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-12	03/28/07		38.68	45.19	6.51	3,640.30
MW-12	04/12/07		39.22	44.25	5.03	3,639.91
MW-12	04/18/07		39.96	44.68	4.72	3,639.20
MW-12	05/22/07		39.51	43.75	4.24	3,639.70
MW-12	06/20/07		39.42	43.40	3.98	3,639.81
MW-12	06/28/07		39.47	43.06	3.59	3,639.80
MW-12	07/18/07		39.65	42.80	3.15	3,639.67
MW-12	08/15/07		39.27	43.96	4.69	3,639.89
MW-12	08/22/07		39.50	42.90	3.40	3,639.79
MW-12	08/28/07		39.78	42.04	2.26	3,639.62
MW-12	09/19/07		39.39	43.31	3.92	3,639.85
MW-12	09/25/07		39.29	43.67	4.38	3,639.90
MW-12	10/09/07		39.14	44.79	5.65	3,639.93
MW-12	10/17/07		39.57	42.72	3.15	3,639.75
MW-12	10/26/07		39.21	41.22	2.01	3,640.22
MW-12	11/05/07		39.13	44.61	5.48	3,639.95
MW-12	11/12/07		39.33	44.70	5.37	3,639.76
MW-12	12/05/07		39.34	44.87	5.53	3,639.74
MW-12	01/03/08		39.37	44.14	4.77	3,639.78
MW-12	01/30/08		38.29	44.71	6.42	3,640.70
MW-12	02/04/08		38.35	44.81	6.46	3,640.63
MW-12	02/12/08		38.30	44.75	6.45	3,640.69
MW-12	03/11/08		39.29	45.08	5.79	3,639.76




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-12	03/26/08		39.44	44.43	4.99	3,639.69
MW-12	04/02/08		39.46	44.87	5.41	3,639.63
MW-12	04/16/08		39.51	44.94	5.43	3,639.58
MW-12	04/29/08		39.76	44.26	4.50	3,639.42
MW-12	05/07/08		39.71	44.76	5.05	3,639.42
MW-12	06/11/08		39.86	45.02	5.16	3,639.25
MW-12	06/20/08		39.88	45.19	5.31	3,639.22
MW-12	07/22/08		39.69	45.50	5.81	3,639.36
MW-12	07/24/08		40.61	46.15	5.54	3,638.47
MW-12	08/19/08		40.08	46.95	6.87	3,638.86
MW-12	08/20/08		40.09	46.98	6.89	3,638.85
MW-12	11/18/08		39.50	45.95	6.45	3,639.49
MW-12	12/18/08		39.52	45.96	6.44	3,639.47
MW-12	01/13/09		39.68	45.44	5.76	3,639.37
MW-12	03/03/09		39.63	46.05	6.42	3,639.36
MW-12	06/24/09		39.79	46.24	6.45	3,639.20
MW-12	08/11/09		39.95	46.28	6.33	3,639.05
MW-12	11/18/09		40.44	46.21	5.77	3,638.24
MW-13	01/23/04	3,681.42		39.67		3,641.75
MW-13	04/29/04			39.58		3,641.84
MW-13	05/12/04			41.05		3,640.37
MW-13	06/03/04			41.05		3,640.37




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-13	07/12/04			42.18		3,639.24
MW-13	07/19/04			42.44		3,638.98
MW-13	11/08/04			40.24		3,641.18
MW-13	03/31/05			38.79		3,642.63
MW-13	05/13/05			38.83		3,642.59
MW-13	05/23/05			38.82		3,642.60
MW-13	05/26/05			38.87		3,642.55
MW-13	06/28/05			38.63		3,642.79
MW-13	08/15/05			39.07		3,642.35
MW-13	08/17/05			39.02		3,642.40
MW-13	11/14/05			39.15		3,642.27
MW-13	01/23/06			39.84		3,641.58
MW-13	03/02/06			39.28		3,642.14
MW-13	06/01/06			40.73		3,640.69
MW-13	08/14/06			41.22		3,640.20
MW-13	11/28/06			40.38		3,641.04
MW-13	12/12/06			40.37		3,641.05
MW-13	01/09/07			40.36		3,641.06
MW-13	02/08/07			42.02		3,639.40
MW-13	02/27/07			40.41		3,641.01
MW-13	03/09/07			40.42		3,641.00
MW-13	03/13/07			40.42		3,641.00
MW-13	03/15/07			40.44		3,640.98




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-13	03/23/07			40.25		3,641.17
MW-13	03/28/07			40.35		3,641.07
MW-13	04/12/07			40.55		3,640.87
MW-13	04/18/07			40.48		3,640.94
MW-13	05/23/07			40.48		3,640.94
MW-13	06/20/07			40.60		3,640.82
MW-13	07/18/07			40.68		3,640.74
MW-13	09/19/07			39.55		3,641.87
MW-13	11/02/07			40.58		3,640.84
MW-13	11/16/07			40.43		3,640.99
MW-13	12/05/07			40.75		3,640.67
MW-13	01/30/08			40.78		3,640.64
MW-13	03/11/08			36.14		3,645.28
MW-13	04/29/08			40.92		3,640.50
MW-13	05/09/08			40.94		3,640.48
MW-13	06/11/08			40.98		3,640.44
MW-13	06/20/08			41.08		3,640.34
MW-13	08/19/08			41.10		3,640.32
MW-13	08/20/08			41.09		3,640.33
MW-13	12/18/08			41.26		3,640.16
MW-13	01/13/09			41.26		3,640.16
MW-13	03/03/09			41.37		3,640.05
MW-13	06/24/09			41.55		3,639.87




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOC D REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-13	08/11/09			41.69		3,639.73
MW-13	11/18/09			41.99		3,639.43
MW-14	06/03/04	3,679.00	39.16	42.87	3.71	3,639.47
MW-14	07/12/04		39.29	46.46	7.17	3,638.99
MW-14	07/19/04		39.45	46.59	7.14	3,638.84
MW-14	08/26/04		38.92	45.94	7.02	3,639.38
MW-14	12/09/04		37.11	43.08	5.97	3,641.29
MW-14	02/16/05		36.62	42.53	5.91	3,641.79
MW-14	03/31/05		36.34	43.32	6.98	3,641.96
MW-14	05/13/05		36.45	43.34	6.89	3,641.86
MW-14	05/26/05		36.48	45.27	8.79	3,641.64
MW-14	06/28/05		36.54	44.83	8.29	3,641.63
MW-14	08/15/05		37.14	41.59	4.45	3,641.42
MW-14	11/14/05		37.55	41.70	4.15	3,641.04
MW-14	01/23/06		37.85	42.74	4.89	3,640.66
MW-14	03/02/06		37.58	41.71	4.13	3,641.01
MW-14	06/01/06		38.84	41.75	2.91	3,639.87
MW-14	08/14/06		0.00	39.00	39.00	3,675.10
MW-14	11/28/06		38.30	43.55	5.25	3,640.18
MW-14	12/12/06		38.24	44.02	5.78	3,640.18
MW-14	01/09/07		38.21	42.26	4.05	3,640.39
MW-14	02/08/07		38.18	44.27	6.09	3,640.21




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-14	02/27/07		38.26	44.32	6.06	3,640.13
MW-14	03/09/07		38.27	44.41	6.14	3,640.12
MW-14	03/13/07		38.20	44.21	6.01	3,640.20
MW-14	03/15/07		38.22	44.20	5.98	3,640.18
MW-14	03/23/07		38.28	44.22	5.94	3,640.13
MW-14	03/28/07		38.25	44.27	6.02	3,640.15
MW-14	04/12/07		39.41	40.64	1.23	3,639.47
MW-14	04/18/07		39.69	40.01	0.32	3,639.28
MW-14	05/23/07		39.71	40.02	0.31	3,639.26
MW-14	06/20/07		38.96	41.88	2.92	3,639.75
MW-14	06/28/07		39.05	41.85	2.80	3,639.67
MW-14	07/18/07		39.58	39.91	0.33	3,639.39
MW-14	08/15/07		39.63	39.87	0.24	3,639.35
MW-14	08/22/07		39.54	40.15	0.61	3,639.40
MW-14	08/28/07		39.39	41.62	2.23	3,639.39
MW-14	09/19/07		39.07	41.79	2.72	3,639.66
MW-14	09/25/07		39.34	40.94	1.60	3,639.50
MW-14	10/09/07		39.44	41.15	1.71	3,639.39
MW-14	10/17/07		39.61	39.80	0.19	3,639.37
MW-14	10/26/07		39.56	39.88	0.32	3,639.41
MW-14	11/05/07		39.08	42.21	3.13	3,639.61
MW-14	11/12/07		38.95	43.05	4.10	3,639.64
MW-14	12/05/07		38.99	43.75	4.76	3,639.53




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-14	01/03/08		38.94	43.60	4.66	3,639.59
MW-14	01/30/08		39.03	43.88	4.85	3,639.49
MW-14	02/04/08		39.19	44.12	4.93	3,639.32
MW-14	02/12/08		39.06	43.91	4.85	3,639.46
MW-14	03/11/08		39.56	41.27	1.71	3,639.27
MW-14	03/26/08		39.94	40.14	0.20	3,639.04
MW-14	04/02/08		40.13	40.26	0.13	3,638.86
MW-14	04/16/08		39.94	40.25	0.31	3,639.03
MW-14	04/29/08		39.97	40.32	0.35	3,639.00
MW-14	05/07/08		39.39	43.18	3.79	3,639.23
MW-14	06/11/08		40.23	40.49	0.26	3,638.74
MW-14	06/20/08		40.29	40.52	0.23	3,638.69
MW-14	07/24/08		41.00	41.22	0.22	3,637.98
MW-14	08/19/08		39.86	44.75	4.89	3,638.65
MW-14	09/02/08		39.99	40.22	0.23	3,638.99
MW-14	11/18/08		39.15	44.54	5.39	3,639.31
MW-14	12/18/08		39.18	44.61	5.43	3,639.28
MW-14	01/13/09		39.25	44.33	5.08	3,639.24
MW-14	03/03/09		40.02	44.32	4.30	3,638.55
MW-14	06/24/09		39.45	44.90	5.45	3,639.01
MW-14	08/11/09		39.60	44.80	5.20	3,638.88
MW-14	11/18/09		40.57	42.70	2.13	3,638.08




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCDF REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-15	06/03/04	3,674.92		36.22		3,638.70
MW-15	07/12/04			36.77		3,638.15
MW-15	07/19/04			36.90		3,638.02
MW-15	11/08/04			35.10		3,639.82
MW-15	03/31/05			33.92		3,641.00
MW-15	05/13/05			34.00		3,640.92
MW-15	05/23/05			35.34		3,639.58
MW-15	05/26/05			35.38		3,639.54
MW-15	06/28/05			35.46		3,639.46
MW-15	08/15/05			34.32		3,640.60
MW-15	08/17/05			34.29		3,640.63
MW-15	11/14/05			34.47		3,640.45
MW-15	01/23/06			35.17		3,639.75
MW-15	03/02/06			34.60		3,640.32
MW-15	06/01/06			37.18		3,637.74
MW-15	08/10/06			35.62		3,639.30
MW-15	11/28/06			35.63		3,639.29
MW-15	12/12/06			36.92		3,638.00
MW-15	01/09/07			36.93		3,637.99
MW-15	02/27/07		35.16	35.67	0.51	3,639.71
MW-15	03/09/07		35.16	35.92	0.76	3,639.68
MW-15	03/13/07		35.65	36.01	0.36	3,639.23
MW-15	03/15/07		35.64	36.20	0.56	3,639.22




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOC D REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-15	03/23/07		35.68	36.14	0.46	3,639.19
MW-15	03/28/07		35.70	36.21	0.51	3,639.17
MW-15	04/12/07		35.75	36.51	0.76	3,639.09
MW-15	04/18/07		35.70	36.46	0.76	3,639.14
MW-15	05/22/07		35.70	37.04	1.34	3,639.09
MW-15	06/20/07		35.90	37.52	1.62	3,638.86
MW-15	07/18/07		35.60	38.10	2.50	3,639.07
MW-15	08/15/07		35.47	38.56	3.09	3,639.14
MW-15	08/22/07		35.48	38.58	3.10	3,639.13
MW-15	08/28/07		35.59	38.15	2.56	3,639.07
MW-15	09/19/07		35.78	36.98	1.20	3,639.02
MW-15	09/25/07		36.43	37.27	0.84	3,638.41
MW-15	10/09/07		35.61	37.99	2.38	3,639.07
MW-15	10/17/07		35.49	38.36	2.87	3,639.14
MW-15	10/26/07		35.47	38.71	3.24	3,639.13
MW-15	11/05/07		35.46	39.89	4.43	3,639.02
MW-15	11/12/07		35.37	39.18	3.81	3,639.17
MW-15	12/05/07		35.31	39.75	4.44	3,639.17
MW-15	01/03/08		35.31	40.26	4.95	3,639.12
MW-15	01/30/08		35.27	40.47	5.20	3,639.13
MW-15	02/04/08		35.33	40.60	5.27	3,639.06
MW-15	02/12/08		35.28	40.48	5.20	3,639.12
MW-15	03/11/08		35.35	40.65	5.30	3,639.04




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-15	03/26/08		35.40	40.71	5.31	3,638.99
MW-15	04/02/08		35.44	40.74	5.30	3,638.95
MW-15	04/16/08		36.34	36.61	0.27	3,638.55
MW-15	04/29/08		36.43	36.64	0.21	3,638.47
MW-15	05/07/08		36.07	39.29	3.22	3,638.53
MW-15	06/11/08		36.64	36.89	0.25	3,638.26
MW-15	06/20/08		36.69	36.91	0.22	3,638.21
MW-15	07/24/08		36.51	41.53	5.02	3,637.91
MW-15	08/19/08		36.19	41.46	5.27	3,638.20
MW-15	08/20/08		36.19	41.48	5.29	3,638.20
MW-15	09/02/08		36.02	38.35	2.33	3,638.67
MW-15	11/18/08		35.61	40.73	5.12	3,638.80
MW-15	12/18/08		35.64	40.88	5.24	3,638.76
MW-15	01/13/09		35.70	40.67	4.97	3,638.72
MW-15	03/03/09		35.75	40.90	5.15	3,638.66
MW-15	06/24/09		36.02	40.90	4.88	3,638.41
MW-15	08/11/09		36.09	41.00	4.91	3,638.34
MW-15	11/18/09		36.15	41.38	5.23	3,637.91
MW-16	06/03/04	3,676.86		37.66		3,639.20
MW-16	07/12/04			38.35		3,638.51
MW-16	07/19/04			38.57		3,638.29
MW-16	11/08/04			36.38		3,640.48




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-16	03/31/05			35.29		3,641.57
MW-16	05/13/05			35.31		3,641.55
MW-16	05/23/05			35.18		3,641.68
MW-16	05/26/05			34.04		3,642.82
MW-16	06/28/05			34.11		3,642.75
MW-16	08/15/05			35.61		3,641.25
MW-16	08/17/05			35.56		3,641.30
MW-16	11/14/05			35.73		3,641.13
MW-16	01/23/06			36.45		3,640.41
MW-16	03/02/06			35.85		3,641.01
MW-16	06/01/06			35.82		3,641.04
MW-16	08/14/06			37.50		3,639.36
MW-16	11/28/06			37.94		3,638.92
MW-16	12/12/06			35.65		3,641.21
MW-16	01/09/07			35.67		3,641.19
MW-16	03/09/07			36.00		3,640.86
MW-16	03/13/07			36.98		3,639.88
MW-16	03/15/07			36.96		3,639.90
MW-16	03/23/07			36.84		3,640.02
MW-16	03/28/07			36.96		3,639.90
MW-16	04/12/07			37.14		3,639.72
MW-16	04/18/07			37.03		3,639.83
MW-16	05/23/07			37.08		3,639.78



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-16	06/20/07			37.16		3,639.70
MW-16	07/18/07			37.28		3,639.58
MW-16	09/19/07			37.27		3,639.59
MW-16	11/02/07			37.30		3,639.56
MW-16	11/16/07			37.32		3,639.54
MW-16	12/05/07			37.36		3,639.50
MW-16	01/30/08			37.38		3,639.48
MW-16	03/11/08			37.46		3,639.40
MW-16	04/29/08			37.51		3,639.35
MW-16	05/09/08			37.54		3,639.32
MW-16	06/11/08			37.56		3,639.30
MW-16	06/20/08			37.64		3,639.22
MW-16	08/19/08			37.68		3,639.18
MW-16	08/20/08			37.69		3,639.17
MW-16	11/18/08			37.81		3,639.05
MW-16	12/18/08			37.85		3,639.01
MW-16	01/13/09			37.86		3,639.00
MW-16	03/03/09			37.95		3,638.91
MW-16	06/24/09			38.13		3,638.73
MW-16	08/11/09			38.25		3,638.61
MW-16	11/18/09			38.55		3,638.31
MW-17	06/03/04	3,679.01	39.66	42.05	2.39	3,639.11



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCDF REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-17	07/12/04		39.39	46.94	7.55	3,638.87
MW-17	07/19/04		39.50	46.97	7.47	3,638.76
MW-17	08/26/04		39.04	46.59	7.55	3,639.22
MW-17	12/09/04		37.11	44.60	7.49	3,641.15
MW-17	02/16/05		37.00	41.07	4.07	3,641.60
MW-17	03/31/05		36.49	44.13	7.64	3,641.76
MW-17	05/13/05		36.52	44.24	7.72	3,641.72
MW-17	05/26/05		36.72	44.28	7.56	3,641.53
MW-17	06/28/05		36.95	44.76	7.81	3,641.28
MW-17	08/15/05		37.25	42.35	5.10	3,641.25
MW-17	11/14/05		37.69	42.33	4.64	3,640.86
MW-17	01/23/06		38.15	43.41	5.26	3,640.33
MW-17	03/02/06		37.59	43.25	5.66	3,640.85
MW-17	06/01/06		38.95	42.48	3.53	3,639.71
MW-17	08/14/06		39.10	44.41	5.31	3,639.38
MW-17	11/28/06		38.49	44.04	5.55	3,639.97
MW-17	12/12/06		38.42	44.33	5.91	3,640.00
MW-17	01/09/07		38.42	43.07	4.65	3,640.13
MW-17	02/08/07		38.38	44.95	6.57	3,639.97
MW-17	02/27/07		38.51	45.22	6.71	3,639.83
MW-17	03/09/07		38.41	45.11	6.70	3,639.93
MW-17	03/13/07		38.39	45.02	6.63	3,639.96
MW-17	03/15/07		38.41	45.01	6.60	3,639.94




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-17	03/23/07		38.43	45.11	6.68	3,639.91
MW-17	03/28/07		38.43	45.26	6.83	3,639.90
MW-17	04/12/07		39.06	43.82	4.76	3,639.47
MW-17	04/18/07		39.13	44.32	5.19	3,639.36
MW-17	05/23/07		39.41	43.65	4.24	3,639.18
MW-17	06/20/07		39.52	41.72	2.20	3,639.27
MW-17	06/28/07		39.79	40.75	0.96	3,639.12
MW-17	07/18/07		39.82	40.81	0.99	3,639.09
MW-17	08/15/07		39.92	40.18	0.26	3,639.06
MW-17	08/22/07		39.87	40.17	0.30	3,639.11
MW-17	08/28/07		39.90	40.39	0.49	3,639.06
MW-17	09/25/07		39.78	40.17	0.39	3,639.19
MW-17	10/09/07		39.92	40.38	0.46	3,639.04
MW-17	10/17/07		39.83	40.17	0.34	3,639.15
MW-17	10/26/07		39.91	40.03	0.12	3,639.09
MW-17	11/05/07		39.17	43.19	4.02	3,639.44
MW-17	11/12/07		39.89	40.04	0.15	3,639.11
MW-17	12/05/07		39.75	41.97	2.22	3,639.04
MW-17	01/03/08		39.50	42.39	2.89	3,639.22
MW-17	01/30/08		39.10	44.36	5.26	3,639.38
MW-17	02/04/08		39.21	44.44	5.23	3,639.28
MW-17	02/12/08		39.14	44.38	5.24	3,639.35
MW-17	03/11/08		39.66	42.27	2.61	3,639.09



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-17	03/26/08		40.22	40.39	0.17	3,638.77
MW-17	04/16/08		40.19	40.60	0.41	3,638.78
MW-17	04/29/08		40.21	40.74	0.51	3,638.73
MW-17	05/07/08		39.49	43.18	3.69	3,639.15
MW-17	06/11/08		40.48	40.90	0.42	3,638.49
MW-17	06/20/08		40.54	40.88	0.34	3,638.44
MW-17	07/24/08		41.05	42.26	1.21	3,637.84
MW-17	08/19/08		39.99	45.73	5.74	3,638.45
MW-17	09/02/08		40.27	40.37	0.10	3,638.73
MW-17	11/18/08		39.31	45.25	5.94	3,639.11
MW-17	12/18/08		39.39	45.40	6.01	3,639.02
MW-17	01/13/09		39.40	45.25	5.85	3,639.03
MW-17	03/03/09		39.44	45.50	6.06	3,638.96
MW-17	06/24/09		39.69	45.24	5.55	3,638.77
MW-17	08/11/09		39.80	45.50	5.70	3,638.64
MW-17	11/18/09		40.49	44.56	4.07	3,637.85
MW-18	11/28/06			35.64		
MW-18	12/12/06			35.65		
MW-18	01/09/07			35.62		
MW-18	02/08/07			35.50		
MW-18	03/09/07			35.70		
MW-18	03/13/07			35.71		




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-18	03/15/07			35.70		
MW-18	03/23/07			35.57		
MW-18	03/28/07			36.65		
MW-18	04/12/07			35.83		
MW-18	04/18/07			35.84		
MW-18	05/22/07			35.86		
MW-18	06/20/07			35.86		
MW-18	07/18/07			35.98		
MW-18	09/19/07	3,675.68		35.94		3,639.74
MW-18	11/02/07			35.97		3,639.71
MW-18	12/05/07			36.04		3,639.64
MW-18	01/30/08			36.08		3,639.60
MW-18	03/11/08			36.14		3,639.54
MW-18	04/29/08			38.22		3,637.46
MW-18	05/09/08			36.22		3,639.46
MW-18	06/11/08			36.27		3,639.41
MW-18	06/20/08			36.37		3,639.31
MW-18	08/19/08			36.37		3,639.31
MW-18	08/20/08			36.38		3,639.30
MW-18	11/18/08			36.51		3,639.17
MW-18	12/18/08			36.55		3,639.13
MW-18	01/13/09			36.56		3,639.12
MW-18	03/03/09			36.64		3,639.04



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCDF REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-18	06/24/09			36.84		3,638.84
MW-18	08/11/09			36.94		3,638.74
MW-18	11/18/09			37.20		3,638.48
MW-19	11/28/06			35.55		
MW-19	12/12/06			35.55		
MW-19	01/09/07			35.57		
MW-19	02/08/07			35.43		
MW-19	03/09/07			35.65		
MW-19	03/13/07			35.65		
MW-19	03/15/07			35.66		
MW-19	03/23/07			35.48		
MW-19	03/28/07			35.54		
MW-19	04/12/07			35.77		
MW-19	04/18/07			35.72		
MW-19	05/23/07			35.71		
MW-19	06/20/07			35.81		
MW-19	07/18/07			35.90		
MW-19	09/19/07	3,674.96		35.87		3,639.09
MW-19	11/02/07			35.90		3,639.06
MW-19	11/16/07			35.96		3,639.00
MW-19	12/05/07			36.56		3,638.40
MW-19	01/30/08			36.59		3,638.37




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-19	03/11/08			36.06		3,638.90
MW-19	04/29/08			38.14		3,636.82
MW-19	05/09/08			36.15		3,638.81
MW-19	06/11/08			36.20		3,638.76
MW-19	06/20/08			36.28		3,638.68
MW-19	08/19/08			36.33		3,638.63
MW-19	08/20/08			36.32		3,638.64
MW-19	11/18/08			36.44		3,638.52
MW-19	12/18/08			36.48		3,638.48
MW-19	01/13/09			36.50		3,638.46
MW-19	03/03/09			36.57		3,638.39
MW-19	06/24/09			36.76		3,638.20
MW-19	08/11/09			36.85		3,638.11
MW-19	11/18/09			37.09		3,637.87
MW-20	11/28/06			35.61		
MW-20	12/12/06			35.63		
MW-20	01/09/07			35.67		
MW-20	02/08/07			35.53		
MW-20	03/09/07			35.75		
MW-20	03/13/07			35.73		
MW-20	03/15/07			35.70		
MW-20	03/23/07			35.60		
MW-20	03/28/07			35.67		




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-20	04/12/07			35.87		
MW-20	04/18/07			35.81		
MW-20	05/23/07			35.80		
MW-20	06/20/07			35.90		
MW-20	07/18/07			36.01		
MW-20	09/19/07	3,674.38		35.99		3,638.39
MW-20	11/02/07			36.01		3,638.37
MW-20	12/05/07			35.97		3,638.41
MW-20	01/30/08			36.01		3,638.37
MW-20	03/11/08			36.14		3,638.24
MW-20	03/11/08			36.14		3,638.24
MW-20	04/29/08			36.23		3,638.15
MW-20	05/09/08			36.22		3,638.16
MW-20	06/11/08			36.28		3,638.10
MW-20	06/20/08			36.35		3,638.03
MW-20	08/19/08			36.39		3,637.99
MW-20	08/20/08			36.38		3,638.00
MW-20	11/18/08			36.51		3,637.87
MW-20	12/18/08			36.55		3,637.83
MW-20	01/13/09			36.56		3,637.82
MW-20	03/03/09			36.64		3,637.74
MW-20	06/24/09			36.81		3,637.57
MW-20	08/11/09			36.92		3,637.46
MW-20	11/18/09			37.15		3,637.23




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-21	12/05/07	3,674.38		36.34		3,638.04
MW-21	01/30/08			36.41		3,637.97
MW-21	03/11/08			36.48		3,637.90
MW-21	05/09/08			36.54		3,637.84
MW-21	06/11/08			36.59		3,637.79
MW-21	06/20/08			36.67		3,637.71
MW-21	08/19/08			36.70		3,637.68
MW-21	08/20/08			36.71		3,637.67
MW-21	11/18/08			36.82		3,637.56
MW-21	12/18/08			36.87		3,637.51
MW-21	01/13/09			36.88		3,637.50
MW-21	03/03/09			36.95		3,637.43
MW-21	06/24/09			37.11		3,637.27
MW-21	08/11/09			37.22		3,637.16
MW-21	11/18/09			37.42		3,636.96
MW-22	12/05/07	3,674.07		36.08		3,637.99
MW-22	01/30/08			36.19		3,637.88
MW-22	03/11/08			36.26		3,637.81
MW-22	04/29/08			36.31		3,637.76
MW-22	05/09/08			36.31		3,637.76
MW-22	06/11/08			36.70		3,637.37
MW-22	06/20/08			36.45		3,637.62



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-22	08/19/08			36.48		3,637.59
MW-22	08/20/08			36.49		3,637.58
MW-22	11/18/08			36.61		3,637.46
MW-22	12/18/08			36.66		3,637.41
MW-22	01/13/09			36.67		3,637.40
MW-22	03/03/09			36.75		3,637.32
MW-22	06/24/09			36.90		3,637.17
MW-22	08/11/09			37.01		3,637.06
MW-22	11/18/09			37.23		3,636.84
MW-23	03/17/08	WELL INSTALLATION				
MW-23	03/25/08					
MW-23	03/29/08			36.08		
MW-23	04/29/08			36.15		
MW-23	05/09/08	3,672.39		36.15		3,636.24
MW-23	06/11/08			36.20		3,636.19
MW-23	06/20/08			36.31		3,636.08
MW-23	08/19/08			36.33		3,636.06
MW-23	08/20/08			36.31		3,636.08
MW-23	11/18/08			36.33		3,636.06
MW-23	12/18/08			36.51		3,635.88
MW-23	01/13/09			36.51		3,635.88
MW-23	03/03/09			36.60		3,635.79
MW-23	06/24/09			36.74		3,635.65




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Sample Location	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-23	08/11/09			36.82		3,635.57
MW-23	11/18/09			37.03		3,635.36
MW-24	03/17/08	WELL INSTALLATION				
MW-24	03/25/08			36.04		
MW-24	03/29/08			36.04		
MW-24	04/29/08			36.04		
MW-24	05/09/08	3,672.79		36.03		3,636.76
MW-24	06/11/08			36.08		3,636.71
MW-24	06/20/08			36.16		3,636.63
MW-24	08/19/08			36.20		3,636.59
MW-24	08/20/08			36.20		3,636.59
MW-24	11/18/08			36.46		3,636.33
MW-24	12/18/08			36.38		3,636.41
MW-24	01/13/09			36.38		3,636.41
MW-24	03/03/09			36.45		3,636.34
MW-24	06/24/09			36.61		3,636.18
MW-24	08/11/09			36.05		3,636.74
MW-24	11/18/09			36.91		3,635.88

PSH - Phase Separated Hydrocarbons

NM - not measured

amsl - above mean sea level

btoc - below top of casing

Corrected Groundwater Elevation = Top of Casing Elevation - [Depth to Water Below Top of Casing - (SG)(PSH Thickness)].

SG = 0.835



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene
MW-1	03/03/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons			
	06/24/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons			
	08/12/09	34.8	14.4	4.57	7.47
	11/18/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons			
MW-2	03/03/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons			
	06/24/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons			
	08/11/09	31.7	23.6	8.75	13.9
	11/18/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons			
MW-3	03/03/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons			
	06/24/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons			
	08/11/09	34.5	15.6	3.48	5.56
	11/18/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons			
MW-4	03/03/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons			
	06/24/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons			
	08/11/09	45.1	19.8	6.40	12.1
	11/18/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons			
MW-5	03/03/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons			
	06/24/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons			
	08/12/09	15.0	6.31	0.856	1.47
	11/18/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons			
MW-6	03/03/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons			
	06/24/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons			
	08/12/09	39.8	21.8	4.60	7.09
	11/18/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons			



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L.

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene
MW-7	03/03/09	Not Scheduled To Sample 1st Quarter			
	06/24/09	Not Scheduled To Sample 2nd Quarter			
	08/12/09	<0.00100	<0.00100	<0.00100	<0.00100
	11/18/09	Not Scheduled To Sample 4th Quarter			
MW-8	03/03/09	Not Scheduled To Sample 1st Quarter			
	06/24/09	Not Scheduled To Sample 2nd Quarter			
	08/12/09	0.00880	<0.00100	<0.00100	<0.00100
	11/18/09	Not Scheduled To Sample 4th Quarter			
MW-9	03/03/09	Not Scheduled To Sample 1st Quarter			
	06/24/09	Not Scheduled To Sample 2nd Quarter			
	08/12/09	<0.00100	<0.00100	<0.00100	<0.00100
	11/18/09	Not Scheduled To Sample 4th Quarter			
MW-10	03/04/09	8.59	<0.100	0.771	<0.100
	06/24/09	5.62	0.489	0.874	<0.100
	08/12/09	3.60	0.534	0.491	<0.100
	11/18/09	11.40	1.840	0.818	0.158
MW-11	03/03/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons			
	06/24/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons			
	08/12/09	21.8	20.5	5.13	7.68
	11/18/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons			
MW-12	03/03/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons			
	06/24/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons			
	08/12/09	26.8	9.12	2.40	3.53
	11/18/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons			



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene
MW-13	03/03/09	Not Scheduled To Sample 1st Quarter			
	06/24/09	Not Scheduled To Sample 2nd Quarter			
	08/12/09	<0.00100	<0.00100	<0.00100	<0.00100
	11/18/09	Not Scheduled To Sample 4th Quarter			
MW-14	03/03/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons			
	06/24/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons			
	08/11/09	31.2	16.9	3.25	4.94
	11/18/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons			
MW-15	03/03/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons			
	06/24/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons			
	08/12/09	29.5	30.1	9.27	15.0
	11/18/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons			
MW-16	03/03/09	0.00150	<0.00100	<0.00100	<0.00100
	06/24/09	0.00570	<0.00100	<0.00100	<0.00100
	08/12/09	<0.00100	0.00530	<0.00100	0.0108
	11/18/09	0.00760	0.00230	0.00140	0.00670
MW-17	03/03/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons			
	06/24/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons			
	08/11/09	32.9	12.9	2.92	4.86
	11/18/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons			
MW-18	03/04/09	0.0162	0.00160	0.00320	0.00220
	06/24/09	0.00660	<0.00100	<0.00100	<0.00100
	08/12/09	<0.00100	<0.00100	<0.00100	<0.00100
	11/18/09	<0.00100	<0.00100	<0.00100	<0.00100



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene
MW-19	03/03/09	<0.00100	<0.00100	<0.00100	<0.00100
	06/24/09	0.0107	0.00580	<0.00100	<0.00100
	08/12/09	<0.00100	<0.00100	<0.00100	<0.00100
	11/18/09	<0.00100	<0.00100	<0.00100	<0.00100
MW-20	03/03/09	18.2	<0.0500	1.610	0.671
	06/24/09	15.5	0.516	1.27	1.09
	08/12/09	21.1	1.14	1.65	1.46
	11/18/09	23.9	2.22	1.48	1.14
MW-21	03/03/09	1.42	<0.0200	0.724	0.0372
	06/24/09	0.834	<0.0200	0.486	<0.0200
	08/12/09	0.454	<0.0200	0.282	0.190
	11/18/09	0.862	<0.0200	0.360	<0.0200
MW-22	03/03/09	0.00160	<0.00100	<0.00100	0.00100
	06/24/09	0.00660	<0.00100	0.00570	0.0294
	08/12/09	<0.00100	<0.00100	<0.00100	0.0163
	11/18/09	0.00210	<0.00100	0.00500	0.00130
MW-23	03/04/09	0.00560	<0.00100	<0.00100	<0.00100
	06/24/09	0.00510	<0.00100	<0.00100	<0.00100
	08/12/09	<0.00100	<0.00100	<0.00100	<0.00100
	11/18/09	<0.00100	<0.00100	<0.00100	<0.00100




TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene
MW-24	03/04/09	0.00570	<0.00100	0.00250	0.00140
	06/24/09	0.00590	<0.00100	<0.00100	<0.00100
	08/12/09	<0.00100	<0.00100	<0.00100	<0.00100
	11/18/09	<0.00100	<0.00100	<0.00100	<0.00100
NMWQCC Remedial Limits		0.010	0.750	0.750	0.620

¹ **Bolded** values are in excess of the NMWQCC Remediation Thresholds

Monitor wells MW-1 through MW-6, MW-11, MW-12, MW-14, MW-15, and MW-17 were sampled at the request of the NMOCD even though they contain PSH.

BTEX analyzed by EPA Method 8021

Appendix C

Laboratory Analytical Data Reports and Chain of Custody Documentation



6701 Aberdeen Avenue, Suite 9 Lubbock, Texas 79424 800•378•1296 806•794•1296 FAX 806•794•1296
200 East Sunset Road, Suite E El Paso, Texas 79922 888•588•3443 915•585•3443 FAX 915•585•4944
5002 Basin Street, Suite A1 Midland, Texas 79703 432•689•6301 FAX 432•689•6313
6015 Harris Parkway, Suite 110 Ft. Worth, Texas 76132 817•201•5260
E-Mail: lab@traceanalysis.com

Certifications

WBENC: 237019

HUB: 1752439743100-86536
NCTRCA WFWB38444Y0909

DBE: VN 20657

NELAP Certifications

Lubbock: T104704219-08-TX
LELAP-02003
Kansas E-10317

El Paso: T104704221-08-TX
LELAP-02002

Midland: T104704392-08-TX

Analytical and Quality Control Report

Steve Killingsworth
Talon LPE-Midland
2901 State Highway 349
Midland, TX, 79706

Report Date: November 25, 2009

Work Order: 9111906



Project Location: Hobbs, NM
Project Name: Hobbs Junction Mainline
Project Number: 700376.018.01

Enclosed are the Analytical Report and Quality Control Report for the following sample(s) submitted to TraceAnalysis, Inc.

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
215240	MW-10	water	2009-11-18	17:57	2009-11-19
215241	MW-16	water	2009-11-18	17:15	2009-11-19
215242	MW-18	water	2009-11-18	16:32	2009-11-19
215243	MW-19	water	2009-11-18	16:15	2009-11-19
215244	MW-20	water	2009-11-18	15:55	2009-11-19
215245	MW-21	water	2009-11-18	12:35	2009-11-19
215246	MW-22	water	2009-11-18	13:00	2009-11-19
215247	MW-23	water	2009-11-18	11:58	2009-11-19
215248	MW-24	water	2009-11-18	12:10	2009-11-19

These results represent only the samples received in the laboratory. The Quality Control Report is generated on a batch basis. All information contained in this report is for the analytical batch(es) in which your sample(s) were analyzed.

This report consists of a total of 10 pages and shall not be reproduced except in its entirety, without written approval of TraceAnalysis, Inc.



Dr. Blair Leftwich, Director
Dr. Michael Abel, Project Manager

Standard Flags

B - The sample contains less than ten times the concentration found in the method blank.

Case Narrative

Samples for project Hobbs Junction Mainline were received by TraceAnalysis, Inc. on 2009-11-19 and assigned to work order 9111906. Samples for work order 9111906 were received intact without headspace and at a temperature of 4.0 deg. C.

Samples were analyzed for the following tests using their respective methods.

Test	Method	Prep Batch	Prep Date	QC Batch	Analysis Date
BTEX	S 8021B	56043	2009-11-24 at 07:00	65581	2009-11-24 at 12:41

Results for these samples are reported on a wet weight basis unless data package indicates otherwise.

A matrix spike (MS) and matrix spike duplicate (MSD) sample is chosen at random from each preparation batch. The MS and MSD will indicate if a site specific matrix problem is occurring, however, it may not pertain to the samples for work order 9111906 since the sample was chosen at random. Therefore, the validity of the analytical data reported has been determined by the laboratory control sample (LCS) and the method blank (MB). These quality control measures are performed with each preparation batch to ensure data integrity.

All other exceptions associated with this report have been footnoted on the appropriate analytical page to assist in general data comprehension. Please contact the laboratory directly if there are any questions regarding this project.

Analytical Report

Sample: 215240 - MW-10

Laboratory: Midland
Analysis: BTEX
QC Batch: 65581
Prep Batch: 56043

Analytical Method: S 8021B
Date Analyzed: 2009-11-24
Sample Preparation: 2009-11-24

Prep Method: S 5030B
Analyzed By: AG
Prepared By: AG

Parameter	Flag	RL Result	Units	Dilution	RL
Benzene		11.4	mg/L	100	0.00100
Toluene		1.84	mg/L	100	0.00100
Ethylbenzene		0.818	mg/L	100	0.00100
Xylene		0.158	mg/L	100	0.00100

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		10.5	mg/L	100	10.0	105	70.9 - 114.8
4-Bromofluorobenzene (4-BFB)		9.04	mg/L	100	10.0	90	68.1 - 118.8

Sample: 215241 - MW-16

Laboratory: Midland
Analysis: BTEX
QC Batch: 65581
Prep Batch: 56043

Analytical Method: S 8021B
Date Analyzed: 2009-11-24
Sample Preparation: 2009-11-24

Prep Method: S 5030B
Analyzed By: AG
Prepared By: AG

Parameter	Flag	RL Result	Units	Dilution	RL
Benzene		0.00760	mg/L	1	0.00100
Toluene		0.00230	mg/L	1	0.00100
Ethylbenzene		0.00140	mg/L	1	0.00100
Xylene		0.00670	mg/L	1	0.00100

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		0.102	mg/L	1	0.100	102	70.9 - 114.8
4-Bromofluorobenzene (4-BFB)		0.0886	mg/L	1	0.100	89	68.1 - 118.8

Sample: 215242 - MW-18

Laboratory: Midland
Analysis: BTEX
QC Batch: 65581
Prep Batch: 56043

Analytical Method: S 8021B
Date Analyzed: 2009-11-24
Sample Preparation: 2009-11-24

Prep Method: S 5030B
Analyzed By: AG
Prepared By: AG

Report Date: November 25, 2009
700376.018.01

Work Order: 9111906
Hobbs Junction Mainline

Page Number: 5 of 10
Hobbs, NM

Parameter	Flag	RL Result	Units	Dilution	RL
Benzene		<0.00100	mg/L	1	0.00100
Toluene		<0.00100	mg/L	1	0.00100
Ethylbenzene		<0.00100	mg/L	1	0.00100
Xylene		<0.00100	mg/L	1	0.00100

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		0.112	mg/L	1	0.100	112	70.9 - 114.8
4-Bromofluorobenzene (4-BFB)		0.0958	mg/L	1	0.100	96	68.1 - 118.8

Sample: 215243 - MW-19

Laboratory: Midland
Analysis: BTEX
QC Batch: 65581
Prep Batch: 56043

Analytical Method: S 8021B
Date Analyzed: 2009-11-24
Sample Preparation: 2009-11-24

Prep Method: S 5030B
Analyzed By: AG
Prepared By: AG

Parameter	Flag	RL Result	Units	Dilution	RL
Benzene		<0.00100	mg/L	1	0.00100
Toluene		<0.00100	mg/L	1	0.00100
Ethylbenzene		<0.00100	mg/L	1	0.00100
Xylene		<0.00100	mg/L	1	0.00100

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		0.109	mg/L	1	0.100	109	70.9 - 114.8
4-Bromofluorobenzene (4-BFB)		0.0929	mg/L	1	0.100	93	68.1 - 118.8

Sample: 215244 - MW-20

Laboratory: Midland
Analysis: BTEX
QC Batch: 65581
Prep Batch: 56043

Analytical Method: S 8021B
Date Analyzed: 2009-11-24
Sample Preparation: 2009-11-24

Prep Method: S 5030B
Analyzed By: AG
Prepared By: AG

Parameter	Flag	RL Result	Units	Dilution	RL
Benzene		23.9	mg/L	100	0.00100
Toluene		2.22	mg/L	100	0.00100
Ethylbenzene		1.48	mg/L	100	0.00100
Xylene		1.14	mg/L	100	0.00100

Report Date: November 25, 2009
700376.018.01

Work Order: 9111906
Hobbs Junction Mainline

Page Number: 6 of 10
Hobbs, NM

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		10.7	mg/L	100	10.0	107	70.9 - 114.8
4-Bromofluorobenzene (4-BFB)		9.33	mg/L	100	10.0	93	68.1 - 118.8

Sample: 215245 - MW-21

Laboratory: Midland
Analysis: BTEX
QC Batch: 65581
Prep Batch: 56043

Analytical Method: S 8021B
Date Analyzed: 2009-11-24
Sample Preparation: 2009-11-24

Prep Method: S 5030B
Analyzed By: AG
Prepared By: AG

Parameter	Flag	RL Result	Units	Dilution	RL
Benzene		0.862	mg/L	20	0.00100
Toluene		<0.0200	mg/L	20	0.00100
Ethylbenzene		0.360	mg/L	20	0.00100
Xylene		<0.0200	mg/L	20	0.00100

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		2.17	mg/L	20	2.00	108	70.9 - 114.8
4-Bromofluorobenzene (4-BFB)		1.88	mg/L	20	2.00	94	68.1 - 118.8

Sample: 215246 - MW-22

Laboratory: Midland
Analysis: BTEX
QC Batch: 65581
Prep Batch: 56043

Analytical Method: S 8021B
Date Analyzed: 2009-11-24
Sample Preparation: 2009-11-24

Prep Method: S 5030B
Analyzed By: AG
Prepared By: AG

Parameter	Flag	RL Result	Units	Dilution	RL
Benzene		0.00210	mg/L	1	0.00100
Toluene		<0.00100	mg/L	1	0.00100
Ethylbenzene		0.00500	mg/L	1	0.00100
Xylene		0.00130	mg/L	1	0.00100

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		0.106	mg/L	1	0.100	106	70.9 - 114.8
4-Bromofluorobenzene (4-BFB)		0.102	mg/L	1	0.100	102	68.1 - 118.8

Report Date: November 25, 2009
700376.018.01

Work Order: 9111906
Hobbs Junction Mainline

Page Number: 7 of 10
Hobbs, NM

Sample: 215247 - MW-23

Laboratory: Midland
Analysis: BTEX
QC Batch: 65581
Prep Batch: 56043

Analytical Method: S 8021B
Date Analyzed: 2009-11-24
Sample Preparation: 2009-11-24

Prep Method: S 5030B
Analyzed By: AG
Prepared By: AG

Parameter	Flag	RL	Units	Dilution	RL
		Result			
Benzene		<0.00100	mg/L	1	0.00100
Toluene		<0.00100	mg/L	1	0.00100
Ethylbenzene		<0.00100	mg/L	1	0.00100
Xylene		<0.00100	mg/L	1	0.00100

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		0.112	mg/L	1	0.100	112	70.9 - 114.8
4-Bromofluorobenzene (4-BFB)		0.0948	mg/L	1	0.100	95	68.1 - 118.8

Sample: 215248 - MW-24

Laboratory: Midland
Analysis: BTEX
QC Batch: 65581
Prep Batch: 56043

Analytical Method: S 8021B
Date Analyzed: 2009-11-24
Sample Preparation: 2009-11-24

Prep Method: S 5030B
Analyzed By: AG
Prepared By: AG

Parameter	Flag	RL	Units	Dilution	RL
		Result			
Benzene		<0.00100	mg/L	1	0.00100
Toluene		<0.00100	mg/L	1	0.00100
Ethylbenzene		<0.00100	mg/L	1	0.00100
Xylene		<0.00100	mg/L	1	0.00100

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		0.111	mg/L	1	0.100	111	70.9 - 114.8
4-Bromofluorobenzene (4-BFB)		0.0945	mg/L	1	0.100	94	68.1 - 118.8

Method Blank (1) QC Batch: 65581

QC Batch: 65581
Prep Batch: 56043

Date Analyzed: 2009-11-24
QC Preparation: 2009-11-24

Analyzed By: AG
Prepared By: AG

Report Date: November 25, 2009
700376.018.01

Work Order: 9111906
Hobbs Junction Mainline

Page Number: 8 of 10
Hobbs, NM

Parameter	Flag	MDL Result	Units	RL
Benzene		<0.000300	mg/L	0.001
Toluene		<0.000200	mg/L	0.001
Ethylbenzene		<0.000200	mg/L	0.001
Xylene		<0.000900	mg/L	0.001

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		0.109	mg/L	1	0.100	109	73.6 - 110.6
4-Bromofluorobenzene (4-BFB)		0.0937	mg/L	1	0.100	94	70.6 - 107.5

Laboratory Control Spike (LCS-1)

QC Batch: 65581
Prep Batch: 56043

Date Analyzed: 2009-11-24
QC Preparation: 2009-11-24

Analyzed By: AG
Prepared By: AG

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Benzene	0.103	mg/L	1	0.100	<0.000300	103	79.4 - 111.8
Toluene	0.103	mg/L	1	0.100	<0.000200	103	79.3 - 110
Ethylbenzene	0.101	mg/L	1	0.100	<0.000200	101	73.8 - 113.1
Xylene	0.302	mg/L	1	0.300	<0.000900	101	73.9 - 113.6

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Benzene	0.105	mg/L	1	0.100	<0.000300	105	79.4 - 111.8	2	20
Toluene	0.105	mg/L	1	0.100	<0.000200	105	79.3 - 110	2	20
Ethylbenzene	0.103	mg/L	1	0.100	<0.000200	103	73.8 - 113.1	2	20
Xylene	0.308	mg/L	1	0.300	<0.000900	103	73.9 - 113.6	2	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCSD Result	Units	Dil.	Spike Amount	LCS Rec.	LCSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	0.109	0.109	mg/L	1	0.100	109	109	76.2 - 112.6
4-Bromofluorobenzene (4-BFB)	0.0979	0.0978	mg/L	1	0.100	98	98	77.9 - 109.8

Matrix Spike (MS-1) Spiked Sample: 215245

QC Batch: 65581
Prep Batch: 56043

Date Analyzed: 2009-11-24
QC Preparation: 2009-11-24

Analyzed By: AG
Prepared By: AG

Report Date: November 25, 2009
700376.018.01

Work Order: 9111906
Hobbs Junction Mainline

Page Number: 9 of 10
Hobbs, NM

Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Benzene	2.81	mg/L	20	2.00	0.8617	97	77.3 - 117.4
Toluene	1.94	mg/L	20	2.00	<0.00400	97	75 - 111.8
Ethylbenzene	2.29	mg/L	20	2.00	0.3597	96	78.8 - 106.6
Xylene	5.71	mg/L	20	6.00	<0.0180	95	68.9 - 114

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Benzene	2.91	mg/L	20	2.00	0.8617	102	77.3 - 117.4	4	20
Toluene	2.04	mg/L	20	2.00	<0.00400	102	75 - 111.8	5	20
Ethylbenzene	2.40	mg/L	20	2.00	0.3597	102	78.8 - 106.6	5	20
Xylene	6.00	mg/L	20	6.00	<0.0180	100	68.9 - 114	5	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	2.12	2.14	mg/L	20	2	106	107	76.3 - 109.8
4-Bromofluorobenzene (4-BFB)	1.92	1.94	mg/L	20	2	96	97	75.2 - 112.8

Standard (CCV-1)

QC Batch: 65581

Date Analyzed: 2009-11-24

Analyzed By: AG

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Benzene		mg/L	0.100	0.0987	99	80 - 120	2009-11-24
Toluene		mg/L	0.100	0.0979	98	80 - 120	2009-11-24
Ethylbenzene		mg/L	0.100	0.0969	97	80 - 120	2009-11-24
Xylene		mg/L	0.300	0.290	97	80 - 120	2009-11-24

Standard (CCV-2)

QC Batch: 65581

Date Analyzed: 2009-11-24

Analyzed By: AG

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Benzene		mg/L	0.100	0.103	103	80 - 120	2009-11-24
Toluene		mg/L	0.100	0.101	101	80 - 120	2009-11-24
Ethylbenzene		mg/L	0.100	0.100	100	80 - 120	2009-11-24
Xylene		mg/L	0.300	0.299	100	80 - 120	2009-11-24

Report Date: November 25, 2009
700376.018.01

Work Order: 9111906
Hobbs Junction Mainline

Page Number: 10 of 10
Hobbs, NM

Standard (CCV-3)

QC Batch: 65581

Date Analyzed: 2009-11-24

Analyzed By: AG

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Benzene		mg/L	0.100	0.0989	99	80 - 120	2009-11-24
Toluene		mg/L	0.100	0.0976	98	80 - 120	2009-11-24
Ethylbenzene		mg/L	0.100	0.0961	96	80 - 120	2009-11-24
Xylene		mg/L	0.300	0.287	96	80 - 120	2009-11-24

