

District I
1625 N French Dr, Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr, Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

OPERATOR Initial Report Final Report

Name of Company <i>Shelid An</i>	Contact <i>Eddie Elliott</i>
Address <i>POB 34 Site 1300 Kasaan Plaza Houston TX</i>	Telephone No. <i>575 4414346</i>
Facility Name <i>North Vacuum Abd Nadel unit</i>	Facility Type <i>NVAU</i>

Surface Owner <i>STATE</i>	Mineral Owner <i>STATE</i>	Lease No.
----------------------------	----------------------------	-----------

LOCATION OF RELEASE *NEARBY WELL NY#ANUC01 API#30.025.25059*
HC HEADLINE TRUNK LINE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
<i>D</i>	<i>1</i>	<i>T-17S</i>	<i>R-36E</i>					<i>LEA</i>

Latitude _____ Longitude _____

NATURE OF RELEASE

Type of Release <i>TRUNK LINE</i>	Volume of Release <i>100 BBL</i>	Volume Recovered <i>3500</i>
Source of Release	Date and Hour of Occurrence	Date and Hour of Discovery <i>12/28/09</i>
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom?	
By Whom? <i>OCD - BEANS OIL FIELD SERVICE</i>	Date and Hour	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input type="checkbox"/> No	If YES, Volume Impacting the Watercourse. <i>N/A</i>	

If a Watercourse was Impacted, Describe Fully.*
N/A

Describe Cause of Problem and Remedial Action Taken.*
cold weather, poly line burst, vacuum + truck gang on site at once to clean up + repair

Describe Area Affected and Cleanup Action Taken.*
AREA 400' x 100' at wellhead point, vacuum + truck pickup + water hose repaired 6" of top soil.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: <i>Eddie Elliott</i>	OIL CONSERVATION DIVISION	
Printed Name: <i>Eddie Elliott</i>	Approved by ENV. ENGINEER: <i>Jeffrey Polking</i>	
Title: <i>Relief Pumper</i>	Approval Date: <i>12/29/09</i>	Expiration Date: <i>01/29/10</i>
E-mail Address:	Conditions of Approval: <i>DELINATE TO CLEAN + 1. SUBMIT FINAL C-141 BY 01/29/10</i>	Attached <input type="checkbox"/>
Date: <i>12-28-09</i> Phone: <i>575-441-4846</i>		IRP-09.12.2369

* Attach Additional Sheets If Necessary

FGRL1004235119



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

January 25, 2010

Keith Yarbrough
Bryan's Oilfield Service, Inc.
P.O. Box 759
Eunice, NM 88231

Re: "C" Trunk Line Header

Enclosed are the results of analyses for sample number H19094, received by the laboratory on 01/19/10.

Cardinal Laboratories is accredited through Texas NELAP for:

Method SW-846 8021	Benzene, Toluene, Ethyl Benzene, and Total Xylenes
Method SW-846 8260	Benzene, Toluene, Ethyl Benzene, and Total Xylenes
Method TX 1005	Total Petroleum Hydrocarbons

Certificate number T104704398-08-TX. Accreditation applies to solid and chemical materials and non-potable water matrices.


Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.2	Regulated VOCs (V2, V3)

Accreditation applies to public drinking water matrices.

Total Number of Pages of Report: 3 (includes Chain of Custody)

Sincerely,



Celey D. Keene
Laboratory Director

This report conforms with NELAP requirements.



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

ANALYTICAL RESULTS FOR
 BRYAN'S OIL FIELD SERVICE, INC.
 ATTN: KEITH YARBROUGH
 P.O. BOX 759
 EUNICE, NM 88231
 FAX TO (575) 394-0609

Receiving Date: 01/19/10
 Reporting Date: 01/21/10
 Project Owner: SHERIDAN
 Project Name: "C" TRUNK LINE HEADER
 Project Location: BUCKEYE, NM

IRP-09-12-2369

Sampling Date: 01/19/10
 Sample Type: SOIL
 Sample Condition: COOL & INTACT @ 6°C
 Sample Received By: JH
 Analyzed By: AB/ZL/HM

LAB NO.	SAMPLE ID	GRO (C ₆ -C ₁₀) (mg/kg)	DRO (>C ₁₀ -C ₂₈) (mg/kg)	BENZENE (mg/kg)	TOLUENE (mg/kg)	ETHYL BENZENE (mg/kg)	TOTAL XYLENES (mg/kg)	Cl ⁻ (mg/kg)
ANALYSIS DATE		01/20/10	01/20/10	01/20/10	01/20/10	01/20/10	01/20/10	01/20/10
H19094-1	1	<10.0	55.4	<0.050	<0.050	<0.050	<0.300	2,440
H19094-2	2	<10.0	333	<0.050	<0.050	<0.050	<0.300	5,360
H19094-3	3	910	5,960	3.47	49.5	65.1	59.2	3,880
H19094-4	4	315	2,340	<0.100	1.93	9.52	12.5	1,060
H19094-5	5	<10.0	1,400	<0.100	0.118	0.271	0.538	5,760
H19094-6	6	1,330	3,860	0.442	15.1	26.4	27.6	1,600
Quality Control		491	426	0.052	0.051	0.051	0.152	500
True Value QC		500	500	0.050	0.050	0.050	0.150	500
% Recovery		98.2	85.2	104	102	102	101	100
Relative Percent Difference		1.1	9.6	1.2	<1.0	<1.0	<1.0	<0.1

**METHODS: TPH GRO & DRO - EPA SW-846 8015 M; BTEX - SW-846 8021B; Cl⁻: Std. Methods 4500-Cl-B

*Analyses performed on 1:4 w:v aqueous extracts. Reported on wet weight.

TEXAS NELAP ACCREDITATION T104704398-08-TX FOR BENZENE, TOLUENE, ETHYL BENZENE,
 AND TOTAL XYLENES. Not accredited for GRO/DRO and Chloride.

Lab Director
 H19094 TBCL BOS

01/25/10
 Date

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.