

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

RECEIVED
MAR 16 2010
NMOCD ARTESIA

Form C-141
Revised October 10, 2003
Submit 2 Copies to appropriate District Office in accordance with Rule 116 on back side of form

Release Notification and Corrective Action

OPERATOR

Initial Report Final Report

Name of Company BOPCO, L.P. <i>2600737</i>	Contact Tony Savoie
Address 522 W. Mermod, Suite 704 Carlsbad, N.M. 88220	Telephone No. 432-556-8730
Facility Name Bass Federal 3 Well #4 "Release #1"	Facility Type E&P

Surface Owner Federal	Mineral Owner Federal	Lease No.
-----------------------	-----------------------	-----------

3001528736

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
<i>YI</i>	3	22S	28E	<i>1980</i>		<i>330</i>		Eddy

Latitude N 32.419741 Longitude W 104.071838

DTGW 100126

NATURE OF RELEASE

Type of Release: Produced water and crude oil	Volume of Release: 50 Bbbls of Produced water and 10 Bbbls of Crude oil	Volume Recovered: none
Source of Release: Above ground 2 3/8" flow line	Date and Hour of Occurrence Unkown	Date and Hour of Discovery 3/5/10 8:00 a.m.
Was Immediate Notice Given? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom?	
By Whom?	Date and Hour	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.*

Describe Cause of Problem and Remedial Action Taken.* The flow line delivering produced fluid from the well to the tank battery developed a leak, the well was shut in and a temporary repair clamp was placed on the affected area.

Describe Area Affected and Cleanup Action Taken.* The released fluid affected an area of approximately 2300 sq. ft of pasture land with heavily saturated soil, the fluid was too thick to remove with a vacuum truck, a backhoe was dispatched to the site and began to excavate and load the saturated soil/sludge. The excavated material was hauled to CRI for disposal. It was estimated that 1,232 cubic yards of soil/sludge was removed. The excavated area will be left open for sampling and further excavation as needed.

The Site remediation for the produced water and crude oil spill will follow the NMOCD guidelines for leaks and spills.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: <i>Tony Savoie</i>	OIL CONSERVATION DIVISION	
Printed Name: Tony Savoie	Approved by District Supervisor: <i>[Signature]</i>	Remediation Actions to be completed and Final C-141 submitted with confirmation analyses/documentation on or before the Expiration Date.
Title: Waste Mgmt. & Remediation Specialist	Approval Date: <i>4-8-10</i>	Expiration Date: <i>10-8-10</i>
E-mail Address: TASavoie@BassPet.com	Conditions of Approval:	Attached <input type="checkbox"/>
Date: 3/15/10 Phone: 432-556-8730	Notify OCD 48 hours prior to obtaining samples where analyses are to be presented to OCD	<i>2RP-401</i>

* Attach Additional Sheets If Necessary

DELINEATION REQUIRED until contamination reaches background levels or a site specific acceptable level. As warranted, a work plan may be required

1 SEB 100 983752 2 SEB 100 983756 3