

RYDER SCOTT COMPANY
PETROLEUM ENGINEERS

MIDLAND ,

TEXAS

April 21, 1964

*File
WFX*

1964 APR 23 AM 10 23

1964 APR 23 10 00

Mr. A. L. Porter, Jr.
Secretary Director
Oil Conservation Commission
State of New Mexico
P. O. Box 871
Santa Fe, New Mexico

Dear Sir:

Re: Administrative Order WFX No. 166
Turkey Track (Queen) Field
Eddy County, New Mexico

In compliance with the above order, Brainard No. 7-W
was drilled and completed for water injection purposes. Water
injection commenced in this well on March 31, 1964.

Yours very truly,

RYDER SCOTT COMPANY
PETROLEUM ENGINEERS

Wm. E. Fickert

William E. Fickert
Agent for R. C. Davoust Company

cc: Mr. D. S. Nutter
Mr. Frank Irby
Mr. R. C. Davoust

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other in-
structions on
reverse side)Form 9-330
Budget Bu.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL:		OIL WELL ☐	GAS WELL ☐	DRY ☐	Other <u>Water Injection</u>		
b. TYPE OF COMPLETION:		NEW WELL ☒	WORK OVER ☐	DEEP-EN ☐	PLUG BACK ☐	DIFF. RESVR. ☐	Other _____
2. NAME OF OPERATOR R. C. Davoust Company						5. LEASE DESIGNATION A LC 062027	
3. ADDRESS OF OPERATOR 306 Wilkinson-Foster Building, Midland, Texas						7. UNIT AGREEMENT NAME	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface 5' from S.L. & 2635' from E.L. SW 1/4 of SE 1/4 At top prod. interval reported below At total depth Same						8. FARM OR LEASE NAME Brainard	
14. PERMIT NO.						9. WELL NO. 8-W	
DATE ISSUED						10. FIELD AND POOL, OR WILDCAT Turkey Track	
15. DATE SPUDDED 3-21-64						11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA 34, T-18-S, R-27-E, NMP	
16. DATE T.D. REACHED 3-25-64						12. COUNTY OR PARISH Eddy	
17. DATE COMPL. (Ready to work inj.) 4-21-64						13. STATE New Mexico	
18. ELEVATIONS (DF, REB, RT, GR, ETC.)* 3410 KB						19. ELEV. CASINGHEAD 3400 GL	
20. TOTAL DEPTH, MD & TVD 2429' KB		21. PLUG, BACK T.D., MD & TVD 2148' KB		22. IF MULTIPLE COMPL., HOW MANY* No		23. INTERVALS DRILLED BY ROTARY TOOLS CABLE TOOLS	
24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* Injection Queen Sand, Top at 2092', Bottom at 2124'						25. WAS DIRECTIONAL SURVEY MADE Yes	
26. TYPE ELECTRIC AND OTHER LOGS RUN Sonic-Gamma Ray, Laterolog, Microlaterolog						27. WAS WELL CORED Yes	
28. CASING RECORD (Report all strings set in well)							
CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD		AMOUNT PULLED	
7"	23	429 KB	8 5/8"	120 sac		None	
4 1/2"	9.5	2091 KB	6 1/4"	100 sac		None	
29. LINER RECORD							
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
31. PERFORATION RECORD (Interval, size and number) 2101' to 2106', 1/2" jets, 4/foot				32. ACID, SHOT FRACTURE, CEMENT SQUEEZE, ETC. DEPTH INTERVAL (MD) AMOUNT AND KIND OF MATERIAL USED			
33.* PRODUCTION							
DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)				WELL STATUS (Producing or shut-in) Water Injection	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)						TEST WITNESSED BY	
35. LIST OF ATTACHMENTS Logs as follows: Sonic Gamma Ray, Laterolog, Microlaterolog, Movable Oil Plot							
I hereby certify that the foregoing and attached information is complete and correct as determined from all available records							
Original Signed by Wm. E. Fickert				TITLE Agent for R. C. Davoust		DATE 4-23-64	

*(See Instructions and Spaces for Additional Data on Reverse Side)

R - 29 - E 27


33

35

T
18
S

T
19
S

4



LEGEND

- QUEEN SAND PRODUCER
- ⊙ QUEEN SAND INJECTOR
- ⊕ GRAYBURG PRODUCER
- ⊞ SEVEN RIVERS PRODUCER

----- STANTON OIL COMPANY LTD. LEASE BOUNDARY LINES

⊙ Proposed Injection Well Location

STANTON OIL COMPANY LEASES
TURKEY TRACK FIELD
EDDY COUNTY, NEW MEXICO

SCALE: 1" = 1000'

REVISED AUG., 1960

