




**Fina Oil and Chemical
Company**
6 Desta Drive, Suite 4400
Midland, Texas 79705
Post Office Box 2990
Midland, Texas 79702
Office (915) 687-0575

October 28, 1988



Energy, Minerals and Natural Resources Department
Oil Conservation Division
310 Old Santa Fe Trail, Rm. 206
Santa Fe, NM 87503

Attention David Catanach

Gentlemen:

Authority to Inject, Horton Federal #38-H, Section 30, T8S, R35E

On September 9, 1988 we were advised by letter from Mr. Jerry Sexton in the Hobbs office that we had never received an injection permit for the subject well. Further conversation with you enabled me to determine which required items had never been furnished to the Oil Conservation Division.

Form C-108 has been completed and the attachments are with the proper item number to correspond with the list shown on the C-108.

Along with the proof of notice as published we have provided the name and address of the surface owner and the only leasehold operator within one-half mile of the well location. They are being mailed copies of Form C-108, Injection Well Data Sheet and the newspaper publication today.

Please let us know if further information is required.

Very truly yours,

Neva Herndon
Senior Production Clerk

Enc.

cc Ron Smelley w/Enc.
Jerry Sexton, Hobbs w/Enc.
Jerry Nevans

APPLICATION FOR APPROVAL TO INJECT

- I. Purpose: ☒ Secondary Recovery. ☐ Pressure Maintenance ☐ Disposal ☐ Storage
Application qualifies for administrative approval? ☐ yes ☐ no
- II. Operator: FINA OIL & CHEMICAL COMPANY
Address: Box 2990, Midland, TX 79702-2990
Contact party: Ronald E. Smelley, Dist. Prod. Mgr. Phone: 915 688-0600
- III. Well data: Complete the data required on the reverse side of this form for each well proposed for injection. Additional sheets may be attached if necessary.
- IV. Is this an expansion of an existing project? ☒ yes ☐ no 2-3456, 2-6789
If yes, give the Division order number authorizing the project
- V. Attach a map that identifies all wells and leases within two miles of any proposed injection well with a one-half mile radius circle drawn around each proposed injection well. This circle identifies the well's area of review.
- * VI. Attach a tabulation of data on all wells of public record within the area of review which penetrate the proposed injection zone. Such data shall include a description of each well's type, construction, date drilled, location, depth, record of completion, and a schematic of any plugged well illustrating all plugging detail.
- VII. Attach data on the proposed operation, including:
1. Proposed average and maximum daily rate and volume of fluids to be injected;
 2. Whether the system is open or closed;
 3. Proposed average and maximum injection pressure;
 4. Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than reinjected produced water; and
 5. If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.).
- * VIII. Attach appropriate geological data on the injection zone including appropriate lithologic detail, geological name, thickness, and depth. Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing waters with total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed injection zone as well as any such source known to be immediately underlying the injection interval.
- IX. Describe the proposed stimulation program, if any.
- * X. Attach appropriate logging and test data on the well. (If well logs have been filed with the Division they need not be resubmitted.)
- * XI. Attach a chemical analysis of fresh water from two or more fresh water wells (if available and producing) within one mile of any injection or disposal well showing location of wells and dates samples were taken.
- XII. Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground source of drinking water.
- XIII. Applicants must complete the "Proof of Notice" section on the reverse side of this form.
- XIV. Certification
- I hereby certify that the information submitted with this application is true and correct to the best of my knowledge and belief.
- Name: Neva Herndon Title: Senior Production Clerk
Signature: Neva Herndon Date: 10-26-88
- * If the information required under Sections VI, VIII, X, and XI above has been previously submitted, it need not be duplicated and resubmitted. Please show the date and circumstance of the earlier submittal.

Item III.

INJECTION WELL DATA SHEET

SIDE 1

FINA OIL & CHEMICAL COMPANY
OPERATOR

Horton Federal
LEASE

38 1700' FNL., 920' FEL,
WELL NO. FOOTAGE LOCATION

30
SECTION

T-8-S
TOWNSHIP

R-35-E
RANGE

Schematic

Tabular Data

Surface Casing

Size 8-5/8 " Cemented with 300 sx Cl.C sx.
TOC Surface feet determined by _____
Hole size 12-1/4"

Intermediate Casing

Size _____ " Cemented with _____ sx.
TOC _____ feet determined by _____
Hole size _____

Long string

Size 5-1/2 " Cemented with 1200 sx.Cl.C+ 200 sx.Cl.H sx.
TOC Surface feet determined by _____
Hole size 7-7/8"
Total depth 4805

Injection Interval

4716' feet to 4740' feet
(perforated or open-hole, indicate which)

INJECTION WELL DATA SHEET -- S.H. 2

Tubing size 2-3/8" lined with Plastic Coated 4.7# J-55 injection tubing set in a
(material)
Elder plastic coated AD-1 injection packer packer at 4610' feet
(brand and model)
 (or describe any other casing-tubing seal).

Other Data

1. Name of the injection formation San Andres
2. Name of field or Pool (if applicable) Milnesand San Andres
3. Is this a new well drilled for injection? ☒ Yes ☐ No
 If no, for what purpose was the well originally drilled? _____

4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail (sacks of cement or bridge plug(s) used) No

5. Give the depth to and name of any overlying and/or underlying oil or gas zones (pools) in this area. 4652' San Andres

Item VI.

Wells of Public Record Within the Area of Review (One-half Mile Radius)

Well No.	Status*	Location	Date Drilled	Depth
5	P	Sec.30,T-8,R-35, 1650 FNL 2244 FEL	6-7-64	4738'
7	I	Sec.30,T-8,R-35, 330 FNL 2241 FEL	6-28-64	4732'
9	I	Sec.30,T-8,R-35, 2310 FSL 2246 FEL	7-21-64	4851'
10	P	Sec.30,T-8,R-35, 330 FNL 921.3 FEL	8-2-64	4766'
11	P&A**I	Sec.30,T-8,R-35, 1650 FNL 924 FEL	8-27-64	4766'
15	I	Sec.30,T-8,R-35, 990 FSL 928 FEL	9-3-64	5396'
17	I	Sec.30,T-8,R-35, 2310 FSL 928.75 FEL	9-17-64	4774'
18	P	Sec.29,T-8,R-35, 1650.5 FNL 330 FWL	9-28-64	4770'
20	I	Sec.29,T-8,R-35, 330 FNL 330 FWL	10-6-64	4764'
21	I	Sec.29,T-8,R-35, 2310 FSL 330 FWL	10-14-64	4775'
25**	I	Sec.29,T-8,R-35, 1650 FNL 1652 FWL	11-24-64	4780'
32	P	Sec.30,T-8,R-35, 285 FEL 2305 FNL	11-23-84	4775'
33	P	Sec.30,T-8,R-35, 2320 FNL 1550 FEL	12-2-84	4774'
34	P	Sec.30,T-8,R-35, 2280 FSL 865 FEL	12-22-83	4800'
35	P	Sec.30,T-8,R-35, 990 FNL 2270 FWL	10-22-84	4810'
36	P	Sec.30,T-8,R-35, 990 FNL 1581 FEL	11-2-84	4806'
37	P	Sec.30,T-8,R-35, 990 FNL 295 FEL	11-12-84	4791'

*Status Code - P = Producing Oil Well, I = Injection Well

**Well bore sketch attached

Except where otherwise indicated copies of completion forms are attached.

Completions Forms for the two wells operated by Union Texas Petroleum are also attached.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other In-
structions on
reverse side)Form approved.
Budget Bureau No. 42-R357.5.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ Other ☐		5. LEASE DESIGNATION AND SERIAL NO. LC-060978	
2. TYPE OF COMPLETION: NEW WELL ☐ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. REPAIR ☐ Other ☐		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
3. NAME OF OPERATOR Socony Mobil Oil Company, Inc.		7. UNIT AGREEMENT NAME	
4. ADDRESS OF OPERATOR P. O. Box 1300, Hobbs, New Mexico 88240		8. FARM OR LEASE NAME Jacobs Federal	
5. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface 660' FSL & 660' FEL, Sec. 19, T-8S, R-35E At top prod. interval reported below Same At total depth Same		9. WELL NO. 660' FSL 660' FEL	
14. PERMIT NO.		10. FIELD AND POOL, OR WILDCAT Milnesand San Andres	
DATE ISSUED 11-5-64		11. SEC. T. R. M. OR BLOCK AND SURVEY OR AREA 19-8S-35E	
15. DATE SHUT IN 11-20-64		12. COUNTY OR PARISH Roosevelt	
16. DATE T.D. REACHED 11-29-64		13. STATE N. Mex.	
17. DATE COMPL. (Ready to prod.) 12-2-64		19. ELEV. CASINGHEAD	
18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 4224 DF		20. TOTAL DEPTH, MD & TVD 4300	
21. PLUG BACK T.D., MD & TVD 4766		22. IF MULTIPLE COMPL., HOW MANY*	
23. INTERVALS DRILLED BY →		24. ROTARY TOOLS 0-4800	
25. CABLE TOOLS -		26. WAS DIRECTIONAL SURVEY MADE No	
27. TYPE ELECTRIC AND OTHER LOGS RUN Latorolog 2400-4786 - Acoustic GR 368-4786		28. WAS WELL CORED Yes	
29. CASING RECORD (Report all strings set in well)			
CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE
3-5/8	24	367	12-1/4
4-1/2	9.5	4800	7-7/8
CEMENTING RECORD			
Cem w/350 sx Incor Neat			
Cem w/1760 sx Incor Neat			
AMOUNT PULLED			
29. LINER RECORD			
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*
SCREEN (MD)			
30. TUBING RECORD			
SIZE	DEPTH SET (MD)	PACKER SET (MD)	
31. PERFORATION RECORD (Interval, size and number)			
32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.			
DEPTH INTERVAL (MD)		AMOUNT AND KIND OF MATERIAL USED	
4658-4738		1000 Gals 15% NE Acid	
4658-4738 - 18 - 1" Jet Holes			
33. PRODUCTION			
DATE FIRST PRODUCTION 12-2-64		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Flowing	
WELL STATUS (Producing or shut-in) Producing			
DATE OF TEST 12-2-64	HOURS TESTED 24	CHOKE SIZE 20/64"	PROD'N. FOR TEST PERIOD →
OIL—BBL. 172	GAS—MCF. 430	WATER—BBL. 0	GAS OIL RATIO 250
FLOW. TUBING PRESS. 100	CASING PRESSURE ---	CALCULATED 24-HOUR RATE →	OIL—BBL. 172
GAS—MCF. 430	WATER—BBL. 0	OIL GRAVITY-API (CORR.) 27.9	
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Sold		TEST WITNESSED BY W. A. Mosley	
35. LIST OF ATTACHMENTS			
36. I, <u>J. J. McDaniel</u> , certify that the foregoing and all other information is complete and correct as determined from all available records.			
SIGNED		TITLE Group Supervisor	DATE 12/3/64

*(See Instructions and Spaces for Additional Data on Reverse Side)

OPERATOR'S COPY

Form 9-331
Dec. 1973

Form Approved.
Budget Bureau No. 42-R1424

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ well gas ☐ well other water injector

2. NAME OF OPERATOR
Fina Oil and Chemical Company

3. ADDRESS OF OPERATOR
P. O. Box 2990 Midland, TX 79702

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
1650 FNL, 924 FE1, Unit H,
AT SURFACE: Sec. 30
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:	SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF ☐	☐
FRACTURE TREAT ☐	☐
SHOOT OR ACIDIZE ☐	☐
REPAIR WELL ☐	☐
PULL OR ALTER CASING ☐	☐
MULTIPLE COMPLETE ☐	☐
CHANGE ZONES ☐	☐
ABANDON* ☐	☒
(other) ☐	☐

5. LEASE
NM 0145685

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Horton Federal

9. WELL NO.
11

10. FIELD OR WILDCAT NAME
Milnesand San Andres

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
30 - 8S - 35E, NMPM

12. COUNTY OR PARISH
Roosevelt

13. STATE
NM

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)
4224 KDB

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

7/26/85 Set cement retainer in 4-1/2" casing @ 4170'. Pumped a total of 50 sx (11 bbls) Class "C" w/3% CaCl2 under retainer leaving 35' equivalent on top of retainer. Set CIBP @ 2380'. Pumped 80 sx (19 bbls) Class "C" w/3% CaCl2 leaving cement from 2372' to 2100' inside and outside 4-1/2" casing. Perforated 4-1/2" casing w/2 jet shots @ 470'. Pumped 235 sx (55 bbls) Class "C" neat leaving cement from 470' to surface inside and outside 4-1/2" casing. 4-1/2" casing stub 4' in length was cemented over the well and a steel plate was welded on top of the stub.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Charles M. Smith TITLE Pet. Engr., III DATE 2-19-86

APPROVED (This space for Federal or State office use) PETER W. CHESTER	
APPROVED BY CONDITIONS OF APPROVAL IF ANY FEB 28 1986 <u>Peter W. Chester</u> BUREAU OF LAND MANAGEMENT	TITLE _____ DATE _____ SUBJECT TO LIKE APPROVAL BY STATE



AMERICAN PETROLEUM COMPANY OF TEXAS

ENGINEERING CHART

SHEET NO. _____ OF _____

FILE _____

DATE 7-24-84

BY JOE DAVID CARON

Horton Federal Unit #11
Roosevelt County, New Mexico

KE = 4225

SL = 452

410'

WELL TYPE: Injection

8 5/8" 24# J-55 csg @ 410' (12 1/4" hole)
w/ 250 sr cmt (circumferential)

Tubing:

~ 4595' 2 3/8" OD fiberglass tbg.

Packer:

Baker Lock Set Tension 2 3/8" x 4 1/2" x 3'
set @ 4620' w/ 5000 #

4620'

4764'

TD

4766'

PBTD

4 1/2" 9.5# J-55 csg @ 4766' (7 1/8" hole)
w/ 250 sr cmt.

Perfs (2 spf):

Zone A: 4664-4700'

Zone B: 4718-38'

Stimulation (11-28-79):

Acidized well w/ 4000 gal
NEFE HCL acid

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other in-
structions on
reverse side)Form approved.
Budget Bureau No. 42-R355.5.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ Other _____				5. LEASE DESIGNATION AND SERIAL NO. NM 145685	
b. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other _____				6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
2. NAME OF OPERATOR Pan American Petroleum Corporation				7. UNIT AGREEMENT NAME	
3. ADDRESS OF OPERATOR Box 68 - Hobbs, New Mexico 88240				8. FARM OR LEASE NAME USA Russell E. Horton	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface 1650' FNL x 2243.8 FEL Sec. 30 (Unit G SW/4 NE/4) At top prod. interval reported below At total depth				9. WELL NO. 5	
14. PERMIT NO.				DATE ISSUED	
15. DATE SPUDDED 5-28-64				16. DATE T.D. REACHED 6-7-64	
17. DATE COMPL. (Ready to prod.) 6-22-64				18. ELEVATIONS (DF, RKB, BT, GR, ETC.)* 4226' RDB	
19. ELEV. CASINGHEAD				20. TOTAL DEPTH, MD & TVD 4686'	
21. PLUG, BACK T.D., MD & TVD 4685' RBD				22. IF MULTIPLE COMPL., HOW MANY*	
23. INTERVALS DRILLED BY → O-TD				ROTARY TOOLS CABLE TOOLS	
24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 4656'-74' San Andres				25. WAS DIRECTIONAL SURVEY MADE No	
26. TYPE ELECTRIC AND OTHER LOGS RUN Sonic Log-Gamma Ray				27. WAS WELL CORED No	
28. CASING RECORD (Report all strings set in well)					
CASING SIZE		WEIGHT, LB./FT.		DEPTH SET (MD)	
8-5/8"		24#		423'	
4-1/2"		9.5#		4686'	
HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED	
11"		200 Sx. circ			
7-7/8"		200 Sx			
29. LINER RECORD					
SIZE		TOP (MD)		BOTTOM (MD)	
SACKS CEMENT*		SCREEN (MD)			
30. TUBING RECORD					
SIZE		DEPTH SET (MD)		PACKER SET (MD)	
2-3/8"		4625		None	
31. PERFORATION RECORD (Interval, size and number)					
4656'-74' W/2 JSPF					
32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.					
DEPTH INTERVAL (MD)			AMOUNT AND KIND OF MATERIAL USED		
4656'-74'			500 gal acid, 20,000 gal oil; 13,000# sand, 2,000# glass beads.		
33. PRODUCTION					
DATE FIRST PRODUCTION 6-22-64		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Pumping			WELL STATUS (Producing or shut-in) Producing
DATE OF TEST 6-23-64		HOURS TESTED 24		CHOKE SIZE pmp	
PROD'N. FOR TEST PERIOD →		OIL—BBL. 98		GAS—MCF. 56	
WATER—BBL. 4 BAW		GAS-OIL RATIO (575)			
FLOW. TUBING PRESS.		CASING PRESSURE		CALCULATED 24-HOUR RATE →	
OIL—BBL.		GAS—MCF.		WATER—BBL.	
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Sold					
TEST WITNESSED BY J. W. Terry					
35. LIST OF ATTACHMENTS					
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records					
SIGNED V. E. STALEY TITLE Area Superintendent DATE July 1, 1964					

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES			38. GEOLOGIC MARKERS			
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TRUE VERT. DEPTH
San Andres	4656	4674	Oil x gas productive interval	Anhydrite San Andres		2195 3902

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other In-
structions on
reverse side)Form approved.
Budget Bureau No. 42-R355.5.

5. LEASE DESIGNATION AND SERIAL NO.

NM 0145685

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

USA Russell E. Horton

9. WELL NO.

7

10. FIELD AND POOL, OR WILDCAT

Milnesand San Andres

11. SEC., T., R., M., OR BLOCK AND SURVEY
OF AREA

30-8-35 NMPM

12. COUNTY OR
PARISH

Roosevelt

13. STATE

New Mexico

1a. TYPE OF WELL:

OIL

WELL

☒

GAS

WELL

☐

DRY

☐

Other

b. TYPE OF COMPLETION:

NEW

WELL

☒

WORK

OVER

☐

DEEP-

EN

☐

PLUG

BACK

☐

DIFF.

RESVR.

☐

Other

2. NAME OF OPERATOR

Pan American Petroleum Corporation

3. ADDRESS OF OPERATOR

Box 68 - Hobbs, New Mexico 88240

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface

330' FNL X 2241.3' FEL, Sec. 30 (Unit B, NW/4 NE/4)

At top prod. interval reported below

At total depth

14. PERMIT NO.

DATE ISSUED

15. DATE SPUDDED

6-19-64

16. DATE T.D. REACHED

6-28-64

17. DATE COMPL. (Ready to prod.)

7-6-64

18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*

4227' RDB

19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD

4696'

21. PLUG, BACK T.D., MD & TVD

4693'

22. IF MULTIPLE COMPL.,
HOW MANY*23. INTERVALS
DRILLED BY

ROTARY TOOLS

CABLE TOOLS

O-TD

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

4674'-88'

San Andres

25. WAS DIRECTIONAL
SURVEY MADE

No

26. TYPE ELECTRIC AND OTHER LOGS RUN

Acoustic-Gamma Ray Log

27. WAS WELL CORED

No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8"	24#	412'	12-1/4	225 sx Circ	
4-1/2"	9.5#	4696'	7-7/8	200 sx	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-3/8"	4693'	None

31. PERFORATION RECORD (Interval, size and number)

4674'-4688' W/2 JSF

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
4674'-88'	500 gal acid
	20,000 gal oil
	20,000 # sn
	4,000 # beads

33. PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)				WELL STATUS (Producing or shut-in)	
7-8-64		Flowing				Producing	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
7-9-64	5	18/64	→	58	107	0	1850
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
700	400	→	278	514	0	30°	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Sold - Sinclair

TEST WITNESSED BY

J. W. Terry

35. LIST OF ATTACHMENTS

None

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

Original signed by:

V. B. STALEY

SIGNED

TITLE

Area Superintendent

DATE

7-10-64

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. **Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES:

SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION TEST, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	38. GEOLOGIC MARKERS		
				NAME	MEAS. DEPTH	TRUE VERT. DEPTH
San Andres	4674	4688	Oil X gas producing interval.	Anhydrite		2194
				San Andres		3892

Form approved.
Budget Bureau No. 42-R355.5.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

[illegible]

***(See Instructions and Spaces for Additional Data on Reverse Side)**

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, and/or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formations, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool. (See instruction for items 22 and 24 above.)

[illegible]

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other in-
structions on
reverse side)Form approved.
Budget Bureau No. 42-R355.5.

5. LEASE DESIGNATION AND SERIAL NO.

NM 0145685

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

USA Russell E. Horton

9. WELL NO.

10

10. FIELD AND POOL, OR WILDCAT

Milnesand San Andres

11. SEC., T., R., M., OR BLOCK AND SURVEY
OR AREA

30-8-35 NMPM

12. COUNTY OR
PARISH

Roosevelt

13. STATE

New Mexico

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ Other ☐

b. TYPE OF COMPLETION:

NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other ☐

2. NAME OF OPERATOR

Pan American Petroleum Corporation

3. ADDRESS OF OPERATOR

Box 68 - Hobbs, New Mexico 88240

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface

330' FNL x 921.3' FEL, Sec. 30 (Unit A, NE/4 NE/4)

At top prod. interval reported below

At total depth

14. PERMIT NO.

DATE ISSUED

15. DATE SPUDDED	16. DATE T.D. REACHED	17. DATE COMPL. (Ready to prod.)	18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*	19. ELEV. CASINGHEAD
7-23-64	8-2-64	8-10-64	4224' RDE	--

20. TOTAL DEPTH, MD & TVD	21. PLUG, BACK T.D., MD & TVD	22. IF MULTIPLE COMPL., HOW MANY*	23. INTERVALS DRILLED BY	ROTARY TOOLS	CABLE TOOLS
4766'	4764'	--	→	0-TD	--

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

4718'-4741' - San Andres

No

26. TYPE ELECTRIC AND OTHER LOGS RUN

Gamma Ray-Neutron Collar Log

No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8"	24#	405	12-1/4"	250 sx - Circ.	
4 1/2"	9.5#	4764	7-7/8"	250 sx - Top 3700'	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)
2"	4744	

31. PERFORATION RECORD (Interval, size and number)

4718'-4741' w/2 JSPP

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
4718'-41'	750 gal. acid

33.*

PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)				WELL STATUS (Producing or shut-in)	
8-10-64		Flowing				Producing	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
8-11-64	24	16/64	→	79	87	17 BW	11
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
270	300	→				30 Degree	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Sold

TEST WITNESSED BY

M. R. Frazier

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

TITLE Area Superintendent

DATE August 18, 1964

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES:			38. GEOLOGIC MARKERS			
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TRUE VERT. DEPTH
San Andres	4718	4741	Oil and gas producing zone.	Anhydrite		2200
				San Andres		3922

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other in-
structions on
reverse side)Form approved.
Budget Bureau No. 42-R355.5.

5. LEASE DESIGNATION AND SERIAL NO.

LC 0145685

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

USA Russell E. Horton

9. WELL NO.

15

10. FIELD AND POOL, OR WILDCAT

Milnesand San Andres

11. SEC., T., R., M., OR BLOCK AND SURVEY
OR AREA

30-8-35 NMPM

12. COUNTY OR
PARISH

Roosevelt

13. STATE

New Mexico

1a. TYPE OF WELL:

OIL
WELL☒GAS
WELL☐

DRY

☐

Other

b. TYPE OF COMPLETION:

NEW
WELL☒WORK
OVER☐DEEP-
EN☐PLUG
BACK☐DIFF.
RESVR.☐

Other

2. NAME OF OPERATOR

Pan American Petroleum Corporation

3. ADDRESS OF OPERATOR

Box 68 - Hobbs, New Mexico

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface

990' FSL X 928.75 FEL Sec. 30 (Unit P, SE/4 SE/4)

At top prod. interval reported below

At total depth

14. PERMIT NO.

DATE ISSUED

15. DATE SPUDDED

8-23-64

16. DATE T.D. REACHED

9-3-64

17. DATE COMPL. (Ready to prod.)

9-11-64

18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*

4221' RDB

19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD

5396'

21. PLUG, BACK T.D., MD & TVD

5270'

22. IF MULTIPLE COMPL.,
HOW MANY*23. INTERVALS
DRILLED BY

→

ROTARY TOOLS

O-TD

CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

4691'-4714' - San Andres

25. WAS DIRECTIONAL
SURVEY MADE

No

26. TYPE ELECTRIC AND OTHER LOGS RUN

Lane Wells, Acoustilog, Focused Log

27. WAS WELL CORED

Yes

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8"	24#	2202	11"	700 Sx.	
4-1/2"	9.5#	5396	7-7/8"	450 Sx.	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-3/8"	4695	

31. PERFORATION RECORD (Interval, size and number)

5320-40 W/2 SPF
5304-14 W/2 SPF
4691-4714 W/2 SPF

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
5320-40	1000 gal acid
5304-14	6000 gal acid-BP at 5250'
4691-4714	1000 gal acid

33.*

PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)				WELL STATUS (Producing or shut-in)	
9-11-64		Flowing				Producing	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
9-11-64	24	18/64	→	103	100	0	954
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
200		→				30	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Sold - Sinclair Oil & Gas Co.

TEST WITNESSED BY

M. R. Frazier

35. LIST OF ATTACHMENTS

None

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

Original Signed by:

SIGNED

V. E. STALEY

TITLE

Area Superintendent

DATE

Sept. 15, 1964

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES:

SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	GEOLOGIC MARKERS		
				38. NAME	MEAS. DEPTH	TRUE VERT. DEPTH
San Andres	4691	4714	Oil and gas producing zone	Anhydrite San Andres		2221 3921

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R355.5.

5. LEASE DESIGNATION AND SERIAL NO.

NM 0145685

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

USA Russell E. Horton

9. WELL NO.

17

10. FIELD AND POOL, OR WILDCAT

Milnesand San Andres

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

30-8-35 NMPM

12. COUNTY OR PARISH
Roosevelt13. STATE
New Mexico1a. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ Other _____

b. TYPE OF COMPLETION:

NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other _____

2. NAME OF OPERATOR

Pan American Petroleum Corporation

3. ADDRESS OF OPERATOR

Box 68 - Hobbs, New Mexico - 88240

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface

2310' FSL X 928.75' FWL, Sec. 30 (Unit I, NE/4 SE/4)

At top prod. interval reported below

At total depth

14. PERMIT NO.

DATE ISSUED

15. DATE SPULDED

9-7-64

16. DATE T.D. REACHED

9-17-64

17. DATE COMPL. (Ready to prod.)

9-21-64

18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*

4222' RDB

19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD

4774'

21. PLUG, BACK T.D., MD & TVD

4772' PBD

22. IF MULTIPLE COMPL., HOW MANY*

23. INTERVALS DRILLED BY

ROTARY TOOLS

O-TD

CABLE TOOLS

24. PRODUCING INTERVAL(S). OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

4723'-46' San Andres

25. WAS DIRECTIONAL SURVEY MADE
No

26. TYPE ELECTRIC AND OTHER LOGS RUN

Lane Wells-Acoustilog

27. WAS WELL CORED

No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8"	24	405	11"	250 Sx. Circ.	
4-1/2"	9.5	4774	7-7/8"	250 Sx	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2"	4766'	

31. PERFORATION RECORD (Interval, size and number)

4723'-46' W/2 JSPF

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
4723'-46'	750 gal acid

33. PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)					WELL STATUS (Producing or shut-in)	
9-21-64		Swabb & Flow					Producing	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO	
9-21-64	9	Open	→	38	NA	22	NA	
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)		
		→						

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Sold - Sinclair Oil & Gas Co.

TEST WITNESSED BY

M. R. Frazier

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

Original Signed by:
V. E. STALEY

TITLE

Area Superintendent

DATE

9/25/64

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions. If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Socks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES			38. GEOLOGIC MARKERS			
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TRUE VERT. DEPTH
San Andres	4723	4746	Oil & Gas producing zone	Anhydrite San Andres		2202 3910

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other In-
structions on
reverse side)Form approved,
Budget Bureau No. 42-R355.5.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ Other _____

b. TYPE OF COMPLETION:

NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other _____

2. NAME OF OPERATOR

Pan American Petroleum Corporation

3. ADDRESS OF OPERATOR

Box 68 - Hobbs, New Mexico - 88240

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface 1650.5' FNL X 330' FWL, Sec. 29 (Unit E, SW/4 NW/4)

At top prod. interval reported below

At total depth

14. PERMIT NO.

DATE ISSUED

15. DATE SPUNDED

16. DATE T.D. REACHED

17. DATE COMPL. (Ready to prod.)

18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*

19. ELEV. CASINGHEAD

9-19-64

9-28-64

10-1-64

4217' RDB

20. TOTAL DEPTH, MD & TVD

21. PLUG, BACK T.D., MD & TVD

22. IF MULTIPLE COMPL.,
HOW MANY*23. INTERVALS
DRILLED BY

ROTARY TOOLS

CABLE TOOLS

4770'

4768'

→ Q-TD

24. PRODUCING INTERVAL(S). OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

25. WAS DIRECTIONAL
SURVEY MADE

4718'-34' San Andres

No

26. TYPE ELECTRIC AND OTHER LOGS RUN

Lane Wells-Folusedlog, Acoustilog

27. WAS WELL CORED

No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8"	24#	395	12-1/4"	250 Sx.	
4-1/2"	9.5#	4770	7-7/8"	250 Sx.	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-3/8"	4745'	

31. PERFORATION RECORD (Interval, size and number)

4718-34' W/2 SPF

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
4718-34	750 gal acid

33.*

PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)				WELL STATUS (Producing or shut-in)	
10-1-64		Swab					
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
10-2-64	9	Swab	→	80	NA	40	NA
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
		→	213	NA	106	29°	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Sold - Sinclair Oil & Gas Co.

TEST WITNESSED BY

M. R. Frazier

35. LIST OF ATTACHMENTS

None

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

Original signed by:

Y. A. STALEY

SIGNED

TITLE

Area Superintendent

DATE

10-7-64

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES:

SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

FORMATION		TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	38. GEOLOGIC MARKERS	
					NAME	MEAS. DEPTH
						TRUE VERT. DEPTH
San Andres	4718	4734		Oil & Gas Producing Zone	Anhydrite San Andres	2199 3910

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other in-
structions on
reverse side)Form approved.
Budget Bureau No. 42-R355.5.

5. LEASE DESIGNATION AND SERIAL NO.

NM 0145685

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

USA Russell E. Horton

9. WELL NO.

20

10. FIELD AND POOL, OR WILDCAT

Milnesand San Andres

11. SEC., T., R., M., OR BLOCK AND SURVEY
OR AREA

29-8-35 NMPM

12. COUNTY OR
PARISH

Roosevelt

13. STATE

New Mexico

1a. TYPE OF WELL:

OIL
WELL ☒GAS
WELL ☐DRY ☐Other ☐

b. TYPE OF COMPLETION:

NEW
WELL ☒WORK
OVER ☐DEEP-
EN ☐PLUG
BACK ☐DIFF.
RESVR. ☐Other ☐

2. NAME OF OPERATOR

Pan American Petroleum Corporation

3. ADDRESS OF OPERATOR

Box 68 - Hobbs, New Mexico - 88240

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface

330' FNL X 330' FWL, Sec. 29 (Unit D, NW/4 NW/4)

At top prod. interval reported below

At total depth

14. PERMIT NO.

DATE ISSUED

15. DATE SPURRED

9-27-64

16. DATE T.D. REACHED

10-6-64

17. DATE COMPL. (Ready to prod.)

10-8-64

18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*

4219' RDB

19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD

4764

21. PLUG, BACK T.D., MD & TVD

4763

22. IF MULTIPLE COMPL.,
HOW MANY*23. INTERVALS
DRILLED BY

O-TD

ROTARY TOOLS

CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

4661'-4692' - San Andres

25. WAS DIRECTIONAL
SURVEY MADE

No

26. TYPE ELECTRIC AND OTHER LOGS RUN

PGAC's Acoustic-GammaRay Log

27. WAS WELL CORED

No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8"	24#	403'	12-1/4"	250 sz. circ.	
4-1/2"	9.5#	4764'	7-7/8"	250 sz.	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-3/8"	4707	

31. PERFORATION RECORD (Interval, size and number)

4661, 4668, 4675, 4684, 4692 W/2 JSPT

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
4661-92'	1000 gal acid

33. PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)				WELL STATUS (Producing or shut-in)	
10-8-64		flowing				producing	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
10-8-64	6	20/64	→	40	25	0	620
FLOW, TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
250	0	→	160	100	0	28	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Sold - Sinclair

TEST WITNESSED BY

M. R. Frazier

35. LIST OF ATTACHMENTS

None

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

TITLE

Area Superintendent

DATE

10/9/64

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES				38. GEOLOGIC MARKERS		
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TRUE VERT. DEPTH
San Andres	4661	4692	Oil & Gas Producing Zone	Anhydrite San Andres		2200 3930

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other in-
structions on
reverse side)Form approved
Budget Bureau No. 42-R-5551

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ REY ☐ Other _____		5. LEASE DESIGNATION AND SERIAL NO. NM 0145685	
2. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other _____		6. IF INDIAN, ALIOTTEE OR TRIBE NAME	
3. NAME OF OPERATOR Pan American Petroleum Corporation		7. UNIT AGREEMENT NAME	
4. ADDRESS OF OPERATOR Box 68 - Hobbs, New Mexico - 88240		8. NAME OF LEASE NAME USA Russell E. Horton	
9. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface 2310' FSL x 330' FWL, Sec. 29, (Unit L, NW/4 SW/4) At top prod. interval reported below At total depth		9. WELL NO. 21	
10. FIELD AND POOL OR WILDCAT Milnesano San Andres		11. SECTION, T., R., M., OR BLOCK AND SURVEY OR AREA 29-8-35 NMEH	
12. PERMIT NO.		DATE ISSUED	
13. COUNTY OR PARISH Roosevelt		14. STATE New Mexico	
15. DATE SPUN 10/6/64	16. DATE T.D. REACHED 10/14/64	17. DATE COMPL. (Ready to prod.) 10/22/64	18. ELEVATIONS (DE. RKB, RT, GR, ETC.)* 4219' RDE
19. ELEV. CASINGHEAD 4775'	20. TOTAL DEPTH, MD & TVD 4720'	21. PLUG. BACK T.D., MD & TVD	22. IF MULTIPLE COMPL., HOW MANY*
23. INTERVALS DRILLED BY O-TD			24. ROTARY TOOLS CABLE TOOLS
25. PRODUCING INTERVAL(S) OF THIS COMPLETION---TOP, BOTTOM, NAME (MD AND TVD)* 4692'-4708' San Andres			26. WAS DIRECTIONAL SURVEY MADE
27. TYPE ELECTRIC AND OTHER LOGS RUN Acoustic-Gamma Ray Log			28. WAS WELL Cased
29. CASING RECORD (Report all strings set in well)			
CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE
8-5/8"	24#	478'	12-1/4"
4-1/2"	9.4#	4775'	7-7/8"
CEMENTING RECORD			
AMOUNT FULLED			
250 sz. circ.			
250 sz.			
30. LINER RECORD			
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*
SCREEN (MD)			
TUBING RECORD			
SIZE	DEPTH SET (MD)	PACKER SET (MD)	
2-3/8"	4712'		
31. PERFORATION LOGGED (Interval, size and number)			
4692', 4697', 4701', 4705', 4708' W/2 JS each interval.			
4732'-52' W/2 JSPF			
32. ACID SHOT, FRACTURE, CEMENT SOUL, ZF, WFO			
DEPTH INTERVAL (MD)		AMOUNT AND KIND OF MATERIAL USED	
4692'-4708'		750 gal acid.	
4732'-52'		750 gal acid. Squeezed	
33. PRODUCTION			
DATE FIRST PRODUCTION 10-22-64		PRODUCTION METHOD (Flowing gas lift, pumping—size and type of pump) Swab	
WELL STATUS (Producing or shut-in) Producing			
DATE OF TEST 10/23/64	HOURS TESTED 9	CHOKE SIZE swab	PROP'D FOR TEST PERIOD →
OIL—BBL. 45	GAS—MCF. NA	WATER—BBL. 119	GAS-OIL RATIO NA
FLOW. TUBING PRESS. →	CASING PRESSURE →	CALCULATED 24-HOUR RATE →	OIL—BBL. 120
GAS—MCF. 317		WATER—BBL. 270	
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Sold - Sinclair Oil & Gas Co.			
TEST WITNESSED BY M. R. Frazier			
35. LIST OF ATTACHMENTS None			
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records			
Signed by V. M. STALNEY			
SIGNED		TITLE Area Superintendent	
DATE		10-26-64	

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTITUTE

The Institute is a non-profit organization...
The Institute is a non-profit organization...
The Institute is a non-profit organization...

The Institute is a non-profit organization...
The Institute is a non-profit organization...
The Institute is a non-profit organization...

ILLEGIBLE

Prod. of Zone

2213
3915



AMERICAN PETROLEUM COMPANY OF TEXAS

ENGINEERING CHART

Horton Federal Unit # 25

Pecos County, New Mexico

SHEET NO. _____ OF _____

FILE _____

DATE 7-25-84

BY JON CARL CARON

KE = 4613'

GL = 4608'

401'

WELL TYPE: Injection

8 7/8" 24# J-55 csg @ 401' (12 1/4" hole)
w/ 225 sx cmt (circulated)

Tubing:

4629' (150 jts) 2 3/8" 4.7# J-55 EUE BRD

Packer:

Guiberson Uni. I 2 3/8" X 4 1/2" X 3'
set @ 4642' w/ 12 pts tension

4642'

4 1/2" 9.5# J-55 csg @ 4716' (7 7/8" hole)
w/ 250 sx cmt

4716'

open hole (3 7/8" bit) 4716-4755'

TD 4755'

Perfs (2cft):

ZONE A: 4687-4705'
open hole: 4716-55'

Stimulation (4-9-80):

Acidized w/ 4000 gal
15% NEFE HCL (2 stages)
sep. by 300# rx salt in 300
gal gelled brine

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE

(See other In-
structions on
reverse side)

Form approved.
Budget Bureau No. 1004-0137
Expires August 31, 1985

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ Other <u>T.A.</u>		5. LEASE DESIGNATION AND SERIAL NO. NM 0145685	
2. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. BEVER ☐ Other _____		6. IF INDIAN ALLOTTEE OR TRIBE NAME	
3. NAME OF OPERATOR Fina Oil and Chemical Company		7. UNIT AGREEMENT NAME	
4. ADDRESS OF OPERATOR P. O. Box 2990 Midland, TX 79702		8. FARM OR LEASE NAME Horton Federal	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface 285' FEL & 2305 FNL At top prod. interval reported below At total depth		9. WELL NO. 32	
14. PERMIT NO.		10. FIELD AND POOL, OR WILDCAT Milnesand-San Andres	
DATE ISSUED		11. SEC. T. R. M. OR BLOCK AND SURVEY OR AREA 30, T-8-S, R-35-E NMPM	
15. DATE SPUDDED 11-15-84		12. COUNTY OR PARISH Roosevelt	
16. DATE T.D. REACHED 11-23-84		13. STATE NM	
17. DATE COMPL. (Ready to prod.) 12-20-84		19. ELEV. CASINGHEAD +4224.3 DF & +4225.3 KDB +4214.6	
20. TOTAL DEPTH, MD & TVD 4775' MD		21. PLUG BACK T.D., MD & TVD 4730'	
22. IF MULTIPLE COMPL., HOW MANY*		23. INTERVALS DRILLED BY all	
24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 4652' - 4740' San Andres MD		25. WAS DIRECTIONAL SURVEY MADE yes	
26. TYPE ELECTRIC AND OTHER LOGS RUN Comp. acoustic vel. log, dual guard, comp. density & DS neutron		27. WAS WELL CORED no	
28. CASING RECORD (Report all strings set in well)			
CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE
8 5/8"	24#	445'	12 1/4"
5 1/2"	19.5#	4774'	7 7/8"
29. LINER RECORD			
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*
30. TUBING RECORD			
SIZE	DEPTH SET (MD)	PACKER SET (MD)	
2 7/8"	4724'	NA	
31. PERFORATION RECORD (Interval, size and number)			
4717' - 4725' 9 shots			
4664' - 4666' 3 shots			
4668' - 4681' 14 shots			
32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.			
DEPTH INTERVAL (MD)		AMOUNT AND KIND OF MATERIAL USED	
4717'-4725'		250 gal 15% NEFE	
4664'-4681'		250 gal 15% NEFE	
33. PRODUCTION			
DATE FIRST PRODUCTION 12-27-84		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) pumping 2 1/2"x2"x20"	
DATE OF TEST 4-17-86		WELL STATUS (Producing or shut-in) shut-in	
HOURS TESTED 24	CHOKE SIZE	PROD'N. FOR TEST PERIOD 0	OIL—BBL. 0
FLOW. TUBING PRESS.	CASING PRESSURE	WATER—BBL. 930	GAS—MCF. 0
CALCULATED 24-HOUR RATE		OIL GRAVITY-API (CORR.) NA	
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)			
35. LIST OF ATTACHMENTS			
36. I hereby certify that the foregoing and attached information is complete and correct, as determined from all available records			
SIGNED <u>[Signature]</u>		TITLE <u>DRILLING FOREMAN</u>	
DATE <u>1-27-87</u>		DATE <u>1-27-87</u>	

*(See Instructions and Spaces for Additional Data on Reverse Side)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY(See other in-
structions on
reverse side)

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *


1a. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ Other ☐		5. LEASE DESIGNATION AND SERIAL NO. NM 0145685	
b. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. REVS. ☐		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
2. NAME OF OPERATOR AMERICAN PETROFINA CO. OF TEXAS		7. UNIT AGREEMENT NAME	
3. ADDRESS OF OPERATOR Box 2990, Midland, TX 79702		8. FARM OR LEASE NAME Horton Federal	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements) At surface 2320 FNL, 1550 FEL At top prod. interval reported below At total depth		9. WELL NO. 333	
14. PERMIT NO.		10. FIELD AND POOL, OR WILDCAT Milnesand San Andres	
11. SEC. T. R. M. OR BLOCK AND SURVEY OF AREA 30, T-8-S, R-35-E		12. COUNTY OR PARISH Roosevelt	
13. STATE NM		15. DATE SPUDDED 11-23-84	
16. DATE T.D. REACHED 12-02-84		17. DATE COMPL. (Ready to prod.) 1-12-85	
18. ELEVATIONS (DF, RKB, RT, GR, ETC.) GR 4212.6, KDB 4224		19. ELEV. CASINGHEAD	
20. TOTAL DEPTH, MD & TVD 4774		21. PLUG, BACK T.D., MD & TVD 4750	
22. IF MULTIPLE COMPL., HOW MANY?		23. INTERVALS DRILLED BY 0-4774	
24. PRODUCING INTERVAL(S) OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 4665-70 San Andres 4680-85 4718-28		25. WAS DIRECTIONAL SURVEY MADE No	
26. TYPE ELECTRIC AND OTHER LOGS RUN GR-FDC-CNL, DLL, MSFL, NGT, BHC		27. WAS WELL CORED No	
28. CASING RECORD (Report all strings set in well)			
CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE
8-5/8	24	446	12-1/4
5-1/2	15.5	4773	7-7/8
29. LINER RECORD None			
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*
2-3/8	4667		
30. TUBING RECORD			
SIZE	DEPTH SET (MD)	PACKER SET (MD)	
2-3/8	4667		
31. PERFORATION RECORD (Interval, size and number) 4665-70, 4680-85, .43" 12 shots 4718-28 .43" 9 shots			
32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC. -			
DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED		
4665-70, 4680-85	250 gal. 15% NEFE acid.		
4718-28	250 gal. 15% NEFE acid.		
33. PRODUCTION			
DATE FIRST PRODUCTION 1-12-85	PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Pumping 2" tubing pump.		WELL STATUS (Producing or shut-in) Producing
DATE OF TEST 1-28-85	HOURS TESTED 24	CHOKE SIZE -	PROD'N. FOR TEST PERIOD 37
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE 37	OIL—BBL. 37
			GAS—MCF. 1
			WATER—BBL. 497
			OIL GRAVITY-API (CORR.) 27.1
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Sold			
35. LIST OF ATTACHMENTS Electric Logs			
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records			
SIGNED <i>R. E. Smalley</i> R. E. Smalley		TITLE BUREAU OF LAND MANAGEMENT ROSWELL RESOURCE AREA	

* (See Instructions and Spaces for Additional Data on Reverse Side)

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
TRANSPORTER	OIL
	GAS
OPERATOR	
PRODUCTION OFFICE	

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87506



Form C-104
Revised 10-01-78
Format 06-01-83
Page 1

REQUEST FOR ALLOWABLE
AND
AUTHORIZATION TO TRANSPORT OIL AND NATURAL GAS

Operator Amoco Production Company		Approval to flare casinghead gas from this well must be obtained from the Minerals Management Service.
Address P. O. Box 68, Hobbs, NM 88240		
Reason(s) for filing (Check proper box)		Other (Please explain)
☒ New Well	Change in Transporter of:	Request allowable to produce
☐ Recompletion	☐ Oil	
☐ Change in Ownership	☐ Casinghead Gas	

If change of ownership give name and address of previous owner _____

II. DESCRIPTION OF WELL AND LEASE

Lease Name Horton Federal	Well No. 34	Pool Name, including Formation Milnesand San Andres	Kind of Lease State, Federal or Fee Federal	Lease No. NM0145685
Location Unit Letter <u>I</u> : <u>2280</u> Feet From The <u>South</u> Line and <u>865</u> Feet From The <u>East</u>				
Line of Section <u>30</u> Township <u>8-S</u> Range <u>35-E</u> , NMPM, <u>Roosevelt</u> County				

III. DESIGNATION OF TRANSPORTER OF OIL AND NATURAL GAS

Name of Authorized Transporter of Oil ☒ or Condensate ☐ Mobil Pipeline Company	Address (Give address to which approved copy of this form is to be sent) Box 900, Dallas, TX
Name of Authorized Transporter of Casinghead Gas ☐ or Dry Gas ☐	Address (Give address to which approved copy of this form is to be sent)
If well produces oil or liquids, give location of tanks.	Unit : <u>I</u> Sec. : <u>30</u> Twp. : <u>8-S</u> Rge. : <u>35-E</u>
Is gas actually connected?	When <u>No</u>

If this production is commingled with that from any other lease or pool, give commingling order number: _____

NOTE: Complete Parts IV and V on reverse side if necessary.

VI. CERTIFICATE OF COMPLIANCE

I hereby certify that the rules and regulations of the Oil Conservation Division have been complied with and that the information given is true and complete to the best of my knowledge and belief.

Cathy L. Forman
(Signature)

Asst. Admin. Analyst

(Title)

2-10-84

(Date)

0+5-NMOCD, H 1-R.E. Ogden, Hou 1-F.J. Nash, Hou
1-CLF

OIL CONSERVATION DIVISION

APPROVED FEB 13 1984, 19

BY ORIGINAL SIGNED BY JERRY SEXTON

TITLE DISTRICT I SUPERVISOR

This form is to be filed in compliance with RULE 1104.

If this is a request for allowable for a newly drilled or deepened well, this form must be accompanied by a tabulation of the deviation tests taken on the well in accordance with RULE 111.

All sections of this form must be filled out completely for allowable on new and recompleted wells.

Fill out only Sections I, II, III, and VI for changes of owner, well name or number, or transporter, or other such change of condition.

Separate Forms C-104 must be filed for each pool in multiply completed wells.

IV. COMPLETION DATA

Designate Type of Completion - (X)		Oil Well	Gas Well	New Well	Workover	Deepen	Plug Back	Same Res'v.	Diff. Res'v.
		X		X					
Date Spudded 12-15-83	Date Compl. Ready to Prod. 1-30-84	Total Depth 4800'		P.B.T.D. 4775'					
Elevations (DF, RKB, RT, GR, etc.) 4211.8' GL	Name of Producing Formation Milnesand San Andres	Top Oil/Gas Pay 4670'		Tubing Depth 4751'					
Perforations 4670'-4706' & 4720'-4748' w/4 JSPF						Depth Casing Shoe 4800'			
TUBING, CASING, AND CEMENTING RECORD									
HOLE SIZE	CASING & TUBING SIZE		DEPTH SET		SACKS CEMENT				
12-1/4"	8-5/8"		400'		250 CL C w/2% CaCl ₂				
7-7/8"	5-1/2"		4800'		1350 CL C w/add & 475				
					CL C neat				
	2-7/8"		4751'						

V. TEST DATA AND REQUEST FOR ALLOWABLE (Test must be after recovery of total volume of load oil and must be equal to or exceed top allowable for this depth or be for full 24 hours)

Date First New Oil Run To Tanks 1-13-84	Date of Test 1-30-84	Producing Method (Flow, pump, gas lift, etc.) Pump	
Length of Test 24 hours	Tubing Pressure	Casing Pressure 28 psi	Choke Size
Actual Prod. During Test 62 BO, 475 BW, 15 MCFD	Oil - Bbls. 62	Water - Bbls. 475	Gas - MCF 15

GAS WELL

Actual Prod. Test - MCF/D	Length of Test	Bbls. Condensate/MMCF	Gravity of Condensate
Testing Method (pilot, back pr.)	Tubing Pressure (Shut-in)	Casing Pressure (Shut-in)	Choke Size

RECEIVED
FEB 10 1984
O.C.D.
HOELS OFFICE

Form approved.
Budget Bureau No. 42 8355 5

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE *

(See other instructions on reverse side)

Form approved,
Budget Bureau No. 42 R355.5.

5. LEASE DESIGNATION AND SERIAL NO.

NM 0145685

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Horton Federal

9. WELL NO.

36

10. FIELD AND POOL, OR WILDCAT

Milnesand-San Andres

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

30, T-8-S, R-35-E
NMPM

12. COUNTY OR PARISH

Roosevelt

13. STATE

New Mexico

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ Other _____

b. TYPE OF COMPLETION:

NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR ☐ Other _____

2. NAME OF OPERATOR

American Petrofina Co. of Texas

3. ADDRESS OF OPERATOR

P.O. Box 2990 Midland, Texas 79702

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface 990 FNL, 1581 FEL

At top prod. interval reported below

At total depth

14. PERMIT NO.

DATE ISSUED

9/26/84

15. DATE SPULDED

10/24/84

16. DATE T.D. REACHED

11-2-84

17. DATE COMPL. (Ready to prod.)

11-20-84

18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*

4229 DF 4230 KDB

19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD

~~4806~~ 4590 4790

21. PLUG. BACK T.D., MD & TVD

4754

22. IF MULTIPLE COMPL., HOW MANY*

23. INTERVALS DRILLED BY

ROTARY TOOLS

CABLE TOOLS

X

24. PRODUCING INTERVAL(S) OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

4655-4688

San Andres

4712-4732

25. WAS DIRECTIONAL SURVEY MADE

NO

26. TYPE ELECTRIC AND OTHER LOGS RUN

GR DEN.-CNL Sonic

27. WAS WELL CORED

NO

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT FULLED
8 5/8	24	442	12 1/4	275 sx CI "C"	-
5 1/2	15.5	4806	7 7/8	1175 sx HLC & 200 SX CI H	-

29. LINER RECORD None

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2 7/8	4745	-

31. PERFORATION RECORD (Interval, size and number)

4655-4688

.36

20 shots

4712-4732

.36

10 shots

ACCEPTED FOR PERMITS

PETT W. CHESTER

JAN 18 1985

PRODUCTION

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC. -

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
4655-4688	3000 gals. 15% NEFE acid
4712-4732	2080 gals. 15% NEFE acid

33.*

DATE FIRST PRODUCTION

11-20-84

PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)

Pump 2" Insert

WELL STATUS (Producing or shut-in)
Production

DATE OF TEST	HOURS TESTED	CHOKED SIZE	*PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
12-20-84	24	2 1/2			TSTM	244	-
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
-	-		27.5	TSTM	244	26.4	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Sold

TEST WITNESSED BY

Curtis Allen

35. LIST OF ATTACHMENTS

Density-Neutron Logs, Inclination Survey

36 I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED _____

TITLE _____

DATE _____

*(See Instructions and Spaces for Additional Data on Reverse Side)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other in-
structions on
reverse side)Form approved
Budget Bureau No. 42-R355.5.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL - WELL ☒ GAS WELL ☐ DRY ☐ Other ☐		2. NAME OF OPERATOR AMERICAN PETROFINA CO. OF TEX.		3. ADDRESS OF OPERATOR Box 2990, Midland, TX 79702		4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface 990 FNL, 295 FEL At top prod. interval reported below At total depth		5. LEASE DESIGNATION AND SERIAL NO. NM 0145685		6. IF INDIAN, ALLOTTEE OR TRIBE NAME		7. UNIT AGREEMENT NAME		8. TOWN OR LEASE NAME Horton Federal		9. WELL NO. 37		10. FIELD AND POOL, OR WILDCAT Milnesand San Andres		11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA 30, T-8-S, R-35-E, NMPM		12. COUNTY OR PARISH Roosevelt		13. STATE New Mexico	
15. DATE SPUDDED 11-3-84		16. DATE T.D. REACHED 11-12-84		17. DATE COMPL. (Ready to prod.) 2-26-85		18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 4218 DF, 4219 KDB		19. ELEV. CASINGHEAD		20. TOTAL DEPTH, MD & TVD 4791		21. PLUG, BACK T.D., MD & TVD 4789		22. IF MULTIPLE COMPL., HOW MANY*		23. INTERVALS DRILLED BY ROTARY TOOLS CABLE TOOLS 10-4791		24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 4505-4525, 4662-4680 San Andres		25. WAS DIRECTIONAL SURVEY MADE No		26. TYPE ELECTRIC AND OTHER LOGS RUN GR-FDC-CNL, NGT, DLL		27. WAS WELL CORED Yes	
28. CASING RECORD (Report all strings set in well)																									
CASING SIZE		WEIGHT, LB./FT.		DEPTH SET (MD)		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED															
8-5/8		24		446		12-1/4		275 sx. Cl. C		-															
5-1/2		15.5		4790		7-7/8		950 sx. HLC, 200 sx. Cl. H		-															
29. LINER RECORD																									
SIZE		TOP (MD)		BOTTOM (MD)		SACKS CEMENT*		SCREEN (MD)		30. TUBING RECORD															
2-7/8		4746								SIZE		DEPTH SET (MD)		PACKER SET (MD)											
										2-7/8		4746													
31. PERFORATION RECORD (Interval, size and number)																									
4505-4525, 18 shots		4662-4680, 10 shots		ACCEPTED FOR RECORD PETER W. CHESTER APR 10 1985																					
32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.																									
DEPTH INTERVAL (MD)		AMOUNT AND KIND OF MATERIAL USED																							
4505-4518		1500 gal. 15% NEFE																							
4662-4680		2000 gal. 15% NEFE																							
33. PRODUCTION																									
DATE FIRST PRODUCTION 12-8-84		BUREAU OF LAND MANAGEMENT PRODUCTION METHOD OR EQUIPMENT, size and type of pump Pumping, 2" Insert WELL STATUS (Producing or shut-in) Producing																							
DATE OF TEST 2-27-84		HOURS TESTED 24		CHOKE SIZE 2"		PROD'N. FOR TEST PERIOD 30		OIL—BBL. 30		GAS—MCF. (1)		WATER—BBL. 519		GAS-OIL RATIO 27.1											
FLOW, TUBING PRESS.		CASING PRESSURE		CALCULATED 24-HOUR RATE 30		OIL—BBL. 30		GAS—MCF. (1)		WATER—BBL. 519		OIL GRAVITY-API (CORR.) 27.1													
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)																									
TEST WITNESSED BY Curtis Allen																									
35. LIST OF ATTACHMENTS 2 Neutron-density logs, 2 deviation surveys																									
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records																									
SIGNED <u>J. C. Chapman</u> TITLE Assistant Dist. Mgr. of Prod. DATE 3-1-85																									
J. C. Chapman																									
nh																									
*(See Instructions and Spaces for Additional Data on Reverse Side)																									

Item VII.

1. Proposed Average daily rate: 425 barrels
Proposed Maximum daily rate: 500 barrels
2. System is Closed.
3. Proposed Average Pressure: 775 psi
Proposed Maximum Pressure: 800 psi
4. Reinjecting Produced Water.
5. Injection is into Zone Productive of Oil and Gas.

Item VIII.

Injection Zone

Geological Name: San Andres Dolomite

Thickness & Depth: 4716-4740'

Underground Sources of Drinking Water Overlying the Proposed Injection Zone

Fresh Water Aquifer: Ogallala above 400' measured depth.



Home Office 707 N. Leech, P.O. Box 1499 / Hobbs, NM 88240 / Ph. 505/393-7751, TWX 910/986-0010

September 29, 1988

Mr. Slim Jordan
Fina Oil & Chemical Company
2400 North Grimes, Suite H-186
Hobbs, New Mexico 88240

Dear Mr. Jordan:

Enclosed please find our water analysis reports on the samples submitted to our laboratory on September 28, 1988.

If you have any questions or require further information, please contact us

Sincerely,

A handwritten signature in cursive script that reads 'Sharon Wright'. Below the signature, the name and title are printed in a standard font.

Sharon Wright
Laboratory Technician

SW/djs

Enclosures

cc: John Offutt
Curtis Allen
Dee Lawrence
Joe Hay
Skeet Raybon

Item XI.

UNICHEM INTERNATIONAL INC.

Unichem International

707 North Leech

P.O.Box 1499

Hobbs, New Mexico 88240

Company : FINA OIL AND CHEMICAL COMPANY

Date : 09-28-1988

Location: - EAST (on 09-28-1988)

Specific Gravity:

Total Dissolved Solids:

pH:

IONIC STRENGTH:

Sample 1

1.001

1143

6.96

0.030

<u>CATIONS:</u>		<u>me/liter</u>	<u>mg/liter</u>
Calcium	(Ca ⁺²)	8.00	160
Magnesium	(Mg ⁺²)	7.60	92.3
Sodium	(Na ⁺¹)	3.05	70.2

<u>ANIONS:</u>			
Bicarbonate	(HCO ₃ ⁻¹)	2.80	171
Carbonate	(CO ₃ ⁻²)	0	0
Hydroxide	(OH ⁻¹)	0	0
Sulfate	(SO ₄ ⁻²)	6.92	333
Chloride	(Cl ⁻¹)	8.93	317

SCALING INDEX (positive value indicates scale)

<u>Temperature</u>		<u>Calcium</u>	<u>Calcium</u>
		<u>Carbonate</u>	<u>Sulfate</u>
86°F	30°C	-0.19	-13

Unichem International

707 North Leech

P.O.Box 1499

Hobbs, New Mexico 88240

Company : FINA OIL AND CHEMICAL COMPANY

Date : 09-28-1988

Location: - WEST (on 09-28-1988)

Specific Gravity:

Total Dissolved Solids:

pH:

IONIC STRENGTH:

Sample 1

1.001

1887

6.77

0.052


<u>CATIONS:</u>		<u>me/liter</u>	<u>mg/liter</u>
Calcium	(Ca ⁺²)	18.4	368
Magnesium	(Mg ⁺²)	13.6	165
Sodium	(Na ⁺¹)	0.958	22.0
<u>ANIONS:</u>			
Bicarbonate	(HCO ₃ ⁻¹)	3.00	183
Carbonate	(CO ₃ ⁻²)	0	0
Hydroxide	(OH ⁻¹)	0	0
Sulfate	(SO ₄ ⁻²)	6.92	333
Chloride	(Cl ⁻¹)	23.0	817

SCALING INDEX (positive value indicates scale)

<u>Temperature</u>		<u>Calcium</u>	<u>Calcium</u>
86°F	30°C	<u>Carbonate</u>	<u>Sulfate</u>
		-0.08	-8.1

Item XII.

We find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground source of drinking water. We have examined available geologic and engineering data.

A handwritten signature in cursive script, reading "Neva Herndon", is written over a horizontal line.

Neva Herndon
Senior Production Clerk

October 26, 1988

LEGAL NOTICE
NOTICE OF APPLICATION
FOR FLUID INJECTION
WELL PERMIT

Name: PNA OIL & CHEMICAL
COMPANY

Box 2990
Midland, TX 79702-2990
915 688-0600

Contact Party: Ronald E. Smelley,
Dist. Prod. Mgr.

Purpose: Injection of Produced Salt
Water

Horton Federal No. 38, 1700'
from the North line & 920' from the
East line, Sec. 30, T-8-S, R-35-E,
NMPM

Formation: San Andres 3907'
(+318); expected maximum injection
rate - 500 bbl. per day, maximum
pressure - 800 psi.

Interested parties must file objections
or requests for hearing with
the Oil Conservation Division, P.O.
Box 2088, Santa Fe, New Mexico
87501 within 15 days.

Published in the Portales News-
Tribune October 2, 4, 1988. Legal
#0469.

Affidavit of Publication

0

I, Marshall Stinnett

Business Manager

of

THE PORTALES NEWS-TRIBUNE

a newspaper of general paid circulation and entered under
second class postal privilege in Roosevelt County, published
daily, (except Saturday) at Portales, New Mexico, for the fifty-
two (52) consecutive weeks preceding this date, do solemnly
swear that a copy of the above notice, as per clipping attached,
was published weekly in the regular and entire issue of said

newspaper, and not in any supplement thereof for 2

consecutive weeks commencing with the issue dated

October 2 19 88

and ending with the issue dated October 4 19 88

All publication costs having been paid.

Subscribed and sworn to before me this 4th day of October 19 88

De Maun Barnett
Notary Public

My commission expires 3/7/91 19 91

PROOF OF PUBLICATION

STATE OF NEW MEXICO

COUNTY OF Roosevelt

Before me, the undersigned authority, on this day personally appeared Marshall Stinnett, the Business Manager of the Portales News-Tribune, a newspaper having general circulation in Roosevelt County, New Mexico, who being by me duly sworn, deposes and says that the foregoing attached notice was published in said newspaper on the following date, to wit; October 2, 4, 1988

Marshall Stinnett

Subscribed and sworn to before me this the 6th day of October, 19 88, to certify which witness my hand and seal of office.

Re Marc Barnett

Notary Public in and for

Roosevelt Co. County, New Mexico

Item XIII.

Surface Owner:

Vernon Rogers
4613 Bermuda
San Angelo, TX 76904

Leasehold Operator within $\frac{1}{2}$ mile:

Union Texas Petroleum
4000 N. Big Spring St.
Midland, TX 79701



STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT
OIL CONSERVATION DIVISION
HOBBS DISTRICT OFFICE

GABRIEL CARRUTHERS
GOVERNOR

11-2-87

POST OFFICE BOX 1810
HOBBS, NEW MEXICO 88401-1980
(505) 393-6161

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

RE: Proposed:

MC _____
DHC _____
NSL _____
NSP _____
SWD _____
WFX ☒ _____
PMX _____

Gentlemen:

I have examined the application for the:

Luna Oil & Chemical Horton Fed #38-H 30-8-35
Operator Lease & Well No. Unit S-T-R

and my recommendations are as follows:

OK

Yours very truly,

Jerry Sexton
Jerry Sexton
Supervisor, District 1

/ed