


Salt 1000-2500

2396

2396
3366

3366



2463

10 3/4\" hole

1 1/6\" hole


OK

R & O Welding & Construction, Inc.
Llano "A" Federal No. 1
1980' FNL & 660' FWL
Sec. 8, T19S, R32E
Proposed Water Injection

TD 12,552

Tabular Summary
 All Wells Within 1/2 Mile Of
 R & O Welding & Construction, Inc.
 Llano "A" Federal No. 1
 Unit E, Sec. 8, T19S, R32E

Operator	Llano, Inc.	Tennessee Oil Co.
Lease & Well No.	Price Fed. #2	USA Trigg Fed. # 1
S-T-R	Sec. 5, T19S, R32E	Sec. 8, T19S, R32E
Footage Location	660' FSL & 660' FWL	1650' FSL & 1650' FWL
Surface Casing	11 3/4" @ 850	13 3/8" @ 885
Sacks Cement	650 Sacks	750 Sacks
Top Cement	Circulated	Circulated
Interm. Casing	8 5/8" @ 3650'	8 5/8" @ 4006'
Sacks Cement	300 Sacks	900 Sacks
Top Cement	Unknown	Unknown
Prod. Casing	4 1/2" @ 11, & 37	5 1/2" @ 12, 798
Sacks Cement	550 Sacks	550 Sacks
Top Cement	Unknown	Unknown
Total Depth	11,437'	12,800'
Prod. Interval	11,295 - 11,323	11,503 - 11,509



$$160 \times 1.14 = 182.4 \text{ cuft}$$

$$182.4 \times 6.78 \frac{\text{lin ft}}{\text{cuft}} = 815'$$

Queen 3654 - 3720

4 1/2" 3853 w/60

GB
SA
Delaware } Open

plug 5850

No prod.
w/in 2 mi
in interval

