


WELL NAME	OPERATOR	TYPE	SPUD	COMP.	TD	DIAGRAM	ZONE	PERFS	CASING	COMPLETION	TOC/METHOD
Meyers 1-C 1980' FNL & FWL 22-24S-36E	McDrose (SDX)	P&A	6/15/48	7/21/48	3514'	Need	7 Rivers	OH 3402-3514	13-3/8" @ 300' w/300 sx 7" @ 3402' w/350 sx	Natural	13-3/8" @ surf/calc. 7" @ 2156' Calc .75 eff Assum 10" hole (1.32)
Meyers 2-C 660' FNL 1980' FWL 22-24S-36E	Burlington (Meridian)	SWD	9/5/60	9/27/60	3510'	Need	7 Rivers	OH 3476-3510	9-5/8" 36# @ 305' w/250 sx 7" 20-23# @ 3476' w/550 sx C	A: 2500 gal.	9-5/8" @ Surf/Calc. Assum 12-1/4" hole 7" @ 1370'/reported
Meyers Federal #3 1980' FSL & FEL 22-24S-36E	Magnolia (SDX)	P&A	10/28/34	11/22/34	3515'	Need	Yates/7 Rivers	OH 3473-3515	15" @ 282' w/225 sx 9-5/8" @ 1394' w/275 sx 7" @ 3470'. Pulled 1324'.	Cmt plug @ 3300-3500' 25 sx plug @ 1324' 40 sx surf plug	15" @ surf/calc. 9-5/8" @ 525' calc. 7" 175 sx @ 1167' calc. 7" 350 sx @ 2320' calc.
Meyers B Federal #1 2310' FSL 1250' FEL 22-24S-36E	SDX	Oil	10/10/95	12/5/95	3724'	No	Yates	3440-3552 CIBP 3400 3207-3326	8-5/8" 24# @ 460' w/350 sx 5-1/2" 14# @ 3700' w/1300 sx	A: 3500 gal SWF: 17000 gal w/ 77000# 12/20 sd	surf/circ surf/circ
AH Meyers Federal A #1 2310 FNL 330' FEL 22-24S-36E	Stanolind (SDX)	P&A 1940	6/1/34	8/14/34	3514' PBTD 3409'	Ok	7 Rivers	OH 3465-3514 PF 3436-55 3404-3366	20" 90# @ 180' w/0 sx 16" 70# @ 240' w/175 sx 9-5/8" 40# @ 2985' w/225 sx 7" 24# @ 3472' w/150 sx	40 sx to 3050', 7" cut @ 2040', 10 sx @ 2040', 9-5/8" cut @ 450', 10 sx @ 450', 10 sx @ surface 25 sx plug 3436-3336 7" cut @ 2294' w/20 sx in top. 20 sx @ 1527'. 9-5/8" cut @ 397'. Surf plug in 12-1/4".	20" pulled? 16" surf/calc 9-5/8" @ 2233' calc w/12-1/4" hole 7" 2040'/assum .75 eff 12-1/2" @ surf/calc 9-5/8" @ 397'/assumed 7" @ 2294'/assumed
AH Meyers Federal A #2 660' FNL 660' FEL 22-24S-36E	Stanolind (SDX)	P&A	10/3/34	11/16/34	3515'	Ok	Yates/7 Rivers	OH 3484-3515	12-1/2" @ 244' w/210 sx 9-5/8" @ 1527' w/450 sx 7" @ 3484' w/175 sx		13-3/8" @ surf/calc 9-5/8" @ 255'/assumed 7" @ 2465'/assumed
AH Meyers Federal A #3 1980' FNL & FEL 22-24S-36E	Stanolind (SDX)	P&A 1947	11/13/34	12/27/34	3558'	Ok	Yates/7 Rivers	OH 3491-3558	13-3/8" @ 239' w/145 sx 9-5/8" @ 3096' w/778 sx 7" @ 3491' w/150 sx	25 sx @ 3474-3430'. Cut 7" @ 2465'. 20 sx @ 2465' 9-5/8" cut @ 255'. 20 sx @ 255', 10' surf plug.	13-3/8" @ surf/calc 9-5/8" @ 361' calc 7" @ 2200' calc 8-5/8" surf/circ 5-1/2" surf/circ
AH Meyers Federal A #5 660' FNL 1980' FEL 22-24S-36E	Stanolind (SDX)	P&A	12/17/34	1/18/35	3575'	Ok	Yates/7 Rivers	OH 3527-3575	13-3/8" 50# @ 240' w/150sx 9-5/8" 40# @ 3100' w/775 sx 7" 24# @ 3527' w/150 sx	NOT REPORTED	13-3/8" @ surf/calc 9-5/8" @ 361' calc 7" @ 2200' calc 8-5/8" surf/circ 5-1/2" surf/circ
Meyers Federal #6 330' FNL 330' FEL 22-24S-36E	SDX	Oil	9/13/96	10/22/96	3515	No	7 Rivers	OH 3470-3515	8-5/8" @ 393' w/350 sx 5-1/2" @ 3470' w/400 sx Lite + 250 sx C	A: 500 gal 15%	8-5/8" surf/circ 5-1/2" surf/circ
Meyers Federal #7 1400' FNL 1650' FEL 22-24S-36E	SDX	Oil	6/14/96	8/11/96	3500'	No	Yates	3234-3418	8-5/8" @ 430' w/325 sx C 5-1/2" @ 3516' w/350 sx Lite + 250 sx C	A: 3000 gal 15 MSE F: 40000 gal Borate + 92940# 12/20 sd	8-5/8" surf/1" 5-1/2" surf/calc 8-5/8" surf/calc 5-1/2" @ 2597' calc
Meyers #1 1650' FNL 330' FEL 22-24S-36E	SDX (Stanolind/ Thompson Cone)	Gas	11/13/53	3/1/54	3504' PBTD 3380'	No	Yates	3250-3360 3390-3491 (7R) sq 7R w/100 sx	8-5/8" @ 286' w/200 sx 5-1/2" @ 3454' w/150 sx	A: 1000 gal F: 5000 gal	8-5/8" surf/calc 5-1/2" @ 2597' calc
Vaughn A 15 #1 660' FSL 1980' FEL 15-24S-36E	Tenison	Oil	5/13/36	7/10/36	3609'	No	7 Rivers	OH 3490-3609	10-3/4" 40-1/2" @ 252' w/200 sx 7-5/8" 26# @ 1636' w/400 sx 5-1/2" 17# @ 3490' w/400 sx	A: @ 3552' w/2000 gal A: @ 3609' w/1500 gal	10-3/4" @ surf/calc 7-5/8" @ surf/calc 5-1/2" @ surf/calc
Vaughn A 15 #2 1980' FSL & FEL 15-24S-36E	Tenison	Oil	7/23/36	8/31/36	3610'	No	7 Rivers	OH 3591-3610	13" 50# @ 263' w/200 sx 8-5/8" 32# @ 1645' w/650 sx 5-1/2" 17# @ 3591' w/400 sx	Natural	13" @ surf/calc 8-5/8" @ 86' assume 12-1/4" hole 5-1/2" @ 1305' calc
Vaughn A #1 660' FSL & FEL 15-24S-36E	Tenison	P&A	1/2/35	2/26/35	3565' PBTD 3520'	Need	Yates/7 Rivers	OH 3488-3520 PF 3180-3400	10-3/4" 40# @ 257' w/150 sx 7-5/8" 26# @ 1686' w/500 sx 5-1/2" 17# 3488' w/400 sx	cmt @ 3450' sqz 50 sx, cmt plug 3175-3450, cut 5-1/2" @ 2292', cmt in top of 5-1/2", cmt plug @ 7" shoe 1681', cmt @ top of 7-5/8", Filled annulus of 7-5/8 & 10-3/4 w/cmt	10-3/4" @ surf/calc 7-5/8" @ surf/calc 5-1/2" @ 2292'/assumed
Gates #1 660' FNL & FWL 23-24S-36E	Tenison	Gas	Re-enter 6/1/64	Re-compl 6/5/64	3514' PBTD 3270'	No	Yates	3055-3264	10-3/4" @ 250' w/300 sx 7-5/8" @ 1846' w/93 sx 5-1/2" @ 3450' w/400 sx	A: 500 gal F: 37000 gal + 40000# sd	10-3/4" @ surf/calc. 7-5/8" @ 1442' calc. 5-1/2" @ surf/calc.

Meyers C#1
Melrose (SDX)

1980' FNL + FWL
Sec 22, 245-36E

13 3/8" @ 300'
300 SW TOC Surf



Current condition
unknown. Well
is P+Q. No
reports on file

7" @ 3402'
350 SW TOC 2156'

TD 3514'


Mayers Federal #3
Magnolia (SDX)

1980' FSL & FEL
Sec 22, 245-36E

15" @ 282'
225 SX TOC surf
calc

9 5/8" @ 1394'
275 SX TOC 525'
calc

7" @ 3470'
175 SX TOC 1167' / calc
or
350 SX TOC 2320' / calc



40 SX cmt plug
@ surf

Pulled - log @ 1324'
25 SX cmt plug

cmt plug 3300-3500

TD 3515'

Meyers Fed A#1
Standind O & H

2310' FNL & 330' FEL
Sec 22, 245-36E

20" 90# @ 182'
no cement
no mention of 20" csg
on P+2 apt.


16" 70# @ 240'
175 sk TDC surf
calc

9 5/8" 40# @ 2935'
225 sk TDC 2233'
calc w/ 1 1/4" hole

PF: 3366-3404'

PF: 3436-55' (30)

7" 24# @ 3472'
150 sk TDC 2040'
assum. 75# lb.



10 sk cement plug
@ surf

7" cut off @ 2040'
10 sk plug @ 2040'
in 7" csg.


9 5/8" cut off @ 2535'
10 sk plug @ 2535'
in 9 5/8" csg.

10 sk cement plug @ 3050

TD 3514'
* PBTD 3409'
* No info on PB


Meyers Fed A #2
Stanaland

660 FNL & FEL
Sec 22, 245-36E



Meyers Fed A #3
Stanaland

1980' FNL & FEL
Sec 22, 245-36E



Vaughn 4#1
Jensen


660' FSL & FEL
See 15, 243-36E

10³/₄" 40# @ 257'
150 SW TOC surf
calc

7⁵/₈" 26# @ 1686'
500 SW TOC surf
calc

PF: 3180-3400'

5¹/₂" 17# @ 3488'
400 SW TOC 2292'
assumed



Cmt plug @ 7' shoe
@ 1681'. Cmt on top
of 7⁵/₈"
filled annulus of
7⁵/₈" + 10³/₄" w/cmt.

Cut 5¹/₂" @ 2292'
Cmt on top of 5¹/₂"

Cmt plug 3175-3450
500 SW

TD 3565'
PBTD 3520'

Unichem International

707 North Leech

P.O.Box 1499

Hobbs, New Mexico 88240

Company : SDX
Date : 12-13-1996
Location: Meyer # Fed - Well #6 (on 12-12-96)

Sample 1

Specific Gravity: 1.009
Total Dissolved Solids: 12809
pH: 6.65
IONIC STRENGTH: 0.254

=====

		me/liter	mg/liter	#6	#7	B-1
CATIONS:						
Calcium	(Ca+2)	28.8	576			
Magnesium	(Mg+2)	27.6	335			
Sodium	(Na+1)	153	3510			
Iron (total)	(Fe+2)	0.005	0.150			
ANIONS:						
Bicarbonate	(HCO3-1)	22.3	1360			
Carbonate	(CO3-2)	0	0			
Hydroxide	(OH-1)	0	0			
Sulfate	(SO4-2)	31.8	1530			
Chloride	(Cl-1)	155	5500		32000	9000
DISSOLVED GASES						
Carbon Dioxide	(CO2)		70.0			
Hydrogen Sulfide	(H2S)		340			

=====

SCALING INDEX (positive value indicates scale)

Temperature		Calcium Carbonate	Calcium Sulfate
86[F	30[C	0.30	-17
104[F	40[C	0.94	-17
122[F	50[C	1.2	-17
140[F	60[C	1.6	-17
168[F	76[C	2.1	-5.8
176[F	80[C	2.3	-5.8

Comments:
cc: Isaac Huskey
Joe Hay

Unichem International

707 North Leech

P.O.Box 1499

Hobbs, New Mexico 88240

Company : SDX
Date : 12-13-1996
Location: Meyer B Fed - Well #1 (on 12-12-96)

Sample 1

Specific Gravity: 1.019
Total Dissolved Solids: 26541
pH: 7.35
IONIC STRENGTH: 0.603

=====

CATIONS:		me/liter	mg/liter
Calcium	(Ca+2)	28.0	560
Magnesium	(Mg+2)	142	1730
Sodium	(Na+1)	267	6140
Iron (total)	(Fe+2)	0.029	0.800

ANIONS:		me/liter	mg/liter
Bicarbonate	(HCO3-1)	24.0	1460
Carbonate	(CO3-2)	0	0
Hydroxide	(OH-1)	0	0
Sulfate	(SO4-2)	159	7650
Chloride	(Cl-1)	254	9000

DISSOLVED GASES		
Carbon Dioxide	(CO2)	0
Hydrogen Sulfide	(H2S)	187

=====

SCALING INDEX (positive value indicates scale)

Temperature		Calcium Carbonate	Calcium Sulfate
86[F	30[C	0.67	-1.9
104[F	40[C	1.3	-1.9
122[F	50[C	1.6	-1.9
140[F	60[C	1.9	-1.9
168[F	76[C	2.5	0.43
176[F	80[C	2.7	0.43

Comments:
cc: Isaac Huskey
Joe Hay

Unichem International

707 North Leech

P.O.Box 1499

Hobbs, New Mexico 88240

Company : SDX
Date : 12-13-1996
Location: Meyer B Fed - Well #7 (on 12-12-96)

Sample 1

Specific Gravity: 1.045
Total Dissolved Solids: 62644
pH: 7.45
IONIC STRENGTH: 1.347

=====

CATIONS:		me/liter	mg/liter
Calcium	(Ca+2)	80.0	1600
Magnesium	(Mg+2)	276	3350
Sodium	(Na+1)	728	16700
Iron (total)	(Fe+2)	0.054	1.50

ANIONS:		me/liter	mg/liter
Bicarbonate	(HCO3-1)	16.3	994
Carbonate	(CO3-2)	0	0
Hydroxide	(OH-1)	0	0
Sulfate	(SO4-2)	166	7950
Chloride	(Cl-1)	903	32000

DISSOLVED GASES

Carbon Dioxide (CO2)	0
Hydrogen Sulfide (H2S)	42.5

=====

SCALING INDEX (positive value indicates scale)

Temperature		Calcium Carbonate	Calcium Sulfate
86[F	30[C	0.96	19
104[F	40[C	1.6	19
122[F	50[C	1.9	19
140[F	60[C	2.2	19
168[F	76[C	2.8	23
176[F	80[C	3.0	23

Comments:
cc: Isaac Huskey
Joe Hay

I

I

UNICHEM
A Division of BJ Services Company

Unichem International

707 North Leech

P.O.Box 1499

Hobbs, New Mexico 88240

Company : SDX
Date : 12-20-1996
Location: Myers "B" - Water Well (on 12-20-96)

	Sample 1
Specific Gravity:	1.002
Total Dissolved Solids:	3136
pH:	7.15
IONIC STRENGTH:	0.056

=====

CATIONS:		me/liter	mg/liter
Calcium	(Ca+2)	2.40	48.0
Magnesium	(Mg+2)	3.20	38.9
Sodium	(Na+1)	46.2	1060
Iron (total)	(Fe+2)	0.021	0.600

ANIONS:			
Bicarbonate	(HCO3-1)	5.00	305
Carbonate	(CO3-2)	0	0
Hydroxide	(OH-1)	0	0
Sulfate	(SO4-2)	1.69	81.3
Chloride	(Cl-1)	45.1	1600

DISSOLVED GASES		
Carbon Dioxide	(CO2)	0.500
Hydrogen Sulfide	(H2S)	0

=====

SCALING INDEX (positive value indicates scale)

Temperature		Calcium Carbonate	Calcium Sulfate
86[F	30[C	-0.37	-18
104[F	40[C	0.27	-18
122[F	50[C	0.56	-18
140[F	60[C	0.89	-18
168[F	76[C	1.5	-18
176[F	80[C	1.6	-18

Comments:
cc: Isaac Huskey
Joe Hay

I

OFFSET OPERATORS

Tenison Oil
8140 Walnut Ln, Ste 601
Dallas TX 75231

Sidney Lanier
PO Box 755
Hobbs NM 88241

Phillips Petroleum Corp.
4001 Penbrook St
Odessa TX 79760

MNA Enterprises LTD., Co.
PO Box 843
Hobbs NM 88241

Woolworth Trust (Surface Owner)
PO Box 178
Jal NM 88252

Meridian (Burlington Northern)
3300 North "A" St.
Midland TX 79705

SDX RESOURCES, INC.

P.O. BOX 5061
MIDLAND, TEXAS 79704
(915) 685-1761

December 30, 1996

Re: Application for Authority to Inject
Section 22, T24S, R36E
Lea Co., New Mexico

Gentlemen:

Enclosed is a copy of Form C-108 (Application for Authority to Inject) for the following well operated by SDX Resources, Inc.

Meyers Federal A #5
660' FNL 1980' FEL
Sec. 22, T24S, R36E

Should you have any questions, please contact us at the letterhead address or call 915/685-1761. Thank you for your consideration in this matter.

Sincerely,



Chuck Morgan
Engineer

bja

enclosures

ATTACHMENT "E"

HOBBS NEWS-SUN 10-0000000724

AFFIDAVIT OF PUBLICATION

State of New Mexico,
County of Lea.

I, KATHI BEARDEN

Publisher

of the Hobbs Daily News-Sun, a
daily newspaper published at
Hobbs, New Mexico, do solemnly
swear that the clipping attached
hereto was published once a
week in the regular and entire
issue of said paper, and not a
supplement thereof for a period

of 1

weeks.

Beginning with the issue dated

December 15

1996

and ending with the issue dated

December 15

1996



Publisher

Sworn and subscribed to before

me this 16th day of

December

1996



Notary Public.

My Commission expires
August 29, 1999
(Seal)

This newspaper is duly qualified
to publish legal notices or adver-
tisements within the meaning of
Section 3, Chapter 167, Laws of
1937, and payment of fees for
said publication has been made.

LEGAL NOTICE

December 15, 1996

NOTICE OF APPLICATION
FOR FLUID INJECTION
WELL PERMIT

SDX Resources, Inc. located
at 511 W. Ohio, Ste 601, Mid-
land TX 79701, mailing ad-
dress P.O. Box 5061, Midland
TX 79704, Contact: Chuck
Morgan 915-685-1761 is
seeking administrative appro-
val from the New Mexico Oil
Conservation Division to com-
plete the following well locat-
ed in Section 22, 124S,
R36E, Lea Co., New Mexico
as an injection well: Mayors
Federal A #5. The proposed
injection zone is the 7-11fters
through an open hole from
3527-3575'. SDX Resources,
Inc. intends to inject a maxi-
mum of 1500 barrels of pro-
duced formation water per
day at a maximum injection
pressure of 705 psi.
Interested parties must file
objections or request for hear-
ing with the Oil Conservation
Division, 2040 S. Pacheco,
Santa Fe, NM 87505 within
15 days of this notice.
#14953

01101300000

01504688

SDX Resources

P.O. Box 5061

a/c 434005

Hobbs, NM 88240

SDX RESOURCES, INC.

P.O. BOX 5061
MIDLAND, TEXAS 79704
(915) 685-1761

January 10, 1997

NMOCD
2040 S. Pacheco
Santa Fe, New Mexico 87505

Re: C-108 Application
Dated 1-2-97
Meyers Federal A #5
B, Sec 22, T24S, R36E
Lea Co., New Mexico

Gentlemen:

Attached are copies of the "Return Receipts" showing proof of delivery to offset operators. This is to be put with the C-108 that was mailed to your office 1-2-97.

Concerning Sidney Lanier that is on our list labeled Attachment "E", his name should be removed from the list. Sidney Lanier sold all interest to MNA Enterprises and is no longer in business. I'm sorry for this error.

Sincerely,



Bonnie Atwater
Regulatory Assistant

/ba

attachment

Is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

- ☐ Addressee's Address
 - ☐ Restricted Delivery
- Consult postmaster for fee.

3. Article Addressed to:

Meridian
3300 North A
Midland Tx 79705

4a. Article Number

P 329 319 341

4b. Service Type

- ☐ Registered ☐ Certified
☐ Express Mail ☐ Insured
☐ Return Receipt for Merchandise ☐ COD

7. Date of Delivery

1-6-97

5. Received By: (Print Name)

Chambers

6. Signature: (Addressee or Agent)

X [Signature]

8. Addressee's Address (Only if requested and fee is paid)

1-6-97

PS Form 3811, December 1994

Domestic Return Receipt

Is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

- ☐ Addressee's Address
 - ☐ Restricted Delivery
- Consult postmaster for fee.

3. Article Addressed to:

Phillips Pet.
4001 Penbrook
Odessa Tx 79760

4a. Article Number

P 329 319 338

4b. Service Type

- ☐ Registered ☒ Certified
☐ Express Mail ☐ Insured
☒ Return Receipt for Merchandise ☐ COD

7. Date of Delivery

1-6-97

5. Received By: (Print Name)

[Signature]

6. Signature: (Addressee or Agent)

X [Signature]

8. Addressee's Address (Only if requested and fee is paid)

[Signature]

PS Form 3811, December 1994

Domestic Return Receipt

Is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

- ☐ Addressee's Address
 - ☐ Restricted Delivery
- Consult postmaster for fee.

3. Article Addressed to:

Jensen OJ
8140 Walnut #601
Dallas Tx 75231

4a. Article Number

P 329 319 336

4b. Service Type

- ☐ Registered ☒ Certified
☐ Express Mail ☐ Insured
☒ Return Receipt for Merchandise ☐ COD

7. Date of Delivery

1/6/97

5. Received By: (Print Name)

[Signature]

6. Signature: (Addressee or Agent)

X [Signature]

8. Addressee's Address (Only if requested and fee is paid)

[Signature]

PS Form 3811, December 1994

Domestic Return Receipt

Is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address
2. ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

Woolworth Trust
Bx 178
Gal NM

RECEIVED
JAN 10 1997

4a. Article Number

P 329 319 340

4b. Service Type

- ☐ Registered ☒ Certified
☐ Express Mail ☐ Insured
☒ Return Receipt for Merchandise ☐ COD

7. Date of Delivery

1-7-97

5. Received By: (Print Name)

Glenna McCorkle

6. Signature: (Addressee or Agent)

X *Glenna McCorkle*

8. Addressee's Address (Only if requested and fee is paid)

PS Form 3811, December 1994

Domestic Return Receipt

Is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address
2. ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

mna Enterprise
Bx 843
Hobbs NM

RECEIVED
JAN 10 1997

4a. Article Number

P 329 319 339

4b. Service Type

- ☐ Registered ☒ Certified
☐ Express Mail ☐ Insured
☒ Return Receipt for Merchandise ☐ COD

7. Date of Delivery

1-7-97

5. Received By: (Print Name)

BY:

6. Signature: (Addressee or Agent)

X *Glenna McCorkle*

8. Addressee's Address (Only if requested and fee is paid)

PS Form 3811, December 1994

Domestic Return Receipt

SWD-653



STATE OF NEW MEXICO
ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT

OIL CONSERVATION DIVISION
HOBBS DISTRICT OFFICE

52

1/9/97

GOVERNOR

POST OFFICE BOX 1980
HOBBS, NEW MEXICO 88241-1980
(505) 393-6161

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

RE: Proposed:

MC	_____
DHC	_____
NSL	_____
NSP	_____
SWD	<u>X</u> _____
WFX	_____
PMX	_____

Gentlemen:

I have examined the application for the:

<u>SDX Resources Inc</u>	<u>Meyers A</u>	<u># 5-B</u>	<u>22-24s-36e</u>
Operator	Lease & Well No.	Unit	S-T-R

and my recommendations are as follows:

OK

Yours very truly,

Jerry Sexton
Jerry Sexton
Supervisor, District 1

/ed