

CAPITAN CORPORATION BOND LOG

| FILING NO. | COMP | OMPANY FALCON CREEK RESOURCES, INC. | | | | | | | | |
|---------------------------|----------|-------------------------------------|-----------------|-------------|-------------------|-----------|----------------|----|--|--|
| | | | ANASAZI 16-1 | | | | | | | |
| | • | | | | | | | | | |
| | FIELD | | WEST | | | | | | | |
| | COUN | ITY | LEA STATE NEW N | | | | ÆXICO | | | |
| | LOCAT | ION: | | | | | OTHER SERVICES | | | |
| | | | | | | | | | | |
| | | | | | | | Į. | | | |
| | 850 | | A 1 = | - | | 1 | | | | |
| | | | | 5 | | | ELEVATIO | | | |
| PERMANENT DATUM | ार | COND 11 | * ¥ 1414 | ELEV | | | | | | |
| LOG MEASURED FROM | | <u>K B</u> | | 19" FT. AB | OVE P | ERM DATUM | DF | | | |
| DRILLING MEASURED FROM | <u> </u> | <u>K B</u> | | | | | GL | | | |
| Run No. & Log Type | | | MARAY | | T | CBL-SON | | | | |
| Date & Time Survey | | 10-5-9 | MMARAY 8 | | | | | | | |
| Date & Time Cementing | | | | | | | | | | |
| Type Cementing Operation | | | | | | | | | | |
| Depth Driller | | ! | | | _ | | | | | |
| Depth Capitan Corp. | | 7131 | | | | | • | | | |
| Logged Interval | | 3200 | - 10 | o 7124 | | 3200 | 10 712 | 74 | | |
| Casing Driller | | | 0 | | | | @ | | | |
| Float Collar — D. V. Tool | | | | | | | | | | |
| Squeeze Depth | | | | | \Box | | | | | |
| Amount & Type Cement | | | | | 工 | | | | | |
| Amount & Type Admix | | | | | | | | | | |
| Type Fluid in Hole | | WATER | | | 工 | | | | | |
| Fluid Level | | FULL | | | $oldsymbol{\bot}$ | | | | | |
| Salinity PPM C1 | | | | | \bot | | | | | |
| Weight lb/gal — Vis. | | | | <u> </u> | \perp | | | | | |
| Approx. Logged Cem. Top | | <u> </u> | | | \bot | | | | | |
| Calculated Cement Top | | L | | | | | | | | |
| Max. Hole Temperature | | | | | °F | | | °F | | |
| Tool No. | | SIE 3 | 5/8'' # | 2 | | | | | | |
| Spacing Recorded | | L | | Oppos: | - | | | | | |
| Equipment — Location | | 802 | | ODESSA | | | | | | |
| Recorded by | | E SNYD | | | - | | | | | |
| Witnessed by | | M MOON | EY | · | | | | | | |



CAPITAN CORPORATION BOND LOG

| FILING NO. | | | | | | |
|---------------------------|--------------------------------------|-----------|-------------|-------------|----------------|--|
| | COMPANY FALCON CREEK RESOURCES, INC. | | | | | |
| | WELL | : | | | | |
| | FIELD WEST TEAS | | | | | |
| | FIELD | | | | | |
| | COUNTY_ | cico ' | | | | |
| | | | | | | |
| | LOCATION: | | | | OTHER SERVICES | |
| | } | | | | | |
| | | | | | , | |
| | SEC. | BLK | SUR. | | | |
| | GROUND LE | | | | ELEVATIONS: | |
| PERMANENT DATUM | K B | YP4L | ELEV | | KB. | |
| LOG MEABURED FROM | MEASURED FROMFT. ABOVE PERM. DATUM | | | PERM. DATUM | DF | |
| DRILLING MEASURED FROM | м <u>КВ</u> | · | | | GL | |
| Run No. & Log Type | ON | E GAMMARA | V | CBL-SON | | |
| Date & Time Survey | | -23-98 | | | <u> </u> | |
| Date & Time Cementing | | | | 1 | | |
| Type Cementing Operation | | | | | | |
| Depth Driller | | | | | | |
| Depth Capitan Corp. | 56 | 98 | | | | |
| Logged Interval | | | · 5691 | 4000 | to .5691 | |
| Casing Driller | | 4 | • | | @ | |
| Float Collar — D. V. Tool | | | I | | | |
| Squeeze Depth | | | | | | |
| Amount & Type Cement | | | | | | |
| Amount & Type Admix | | | | | | |
| Type Fluid in Hole | WA | TER | | | | |
| Fluid Level | | L | | | | |
| Salinity PPM CI | | | | | | |
| Weight lb/gal — Vis. | | | | | | |
| Approx. Logged Cem. Top | 50 | 68 | | | | |
| Calculated Cement Top | | | | | | |
| Max. Hole Temperature | | | °F | | ٥ | |
| Tool No. | SI | E 3 5/8" | #2 | | | |
| Spacing Recorded | | | | | | |
| Equipment — Location | 80 | | ODESSA | | | |
| Recorded by | | SNYDER | | | | |
| Witnessed by | | MOONEY | | <u> </u> | | |



CAPITAN CORPORATION BOND LOG

| FILING NO. | 1 | | THE CO. | AL COLUMN DE | 7001 | mana mia | , | |
|--|---------------------------------------|--------------------------|------------------------------|---------------------------------------|---------------|-------------|---------------------------------------|------------|
| | COMP | ANY | FALCON CREEK RESOURCES, INC. | | | | | |
| | WELL | | ANASAZI 16-1 | | | | | |
| Ran CBL under 500 PSI | THEORE FOR A C | | | | | | | |
| | FIELD WEST TEAS | | | | | | | |
| | COUNTY LEA STATE NW MI | | | | EXTCO | | | |
| | COOK | ''' | | | | A15 | · · · · · · · · · · · · · · · · · · · | |
| | LOCAT | ION: | | | | | OTHE | RSERVICES |
| | | | | | | | | |
| | | | | | | | | |
| | 850 | SECBLK | | | SUP | | | |
| | | | | · · · · · · · · · · · · · · · · · · · | | | | LEVATIONS: |
| PERMANENT DATUMG | | | EVEL ELEV | | | | LEVA, HONS: | |
| LOG MEASURED FROM KB | | | | | OVE I | PERM. DATUM | | |
| DRILLING MEASURED FROM | СВ | | | | | | | |
| Run No. & Log Type | | | AMMARA | Y | \neg | CbL-SON | | |
| Date & Time Survey | | ONE GAMMARAY 10-09-98 | | | 0011 00111 | <u> </u> | | |
| Date & Time Cementing | | | | | 1 | | | |
| Type Cementing Operation | | | | | | | | |
| Depth Driller | | | | | T | | | |
| Depth Capitan Corp. | | 5732 | ` | | | | | |
| Logged Interval | | 4000 | to | 5775 | | 4000 | to | 5775 |
| Casing Driller | | | | <u> </u> | | | @ | |
| Float Collar — D. V. Tool | | | | | _ | | | |
| Squeeze Depth | | | | | _ | | | |
| Amount & Type Cement | | | | | _ | | | |
| Amount & Type Admix Type Fluid in Hole | | | | | | | | |
| Fluid Level | | WATER | | · · · · · · · · · · · · · · · · · · · | -+ | | | |
| Salinity PPM CI | | FUL. | | | \rightarrow | | | |
| Weight lb/gal — Vis. | · · · · · · · · · · · · · · · · · · · | | | | \dashv | | T | |
| Approx. Logged Cem. Top | | | | <u> </u> | _ | | | |
| Calculated Cement Top | | | | | 7 | | | |
| Max. Hole Temperature | | | | | °F | | | °F |
| Tool No. | | SIE 3 | 5/8" | # 2 | | | | |
| Spacing Recorded | | | | | \Box | | | |
| Equipment — Location | | 805 | | ODESSA | \Box | | | |
| Recorded by | | E SNY | | | \dashv | | | |
| Witnessed by | | M MOC | NEY | | _1 | | | |