

GP II Energy, Inc.

PO Box 50682
Midland, Texas 79710

Phone: 915/686-8964

Fax: 915/686-8712

May 6, 1999


Attn: Mr. Mark Ashley
Oil Conservation Division
2040 South Pacheco
Santa Fe, NM 87505

RE: GP II, Federal BO #5

Dear Mark,

Please find enclosed a revised data sheet for the wells surrounding the above. I have included the Pool and producing formation. If I can be of any further help, please let me know.

Sincerely,


Joe L. Compton

**Offset Wells to the
Littlefield BO #5**

Well	Location	Surface Casing	Inter. Casing	Prod. Casing	TD	Completions	Pool/Form.	P&A
Pecos Fed. #1 Spud 4/84	27-T26S-R29E Unit P 660' FSL & 660' FEL	13 3/8" @ 605' 600 sx TOC @			1473			J & A
Federal Elliot #2 Spud 12/61	27-T26S-R29E Unit P 330' FSL & 990' FEL	7" @ 652'			2945	Open Hole		P & A Schematic Attached
Pecos Fed. #1-Y Spud 5/84	27-T26S-R29E Unit P 690' FSL & 660' FEL	13 3/8" @ 391' 450 sx TOC @ Circ.	9 5/8" @ 2854' 1025 sx TOC @ 2000'	4 1/2" @ 2904' 150 sx TOC @ 1849' Calc.	6000	4945-5006	Brushy Draw Delaware Cherry Cany	
Pecos Fed. #3 Spud 11/85	27-T26S-R29E Unit O 760' FSL & 1980' FEL	13 3/8" @ 396' TOC @ Circ.	8 5/8" @ 5500' TOC @ Circ.	4 1/2" @ 5500' 3850 sx TOC @ Circ.	5505	4883-4979	Brushy Draw Delaware Cherry Cany	
Gulf Fed. #1 Spud 6/61	34-T26S-R29E Unit A 605' FEL & 330' FSL	10 3/4" @ 600' TOC @	7" @ 562'	5 1/2" @ 2899' 100 sx TOC @ 2552' Calc.	2905	Open Hole	Brushy Draw Delaware Bell Cany	
Littlefield BO #1 Spud 6/61	34-T26S-R29E Unit B 948' FNL & 1659' FEL	8 5/8" @ 303' 175 sx TOC @ Circ.		4 1/2" @ 2970' 70 sx TOC @ 2478' Calc.	2970	2914-16	Brushy Draw Delaware Bell Cany	
Littlefield BO #2 Spud 5/84	34-T26S-R29E Unit A 724' FNL & 660' FEL	9 5/8" @ 350' 485 sx TOC @ Circ.	7" @ 2880' 200 sx TOC @ 2423' Calc.	4 1/2" @ 5900' 356 sx TOC @ 3397' Calc.	5900	4950-98	Brushy Draw Delaware Cherry Cany	
Littlefield BO #3 Spud 12/86	34-T26S-R29E Unit B 400' FNL & 1980' FEL	9 5/8" @ 354' 300 sx TOC @ Circ.		4 1/2" @ 5200' 615 sx TOC @ 875' Calc.	5200	4817-4955	Brushy Draw Delaware Cherry Cany	
Littlefield BO #4 Spud 1/87	34-T26S-R29E Unit C 400' FNL & 2310' FWL	9 5/8" @ 372' 200 sx TOC @ Circ.		4 1/2" @ 5216' 650 sx TOC @ 646' Calc.	5216	4861-4822	Brushy Draw Delaware Cherry Cany	
Littlefield BO #5 Spud 10/90	34-T26S-R29E Unit G 1610' FNL & 1650' FWL	8 5/8" @ 384' 250 sx TOC @ Circ.		4 1/2" @ 5035' 1200 sx TOC @ Circ.	5035	4898-4970	Brushy Draw Delaware Cherry Cany	
Yates Fed. #1 Spud 10/83	27-T26S-R29E Unit H 330' FSL & 990' FEL	13 3/8" @ 383' 395 sx TOC @ Circ.	8 5/8" @ 3100' 800 sx TOC @ 1205' Calc.	5 1/2" @ 6325' 1250 sx TOC @ 1998' Calc.	6350	3652-6148	Brushy Draw Delaware Cherry-Brushy	
Pipkin A #1 Spud 2/62	35-T26S-R29E Unit D 842' FNL & 330' FWL	8 5/8" @ 619' 190 sx TOC @		4 1/2" @ 2700' 50 sx TOC @ 2348' Calc.	2982			P & A Schematic Attached

Well	Location	Surface Casing	Inter. Casing	Prod. Casing	TD	Completions	Pool/Form.	P&A
Stataline Fed. #1 Spud 6/83	35-T26S-R29E Unit D 740' FNL & 330' FWL	13 3/8" @ 455' 450 sx TOC @ Circ.	8 5/8" @ 2901' 650 sx TOC @ 1361' Calc.	5 1/2" @ 6756' 1800 sx TOC @ 525' Calc.	6750	4935-5892	Brushy Draw Delaware Cherry-Brushy	
Stataline Fed. #2 Spud 12/87	35-T26S-R29E Unit D 610' FNL & 990' FWL	12 3/4" @ 188' 65 sx TOC @ 121' Calc.	8 5/8" @ 2750' 1975 sx TOC @ Circ.	5 1/2" @ 5092' 750 sx TOC @ 2495' Calc.	5093	4910-74	Brushy Draw Delaware Cherry Cany	
Exxon Johnson #3 Spud 9/85	Sec. 4, Blk 57, T1S, T&P 1980' FNL & 1787' FEL	13 3/8" @ 507' 500 sx TOC @ Circ.	8 5/8" @ 2735' 250 sx TOC @ 2142' Calc.	5 1/2" @ 6220' 550 sx TOC @	6220	4938-5000	Red Bluff Cherry Cany	
Exxon Johnson #2 Spud 9/83	Sec. 4, Blk 57, T1S, T&P 467' FNL & 1980' FEL	12 3/4" @ 565' 650 sx TOC @ Circ.	8 5/8" @ 2710' 150 sx TOC @ 2354' Calc.	4 1/2" @ 6160' 1300 sx TOC @ Circ.	6160	4098-6051	Red Bluff Cherry Cany Brushy Cany	
W D Johnson #1 Spud 1/61	Sec. 4, Blk 57, T1S, T&P 660' FNL & 2008' FEL	10 3/4" @ 651' 150 sx TOC @ 451' Calc.		4 1/2" @ 2883' 150 sx TOC @ 1828' Calc.	2904	Open Hole	Geraldine Ford Bell Cany	
W D Johnson #2 Spud 5/61	Sec. 4, Blk 57, T1S, T&P 1980' FNL & 1980' FEL	8 5/8" @ 384' 250 sx TOC @ Circ.		5 1/2" @ 2922' 75 sx TOC @ 2622' Calc.	2940	Open Hole	Geraldine Ford Bell Cany	
Johnson #4-C Spud 3/79	Sec. 4, Blk 57, T1S, T&P 1650' FNL & 2310' FWL	10 3/4" @ 347' 50 sx TOC @ 297' Calc.		4 1/2" @ 2938' 50 sx TOC @ 2586' Calc.	2955	Open Hole	Geraldine Ford Bell Cany	
W D Johnson #E-1 Spud 4/85	Sec. 4, Blk 57, T1S, T&P 660' FNL & 950' FEL	8 5/8" @ 624' 400 sx TOC @ Circ.		4 1/2" @ 6216' 1420 sx TOC @ Circ.	6220	4921-5880	Red Bluff Cherry Cany Brushy Cany	
Johnson #C-1 Spud 7/65	Sec. 4, Blk 57, T1S, T&P 330' FNL & 2310' FEL	8 5/8" @ 585' 150 sx TOC @ 229' Calc.		4 1/2" @ 2938' 100 sx TOC @ 2235' Calc.	2938	2931-36	Geraldine Ford Bell Cany	
Exxon Johnson #4 Spud 11/85	Sec. 4, Blk 57, T1S, T&P 1980' FNL & 2173' FEL	13 3/8" @ 700' 700 sx TOC @ Circ.	8 5/8" @ 2740' 250 sx TOC @ 2147' Calc.	5 1/2" @ 4723' 1150 sx TOC @ 742' Calc.	6220	5327-5818	Red Bluff Cherry Cany Brushy Cany	