

Schlumberger

SIMULTANEOUS DUAL LATEROLOG MICRO-SFL

FIELD WOLF LAKE LOCATION 330 FSL & 1980 FWL WELL LOUISE STATE NO. 1 COMPANY PETROYATES, INC.	COMPANY		PETROYATES, INC.		
	WELL		LOUISE STATE NO. 1		
	FIELD		WOLF LAKE		
	COUNTY		CHAVES	STATE	
LOCATION		330 FSL & 1980 FWL			Other Services: LDT/CNL DLL/MSFL
API SERIAL NO.		SECT.	TWP.	RANGE	
30-005-62894		7	9S	28E	
Permanent Datum		G.L.	Elev.	3889.6 F	Elev.: K.B.3895.6 F
Log Measured From		K.B.	6.0 F	above Perm. Datum	D.F.3894.6 F
Drilling Measured From		K.B.			G.L.3889.6 F
Date		29-SEP-1993			TIGHT HOLE
Run No.		ONE			
Depth Driller		3320.0 F			
Depth Logger (Schl.)		3321.0 F			
Ann. Log Interval		3320.0 F			
Exp Log Interval		2200.0 F			
Logging-Driller		8 5/8" @ 400.0 F	@	@	
Logging-Logger		400.0 F			
Bit Size		7 7/8" @ 3320.0 F	@	@	
Type Fluid in Hole		BRINE			
Dens.	Visc.	10.00 LB/G			
Flt. Loss					
Source of Sample		PIT			
Rm @ Meas. Temp.		.128 OHMM @ 68.0 DEGF		@	
Rmf @ Meas. Temp.		.128 OHMM @ 68.0 DEGF		@	
Rmc @ Meas. Temp.		@		@	
Source: Rmf	Rmc	MEAS.			
Rm @ BHT		.099 OHMM @ 90.0 DEGF		@	
Circulation Ended		08:30 9-29-93			TIGHT HOLE
Logger on Bottom		SEE LOG			
Max. Rec. Temp.		90.0 DEGF			
Equip.	Location	8329	ROSWELL		
Recorded By		ROBERTS			
Witnessed By		HARVEY E. YATES			

The well name, location and borehole reference data were furnished by the customer.

Schlumberger

SIMULTANEOUS
**COMPENSATED NEUTRON-
LITHO-DENSITY**

COUNTY FIELD LOCATION WELL COMPANY	CHAVES WOLF LAKE 330 FSL & 1980 FWL LOUISE STATE NO. 1 PETROYATES, INC.	COMPANY PETROYATES, INC.				
		WELL LOUISE STATE NO. 1				
		FIELD WOLF LAKE				
		COUNTY CHAVES	STATE NEW MEXICO			
		LOCATION 330 FSL & 1980 FWL	Other Services: LDT/CNL DLL/MSFL			
		API SERIAL NO. 30-005-62894	SECT. 7	TWP. 9S	RANGE 28E	
Permanent Datum G.L.		Elev. 3889.6 F	Elev.: K.B.3895.6 F			
Log Measured From K.B.		6.0 F	above Perm. Datum		D.F. 3894.6 F	
Drilling Measured From K.B.					G.L. 3889.6 F	
Date		29-SEP-1993				
Run No.		ONE				
Depth Driller		3320.0 F		TIGHT HOLE		
Depth Logger (Schl.)		3321.0 F				
Btm. Log Interval		3318.0 F				
Top Log Interval		0.0 F				
Casing-Driller		8 5/8" @ 400.0 F @				
Casing-Logger		405.0 F				
Bit Size		7 7/8" @ 3320.0 F @				
Type Fluid in Hole		BRINE				
Dens.	Visc.	10.00 LB/G				
pH	Fld. Loss					
Source of Sample		PIT				
Rm @ Meas. Temp.		.128 OHMM @ 68.0 DEGF @				
Rmf @ Meas. Temp.		.128 OHMM @ 68.0 DEGF @				
Rmc @ Meas. Temp.		@ @				
Source: Rmf	Rmc	MEAS.				
Rm @ BHT		.099 OHMM @ 90.0 DEGF @				
TIME	Circulation Ended	08:30 9-29-93		TIGHT HOLE		
	Logger on Bottom	SEE LOG				
Max. Rec. Temp.		90.0 DEGF				
Equip.	Location	8329 ROSWELL				
Recorded By		ROBERTS				
Witnessed By		HARVEY E. YATES				

The well name, location and borehole reference data were furnished by the customer