

OIL CONSERVATION COMMISSION

P. O. BOX 871

SANTA FE, NEW MEXICO

May 18, 1964

C
O
P
Y

Texaco Inc.
Drawer 728
Hobbs, New Mexico

Attention: J. S. Blevins, Jr.

Administrative Order KC-211

Gentlemen:

Reference is made to your application dated April 16, 1964, for administrative approval of an exception to Rule 303 (a) of the Commission Rules and Regulations to permit the commingling of Langlie-Mattix, North Justis Blinebry, and North Justis Tubb-Drinkard production on your C. C. Fristoe "A" (NCT-2) Lease comprising the E/2 E/2 of Section 3, Township 25 South, Range 37 East, Lea County, New Mexico, allocating the production to each of the aforesaid pools on the basis of monthly well tests. It is our understanding that the Langlie-Mattix production on this lease is marginal and that Well No. 7 currently being brought in for production from the Blinebry and Tubb-Drinkard formations is also of marginal nature.

By the authority vested in me under the provisions of Rule 303 (b) of the Commission Rules and Regulations, you are hereby authorized to commingle the production from the aforesaid pools on said lease in the above-described manner. Provided however, that the installation shall be operated in accordance with the Commission "Manual for the Installation and Operation of Commingling Facilities"; and provided further that you shall notify the Commission at such time as any well in any of the aforesaid pools is capable of top allowable production.

Very truly yours,

A. L. Porter, Jr.
Secretary-Director

ALP:DSN:sg

cc: Oil Conservation Commission (with enclosure) Hobbs
Oil & Gas Engineering Committee - Hobbs
Oil & Gas Accounting Commission - Santa Fe

MODEL ANSWERS TO THE QUESTIONS

IN EXERCISE

1. THE ANSWERS ARE AS FOLLOWS

[The following text is extremely faint and largely illegible. It appears to be a list of answers or a detailed explanation for the questions in the exercise. The text is organized into several paragraphs and possibly numbered sections, but the specific content cannot be accurately transcribed due to the low contrast and blurriness of the scan.]