

Submit 1 Copy To Appropriate District Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Rec'd 04/02/2020 - NMOCD

Form C-103

Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-31511
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Remuda # 24 State
8. Well Number 1
9. OGRID Number 005380
10. Pool name or Wildcat Remuda # olfcamp Gas

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☐ Gas Well ☒ Other	
2. Name of Operator XTO Energy, Inc	
3. Address of Operator 6401 Holiday Hill, Rd #5 Midland, Tx 79707	
4. Well Location Unit Letter <u> </u> : <u>750</u> feet from the <u>South</u> line and <u>1900</u> feet from the <u>West</u> line Section <u>24</u> Township <u>23S</u> Range <u>29E</u> NMPM County <u>Eddy</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3035' GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐	REMEDIAL WORK ☐
TEMPORARILY ABANDON ☒	ALTERING CASING ☐
PULL OR ALTER CASING ☐	COMMENCE DRILLING OPNS. ☐
DOWNHOLE COMMINGLE ☐	P AND A ☐
CLOSED-LOOP SYSTEM ☐	CASING/CEMENT JOB ☐
OTHER: ☐	OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

XTO Permian Operating LLC respectfully requests to TA well, for frac protect purposes. With the following procedure:

- 1) MIRU work over rig. Set open top steel pits for TA operations.
- 2) H, U OP. Scan out of hole 2-3/8" L-80 tbg and stand bac.
- 3) MIRU L lubricators. RIH w/ 5" gauge ring & bas. et. Contact the engineer Joe (432-301-8312) if any tight spots exist. POOH w/ 5" gauge ring & bas. et.
- 4) RIH w/ 5" Cl P and dump bailer to 11,400'. Set C P and dump 35" Class C cement over plug. POOH L.
- 5) RIH bull plug perf sub 2-3/8" L-80 tbg. OC and Tag at least 11,365'.
- 6) Load csg w/ 2% Cl with biocide and pressure test csg to 500 psi for 30 minutes. otify LM of results.
- 7) 5" OP. U H and hang off 2-3/8" tbg in H.
- 8) R MO PU, transport truc s, and pump truc .
- 9) Pull fluid from steel tan and haul to disposal. Release steel tan .

Missing Paperwork? - Perfs @ 11546 - 11576

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Cassie Evans TITLE Regulatory Analyst DATE 04/02/2020

Type or print name Cassie Evans E-mail address: cassie_evans@xtoenergy.com PHONE: 432.218.3671

For State Use Only

DENIED

APPROVED BY: gc DATE 4/14/2020

Conditions of Approval (if any):




Schematic - Vertical with Perfs

Well Name: REMUDA BASIN 24 STATE 001

Rec'd 04/02/2020 - NMOCD

API/UWI 3001531511	SAP Cost Center ID 1137481001	Permit Number 809678	State/Province New Mexico	County Eddy
Surface Location T23S-R29E-S24	Spud Date 5/26/2001 00:00	Original KB Elevation (ft) 3,053.00	Ground Elevation (ft) 3,035.00	KB-Ground Distance (ft) 18.00





Vertical, Original Hole, 4/2/2020 5:38:21 PM

