

✱

WELL RECORD

NUMBER OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
TRANSPORTER	OIL GAS	
PRORATION OFFICE		
OPERATOR		

A 10x10 grid with a dot at (1, 1) and the number 12 at (5, 5).

AREA 640 ACRES
LOCATE WELL CORRECTLY

Southern Union Production Company
(Company or Operator)

Tijeras Canyon Unit

(1250)

Well No. 1, in SW $\frac{1}{4}$ of SW $\frac{1}{4}$, of Sec. 12, T. 10 North, R. 5 East, NMPM

Pool, Bernalillo

...County.

Well is 1200 feet from South line and 900 feet from West line
of Section 12 If State Land the Oil and Gas Lease No. is _____

Drilling Commenced March 7, 1964. Drilling was Completed March 21, 1964.

Name of Drilling Contractor..... **S. S. Reames Well Service**

Address.....**Box F, Aztec, New Mexico**

2 Elevation above sea level at Top of Tubing Head..... 6193 feet..... The information given is to be kept confidential until
....., 19.....

OIL SANDS OR ZONES

No. 1, from NONE to _____ No. 4, from _____ to _____

No. 2, from to No. 5, from to

No. 3, from.....to..... No. 6, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8-5/8"	24.0	New	399 ft.	Bell Joint			Surface

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
12-1/4"	8-5/8"	415' R.K.B.	300	Pump plug	9.4	

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Well was not completed. Plugged and Abandoned March 21, 1964.

Result of Production Stimulation.

..Depth Cleaned Out.

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 1903 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing Plugged and Abandoned, 19 March 21, 1964

OIL WELL: The production during the first 24 hours was barrels of liquid of which % was
was oil; % was emulsion; % water; and % was sediment. A.P.I.
Gravity.

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of
liquid Hydrocarbon. Shut in Pressure lbs.
Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico			Northwestern New Mexico		
T. Anhy			T. Devonian		T. Ojo Alamo
T. Salt			T. Silurian		T. Kirtland-Fruitland
B. Salt			T. Montoya		T. Farmington
T. Yates			T. Simpson		T. Pictured Cliffs
T. 7 Rivers			T. McKee		T. Menefee
T. Queen			T. Ellenburger		T. Point Lookout
T. Grayburg			T. Gr. Wash		T. Mancos
T. San Andres			T. Granite		T. Dakota
T. Glorieta			T.		T. Morrison
T. Drinkard			T.		T. Penn
T. Tubbs			T.		
T. Abo			T.		
T. Penn			T.		
T. Miss			T.		

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	630	630	Mancos Shale				
630	1045	415	Dakota Sand				
1045	1795	715	Morrison				
1795	1885	90	Entrada				
1885	1903	18	Chinle				
Core #1	1862-1874		Recovered 12 feet gray to buff fine grained limy sandstone with some fractures beaded with calcite.				
Core #2	1874-1903		Recovered 29 ft., 9.2 feet dense gray sandstone with green shale laminations and calcite filled fractures. Red to gray mottled.				19.8 feet mudstone.

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator Southern Union Production Co. Address Farmington, New Mexico P. O. Box 808
Name Gilbert D. Noland, Jr. Position or Title Drilling Superintendent
3/25/64 (Date)