


## NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico

## WELL RECORD

				Mail to Dist	trict Office, Oi	l Conservation Co	ommission, to which	Form C-101 was sent not	
1.00	AREA 640 CATE WELL	ACRES		MACE MEET CH	cuty days after	completion of we in QUINTUPLIC	II. FOIIOW instruction	ns in Rules and Regulations	
. 20				077		_			
***************************************	-	(Comp	any or Operator	<del>7.4</del>	***************************************	Go.	ttlieh		
Well No	<del>.  </del>	, in	NE/	ofNE	1/4, of Sec	21 T	, R	9W, NMPM.	
.W.T.T.C.O	ат	•••••••	•••••••••••••••••••••••••••••••••••••••		Pool,	.Valencia		County.	
Well is		fe	et from	•••	line and		feet from		
of Section		······	If State	Land the Oil an	d Gas Lease N	o. is			
Name of D	rilling Cont	ractor i	omnire 9	itates Dr 00' - 491	illing C	o from 19	01-46001; W	15,	
Elevation a	bove sea leve	l at Top	of Tubing He	ad 6400 ! K	B; 6392!	GL The in	formation given is t	o be kept confidential until	
					SANDS OR				
Vo. 1, from	Non	e	to	************************************	No.	4, from	to.		
lo. 2, from	•••••••••		to		No.	o. 5, from			
lo. 3, from	••••••••••	••••••••••••	to	No. 6, from			to		
					TANT WATE				
				ation to which w	vater rose in ho	le.			
o. 1, from	······		•••••	to			.feet.		
o. 2, from			••••••••	to	•••••		.feet		
o. 3, from.				to	•••••••••••••••••••••••••••••••••••••••		.feet		
o. 4, from.				to		***************************************	.feet		
					ASING RECO	RD	•		
SIZE	WEIG PER I	OHT POOT	NEW OR USED	AMOUNT	RIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE	
.0 3/4	11		New	3671				Gemented with	
						1		400 sacks	
						1			
				MUDDING A	ND CEMENT	ING RECORD	· .		
SIZE OF HOLE	SIZE OF CASING	WHE SE		D. SACRS CEMENT	METHOD USED		MUD AVITY	AMOUNT OF MUD USED	
		-	RF	CORD OF PR	ODUCTION A	ND STIMULATI	ON		
		(Re				s. used, interval to			
	None	·							
					***************************************				
			*	•			***************************************		
sult of Pro	duction Stim	ulation		•	***************************************				
	•								







**Job separation sheet** 

## RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

## TOOLS HEED

Rotary to	ools were	used from	1901 feet to 49	13feet, a	nd from.		feet tofe
Cable to	ols were	used from	feet to	スリーfeet, a	nd from.	***************************************	feet to fo
				PRODUCTION			
Put to P	roducing		, 19	)			
OIL WE	LL: T	he production	n during the first 24 hours was		b	arrels of li	quid of which%
							% was sediment. A.I
					,	or, and	% was sediment. A.I
GAS WE					_		en e
OND WE					M,C.F.	plus	barrels
			arbon. Shut in Pressure				
			· · · · · · · · · · · · · · · · · · ·				
PLE	ASE IN	DICATE B	ELOW FORMATION TOPS (II	CONFORMAN	CE WII	H GEOG	RAPHICAL SECTION OF STATE)
			Southeastern New Mexico				Northwestern New Mexico
T. Salt	/					(=	Ojo Alamo
B. Salt							Kirtland-Fruitland
			•	······			Farmington
			T. McKee	.1			Menefee
				cr		т.	Point Lookout
							Dakota
			Т				Penn
				***************************************			
				ATION RECO		I.	
From	То	Thickness in Feet	Formation	From	То	Thicknes in Feet	Formation
						In Feet	
			0' - 190' lava Drilled with cabl				
			tools.				
			m China a looi				
						1	1
			T. Chinle 190: T. San Andres 1980	יכ 📗 ויכ			
			T. San Andres 1986 T. Glorieta 2089	יס	,		
			T. San Andres 1980 T. Glorieta 2089 T. Yeso 2220	סי	ı		
			T. San Andres 1980 T. Glorieta 2089 T. Yeso 2220 T. Abo 3478 T. Penn. 4419	o •	ı		
			T. San Andres 1980 T. Glorieta 2089 T. Yeso 2220 T. Abo 3478 T. Penn. 4419	יסי	1		
			T. San Andres 1980 T. Glorieta 2089 T. Yeso 2220 T. Abo 3478	יס	ı		
			T. San Andres 1980 T. Glorieta 2089 T. Yeso 2220 T. Abo 3478 T. Penn. 4419	יס	,		
			T. San Andres 1980 T. Glorieta 2089 T. Yeso 2220 T. Abo 3478 T. Penn. 4419	יסי	ı		
			T. San Andres 1980 T. Glorieta 2089 T. Yeso 2220 T. Abo 3478 T. Penn. 4419	יס	,		
			T. San Andres 1980 T. Glorieta 2089 T. Yeso 2220 T. Abo 3478 T. Penn. 4419	<b>D</b> •	,		
			T. San Andres 1980 T. Glorieta 2089 T. Yeso 2220 T. Abo 3478 T. Penn. 4419	<b>)</b>	,		
			T. San Andres 1980 T. Glorieta 2089 T. Yeso 2220 T. Abo 3478 T. Penn. 4419	<b>D</b> •	,		
			T. San Andres 1980 T. Glorieta 2089 T. Yeso 2220 T. Abo 3478 T. Penn. 4419	<b>.</b>	,		
			T. San Andres 1980 T. Glorieta 2089 T. Yeso 2220 T. Abo 3478 T. Penn. 4419	<b>D</b> •	,		
			T. San Andres 1986 T. Glorieta 2089 T. Yeso 2220 T. Abo 3478 T. Penn. 4419 T. Granite 4908 T. D. 4913		,		
			T. San Andres 1986 T. Glorieta 2089 T. Yeso 2220 T. Abo 3478 T. Penn. 4419 T. Granite 4908 T. D. 4913	: IF ADDITION			
I here	iby swear	or affirm t	T. San Andres 1986 T. Glorieta 2089 T. Yeso 2220 T. Abo 3478 T. Penn. 4419 T. Granite 4908 T. D. 4913  ATTACH SEPARATE SHEFT that the information given herewith	: IF ADDITION			CEDED  the well and all work done on it so fa
I here can be c	by swear	or affirm t	T. San Andres 1986 T. Glorieta 2089 T. Yeso 2220 T. Abo 3478 T. Penn. 4419 T. Granite 4908 T. D. 4913	TIF ADDITION	d correc	t record of	the well and all work done on it so fa
can be c	ictermine	d from ava	T. San Andres 1986 T. Glorieta 2089 T. Yeso 2220 T. Abo 3478 T. Penn. 4419 T. Granite 4908 T. D. 4913  ATTACH SEPARATE SHEET that the information given herewith lable records.	TIF ADDITION This a complete ar	d correct	t record of	the well and all work done on it so fa
can be c	ictermine	d from ava	T. San Andres 1986 T. Glorieta 2089 T. Yeso 2220 T. Abo 3478 T. Penn. 4419 T. Granite 4908 T. D. 4913  ATTACH SEPARATE SHEFT that the information given herewith	TIF ADDITION This a complete ar	ruar 254	t record of y l, l Korbe:	the well and all work done on it so fa