


NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION



Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

5a. Indicate Type of Lease  
State ☐ Fee ☒   
5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.  
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- Dry Hole	7. Unit Agreement Name
2. Name of Operator ODESSA NATURAL CORPORATION	8. Farm or Lease Name ODESSA NATURAL CORP. VERMEJO PARK
3. Address of Operator P. O. Box 3908, Odessa, Texas 79760	9. Well No. 2
4. Location of Well UNIT CENTER A 864 FEET FROM THE North LINE AND 821 FEET FROM East LINE, SECTION 16 TOWNSHIP 30N RANGE 19E NMPM.	10. Field and Pool, or Wildcat Wildcat
15. Elevation (Show whether DF, RT, GR, etc.) GR 7200' KB 7213'	12. County Colfax

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

SEPTEMBER 23, 1972 TD 5402' PBTD 0'

This well was plugged and abandoned as follows:

- (1) Cut 4-1/2" OD casing @ 4850' & recovered casing.
- (2) Set 20 sack regular cement plug 4760 to 4850'. (Top of 4-1/2" casing stub)
- (3) Set 35 sack regular cement plug 200' to 300'. (Bottom of surface)
- (4) Set 5 sack regular cement plug @ surface with 4" OD x 4' high dry hole marker.

Distribution:

3/NMOCC-Santa Fe, 1/WSRanch, 1/RLH, 1/JH, 1/JJS, 1/WFile, 2/EB

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>John J. Strojek</u> JOHN J. STROJEK/sj	TITLE <u>Manager - Production Dept.</u>	DATE <u>9/25/72</u>
APPROVED BY <u>Carl Ullvog</u>	TITLE <u>SENIOR PETROLEUM GEOLOGIST</u>	DATE <u>7/8/74</u>
CONDITIONS OF APPROVAL, IF ANY:		