

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	<input checked="" type="checkbox"/>
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)


1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- <input checked="" type="checkbox"/> Dry Hole		7. Unit Agreement Name
2. Name of Operator Bennett Petroleum Corp.		8. Farm or Lease Name Phelps Dodge
3. Address of Operator Suite 630, 1580 Lincoln St., Denver, CO 80203		9. Well No. 3
4. Location of Well UNIT LETTER <u>P</u> <u>1209</u> FEET FROM THE <u>South</u> LINE AND <u>945</u> FEET FROM THE <u>East</u> LINE, SECTION <u>9</u> TOWNSHIP <u>28N</u> RANGE <u>21E</u> NMPM.		10. Field and Pool, or Wildcat Wildcat
15. Elevation (Show whether DF, RT, GR, etc.) 6564 GR, 6575 KB		12. County Colfax

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>
OTHER <input type="checkbox"/>	OTHER <input type="checkbox"/>
PLUG AND ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
CHANGE PLANS <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

On or about Jan. 15, 1981, move in and rig up wireline unit and mast truck. Using mast truck, install hammer nut ring for 10 3/4" x 7" Larkin Fig. 92 casing head over 7" casing protruding from well. Install top packing rings and make up head. Using a welder, cut off 7" casing approximately 8 inches above casing head. Install a 7" belled nipple and 7" casing collar. Using wireline unit, make gauge run in 7" casing to PBTD. Set cast iron bridge plug at approx. 1700'. Using dump bailer, cap bridge plug with 5' of cement. Rig up pump truck and tank. Mix approx. 60 Bbl of 9.2 lb/gal mud. Fill 7" casing with mud. Install 7" x 2" swage and 2" 2000 psi WP valve. Clean up location.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED 	TITLE <u>President</u>	DATE <u>12/26/80</u>
APPROVED BY <u>Carl Ulvog</u>	TITLE <u>SENIOR PETROLEUM GEOLOGIST</u>	DATE <u>1-23-81</u>
CONDITIONS OF APPROVAL, IF ANY:		