Submit 3 Copies To A	o Appropriate District State of New Mexico			Form C-103			
District I	Energy Minerals and Nanital Resolitces			rai Resources	Revised March 25, 1999 WELL API NO. 30-007-20085		
District II	District II OUL CONCEDY A TION DIVISION						
811 South First, Artes District III	311 South First, Artesia, NW 87210				5. Indicate Type of	_	
1000 Rio Brazos Rd., Aztec, NM 87410 Santa Fe NM 87505				STATE 6. State Oil & G			
District IV 2040 South Pacheco, Santa Fe, NM 87505					6. State Oil & G	as Lease No.	
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH					7. Lease Name or Unit Agreement Name: VPR B		
PROPOSALS.) 1. Type of Well:					•	PRB	
Oil Well Gas Well Other COALBED METHANE							
2. Name of Operator EL PASO ENERGY RATON, LLC					8. Well No. 14		
3. Address of Operator P.O. BOX 190; RATON, NM 87740					9. Pool name or Wildcat Van Bremmer Canyon – Vermejo Gas		
4. Well Location							
Unit Letter_G:2193'feet from theNORTH line and1633'feet from theEAST line							
Section	31 Towns	hip 30N Range_	19E	NMPM CC	OFAX Coun	ty	
10. Elevation (Show whether DR, RKB, RT, GR, etc.)							
7692' (GR) 11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data							
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:							
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING							
TEMPORARILY ABANDON						PLUG AND ABANDONMENT	
PULL OR ALTER CASING MULTIPLE CASING TEST ALL CEMENT JOB					ND 🗆		
OTHER:				OTHER: COMP	LETE		
12.							
8/01/00 Perforate: 1970'-1974', 1959'-1962', 1898'-1900', 1811'-1815', 1800'-1803', 1597'-1599', 1536'-1538',							
	1525'-1527', 1494'-1496', 1482'-1484', 1406'-1408'. All 4 spf.						
8/02-03/00	2-03/00 Ran Frac Liner & isolate perforation interval 1406' – 1815'.						
Stimulate interval 1898' - 1974' with 15,000# 20/40 Sand & 283,000 scf N2 70 Quality foam.							
8/05/00	Released Frac Liner & TOH. Set Bridge Plug @ 1630'.						
8/11/00 Stimulate interval 1406' – 1599' with 35,000# 20/40 & 100,000# 12/20 Sand with 875,000 scf N2 70 Quality foam.							
8/17-18/00	Clean out to 2145	'. Ran tubing & rods. We	ell is ready	y for production.			
I hereby certify that the information above is true and complete to the best of my knowledge and belief.							
SIGNATURE JOSEPH TITLE WELL SITE SUPERVISOR DATE 09/07/00							
Type or print name: IOEL L. PETTIT Telephone No.: (505) 445-4620							
(This space for State use)							
APPPROVED BY TITLE DISTRICT SUPERVISOR DATE 9/8/00 Conditions of approval, if arty:							
	V						