

\*\*\*\*\*  
\*  
\* SCRUBBERGER \*  
\*  
\*\*\*\*\*

DIRECTIONAL SURVEY

CHIEF POINT	2	PENALTY LINE
REF ID	2	ASSEMBLY PT 3017-031F
PT 100	2	REGISTRATION PLATE
CHIEF POINT	2	102A
PT 100	2	
ASSEMBLY PLATE	2	
REF ID PT 100	2	000007802

WILSON TS CLOTHESLINE 334

Schlumberger

\*\*\*\*\*  
\*  
\* SCHLUMBERGER  
\*  
\*\*\*\*\*

## DIRECTIONAL SURVEY

Top Spacing	2	FC 200 ZG Ti CC
Bottom	2	C 200 ZG Ti 200 3017 -0316
Interval	2	W 200 ZG Ti 200 3017 -0316
Geometry	2	FC 200 ZG Ti CC
Bottom	2	
Bottom Interval	2	
Bottom Interval	2	FC 200 ZG Ti CC

FC 200 ZG Ti CC

FC 200

FC 200

FC 200

FC 200

FC 200

Schlumberger





REF 000007892

Schlumberger

Schlumberger

REF 000007892 PAGE 5  
 \*\*\*\*\* ROTON HOLE LOCATION \*\*\*\*\*  
 COURSE LENGTH 22.0 FT  
 COURSE AZIMUTH 110.6 DEGREES  
 MEASURED DEPTH 2134.0 FT  
 TRUE VERTICAL DEPTH 2133.7 FT  
 MORTAR CEMENT 7.7 FT  
 DISTANCE EAST 20.6 FT

EXACT EQUATIONS OF CURVATURE ON THE

Schlumberger