



2506 West Main Street  
Farmington, New Mexico 87401  
Tel. (505) 326-4737


CLIENT: NMOCD-Penzoil  
ID: 9009101600  
SITE: Well 3017-271 G  
LAB NO: F4991

DATE REPORTED: 10/09/90  
DATE RECEIVED: 09/14/90  
DATE COLLECTED: 09/10/90

Trace metals by ICAP (dissolved concentration), mg/l

|                      | Analytical<br>Result: | Detection<br>Limit: |
|----------------------|-----------------------|---------------------|
| Silver (Ag).....     | ND                    | <0.01               |
| Aluminum (Al).....   | ND                    | <0.1                |
| Boron (B).....       | 0.63                  | <0.01               |
| Barium (Ba).....     | 0.35                  | <0.05               |
| Cobalt (Co).....     | ND                    | <0.01               |
| Chromium (Cr).....   | ND                    | <0.02               |
| Copper (Cu).....     | ND                    | <0.01               |
| Iron (Fe).....       | 0.15                  | <0.05               |
| Manganese (Mn).....  | 0.06                  | <0.02               |
| Molybdenum (Mo)..... | ND                    | <0.01               |
| Nickel (Ni).....     | ND                    | <0.01               |
| Antimony (Sb).....   | ND                    | <0.05               |
| Silicon (Si).....    | 6.8                   | <0.05               |
| Thallium (Tl).....   | ND                    | <0.2                |
| Vanadium (V).....    | ND                    | <0.1                |
| Zinc (Zn).....       | 0.08                  | <0.01               |

ND - Analyte "not detected" at the stated detection limit.

  
C. Neal Schaeffer  
Lab Director