

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
811 South First, Artesia, NM 87210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised March 25, 1999

OIL CONSERVATION DIVISION
2040 South Pacheco
Santa Fe, NM 87505

WELL API NO.
30-007-20118

5. Indicate Type of Lease
STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name:
VPR 'A'

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
Oil Well ☐ Gas Well ☐ Other Coalbed Methane

2. Name of Operator
SONAT RATON, L.L.C.

3. Address of Operator
P.O. Box 190; Raton, NM 87740

4. Well Location
Unit Letter _____ M _____ : 1281.84 _____ feet from the _____ South _____ line and 824.69 _____ feet from the _____ West _____ line
Section 36 Township 32 N Range 19 E NMPM Colfax County

10. Elevation (Show whether DR, RKB, RT, GR, etc.)
8245.73'(GR)

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐ COMPLETION ☒

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Perforated casing, 2205 - 2209, 2224 - 2228 W/4 SPF. Frac'd 2205 - 2228 W/103,000 lbs. of sand. Set RBP @ 1455'. Perf squeeze holes 1350 - 1352 W/4 SPF. BJ mixed and pumped 300 sks. Platts cement and tailed in W/ 150 sks type III. Circulated 30 bbls of slurry to surface. Drilled out and pulled RBP and Ran CBL. Showed cement to surface.

Set RBP @ 2080'.

Perforated casing 1474 - 1478, 1442 - 1446, 1395 - 1399, 1382 - 1386 W/4 SPF.

Set RBP @ 260'.

Perforated casing 1200 - 1204 W/4 SPF and frac'd W/52,000 lbs of sand.

Set RBP @ 212.

Perforated casing 1200 - 1204, W/4 SPF and frac'd W/29,000 lbs of sand.

Set RBP @ 170

Perforated casing 1159 - 1163 W/4 SPF and frac'd W/30,000 lbs. of sand.

Clean out to 2541 and run production equipment (PC Pump).

450
x
squeeze

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE DR Lankford TITLE Sr. Petroleum Engineer DATE 9/30/99

Type or print name Donald R. Lankford Telephone No. _____

(This space for State use)

APPROVED BY R. E. Johnson TITLE DISTRICT SUPERVISOR DATE 9/30/99

Conditions of approval, if any: