



Saturation Index Calculations

Champion Technologies, Inc.
(Based on the Tomson-Odde Model)

Site Information

Company	Sonat Raton LLC
Field	VPR A
Point	10
Date	9/25/1999

Water Analysis (mg/L)

Calcium	108
Magnesium	113
Barium	0
Strontium	0
Sodium*	268
Bicarbonate Alkalinity	1,317
Sulfate	22
Chloride	152

* - Calculated Value

Appended Data

CO2	3 mg/L
H2S	0 mg/L
Iron	3 mg/L

TD5-1,983

Physical Properties

Ionic Strength*	0.03
pH†	7.80
Temperature	90°F
Pressure	50 psia

* - Calculated Value † - Known/Specified Value

Calcite Calculation Information

Calculation Method	Value
pH	7.80
Bicarbonate Alkalinity Correction(s)	Value
None Used	---

SI & PTB Results

Scale Type	SI	PTB
Calcite (Calcium Carbonate)	1.31	88.5
Gypsum (Calcium Sulfate)	-2.96	N/A
Hemihydrate (Calcium Sulfate)	-2.71	N/A
Anhydrite (Calcium Sulfate)	-3.21	N/A
Barite (Barium Sulfate)	N/A	N/A
Celestite (Strontium Sulfate)	N/A	N/A