Submit 3 Copies To Appropriate District State of New Mexico Form C-103 Office Revised March 25, 1999 Energy, Minerals and Natural Resources District I WELL API NO. 1625 N. French Dr., Hobbs, NM 87240 30-007-20129 District II OIL CONSERVATION DIVISION 811 South First, Artesia, NM 87210 5. Indicate Type of Lease District III 2040 South Pacheco STATE \square FEE 1000 Rio Brazos Rd., Aztec, NM 87410 Santa Fe, NM 87505 District IV State Oil & Gas Lease No. 2040 South Pacheco, Santa Fe. NM 87505 SUNDRY NOTICES AND REPORTS ON WELLS 7. Lease Name or Unit Agreement Name: (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH VPR 'A' PROPOSALS.) 1. Type of Well: Oil Well Gas Well Other COALBED METHANE Name of Operator 8. Well No. 16 SONAT RATON, LLC 9. Pool name or Wildcat Address of Operator Stubblefield Canyon Raton-Vermejo Gas P.O. BOX 190; RATON, NM 87740 Well Location Unit Letter M: 1028' feet from the SOUTH line and 1075' feet from the WEST line 20E NMPM COFAX Section 29 Township 32N Range Countyy 10. Elevation (Show whether DR, RKB, RT, GR, etc.) 8272' (GR) 11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data SUBSEQUENT REPORT OF: NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ ALTERING CASING REMEDIAL WORK COMMENCE DRILLING OPNS. PLUG AND TEMPORARILY ABANDON CHANGE PLANS **ABANDONMENT** ☐ MULTIPLE CASING TEST AND PULL OR ALTER CASING COMPLETION **CEMENT JOB** OTHER: CEMENT SQUEEZES OTHER: Recomplete 12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Plan to re-perforate and re-stimulate the existing Vermejo Coal intervals 2252'-57', 2236'-42', 2350'-54'. 2384'-90', and 2448'-52'. > Plan to add Vermejo Coal interval 2461'-64' and frac all Vermejo with a 250,000 lbs. sand frac job in 5 stages. Plan to complete and commingle the Raton Coal intervals 592'-95', 609'-12', 675'-78', 737'-39', 772'-75', 890'-94', 914'-16', and 1048'-51' by perforating and stimulating with a 230,000 lbs. sand frac job in 7 stages.

Conditions of approval, if any: