

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
811 South First, Artesia, NM 87210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised March 25, 1999

OIL CONSERVATION DIVISION
2040 South Pacheco
Santa Fe, NM 87505

WELL API NO.
30-007-20130
5. Indicate Type of Lease
STATE ☐ FEE ☒
6. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well:
Oil Well ☐ Gas Well ☐ Other Coalbed Methane

2. Name of Operator
SONAT RATON, L.L.C.

3. Address of Operator
P.O. Box 190; Raton, NM 87740

4. Well Location
Unit Letter H; 1427.31 feet from the North line and 930.40 feet from the
East line
Section 30 Township 32 N Range 20 E NMPM Colfax
County

7. Lease Name or Unit Agreement Name:
VPR 'A'

8. Well No. - 17

9. Pool name or Wildcat

10. Elevation (Show whether DR, RKB, RT, GR, etc.)
8063'(GR)

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐

OTHER: ☐ COMPLETION ☒

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.

Perforate 2267 - 2271 W/4 SPF.
Fracture Treat perfs 2267 - 2271 W/50,000 lbs of sand.
Set RBP @ 2245'.
Perforate 2191 - 2195, 2209 - 2211, 2216 - 2218 W/4 SPF.
Fracture Treat perfs 2191' - 2218 W/100,000 lbs. of sand.
Set RBP @ 2120'.
Perforate 2047 - 2051, 2078 - 2083 W/ SPF.
Fracture treat perfs 2047 - 2083 W/82,000 lbs. of sand.
Clean out to 2383'.
Run production equipment (PC Pump).

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Donald R. Lankford TITLE Sr. Petroleum Engineer DATE 09/30/99

Type or print name Donald R. Lankford Telephone No. (505) 445-4621

(This space for State use)

APPROVED BY Ry E Johnson TITLE DISTRICT SUPERVISOR DATE 9/30/99

Conditions of approval, if any: