

District I
1625 N. French Dr., Hobbs, NM 87240
District II
811 South First, Artesia, NM 87210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
2040 South Pacheco, Santa Fe, NM 87505

OIL CONSERVATION DIVISION
2040 South Pacheco
Santa Fe, NM 87505

WELL API NO. 30-007-20132

5. Indicate Type of Lease

STATE ☐ FEE ☒

State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:
OIL WELL ☐ GAS WELL ☐ DRY ☐ OTHER COALBED METHANE _____

b. Type of Completion:

NEW ☒ WORK ☐ PLUG ☐ DIFF. ☐
WELL OVER ☐ DEEPEN ☐ BACK ☐ RESVR. ☐ OTHER _____

2. Name of Operator
SONAT RATON, LLC

3. Address of Operator
P.O. BOX 190, RATON, NM 87740

7. Lease Name or Unit Agreement Name
VPR 'A'

8. Well No. 19

9. Pool name or Wildcat

4. Well Location

Unit Letter O : 901' Feet From The SOUTH Line and 1953' Feet From The EAST Line

Section 30 Township 32N Range 20E NMPM COLFAX County

10. Date Spudded 07/21/99	11. Date T.D. Reached 07/24/99	12. Date Compl. (Ready to Prod.) 09/22/99	13. Elevations (DF, RB, RT, GR, etc.) 8292' (GR)	14. Elev. Casinghead 8291' (GR)
------------------------------	-----------------------------------	----------------------------------------------	-----------------------------------------------------	------------------------------------

15. Total Depth 2685'	16. Plug Back T.D. 2658'	17. If Multiple Compl. How Many Zones?	18. Intervals Drilled By Rotary Tools 0 - TD	Cable Tools NONE
--------------------------	-----------------------------	----------------------------------------	-------------------------------------------------	---------------------

19. Producing Interval(s), of this completion - Top, Bottom, Name
2496'-2500'; 2291'-2295'; 2272'-2276'

VERMEJO COALS

20. Was Directional Survey Made
NO

21. Type Electric and Other Logs Run
INDUCTION LOG; COMPENSATED DENSITY LOG; CBL

22. Was Well Cored
NO

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8"	23	349'	11"	100	NONE
5 1/2"	15.50	2660'	7 7/8"	300	NONE

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN

25. TUBING RECORD

SIZE	DEPTH SET	PACKER SET
2 7/8"	2503'	

26. Perforation record (interval, size, and number)
2272'-2276'
2291'-2295'
2496'-2500'

SHOT 4 SPF
48" DIA. HOLES
108 HOLES TOTAL

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
2276'-2500'	1000 gals of 15 % HCL; 99,000 lbs of 20/40; 55,000 lbs of 16/30; 1,184,000 scf of N2. (70 quality foam)

28. PRODUCTION

Date First Production 10/01/99		Production Method (Flowing, gas lift, pumping - Size and type pump) 30-N-095 PC PUMP			Well Status (Prod. or Shut-in) PRODUCING		
Date of Test 9/25/99	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF TSTM	Water - Bbl. 132	Gas - Oil Ratio
Flow Tubing Press.	Casing Pressure 7 psi	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF TSTM	Water - Bbl. 132	Oil Gravity - API - (Corr.)	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)
USED FOR FUEL AND VENTED THE N2

Test Witnessed By
LARRY CASEY

30. List Attachments

31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief

Signature

Printed
Name

DON LANKFORD

Title SR. PETROLEUM ENGINEER Date 09/30/99

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE
Southeastern New Mex.

Southeastern New Mexico

T. Anhy _____
T. Salt _____
B. Salt _____
T. Yates _____
T. 7 Rivers _____
T. Queen _____
T. Grayburg _____
T. San Andres _____
T. Glorieta _____
T. Paddock _____
T. Blinebry _____
T. Tubb _____
T. Drinkard _____
T. Abo _____
T. Wolfcamp _____
T. Penn _____
T. Cisco (Bough C) _____

T. Canyon _____
T. Strawn _____
T. Atoka _____
T. Miss _____
T. Devonian _____
T. Silurian _____
T. Montoya _____
T. Simpson _____
T. McKee _____
T. Ellenburger _____
T. Gr. Wash _____
T. Delaware Sand _____
T. Bone Springs _____
T. _____
T. _____
T. _____
T. _____

Northwestern New Mexico

T. Ojo Alamo _____
T. Kirtland-Fruitland _____
T. Pictured Cliffs _____
T. Cliff House _____
T. Menefee _____
T. Point Lookout _____
T. Mancos _____
T. Gallup _____
Base Greenhorn _____
T. Dakota _____
T. Morrison _____
T. Todilto _____
T. Entrada _____
T. Wingate _____
T. Chinle _____
T. Permian _____
T. Penn "A" _____

T. Penn. "B" _____
T. Penn. "C" _____
T. Penn. "D" _____
T. Leadville _____
T. Madison _____
T. Elbert _____
T. McCracken _____
T. Ignacio Otzte _____
T. Granite _____
T. Raton – Surface _____
T. Vermejo – 2266' _____
T. Trinidad – 2520' _____
T. Pierre – 2598' _____
T. _____
T. _____
T. _____
T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....
No. 2, from.....to.....

No. 3, from.....to.....
No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology