Office <u>District I</u> 1625 N. French Dr.	Energy, Minerals and Natural Resources N. French Dr., Hobbs, NM 87240 ett II outh First, Artesia, NM 87210 ett III Rio Brazos Rd., Aztec, NM 87410 Energy, Minerals and Natural Resources OIL CONSERVATION DIVISION 2040 South Pacheco				WELL API NO.	Form C-103 Revised March 25, 1999 30-007-20146
District III 1000 Rio Brazos Ro District IV				5. Indicate Type STATE 6. State Oil & C	□ FEE ■	
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well Gas Well Other COALBED METHANE					7. Lease Name or Unit Agreement Name: VPR D	
2. Name of Operator					8. Well No.	15
3. Address of Operator					9. Pool name or	Wildcat
P.O. BOX 190; RATON, NM 87740 4. Well Location						
Unit Le	etter_A:	1136'feet from the _	_North	line and817	feet from theF	Eastline
Section 6 Township 30N Range 18E NMPM COFAX County 10. Elevation (Show whether DR, RKB, RT, GR, etc.) 8582' (GR)						
V	NOTICE OF IN	ppropriate Box to In TENTION TO:	dicate N	ature of Notice,	Report or Other SEQUENT RE	
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING						
TEMPORARILY ABANDON					LLING OPNS.	PLUG AND
PULL OR ALTER CASING					ND	ABANDONMENT
OTHER:				OTHER: COMPL	ETION	
12.						
4/16/00 Attempted CBL (Patterson Wireline). Tagged @ 487'. 6/19 to 7/12/00 Cleaned out 487'-2507'. Ran CBL.TOC 1940'. Perforate 1925'-1926'&1890'-1891' Cement sqzd with 50 sxs. Cleaned out to 1900/. Tested casing 1500# OK. Cleaned out to 2057'. Ran CBL. TOC 1860'. Ran Century Log 2047'-1500'. Perforate 1735'-1736'. Cement sqzd with 50 sxs. Cleaned out to 2057'. Ran CBL. Perforate 1690'-1691'. Cemented with 188 sxs. Cleaned out to 2057'. Ran CBL. TOC @ 712'. Pumped 80 sxs. from surface via 5 ½" X 8 5/8" annulus. 7/24/00 Perforate: 1793'-1796', 1850'-1853', 1877'-1880', 1910'-1913', 1942'-1948', All 4cpf. Rep perforate @ 1764'.						
7/26/00 7/29/00	Perforate: 1793'-1796', 1850'-1853', 1877'-1880',1910'-1913',1942'-1948'. All 4spf. Ran packer & set @ 1764'. Stimulate: 25000# 20/40 & 75000# 12/20 Sand. 740000 scf N2 70 Quality Foam. Pulled packer. Perforate: 1668'-1676'(4').					
Stimulate: 25000# 20/40 & 75000# 12/20 Sand. 555000 scf N2 70 Quality Foam. 7/31/00 Cleaned out to 2048'. 8/01/00 TIH with tubing and rods. Well ready to be electrified.						
I hereby certify the	hat the information : $\rho \sim \rho$	above is true and comple				
SIGNATURE	goel I.			SITE SUPERVISO	RDATE8/	/15/00
Type or print nan (This space for St		T Telephone No.: (505)	445-4620			
APPPROVED B' Conditions of app	y 12	Dhu	TITLE	STRICT SU	PERVISOR	DATE 8/18/00