

180514 Submit 3 Copies To Appropriate  
District Office  
District I  
1625 N. French Dr., Hobbs, NM 87240  
District II  
811 South First, Artesia, NM 87210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised March 25, 1999

OIL CONSERVATION DIVISION  
2040 South Pacheco  
Santa Fe, NM 87505

WELL API NO. 30-007-20162
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH  
PROPOSALS.)

1. Type of Well:  
Oil Well ☐ Gas Well ☒ Other Coalbed Methane

2. Name of Operator  
Sonat Raton, L.L.C.

3. Address of Operator  
P.O. Box 190, Raton, NM 87740

4. Well Location  
Unit      K      : 1558' feet from the SOUTH line and 1459' feet from the WEST line  
Section 02 Township 31N Range 19E NMPM COLFAX County

7. Lease Name or Unit Agreement Name:  
VPR A

8. Well No. 27

9. Pool name or Wildcat

10. Elevation (Show whether DR, RKB, RT, GR, etc.)

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☒ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

0/28/00: Spud @10:00 a.m. Drill II" surface hole to 353'. Run 17 jts of 8 5/8" and set at 352'. Cement with 125 sks of Midcon plus additives. Circulated 8 bbls of slurry to surface. WOC.

01/29/00: WOC and Drill 7 7/8" hole to 2250'.

01/30/00: Drill to TD @ 2375'. Reeves ran open hole logs. RDMO Pense Drilling, MIRU Leed Well Service. Run 5 1/2" casing. Set & cement at 2262'. Cemented with 300 sacks of Midcon 2 plus additives. No cement to surface.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE DR Lankford TITLE Sr. Petroleum Engineer DATE 2/14/00

Type or print name Donald R. Lankford Telephone No. (505)445-4621

(This space for State use)

APPROVED BY Ry E Johnson TITLE DISTRICT SUPERVISOR DATE 2/23/00  
Conditions of approval, if any: