180514Submit 3 Copies To Appropriate State of New Mexico District Office Energy, Minerals and Natural Resources District I WELL API NO. 1625 N. French Dr., Hobbs, NM 87240 District II 30-007-20165 OIL CONSERVATION DIVISION 811 South First, Artesia, NM 87210 District III 2040 South Pacheco 1000 Rio Brazos Rd., Aztec, NM 87410 Santa Fe, NM 87505 District IV 2040 South Pacheco, Santa Fe, NM 87505 SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well \square Other Coalbed Methane Gas Well Name of Operator 8. Well No. Sonat Raton, L.L.C. Address of Operator P.O. Box 190, Raton, NM 87740 Well Location Township 32N Range 20E Section 10. Elevation (Show whether DR, RKB, RT, GR, etc.)

5. Indicate Type of Lease STATE \square FEE State Oil & Gas Lease No. 7. Lease Name or Unit Agreement Name: VPR A 9. Pool name or Wildcat Unit D: 1265' feet from the North line and 1229' feet from the WEST line NMPM COLFAX County 8109' GL 11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING ☐ CHANGE PLANS COMMENCE DRILLING OPNS. PLUG AND **TEMPORARILY ABANDON ABANDONMENT** ☐ MULTIPLE PULL OR ALTER CASING П CASING TEST AND **CEMENT JOB** COMPLETION OTHER: OTHER: Completion 12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation. Ru Patterson Wireline. Run CBL. TOC = 120' 02/23/00: Perforate: 2150-54, 2168-72, 2198-2202, 2209-13, 2241-55. All @ 4 SPF 03/29/00: Stimulate: 30,000 # 20/40 & 130,000 # 12/20 Sand. 505,000 SCF N2 70 Quality Foam. 03/30/00: Perforate: 2061-65. 4 SPF Stimulate: 10,000 # 20/40 & 30,000 # 12/20 Sand. 290,000 SCF N2 70 Quality Foam. Perforate: 1780-84, 1997-1801, 1833-37. All @ 4 SPF Stimulate: 10.000 # 20/40 & 40,000 # 12/20 Sand. 195,000 SCF N2 70 Quality Foam Clean out Wellbore to 2342'. TIH w/ Tubing and Rods. Well ready to produce. 04/05-06/00: I hereby certify that the information above is true and complete to the best of my knowledge and belief. DATE 5/15/00 TITLE Sr. Petroleum Engineer SIGNATURE Telephone No. (505)445-4621 Type or print name Donald R. Lankford (This space for State use)

Form C-103

Revised March 25, 1999

John TITLE DISTRICT SUPERVISOR DATE 5/19/2000 APPPROVED BY

Conditions of approval, if any