Submit 3 Copies To Appropriate District Office	State of New Mexico		Form C-103
District I	Energy, Minerals and Natural Resources		Revised March 25, 1999
1625 N. French Dr., Hobbs, NM 87240 District II			WELL API NO.
811 South First, Artesia, NM 87210	OIL CONSERVATION DIVISION		30-007-20170 5. Indicate Type of Lease
<u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St Francis		STATE FEE
District IV	Santa Fe, NM 87505		6. State Oil & Gas Lease No.
2040 South Pacheco, Santa Fe, NM 87505			or state on the das Bease (10).
SUNDRY NOTICES AND REPORTS ON WELLS			7. Lease Name or Unit Agreement Name:
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)			VPR 'A'
1. Type of Well:			
Oil Well Gas Well Other COALBED METHANE			
2. Name of Operator EL PASO ENERGY RATON, LLC			8. Well No. 41
3. Address of Operator			9. Pool name or Wildcat
P.O. BOX 190; RATON, NM 87740			Stubblefield Canyon Raton-Vermejo Gas
4. Well Location			
Unit Letter N : 1128' feet from the South line and 1332' feet from the West line			
Section 21 Towns	hip 32N Range		COLFAX County
10. Elevation (Show whether DR, RKB, RT, GR, etc.) 8068' (GR)			
		cate Nature of Notice,	
NOTICE OF <u>IN</u>		1	SEQUENT REPORT OF:
PERFORM REMEDIAL WORK	PLUG AND ABANDON L	REMEDIAL WOR	K ALTERING CASING
TEMPORARILY ABANDON	CHANGE PLANS [COMMENCE DRI	ILLING OPNS. PLUG AND ABANDONMENT
PULL OR ALTER CASING	MULTIPLE COMPLETION	CASING TEST AT CEMENT JOB	
OTHER:		OTHER:	Recompletion
	(Clearly state all pertinent details, and		ed date of starting any proposed work) SEE RULE 1103 For
Multiple Completions: Attach wellbore diagram of proposed completion or recompletion			
07/25/02 HES perf'd 1 st stage - 2232'-2234', 2237'-2240' 3 SPF 13 Holes HES frac'd 1 st stage - Pumped 6.0 bbls HCL acid with 50,050 lbs 16/30 Brady sand at 10.5 bpm, ATP 2176 psi, ISIP 65 psi.			
HES perf'd 2 nd stage - 2187'-2192', 2206', 2208' 3 SPF 19 Holes HES frac'd 2 nd stage - Pumped 9.5 bbls HCL acid with 80,450 lbs 16/30 Brady sand at 10.6 bpm, ATP 2621 psi, ISIP 873 psi.			
07/26/02 HES perf/d 3 rd stage = 1297'-1299' 3 SPE 5 Holes			
HES frac'd 3 rd stage - Pumped 2.4 bbls HCL acid with 20,430 lbs 16/30 Brady sand at 8.8 bpm, ATP 3517 psi ISIP 1128 psi. HES perf'd 4 th stage - 1247'- 1251' 3 SPF 11 Holes			
HES frac'd 4 th stage - Pumped 6.0 bbls HCL acid with 50,430 lbs 16/30 Brady sand at 10.8 bpm, ATP 3691 psi, ISIP 938 psi.			
HES frac'd 5 th stage - Pumped 3.6 bbls HCL acid with 31,260 lbs 16/30 Brady sand at 8.8 bpm, ATP 2933 psi, ISIP 870 psi HES perf'd 6 th stage - 729'-732' 3 SPF 8 Holes			
HES frac'd 6 th stage - Pumped 4.2 bbls HCL acid with 35,100 lbs 16/30 Brady sand at 8.8 bpm, ATP 2975 psi, ISIP 455 psi. 08/01/02 Run production equipment back in hole. Well is ready to be placed back on production.			
I hereby certify that the information above is true and complete to the best of my knowledge and belief.			
()/·1 1 1/2:4111			
SIGNATURE TITLE Field Adm. Specialist DATE 08/05/02			
Type or print name: Shirley A Mitchell Telephone No.: (505) 445-6785			
(This space for State use)			
APPPROVED BY LE John TITLE DISTRICT SUPERVISOR DATE 8/16/02			
Conditions of approval, if any:	/		