

District I
1625 N. French Dr., Hobbs, NM 87240
District II
811 South First, Artesia, NM 87210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-105

Revised March 25, 1999

OIL CONSERVATION DIVISION
2040 South Pacheco
Santa Fe, NM 87505

WELL API NO. 30-007-20176

5. Indicate Type of Lease

STATE ☐ FEE ☒

State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:

OIL WELL ☐ GAS WELL ☐ DRY ☐ OTHER ☐ COALBED METHANE ☐

b. Type of Completion:

NEW ☒ WORK ☐
WELL ☒ OVER ☐ DEEPEN ☐ PLUG ☐
BACK ☐ DIFF. ☐
RESVR. ☐ OTHER ☐

2. Name of Operator

EL PASO ENERGY RATON, L.L.C.

3. Address of Operator

PO BOX 190
RATON, NEW MEXICO 87740

7. Lease Name or Unit Agreement Name

VPR D

8. Well No.

8

9. Pool name or Wildcat

Castle Rock Park - Vermejo Gas

4. Well Location

Unit Letter P 1300' Feet From The SOUTH Line and 1021' Feet From The EAST Line

Section 1 Township 30N Range 17E NMPM COLFAX County

10. Date Spudded

11. Date T.D. Reached

12. Date Compl. (Ready to Prod.)

13. Elevations (DF& R(B. RT, GR, etc.)

14. Elev. Casinghead

04/07/00

04/08/00

07/14/00

8310'

8310'

15. Total Depth

16. Plug Back T.D.

17. If Multiple Compl. How Many
Zones?

18. Intervals
Drilled By

Rotary Tools
0 - TD

Cable Tools
NONE

1880'

1844'

19. Producing Interval(s), of this completion - Top, Bottom, Name
1506' - 1789' Vermejo Coals

20. Was Directional Survey Made
No

21. Type Electric and Other Logs Run
Compensate Density, After Frac, CBL

21. Was Well Cored
No

23.

CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8"	24 lb.	338'	11"	125 sx.	None
5 1/2"	15.5 lb.	1851'	7 7/8"	225 sx.	

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN

25. TUBING RECORD

SIZE	DEPTH SET	PACKER SET
2 7/8"	1773'	N/A

26. Perforation record (interval, size, and number)

1506' - 1512' (4 SPF)
1785, - 1789'; 1742' - 1746', 1717' - 1721'. (All 4 SPF)

Vermejo Coals

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED

1506' - 1789' 50,000 lbs. 20/40 sand

150,000 lbs. 12/20 sand

28

PRODUCTION

Date First Production
09/15/00

Production Method (Flowing, gas lift, pumping - Size and type pump)
30-N-095 pc pump

Well Status (Prod. or Shut-in)
Prod.

Date of Test 09/08/00	Hours Tested 24 Hours	Choke Size Full 2"	Prod'n For Test Period	Oil - Bbl N/A	Gas - MCF 159	Water - Bbl. 21	Gas - Oil Ratio N/A
--------------------------	--------------------------	-----------------------	---------------------------	------------------	------------------	--------------------	------------------------

Flow Tubing Press.	Casing Pressure 20	Calculated 24- Hour Rate	Oil - Bbl. N/A	Gas - MCF 159	Water - Bbl 21	Oil Gravity - API - (Corr.) N/A
-----------------------	-----------------------	-----------------------------	-------------------	------------------	-------------------	------------------------------------

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

Sold, used for fuel

Test Witnessed By: Larry Casey

30. List Attachments

31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief

Signature Ruth Luksich Printed Name Ruth Luksich Title Facility Production Specialist Date: 09/14/00

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

T. Anhy	T. Canyon
T. Salt	T. Strawn
B. Salt	T. Atoka
T. Yates	T. Miss
T. 7 Rivers	T. Devonian
T. Queen	T. Silurian
T. Grayburg	T. Montoya
T. San Andres	T. Simpson
T. Glorieta	T. McKee
T. Paddock	T. Ellenburger
T. Blinberry	T. Gr. Wash
T. Tubb	T. Delaware Sand
T. Drinkard	T. Bone Springs
T. Abo	T.
T. Wolfcamp	T.
T. Penn	T.
T. Cisco (Bough C)	T.

Northwestern New Mexico

T. Ojo Alamo _____	T. Penn. "B" _____
T. Kirtland-Fruitland _____	T. Penn. "C" _____
T. Pictured Cliffs _____	T. Penn. "D" _____
T. Cliff House _____	T. Leadville _____
T. Meno fee _____	T. Madison _____
T. Point Lookout _____	T. Elbert _____
T. Mancos _____	T. McCracken _____
T. Gallup _____	T. Ignacio Otzte _____
Base Greenhorn _____	T. Granite _____
T. Dakota _____	T. Raton – surface – 473’
T. Morrison _____	T. Vermejo 474’ – 1474’
T. Todil o _____	T. Trinidad 1803’
T. Entrada _____	T. _____
T. Wing ate _____	T. _____
T. Chin e _____	T. _____
T. Permian _____	T. _____
T. Penn "A" _____	T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....
No. 2, from.....to.....
No. 3 from.....to.....
No. 4 from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in 10le.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology